



**LIMPOPO**  
PROVINCIAL GOVERNMENT  
REPUBLIC OF SOUTH AFRICA

**DEPARTMENT OF  
AGRICULTURE AND RURAL DEVELOPMENT**

**TENDER NO ACDP 23/16  
TENDER DOCUMENT  
FOR**

**A 3-YEAR FRAMEWORK AGREEMENT FOR THE DEVELOPMENT AND  
MAINTENANCE OF IRRIGATION AND CIVIL WORKS FOR INDIVIDUAL,  
SCHEMES AND GOVERNMENT FACILITIES PROJECTS FOR THE LIMPOPO  
DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT**

<b>NAME OF TENDERER</b>	
<b>TOTAL TENDERED AMOUNT</b>	
<b>TOTAL TENDERED AMOUNT IN WORDS</b>	
<b>VAT NUMBER (if registered for VAT)</b>	
<b>SUPPLIER CSD REGISTRATION NUMBER</b>	
<b>TAX COMPLIANCE STATUS PIN (to verify bidder's tax compliance status)</b>	
<b>PROJECT DURATION</b>	
<b>TEL NUMBER</b>	
<b>FAX NUMBER</b>	

**PREPARED FOR:**



**LIMPOPO**  
PROVINCIAL GOVERNMENT  
REPUBLIC OF SOUTH AFRICA

**DEPARTMENT OF  
AGRICULTURE AND RURAL DEVELOPMENT**

**HEAD OF DEPARTMENT  
LIMPOPO DEPT OF AGRICULTURE &  
RURAL DEVELOPMENT  
PRIVATE BAG X 9487  
POLOKWANE  
0700**

**PREPARED BY**



**LIMPOPO**  
PROVINCIAL GOVERNMENT  
REPUBLIC OF SOUTH AFRICA

**DEPARTMENT OF  
AGRICULTURE AND RURAL DEVELOPMENT**

**ENGINEERING SERVICES HEAD OFFICE  
LIMPOPO DEPT OF AGRICULTURE &  
RURAL DEVELOPMENT  
69 BICCARD STREET  
POLOKWANE  
0700**

**CLOSING DATE: 10 FEBRUARY 2026 TIME 11:00 AM**

**BRIEFING MEETINGS:**

**CATEGORY 1: 21 JANUARY 2026 TIME 10:00 AM (CIDB 3CE or 3SH to 4CE or 4SH)**

**AND**

**CATEGORY 2: 22 JANUARY 2026 TIME 10:00 AM (CIDB 5CE or 5SH to 7CE or 7SH)**

**A 3-YEAR FRAMEWORK AGREEMENT FOR THE DEVELOPMENT AND MAINTENANCE OF IRRIGATION AND CIVIL WORKS FOR INDIVIDUAL, SCHEMES AND GOVERNMENT FACILITIES PROJECTS FOR THE LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT**

**TENDERER'S DETAILS**

**NAME OF TENDERER**

.....  
.....  
.....

**PHYSICAL ADDRESS**

.....  
.....  
.....

**POSTAL ADDRESS**

.....  
.....  
.....

**CONTACT PERSON**

(NAME).....

(SURNAME).....

(PHONE No).....

(CELL No).....

(FAX No).....

(E-MAIL).....

## LIMPOPO DEPARTMENT OF AGRICULTURE & RURAL DEVELOPMENT

### A 3-YEAR FRAMEWORK AGREEMENT FOR THE DEVELOPMENT AND MAINTENANCE OF IRRIGATION AND CIVIL WORKS FOR INDIVIDUAL, SCHEMES AND GOVERNMENT FACILITIES PROJECTS FOR THE LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

## Contents

Number | Heading

### The Tender

#### Part T1: Tendering procedures

T1.1	Tender Notice and Invitation to Tender
T1.2	Tender Data
T1.3	Standard Conditions of Tender

#### Part T2: Returnable schedules

T2.1	List of Returnable Documents
T2.2	Returnable Schedules to be completed by tenderer

### The Contract

#### Part C1: Agreement and Contract Data

C1.1	Form of Offer and Acceptance
C1.2	Contract Data
C1.3	Form of Guarantee
C1.4	Agreement with Adjudicator
C1.5	Agreement in Terms of Section 37(2) of the Occupational Health and Safety Act No 85 of 1993

#### Part C2: Pricing data

C2.1	Pricing Instructions
C2.2	Bill of Quantities

#### Part C3: Scope of Work

C3.1	Standard Specifications
C3.2	Project Specifications
C3.3	Particular Specifications

#### Part C4: Site Information

C4.1:	Locality Plan
C4.2:	Construction Notice Board

## PART T1: TENDERING PROCEDURES

<b>TABLE OF CONTENTS</b>		<b>Page</b>	<b>Colour</b>
<b>T1.1:</b>	<b>TENDER NOTICE AND INVITATION TO TENDER .....</b>	T.2	White
<b>T1.2:</b>	<b>TENDER DATA .....</b>	T.7	Pink
<b>T1.3:</b>	<b>ANNEXURE F: STANDARD CONDITIONS OF TENDER .....</b>	T.14	Pink

**T1.1: TENDER NOTICE AND INVITATION TO TENDER**

**LIMPOPO**  
PROVINCIAL GOVERNMENT  
REPUBLIC OF SOUTH AFRICA

**DEPARTMENT OF  
AGRICULTURE AND RURAL DEVELOPMENT**

**TENDER NO ACDP 23/16**

**A 3-YEAR FRAMEWORK AGREEMENT FOR THE DEVELOPMENT AND MAINTENANCE OF IRRIGATION AND CIVIL WORKS FOR INDIVIDUAL, SCHEMES AND GOVERNMENT FACILITIES PROJECTS FOR THE LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT**

*T1.1 Tender Notice and Invitation to Tender*

Tenders are hereby invited to tender for an Irrigation Framework Agreement for the Development and Maintenance of Irrigation and Civil Works for Individual, Schemes and Government Facilities' Projects in the Limpopo Province. The Tender will be having 2 Categories with respective CIDB gradings. **Tenderers for Category 1 should have a CIDB grading of 3CE or 3SH to 4CE or 4SH. Tenderers for Category 2 should have a CIDB grading of 5CE or 5SH to 7CE or 7SH.**

<b>Project Name</b>	A 3-year framework agreement for the development and maintenance of irrigation and civil works for individual, schemes and government facilities projects	
<b>Tender Number</b>	ACDP 23/16	
<b>Tender documents availability</b>	Will be obtainable from 31 March 2025, from the Departmental Website, on the following link: <a href="http://www.ldard.gov.za">www.ldard.gov.za</a>	
<b>Address for submission of tenders</b>	Limpopo Department of Agriculture 67 Biccard Street, Temo Towers, Ground Floor Polokwane 0699	
<b>Closing date of the tender</b>	10 FEBRUARY 2026	
<b>Closing time of the tender</b>	11H00	
<b>Compulsory briefing meeting</b> <i>(Tenderers must sign the attendance register in the name of the tendering entity. Addenda (if any) will be issued only to those tendering entities appearing on the attendance register)</i>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
	Meeting venue	Offices of the Department of Agriculture and Rural Development in the Foyer of the Agrivillage 1 Building at 69 Biccard Street, Polokwane
	Date	21 January 2026 for Category 1 22 January 2026 for Category 2
	Time:	10H00 (for both days)
<b>Evaluation criteria</b>	<ol style="list-style-type: none"> <li>1. Compliance with mandatory or compulsory requirements</li> <li>2. Functionality</li> <li>3. Preference Point System</li> <li>4. Price</li> </ol>	
<b>Mandatory or Compulsory Requirements</b> <i>(failure to submit or comply with these requirements will lead to automatic disqualification)</i>	Only those tenderers who are registered with the CIDB or are capable of being so prior to the closing date for the submissions, in a contractor grading designation equal to or higher than a contractor grading designation determined in accordance with the sum tendered, or a value determined in accordance with Regulation 25 (1B) or 25(7A) of the Construction Industry Development Regulations, respectively as per category limitations indicated, are eligible to have their tenders evaluated. Tenderers	

	outside the stipulated CIDB grading in each category will be disqualified.
	<p>Joint ventures are eligible to submit tenders provided that:</p> <ol style="list-style-type: none"> <li>1. Every member of the joint venture is registered with the CIDB.</li> <li>2. The lead partner has a contractor grading designation in the respective category's grading class of construction work, or not lower than one level below the required grading designation in the class of works construction works under consideration and possesses the required recognition status.</li> <li>3. The combined contractor grading designation calculated in accordance with the Construction Industry Development Regulations is equal to or higher than a contractor grading designation determined in accordance with the sum tendered for as per respective category's class of construction work or a value determined in accordance with Regulation 25 (1B) or 25(7A) of the Construction Industry Development Regulations.</li> <li>4. Attach a valid JV agreement. Non-submission will lead to disqualification. In the case of an award, the company need to register on CSD as a JV. The process is that the service providers must register the JV at SARS and then open a JV bank account. With those documents they can then register the JV on the CSD. <b>The department will only make payment to a JV account.</b></li> </ol>
	<p>The Non-submission of the following:</p> <ol style="list-style-type: none"> <li>1. Invitation to Bid – SBD 1</li> <li>2. Pricing Schedule – SBD 3.2</li> <li>3. Bidders Disclosure – SBD 4</li> <li>4. Preference Point Claim Form – SBD 6.1</li> <li>5. Form of intent by a bank or insurance company to provide a 10% performance guarantee and insurance of the works.</li> <li>6. Completeness of the tender document.</li> <li>7. Specification</li> <li>8. Bank Rating</li> <li>9. Bill of Quantities</li> <li>10. CIDB grading certificate</li> <li>11. Compulsory Enterprise Questionnaire</li> </ol> <p>Will lead to disqualification.</p>

<b>Employer:</b>	<b>Engineer:</b>
<b>Limpopo Department of Agriculture and Rural Development</b> Head of Department Private Bag X9487 Polokwane, 0700 <u>For Administrative Enquiries:</u> Ms. M Mankgabe Tel: 015 294 3210 E-mail: <a href="mailto:mologadi@agric.limpopo.gov.za">mologadi@agric.limpopo.gov.za</a>	<b>Limpopo Department of Agriculture and Rural Development</b> <u>For Technical Enquiries:</u> Ms. T Ngoepe Tel: 015 294 3429 / 066 079 3405 E-mail: <a href="mailto:NgoepeT@agric.limpopo.gov.za">NgoepeT@agric.limpopo.gov.za</a>

## **T1.2. TENDER DATA**

The Conditions of Tender in the Standard Conditions of Tender as contained in Annex F of CIDB Standard Uniformity in Construction Procurement. (See [www.cidb.org.za](http://www.cidb.org.za)) which are reproduced without amendment or alteration for the convenience of Tenderers in this Tender in the section T1.3 of the Tender Data.

The Standard Conditions of Tender make several references to the Tender Data for details that apply specifically to this Tender. The Tender Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the Standard Conditions of Tender. Each item of Tender Data given below is cross-referenced to the relevant clause in the standard Conditions of Tender.

**F.1.1** The Employer for this Contract is: **Limpopo Department of Agriculture and Rural Development**

**F.1.2** **Tender Documents**

**The Tender Document consists of the following:**

### **TENDER**

#### **T1: Tendering Procedures**

- T1.1: Tender Notice and Invitation to Tender
- T1.2: Tender Data

#### **T2: Returnable Documents**

- T2.1: List of Returnable Documents
- T2.2: Returnable schedules

### **CONTRACT**

#### **Part 1: Agreements and Contract Data**

- C1.1: Form of Offer and Acceptance
- C1.2: Contract Data
- C1.3: Form of Guarantee
- C1.4: Agreement with Adjudicator
- C1.5: Agreement in terms of Section 37(2) of the Occupational Health and Safety Act  
(No 85, 1993)

#### **Part 2: Pricing Data**

- C2.1: Pricing Instructions
- C2.2: Bill of Quantities

#### **Part 3: Scope of Work**

- C3.1: Standard Specifications
- C3.2: Project Specifications
- C3.3: Particular Specifications

#### **Part 4: Site Information**

- C4.1: Locality Plan
- C4.2: Construction Notice Board

### **DRAWINGS**

No Drawings are bound in this document. Drawings will be provided per Task Order where applicable.

The Tender Document shall be obtained from the Employer or his authorized representative from the Departmental Website, on the following link: [www.ldard.gov.za](http://www.ldard.gov.za) No payment is

required to off-load the document from the Website.

**C.1.4 The Employer's agent is:**

Name : Ngoepe T  
Name : Limpopo Department of Agriculture & Rural Development  
Address : Head Office  
  
Telephone : 015 294 3429 or 066 079 3405  
E-Mail Address : [NgoepeT@agric.limpopo.gov.za](mailto:NgoepeT@agric.limpopo.gov.za)

**C.1.5 The Employer's right to accept or reject any Tender Offer**

The Employer may accept or reject any variation, deviation, Tender Offer, or alternative Offer, and may cancel the Tender process and reject all Tender Offers at any time before the formation of a Contract. The Employer shall not accept or incur any liability to a Tenderer for such cancellation and rejection but will give written reasons for such action upon written request to do so. The Employer will reserve the right to appoint a maximum of 40 responsive Service Providers with the highest scoring points to the Database, with maximum of 20 responsive Service Provider under Category 1 bidders and a maximum of 20 responsive under Category 2 bidders.

**C.2.1 Eligibility**

A Tenderer will not be eligible to submit a Tender if:

- (a) The Contractor submitting the Tender is under restrictions or has principals who are under restriction to participate in the Employer's procurement due to corrupt or fraudulent practices;
- (b) The Tenderer does not have the legal capacity to enter into the Contract;
- (c) The Contractor submitting the Tender is insolvent, in receivership, bankrupt or being wound up, has his affairs administered by a court or a judicial officer, has suspended his business activities, or is subject to legal proceedings in respect of the foregoing;
- (d) The Tenderer does not comply with the legal requirements stated in the Employer's procurement policy;
- (e) The Tenderer cannot demonstrate that he possesses the necessary professional and technical qualifications and competent, financial resources, equipment and other physical facilities, managerial capability, personnel, experience and reputation to perform the Contract;
- (f) The Tenderer cannot provide proof that he is in good standing with respect to duties, taxes, levies and contributions required in terms of legislation applicable to the work in the Contract.
- (g) Only those Tenderers who have in their employ management and supervisory staff satisfying the requirements of the Scope of Work for Labour Intensive Competencies for supervisory and management staff are eligible to submit Tenders.
- (h) Only those Tenderers who are registered with the CIDB as defined in the Regulations 09 June 2004 and 22 July 2005), in terms of the CIDB Act No 38 of 2000 or are capable of being so prior to the evaluation of submissions, in a Contractor grading designation equal to or higher than a Contractor grading designation determined in accordance with the Sum Tendered for a 5SH or 5CE or higher class of construction work, are eligible to submit Tenders.
- (i) The Contractor submitting the Tender is not registered on the Employer's Supplier Database
- (j) Irrigation Companies that have in-house irrigation design and civil construction abilities must have a CIDB registration of **3CE or 3SH to 4CE or 4SH** for Category 1 and **5CE or 5SH to 7CE or 7SH** for Category 2.
- (k) A Joint Venture or a Company that Sub-contract the construction part or design part, only the Construction Partner must have a minimum CIDB registration of **3CE or 3SH to 4CE or 4SH** for Category 1 and **5CE or 5SH to 7CE or 7SH** for Category 2.

Joint Ventures are eligible to submit Tenders provided that:

1. At least one (1) member of the Joint Venture is registered with the CIDB and the partner with the CIDB grading has a Contractor grading designation class of construction work of **3CE or 3SH to 4CE or 4SH** for Category 1 and **5CE or 5SH to 7CE or 7SH** for Category 2.
2. Should this bid be submitted by a joint venture, the joint venture agreement must accompany the bid document before the closing date and time of bid. The joint venture agreement must clearly specify the percentage of the contract to be undertaken by each company participating therein.
3. Each party to a Joint Venture/ Consortium must submit an original valid Tax Clearance Certificate together with the bid before the closing date and time of bid.
4. The joint venture or consortium must submit a formal agreement that outlines the roles and responsibilities of each member of the joint venture or consortium, nomination of an authorised person to represent the joint venture or consortium in all matters relating to this bid and the details of the bank account for payments to be effected.
5. The joint venture or consortium must comply with Central Suppliers Database (CSD) registration requirements as per National Treasury directive.

### C.2.7 Site visit and clarification meeting

There will be two (2) compulsory sessions for the site briefings per respective category as follows:

Location: Foyer of Agrivillage 1 Building  
69 Biccard Street, Polokwane, Limpopo

#### **Category 1: CIDB Grading 3CE or 3SH to 4CE or 4SH**

Date: 21 January 2026 Starting time: 10H00

#### **Category 2: CIDB Grading 5CE or 5SH to 7CE or 7SH**

Date: 22 January 2026 Starting time: 10H00

Enquiries and confirmation of attendance at least one full working day in advance regarding the meeting may be directed to:

Name : T Ngoepe  
Name : Limpopo Department of Agriculture & Rural Development  
Address : 67/69 Biccard Street  
Polokwane, 0699  
Telephone : 015 294 3429 / 066 079 3405  
E-Mail : [NgoepeT@agric.limpopo.gov.za](mailto:NgoepeT@agric.limpopo.gov.za)

**Bidders must sign the attendance register using the name of the Bidding entity. Addenda may be issued and Bids will only be received from those Bidding entities appearing on the attendance list.**

### C.2.10 Pricing the Tender Offer

#### (a) Value Added Tax

- The Valued Added Tax (VAT) rate shall be 15% or as otherwise provided for by Legislation.
- The successful Tenderer shall be required to produce a VAT invoice that shall only be prepared once measurements and valuations for work done in Terms of Contract Offer have been agreed with the Employers agent and a Certificate of Payment issued.

- Payment of VAT to non-VAT vendors shall be processed from the month in which the Tenderer's liability with the South African Revenue Services is effective.

**C.2.11 Alterations to document**

A Tender Offer shall not be considered if alterations have been made to the Forms of Tender data or Contract data (unless such alterations have been duly authenticated by the Tenderer) or if any particulars required therein have not been completed in all respects.

**C.2.12 Alternative Tender Offers**

No alternative Offers will be considered.

**C.2.13 Submitting a Tender Offer**

**C.2.13.3** Tender Offers shall be submitted as an original only.

Under no circumstances whatsoever may the Tender forms be retyped or redrafted.

Photocopies of the original Tender documentation may be used, but an original signature must appear on such photocopies.

**C.2.13.5** The Employer's address for delivery of Bid Offers and identification details to be shown on such Bid Offer package are:

Location of Bid box: Limpopo Department of Agriculture and Rural Development  
Physical address: 67/69 Biccard Street  
Polokwane, 0700

Identification details: **A 3-YEAR FRAMEWORK AGREEMENT FOR THE DEVELOPMENT AND MAINTENANCE OF IRRIGATION AND CIVIL WORKS FOR INDIVIDUAL, SCHEMES AND GOVERNMENT FACILITIES PROJECTS FOR THE LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT**

Tender No: **ACDP 23/16**  
Closing Date: **10 February 2026 at 11:00**

**C.2.15 Closing Time**

The closing time for submission of Tender Offers is: **11h00** on 10 February 2026 as stated in the Tender Notice and Invitation to Tender.

Telephonic, telegraphic, telex, facsimile, electronic or e-mailed Tenders will not be accepted.

**C.2.16 Tender Offer validity**

The Tender Offer validity period is **240 days** from the closing time for submission of Tenders.

**C.2.17 Clarification of tender offer after submission**

Provide clarification of a tender offer in response to a request to do so from the employer during the evaluation of tender offers. This may include providing a breakdown of rates or prices and correction of arithmetical errors by the adjustment of certain rates or item prices (or both). No change in the total of the prices or substance of the tender offer is sought, offered, or permitted. The total of the prices stated by the tenderer shall be binding upon the tenderer.

**Note:** Sub-clause F.2.17 does not preclude the negotiation of the final terms of the contract with a preferred tenderer following a competitive selection process, should the Employer elect to do so, this may include negotiations for fair market related prices.

#### **C.2.18 Provide other material**

The Tenderer shall, when requested by the Employer to do so, submit the names of all management and supervisory staff that will be employed to supervise the labour-intensive portion of the works together with satisfactory evidence that such staff members satisfy the eligibility requirements

#### **C.2.19 Access**

Access shall be provided for inspections and testing by personnel acting on behalf of the Employer.

#### **C.2.20 SCOPE OF WORK OR CONTRACT**

This contract covers the Construction, refurbishment (resuscitating), upgrade or maintenance and commissioning of irrigation projects, civil works, schemes and their supporting infrastructure.

**Category 1** bidders will be limited to the following works scope within the bidder's indicated CIDB grading threshold amount per Task Order:

- Irrigation projects,
- Earthworks including clearing and de-bushing,
- Pump stations (repairs and new),
- Energy source development (Solar, wind, power grid connection and transformer upgrade),
- Surface and underground water abstraction works,
- Water Conveyance repairs (Concrete canals and pipeline),
- Prefabricated reservoirs and tanks,
- Elevated water storage tanks,
- Protective covering (shade net, nursery, and tunnels)
- Minor support buildings (On farm packing facility and sanitation facilities),
- Farm access path clearing,
- Fencing repairs and new perimeter, and
- Storm water control, drainage & soil conservation works.

**Category 2** bidders will implement the following works scope within the bidder's indicated CIDB grading threshold amount per Task Order:

- Irrigation projects,
- Earthworks including clearing and de-bushing,
- Pump stations,
- Underground water source development and equipping,
- Energy source development (Solar, wind, power grid connection and transformer upgrade),
- Surface water abstraction works,
- Prefabricated reservoirs and tanks,
- On farm balancing earth dams including lining (repairs, upgrade and new development),
- Catchment Earth dams/ Embankments of categories I, II and III dams in line with Department of Water and Sanitation classification (for earthworks, clearing and de-bushing, betterment works, embankment wall lining with geo-textile membrane and stones, spillway repairs and upgrades and dam basin silt removal),
- Concrete dams or reservoirs construction and maintenance,
- Protective covering (shade net, nursery, tunnels and environmental controlled structures/ greenhouses) without extent limitation,
- Support buildings (storage facility, packhouse, sanitation facilities)

- Farm access road and pavement work,
- Fencing works,
- Storm water control, drainage & soil conservation works.

This contract will also be used for the Repair and Maintenance of existing Irrigation Schemes irrespective of the extent of the irrigation scheme. Also, and amongst others are included is soil survey, topographical survey, geohydrologist, geotechnical and other specialist services for project related engineering specialist services.

The preferred service providers are Companies or Joint Venture experienced in irrigation construction with CIDB registration of **3CE or 3SH to 4CE or 4SH for category 1 or 5CE or 5SH to 7CE or 7SH for category 2 are targeted**. In the case of Joint Ventures, the calculated CIDB registration grading of **3CE or 3SH to 4CE or 4SH for category 1 or 5CE or 5SH to 7CE or 7SH for category 2** must be achieved.

#### **6. DEPARTMENTAL PROCESS TO REQUEST FOR QUOTATIONS FROM THE SERVICE PROVIDERS ON THE ROTATING ELECTRONIC DATABASE**

The LDARD reserves the right to use any part of the contract in any combination depending on the requirements for the development of a specific project.

The Department reserve the rights not to allocate or award a Task Order to a none performing contractor. It is envisaged that a development of a typical irrigation system would proceed in the following steps.

- LDARD provides terms of reference to the next Contractor on the Rotating Electronic Database in line for a project for the construction of project.
- The Contractor provides a quotation, within 14 days, based on the Term Contract BOQ tendered rates and price adjustment clauses.
- LDARD evaluates the quotation for completeness and alignment with tendered rates.
- LDARD provides the contractor with an order to execute the implementation of the irrigation project.
- Construction, commissioning, handover and retention.

The Service Providers will be requested to quote for the construction, commissioning or evaluation or the repair and maintenance of a specific irrigation project. The identified Service Provider (the next one on the Rotating Electronic Database in line for a project) will receive an Invitation letter to do a costing. The identified Service Provider will receive an approved document containing the following but not limited to:

- Invitation and letter to do a costing
- Specifications
- Bill of quantities
- Drawings

Site briefings may be applicable.

The Department will engage in the following process to source the services from Service Providers that has been registered on the Database:

- Receive a request for a project or service from a Program or Project Manager.
- Compiling a Request (Specifications & BOQ) for the project.
- Compiling a draft task order with estimated costs.
- Request for procurement as the scope, budget, and estimated cost by relevant Director responsible.
- Request to SCM to allocate service provider/Contractor on the term contract by Rotating Electronic Database.
- The Rotating Electronic Database for both Category 1 and category 2 will be managed as one database to fairly distribute works within bidders CIDB grading threshold. Category 2 bidders will be allowed to implement works of value from Zero rands to their grading threshold. Category 1 bidders will be limited to by their grading value threshold and indicated scope of work threshold.
- Request a costing from the allocated Contractor on the Rotating Electronic Database that is in line for a project. The Contractor quotation will be based on the Term Contract BOQ tendered rates and price adjustment clauses.
- Conduct a costing verification and administrative requirements checks.
- Enter into an agreement (SLA or Task Order) for the specific project. The Standard Contract

Form (SBD 7.1) covers all the 3 variables (scope of the works, the price and timeframe for the completion of the works). The balance of the contractual requirements is covered by the Term Contract.

- Request a purchase order from SCM by the Project/Program Manager.
- Give instruction to the Service Provider to commence with the works (Site handover).
- Update the Rotating Electronic Database as prescribed in SANS 10845. Non-responsive and non-performing service providers will stay at the bottom of the database.
- Terminated service providers shall not receive further allocation of works under the Term Contract. None or poor performance on a Task order will lead to termination. Should a service provider be Terminated whilst having more than one Task Order, the service provider will be obligated to complete works on allocated Task Order/s where they have not defaulted, and their performance shall not reinstate them into the Term Contract. Termination will result to punitive measures implementation and service provider restrictions with National Treasury.

## **7. STANDARD FOR FRAMEWORK AGREEMENTS**

The procurement for infrastructure is guided by the "Framework for Infrastructure Delivery and Procurement Management" as published by National Treasury (First edition – October 2015 and Supplemented – May 2019) under SCM Instruction 4 of 2015/16 and Instruction 3 of 2019/20.

Framework Agreements must comply with the following:

(Item 14.3, Page 42 of above document)

- The term of a Framework Agreement shall not exceed three (03) years in the case of all organs of state.
- Framework agreements that are entered into shall not commit an organ of state to any quantum of work beyond the first order or bind the employer to make use of such agreement to meet its needs. The employer may approach the market for goods or services, or a combination thereof, whenever it considers that better value in terms of time, cost and the quality which may be obtained.
- Orders shall cover only goods or services, or any combination thereof, falling within the scope of work associated with the agreement which may not be amended for the duration of the contract.
- Orders may not be issued after the expiry of the term of the framework agreement.
- Orders may be completed even if the completion is after the expiry of the term contract.

## **8. COSTING METHODS**

This will be done as follows:

- The procurement, delivery, installation, and commissioning of Term contract listed materials/equipment.
  - This will be based on tendered rates and price adjustment clauses.
- Procurement and installation of special materials / equipment not included in tendered rates.
  - This will be done on actual cost plus a tendered mark up. (The Service provider should provide 3 quotations from reputable suppliers for approval, should the contractor fail to provide valid quotations, the project engineer shall evaluate and make a ruling of how much should be paid).
- Disbursements and ad-hoc time
  - Disbursement costs are to be built into the various cost items and will not be independently billed.
- The quantities in the Bill of Quantities (BOQ) in this Bid document are only indicative to enable the Department to compare tendered prices. The actual quantities will be determined during the investigation and design stages for each project.
- The Department reserves the right to negotiate and use rates which are market related.

## **9. ROTATING ELECTRONIC DATABASE**

A Rotating Electronic Database will be developed and the Companies on it may get an opportunity to quote for work. The work and the opportunity to quote cannot be guaranteed as requests will depend on the number and type of works required by the different Departmental programs.

## **10. PROCUREMENT OF MATERIALS / EQUIPMENT OUTSIDE THE CONTRACT BOQ**

The mark-up tendered for the procurement must cover all costs related to the purchase of materials or equipment and delivery to site, including handling, storage and security on site, profit, return of faulty items and any other associated costs not covered elsewhere in the bill. The installation thereof is

covered elsewhere.

When submitting a price estimate for the construction of the project, the Service Provider shall supply a bill of quantities based on current cost of materials and equipment and the tendered rates. The cost of materials and equipment shall be based on three written quotations from reputable local suppliers that are acceptable and verifiable by LDARD, indicating nett prices, which shall be attached to the price estimate. LDARD reserves the right to request competitive material or equipment quotations. Should the contractor fail to provide valid quotations, the project engineer shall evaluate and make a ruling of how much should be paid to the contractor.

#### 11. PRICING AND ADJUDICATION

The quantities in the bill of quantities are based on a number of different hypothetical irrigations systems, to enable financial adjudication. These include a drip, micro, centre pivot, dragline, sprinklers, furrow/flood, and overhead cable irrigation schemes.

#### 12. CONTRACT PRICE ADJUSTMENT PROVISION

The tendered rates will be adjusted annually as follows:

- All rates which are based on current market prices with a tendered mark-up will remain unchanged for the duration of the contract.
- All other rates will be adjusted annually as follows:
  - The rates will be adjusted annually by a calculated factor, every 12 calendar months, the first adjustment being 12 months from the end of the month in which the tender was awarded.

Contract price adjustment schedule (General Conditions of Contract for Construction Works, Second Edition, 2010)

$$(1 - x) \left[ \frac{aLt}{Lo} + \frac{bPt}{Po} + \frac{cMt}{Mo} + \frac{dFt}{Fo} - 1 \right]$$

"L" is the "**Labour** **Index**" and shall be the Consumer Price Index for the urban area nearest to the Site, as stated in the Contract Data, and as published in the Statistical News Release, P0141, Additional Tables, Table 11 "– Consumer price indices for Limpopo" of Statistics South Africa.

"P" is the "**Plant Index**" and shall be the Producer Price Index for Civil Engineering Plant as published in the Statistical News Release P0151,1, Table 4 of Statistics South Africa.

"M" is the "**Materials Index**" and shall be the Producer Price Index applicable to the industry as stated in the Contract Data and as published in the Statistical News Release P0151,1, Table 3 of Statistics South Africa.

"F" is the "**Fuel Index**" and shall be the Producer Price Index for Diesel at wholesale level for the area as stated in the Contract Data and as published in the Statistical News Release P0142:1, Table 1 of Statistics South Africa.

"x" is the proportion of "Ac" which is not subject to adjustment. Unless otherwise stated in the Contract Data, this proportion shall be 0, 10.

"a", "b", "c" and "d" are the coefficients contained in the Contract Data, which are deemed, irrespective of the actual constituents of the work, to represent the proportionate value of labour, contractors' equipment, material (other than "special materials" specified in the Contract Data) and fuel respectively. The arithmetical sum of "a", "b", "c", and "d", shall be unity.

The suffix "o" denotes the base indices applicable to the base month as stated in the Contract Data.

The suffix "t" denotes the current indices applicable to the month in which the last day of the period falls to which the relevant monthly statement relates.

The Accounting officer shall be at liberty to make such adjustments to individual rates at prescribed intervals.

### 13. RESOURCES (MATERIALS / EQUIPMENT AND HUMAN)

The appointed service provider must have proven experience and expertise in the field of irrigation development and implementation. All construction works must be done by qualified artisans / tradesman where needed as follows:

**Table 1 Personnel minimum requirements**

<b>Category 1 &amp; 2</b>		
<b>Category</b>	<b>Qualification and Experience</b>	<b>Number of Years</b>
Project Manager	Minimum: National Diploma in Engineering with professional registration with Engineering Council of South Africa, Experienced in Irrigation Construction.	3
Site Agent	Minimum: Diploma in Construction Management or Civil Engineering, Experienced in Irrigation Construction.	2
Site Foreman	Minimum: Higher Certificate in engineering works related	2
Electrician	Artisan Trade in electrical	2
Welders	Artisan Trade in boiler maker or welder	2
Builders	Artisan Trade in bricklaying	2
Plumber	Artisan Trade in Plumbing	2
Health and Safety	Qualified Health & Safety Officer	2
Plant Operators	Plant Operator certificate and driver's license	2

<b>Plant &amp; Equipment</b>	<b>Comments</b>
Support vehicles for the construction of the works.	Applicable support vehicles for the construction of the works. <ul style="list-style-type: none"> <li>• Truck or Tractor and trailer,</li> <li>• LDV's</li> </ul> Owned or Hire (Letter of Intent with source ownership proof)
Construction Plant for Civil works	Applicable construction plant for civil works. <ul style="list-style-type: none"> <li>• Backhoe loader (TLB), Excavator or Trencher</li> </ul> Owned or Hire (Letter of Intent with source ownership proof)

Bidders must attach copies of Ownership documents or copies of Hire contracts or Letter of intention to Hire from the Hire Company with their submission (Hire Company proof of ownership documents). Copies must be certified not older than 3 months.

The Service Provider's team shall have the necessary professional knowledge, skills, and experience to undertake the assignment as set out in the Evaluation Criteria. Other specialized services may be outsourced. Tenderers must, in their submissions, prove their experience in the construction of irrigation and the management of these type of projects.

### 14. FINANCIAL IMPLICATION

Work will be ordered as required based on the availability of funds. This will be a Framework Contract and funding will be from various programs and projects within the Limpopo Department of Agriculture and Rural Development.

**13. EVALUATION CRITERIA**

**13.1 PRE-COMPLIANCE EVALUATION**

Criteria	Requirements
<b>Pre-compliance criteria.</b>	The Service Provider must submit all documents as outlined below.
Preferential points for specific goals.	Bidders will be allocated preferential points for specific goals as per table 13.2.2

The evaluation process entails the following:

Phase 1: Pre-Compliance evaluation

During this phase, bid responses are registered to ascertain the number of bid responses received before the closing date and time.

**Bidder must attend compulsory site briefing** as per scheduled date and time and ensure to sign the attendance register for their bids to be considered for administration, functionality and preference scoring and price. Failure to attend site briefing will result in bid disqualification.

**13.1.2 REQUIRED DOCUMENTS**

**Misrepresentation of facts will render your bid non-responsive.**

Documents that must be submitted	Non-submission will result in disqualification	Requirements
Invitation to Bid – SBD 1	<b>YES</b>	Must fully complete and sign the supplied pro forma document. In case of JV, both partners must submit/ be represented on the submission.
Pricing Schedule – SBD 3.2	<b>YES</b>	Must fully complete and sign the supplied pro forma document. In case of JV, both partners must submit/ be represented on the submission.
Bidders Disclosure – SBD 4	<b>YES</b>	Must fully complete and sign the supplied pro forma document. <b>(Must declare if they have interests in other Companies. Refer to Paragraph 2.3). In case of JV bidders should complete separate SBD 4</b>
Preference Point Claim Form – SBD 6.1	<b>YES</b>	Must fully complete and sign the supplied pro forma document. <b>Non-claiming of points on this form will lead to zero (0) even if supporting documentation is attached</b>
Joint Ventures (JV)	<b>YES</b>	Attach a valid JV agreement. Non-submission will lead to disqualification.  In the case of an award, the company need to register on CSD as a JV. The process is that the service providers must register the JV at SARS then open a JV bank account. With those documents they can then register the JV on CSD. <b>The department will only make payment to a JV account. Bidders should complete 2 separate SBD 4 for each company</b>

Form of intent by a bank or insurance company to provide 10% performance guarantee and insurance of the works	<b>YES</b>	Must be submitted with the tender by the closing date and time of the bid. In case of JV, both partners must submit/ be represented on the submission.
Workmen's Compensation Registration Certificate	<b>NO</b>	Must submit valid copy of COIDA certificate or proof of payment thereof. In case of JV, both partners must submit.
BOQ completed as per CIDB Grading	<b>YES</b>	Bidders having a CIDB grading of <b>3CE or 3SH to 4CE or 4SH</b> must <b>ONLY</b> complete Category 1 BOQ, for CIDB grading of <b>5CE or 5SH to 7CE or 7SH</b> must <b>ONLY</b> complete Category 2 BOQ. Non-compliance will lead to disqualification.
Completeness of the tender document.	<b>YES</b>	Bidders are required to complete the entire bid document without omission of pages in the provided sequence, using the applicable BOQ as per the category mentioned above.using. Supporting documents must be attached with list of indexes/ Annexures and in order of the indicated index sequence. The tender document to be fully completed in <b>Black ink (not typed)</b> .
Bank Rating	<b>YES</b>	Bank rating letter from a financial institution. Bidders must have a minimum rating of <b>C</b> . In case of JV, both partners must submit.
Bill of Quantities (BOQ)	<b>YES</b>	All items of the BOQs for the chosen category must be fully completed (rates, amounts and sums), responsive and submitted with the bid by the closing date and time. No over-writing of figures. <b>Bidders must complete BOQ for their Category of bidding only.</b>
CIDB grading certificate	<b>YES</b>	Bidder who have CIDB grading from <b>3CE or 3SH to 4CE or 4SH</b> for Category 1 OR CIDB grading of <b>5CE or 5SH to 7CE or 7SH</b> for Category 2 are targeted. In case of JV, Calculated CIDB grading must be submitted.
Compulsory Enterprise Questionnaire	<b>YES</b>	Must be fully completed, signed by the authorized person/s and submitted with the bid by the closing date and time. <b>In case of JV's bidders should complete separate forms or be represented.</b>

**13.1.3 The Service Provider must ensure that they meet the following requirements before the bid can be awarded:**

<b>CRITERIA</b>	<b>REQUIREMENT</b>
Tax compliance status	Tenderer must be tax compliant before the bid is awarded, i.e. <i>Where the recommended tenderer is not tax compliant, the tenderer will be notified of their non-compliant status and must be requested to submit written proof from SARS of their tax compliance status or proof that they have made an arrangement to meet their outstanding tax obligations within 7 working days. The tenderer should thereafter provide the accounting officer or accounting authority with proof of their tax compliance status which should be verified via the Central Supplier Database or e-Filing"</i>
Business registration	The Company must be in business

Company registration with central supplier database (CSD)	Company must be registered on central supplier database (CSD). If not registered must proceed to complete the registration prior to submitting your proposal. Visit <a href="https://secure.csd.gov.za/">https://secure.csd.gov.za/</a> to obtain your vendor number.
In the service of the State status	The bid will not be considered if Shareholders or directors are employed by state/ government departments, municipalities, municipal entities, or public entities unless <b>the approval from executive authority to do business with the state is submitted with the proposal</b>
Tender defaulting and restriction status	Entity and directors must not be restricted

### 13.2 FUNCTIONALITY

#### 13.2.1 Functionality Evaluation Criteria = 100 points

The minimum score required for functionality is **60 points** to qualify to be registered into the Departmental Data base.

A tenderer who scores less than **60 points on functionality will be disqualified.**

**Misrepresentation of facts will render your bid non-responsive.**

**Table 13.1 Category 1 Functionality – Bidders with CIDB grading 3CE or 3SH to 4CE or 4SH**

CRITERIA	EVIDENCE	Value	Weighting
<b>1. Irrigation Construction Team: Qualified and Experience Staff.</b> <b>Evidence</b> Bidders must attach brief CV with certified copies of qualification and Identity document for each Key member of the Construction Team for evaluation.	No information.	0	25
	Project Manager, Site agent and health & safety officer with 1-2 of the following personnel: 1) Site Foreman, Artisan Plumber, Artisan Builder, Artisan welder, Artisan Electrician, and Plant Operator	1	
	Project Manager, Site agent and health & safety officer with 3-4 of the following personnel: 1) Site Foreman, Artisan Plumber, Artisan Builder, Artisan welder, Artisan Electrician, and Plant Operator	3	
	Project Manager, Site agent and health & safety officer with 5 or above of the following personnel: 1) Site Foreman, Artisan Plumber, Artisan Builder, Artisan welder, Artisan Electrician, and Plant Operator	5	
<b>2. Construction Vehicles, Plant &amp; Equipment.</b> <b>Evidence:</b> Bidders must attach copies of Ownership documents or copies of Hire contracts or Letter of intention to Hire from the Hire Company with their submission (Hire Company proof of ownership documents). Copies must be certified, not older than 3 months.	No information or None	0	25
	<b>Own or hire LDV and 1 in either of 2 group</b> of Vehicles, Plant and Equipment available for this contract: 1) <b>Group 1:</b> Earthmoving equipment: Trencher or Backhoe loader (TLB) or Excavator 2) <b>Group 2:</b> Transport vehicle for material: Trailer or Truck	1	
	<b>Own or hire LDV and 1 from each group</b> of Vehicles, Plant and Equipment available for this contract: 1) <b>Group 1:</b> Earthmoving equipment: Trencher or Backhoe loader (TLB) or Excavator 2) <b>Group 2:</b> Transport vehicle for material: Trailer or Truck	3	
	<b>Own all the</b> following number of Vehicles, Plant and Equipment available for this contract: 1) <b>One</b> of: Earthmoving equipment: Trencher or Backhoe loader (TLB) or Excavator	5	

	2) <b>Two</b> of: Transport vehicle for material: Trailer and Truck 3) <b>Two</b> of: Applicable support vehicles (LDVs).		
<p><b>3. Experience and demonstrated capacity to implement Irrigation and Civil Construction projects timeously, according to specifications (boreholes, pump stations, bulk water supply, low level bridges, drainage, balancing dams, roads or water related projects</b></p> <p><b>To score points to a maximum of 5 points from Experience Groups:</b></p> <p>Bidders must profile/ package completed projects according to the Experience Groups.</p> <p>A completed project can only claim points once under one Experience Group.</p> <p>Bidders must attach or complete the provided proforma table indicating the projects that they have successfully constructed and completed, refer to Table F for the Summary of Experience. Attach copies of:</p> <ul style="list-style-type: none"> <li>• Appointment letters or purchase orders,</li> <li>• Completion certificates, and</li> <li>• Stamped reference letters from the client or client's agent. Contact information of the clients or agent must be provided. Use reference letter provided as Annexure A.</li> </ul>	No information or information is not relevant to enable a proper evaluation.	0	35
	<b>Experience Group 1</b> Contractor has completed at least <b>4 Boreholes equipping related projects</b>	1	
	<b>Experience Group 2</b> Contractor has completed at least <b>1 project</b> (whichever with scope for <b>Community or bulk water pipelines, Water treatment, concrete or steel reservoirs projects</b> )	1	
	<b>Experience Group 3</b> Contractor has completed at least <b>2 Irrigation projects</b>	2	
	<b>Experience Group 4</b> Contractor has completed at least <b>1 Civil project</b> (Whichever with scope for <b>pump station, road earthworks, earth dams, storm control, pavement, or sport courts facilities</b> )	1	
<p><b>4. Proof of physical address Evidence</b></p> <p>Bidders must submit proof of residence from Local Municipality (Utility bill) or Confirmation of pre-paid utility from ESKOM (not older than 3 months) <b>and</b> Title Deed or Lease agreement or PTO <b>and</b> any other proof of address.</p>	Office of bidder outside borders of Limpopo Province	0	15
	Office of bidder within borders of Limpopo Province	5	
<b>TOTAL</b>			<b>100</b>

**Table 13.2 Category 2 Functionality – Bidders with CIDB grading 5CE or 5SH to 7CE or 7SH.**

CRITERIA	EVIDENCE	Value	Weighting
<b>1. Construction Team:</b> Qualified and Experience Staff <b>Evidence</b> Bidders must attach brief CV with certified copies of qualification and Identity document for each Key member of the Construction Team for evaluation.	No information.	0	25
	Project Manager, Site agent and health & safety officer with 1-2 of the following personnel: 1) Site Foreman, Artisan Plumber, Artisan Builder, Artisan welder, Artisan Electrician, and Plant Operator	1	
	Project Manager, Site agent and health & safety officer with 3-4 of the following personnel: 1) Site Foreman, Artisan Plumber, Artisan Builder, Artisan welder, Artisan Electrician, and Plant Operator	3	
	Project Manager, Site agent and health & safety officer with 5 and more of the following personnel: 1) Site Foreman, Artisan Plumber, Artisan Builder, Artisan welder, Artisan Electrician, and Plant Operator.	5	
<b>2. Construction Vehicles, Plant &amp; Equipment.</b>  <b>Evidence:</b> Bidders must attach copies of Ownership documents or copies of Hire contracts or Letter of intention to Hire from the Hire Company with their submission (Hire Company proof of ownership documents). Copies must be certified, not older than 3 months.	No information	0	25
	<b>Own or hire LDV and 1 of either 2 group</b> of Vehicles, Plant and Equipment available for this contract: 1) Group 1: Earthmoving equipment: Trencher or Backhoe loader (TLB) or Excavator 2) Group 2: Transport vehicle for material: Trailer or Truck	1	
	<b>Own or hire LDV and 1 from each group</b> of Vehicles, Plant and Equipment available for this contract: 1) <b>Group 1:</b> Earthmoving equipment: Trencher or Backhoe loader (TLB) or Excavator 2) <b>Group 2:</b> Transport vehicle for material: Trailer or Truck	3	
	<b>Own all the</b> following number of Vehicles, Plant and Equipment available for this contract: 1) <b>One</b> of: Earthmoving equipment: Trencher or Backhoe loader (TLB) or Excavator 2) <b>Two</b> of: Transport vehicle for material: Trailer and Truck 3) <b>Two</b> of: Applicable support vehicles (LDVs).	5	
<b>3. Experience and demonstrated capacity to implement Irrigation and Civil Works projects timeously, according to specifications.</b>  <b>Bidders to score points to a maximum of 5 points from Experience Groups:</b>  Bidders must profile or package	No information or information is not relevant to enable a proper evaluation.	0	40
	<b>Experience Group 1</b> Contractor has completed at least <b>2 projects</b> (whichever with scope for <b>Community or bulk water pipelines, Water treatment, packhouse, concrete or steel reservoirs projects</b> )	2	

completed projects according to the Experience Groups.  A completed project can only claim one point (1 point) and not repeated on other groups.  Bidders must attach profile or complete the provided proforma table indicating the projects that they have successfully constructed and completed.  Attach copies of: <ul style="list-style-type: none"> <li>• Appointment letters or a purchase order,</li> <li>• Completion certificates, and</li> <li>• Stamped reference letters from the client or client's agent. Contact information of the clients or agent must be provided. Use reference letter provided as <b>Annexure A.</b></li> </ul>	<b>Experience Group 2</b> Contractor has completed at least <b>4 Irrigation projects</b>	2	
	<b>Experience Group 3</b> Contractor has completed at least <b>2 Civil projects (Whichever with scope for pump stations, packshed, road earthworks, earth dams, storm control, pavement, OR sport courts facilities)</b>	1	
<b>4. Proof of physical address Evidence</b> Bidders must submit proof of residence from Local Municipality (Utility bill) or Confirmation of pre-paid utility from ESKOM (not older than 3 months) <b>and</b> Title Deed or Lease agreement or PTO <b>and</b> any other proof of address.	Office of bidder outside borders of Limpopo Province	0	10
	Office of bidder within borders of Limpopo Province	5	
<b>TOTAL</b>			<b>100</b>

**13.2.2 90/10 PREFERENCE POINT SYSTEM FOR GOODS AND SERVICES**

a. The preferential points will be allocated for specific goals as prescribed in Section 2 of the Preferential Procurement Policy Framework Act (5 of 2000), Paragraph 3.2.1 and 7.7 of the Reconstruction and Development Programme White Paper of 1994 and the Broad-Based Economic Empowerment Act, 2003.

b. The following formula must be used to calculate the points for price of tenders/procurement (quotations) including "tenders for income generating contracts" with Rand Value above R50 Million to be calculated as per the below table inclusive of all applicable taxes:

c.

$$Ps = 90 \left( 1 - \frac{Pt - Pmin}{Pmin} \right) \dots$$

Where:

Ps = Points scored for price of bid under consideration

Pt = Rand value of tender consideration

Pmin = Rand value of lowest acceptable tender

d. A maximum of 10 points will be awarded in accordance with the table below:

NO	PREFERANTIAL GOALS	10 POINTS	MEANS OF VERIFICATION
1	Black People ownership > 51%	7	CSD and copy of company registration report
2	Women Ownership > 51%	1	Identity document
3	Persons with Disability Ownership >51%	1	CSD and latest three months valid Medical Certificate from recognized Medical Practitioner
4	Youth Ownership >51%	1	Identity document
<b>TOTAL POINTS</b>		10	

- a) The points scored by a tenderer in respect of the specific goals above must be added to the points scored for price and the total must be rounded off to the nearest two decimal places.
- b) Only the tender with the highest number of points scored may be selected for an award.

#### 14. SPECIAL CONDITIONS

- All costs incurred in the preparation and presentation of the proposal shall be wholly absorbed by the bidder. Supporting documentation submitted with the proposal will become the property of the Limpopo Provincial Government unless otherwise requested by the bidder at the time of submission.
- General Conditions of Contract 2010 2<sup>nd</sup> edition (GCC2010) shall be used to manage the contract. Service provider must acquire their own copy.
- All works under this contract are re-measurable.
- The documentation required before commencement with Works execution are:
  - Health and Safety Plan (Refer to GCC Clause 4.3)
  - Initial programme (Refer to GCC Clause 5.6)
  - Security (Refer to GCC Clause 6.2 – Performance Guarantee)
  - Insurance (Refer to GCC Clause 8.6)
- The penalty for failing to complete the works is **0.05%** of the Total Tender Sum per Calendar Day.
- The limit of retention money is 10% of the Tender offer, excluding VAT and limited to 5% of the Contract amount, excluding Contract Price Adjustment, Contingencies and VAT. A Retention Money Guarantee will not be permitted.
- **It is compulsory for a person to register for VAT if the value of taxable supplies made or to be made, is in excess of R1 million**
- The defects liability period is **12 months**.
- The latent defect period is **5 years**
- Bidders who intend to cede their rights to payment to an institution as prescribed in 9.1 should attach cession agreement with their bid proposal.
- Payment will only be made in accordance with the delivery of service that will be agreed upon by both parties and upon receipt of an original invoice.
- It is compulsory for a person to register for VAT if the value of taxable supplies made or to be made, is in excess of R1 million.
- The service provider is required to provide a quote for all items, failure to quote according to the specification will invalidate your bid.
- The Department will not make any upfront payment to a successful service provider.
- The department reserves the right to conduct a risk assessment for the recommended service provider to verify the provided information and authenticate the supporting documentation and may disqualify the service provider if the risk analysis feedback is negative.
- The Department reserve the rights not to allocate or award a Task Order to a none performing

- contractor.
- The Department reserve the right to price negotiation and balancing of unit prices to fair market prices.
  - If it is found, after negotiation and balancing of rates, that a Bidder's prices are still not responsive, recommendation for disqualification will be made.

## 15. INSPECTION OF BIDDERS

A maximum of **40 bidders** will be enrolled into database (**20 for Category 1 and 20 for Category 2**).

The highest qualifying bidders will be inspected at their premises for verification.

The inspection will be done on the following:

- a) Physical structure or business where business activities takes place
- b) Main business activities
- c) Track record will be verified
- d) Relatedness of the main business activities to the tender under review
- e) Office furniture and space
- f) Office Equipment, IT facilities and computer software used to produce the required service
- g) Registration documents and accredited certificates
- h) Audited Financial annual statements to verify financial position
- i) Verification of Equipment, including 3rd party premises if required.

### Acceptance of Submissions

**Submission will only be accepted on condition that:**

- a) the Submission is signed by a person authorised to sign on behalf of the Tenderer;
- b) a Tenderer who submitted as a Joint Venture has included an acceptable Joint Venture Agreement with his Submission.
- c) the Tenderer or a competent authorised representative of the Company who submitted the Submission has attended the compulsory clarification meeting.
- d) the Tenderer or any of its principals is not listed on the register of Tender Defaulters in terms of the Prevention and Combating of Corrupt Activities Act of 2004 as a person prohibited from doing business with the Public Sector;
- e) the Tenderer has not abused the Employer's Supply Chain Management System or has failed to perform on any previous Contract and has been given a written notice to this effect;
- f) the Tenderer or any of its Principals, Directors or Managers is not employed in the service of the State or any Municipality. In the event that such Principals are involved, official approval from the Executing Authority regarding carrying out remunerative work outside of the Public Service must be included in the Submission.
- g) the Employer is satisfied that the Tenderer or any of his Principals have not influenced the Call for Expression of Interest Submission and acceptance by the following criteria:
  - a. having Offered, promised or given a bribe or other gift or remuneration to any person in connection with the obtaining or execution of this Contract;
  - b. having acted in a fraudulent or corrupt manner in obtaining or executing this Contract;
  - c. having approached an Officer or employee of the Employer or the Employer's Agent with the objective of influencing the award of a Contract in the Tenderer's favour;
  - d. having entered into any agreement or arrangement, whether legally binding or not, with any other Person, Firm or Company to refrain from Tendering for this Contract or as to the amount of the Tender to be submitted by either party;
  - e. having disclosed to any other Person, Firm or Company other than the Employer, the exact or approximate amount of his proposed Tender;
  - f. the Employer may, in addition to using any other legal remedies, repudiate the Tender Offer and acceptance and declare the Contract invalid should it have been concluded already.

### Copies of Contract

The number of paper copies of the signed Contract to be provided by the Employer is ONE.

## 15 JOINT VENTURES

- 15.1 Should this bid be submitted by a joint venture, the joint venture agreement must accompany the bid document before the closing date and time of bid. The joint venture agreement must clearly specify the percentage of the contract to be undertaken by each company participating

therein.

- 15.2 Each party to a Joint Venture/ Consortium must submit an original valid Tax Clearance Certificate together with the bid before the closing date and time of bid.
- 15.3 The joint venture or consortium must submit a formal agreement that outlines the roles and responsibilities of each member of the joint venture or consortium, nomination of an authorised person to represent the joint venture or consortium in all matters relating to this bid and the details of the bank account for payments to be effected.
- 15.4 The joint venture or consortium must comply with Central Suppliers Database (CSD) registration requirements as per National Treasury directive.
- 15.5 Both companies to a J/V should complete separate forms or be represented for Compulsory Enterprise Questionnaire.
- 15.6 Both companies to a J/V should submit Bank Rating
- 15.7 Both companies to a J/V should submit should complete separate SBD 4 for each company
- 15.8 In case of JV, Calculated CIDB grading must be submitted

## 16. CESSION

- 16.1 Cession of payments will only be permissible to a registered financial institution in terms of the Financial Advisory and Intermediary Services Act 37 of 2002 or an approved credit provider in terms of the National Credit Act of 2005
- 16.2 Bidders who intend to cede their rights to payment to an institution as prescribed in 8.1 attach cession agreement with their bid proposal.

## 17. UNSATISFACTORY PERFORMANCE

Unsatisfactory performance occurs when performance is not in accordance with the contract conditions.

- 17.1 The departmental official shall warn the contractor in writing that action will be taken in accordance with the contract conditions unless the contractor complies with the contract conditions and delivers satisfactory supplies or services within a specified reasonable time (7 days minimum). If the contractor does not perform satisfactorily despite the warning, the official will:

- (a) Take action in terms of its delegated powers; and
  - (b) Make a recommendation to the Accounting Officer for cancellation of the contract concerned.
- 17.2 When correspondence is addressed to the contractor, reference will be made to the contract number/item number/s and an explanation of the complaint.

## 18. VALIDITY PERIOD OF BID AND EXTENSION THEREOF

- 18.1 The validity (binding) period for the bid will be **240 days** from close of bid. However, circumstances may arise whereby the department may request bidders to extend the validity (binding) period. Should this occur, the department will request bidders to extend the validity (binding) period under the same terms and conditions as originally offered for by bidders. This request will be done before the expiry of the original validity (binding) period.
- 18.2 VAT vendors must calculate VAT at 15% VAT.

## 19. NEGOTIATIONS

Bidders should note that the Department might subject the successful bidders to negotiations for fair market related prices.

## 20. SITE INSPECTION

- 20.1 As part of the evaluation process of this bid, the Department will conduct site inspections of premises of maximum of 40 high scoring bidders who have submitted bids, and
- 20.2 The purpose of the site inspections is to confirm validity and accuracy of the information submitted in the bidder's bid document. Where the validity and accuracy of the information submitted in the bidder's bid document cannot be confirmed during the site visit, the bidder will be disqualified. (See Inspection of bidders)

## 21. COMPLETION OF BID DOCUMENT

The following are minimum requirements for completion of the bid document: -

- 21.1 Bidders are required to complete the entire bid document in terms of the requirements contained herein.
- 21.2 Where the space provided in the bid document is insufficient, separate schedules may be drawn up in accordance with the given formats. These schedules shall then be bound together

- 
- with suitable contents page and submitted with the bid documents.
- 21.3 All bid documents, certificates, schedules (including additional schedules as mentioned above) and all forms required by this bid must be completed in black ink and signed by the authorized signatory.
- 21.4 Bid document should be returned in the provided sequence. Attachments must be inline with the index sequence of the bidder.
- 21.5 Bidders must ensure that there are no missing or duplicated pages. LDARD shall not accept liability regarding claims by bidders that pages are missing or duplicated.
- 21.6 Correction fluid is not allowed and any cancellation, alteration or amendment on the bid document must be signed for by the authorized signatory.
- 21.7 Completed bid document with supporting documents shall be packaged, bound, sealed, marked, and submitted strictly as stipulated in this bid document.

## **22. LANGUAGE GOVERNANCE**

The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.

## T1.3: Annex C: CIDB Standard Conditions of Tender 08 August 2019

*(The conditions of tender are the Standard Conditions of Tender as contained in Annex C of Board Notice 423 of 2019 in Government Gazette No. 42622 of 08 August 2019, Construction Industry Development Board (CIDB) Standard for Uniformity in Construction Procurement. (See [www.cidb.org.za](http://www.cidb.org.za)))*

### C.1 General

#### C.1.1 Actions

C.1.1.1 The employer and each tenderer submitting a tender offer shall comply with these conditions of tender. In their dealings with each other, they shall discharge their duties and obligations as set out in C.2 and C.3, timeously and with integrity, and behave equitably, honestly and transparently, comply with all legal obligations and not engage in anticompetitive practices.

C.1.1.2 The employer and the tenderer and all their agents and employees involved in the tender process shall avoid conflicts of interest and where a conflict of interest is perceived or known, declare any such conflict of interest, indicating the nature of such conflict. Tenderers shall declare any potential conflict of interest in their tender submissions. Employees, agents and advisors of the employer shall declare any conflict of interest to whoever is responsible for overseeing the procurement process at the start of any deliberations relating to the procurement process or as soon as they become aware of such conflict and abstain from any decisions where such conflict exists or recuse themselves from the procurement process, as appropriate.

*Note:*

- 1) *A conflict of interest may arise due to a conflict of roles which might provide an incentive for improper acts in some circumstances. A conflict of interest can create an appearance of impropriety that can undermine confidence in the ability of that person to act properly in his or her position even if no improper acts result.*
- 2) *Conflicts of interest in respect of those engaged in the procurement process include direct, indirect or family interests in the tender or outcome of the procurement process and any personal bias, inclination, obligation, allegiance or loyalty which would in any way affect any decisions taken.*

C.1.1.3 The employer shall not seek and a tenderer shall not submit a tender without having a firm intention and the capacity to proceed with the contract.

#### C.1.2 Tender Documents

The documents issued by the employer for the purpose of a tender offer are listed in the tender data.

#### C.1.3 Interpretation

C.1.3.1 The tender data and additional requirements contained in the tender schedules that are included in the returnable documents are deemed to be part of these conditions of tender.

C.1.3.2 These conditions of tender, the tender data and tender schedules which are required for tender evaluation purposes, shall form part of any contract arising from the invitation to tender.

C.1.3.3 For the purposes of these conditions of tender, the following definitions apply:

a) **conflict of interest** means any situation in which:

- i) someone in a position of trust has competing professional or personal interests which make it difficult to fulfill his or her duties impartially;
- ii) an individual or tenderer is in a position to exploit a professional or official capacity in some way for their personal or corporate benefit; or
- iii) incompatibility or contradictory interests exist between an employee and the tenderer who employs that employee.

- b) **comparative offer** means the price after the factors of a non-firm price and all unconditional discounts it can be utilised to have been taken into consideration;
- c) **corrupt practice** means the offering, giving, receiving or soliciting of anything of value to influence the action of the employer or his staff or agents in the tender process;
- d) **fraudulent practice** means the misrepresentation of the facts in order to influence the tender process or the award of a contract arising from a tender offer to the detriment of the employer, including collusive practices intended to establish prices at artificial levels;

#### **C.1.4 Communication and employer's agent**

Each communication between the employer and a tenderer shall be to or from the employer's agent only, and in a form that can be readily read, copied and recorded. Communications shall be in the English language. The employer shall not take any responsibility for non-receipt of communications from or by a tenderer. The name and contact details of the employer's agent are stated in the tender data.

#### **C.1.5 Cancellation and Re-Invitation of Tenders**

C.1.5.1 An employer may, prior to the award of the tender, cancel a tender if-

- a) due to changed circumstances, there is no longer a need for the engineering and construction works specified in the invitation;
- b) funds are no longer available to cover the total envisaged expenditure; or
- c) no acceptable tenders are received.
- d) there is a material irregularity in the tender process.

C.1.5.2 The decision to cancel a tender invitation must be published in the same manner in which the original tender invitation was advertised

C.1.5.3 An employer may only with the prior approval of the relevant treasury cancel a tender invitation for the second time.

#### **C.1.6 Procurement procedures**

##### **C.1.6.1 General**

Unless otherwise stated in the tender data, a contract will, subject to C.3.13, be concluded with the tenderer who in terms of C.3.11 is the highest ranked or the tenderer scoring the highest number of tender evaluation points, as relevant, based on the tender submissions that are received at the closing time for tenders.

##### **C.1.6.2 Competitive negotiation procedure**

C.1.6.2.1 Where the tender data require that the competitive negotiation procedure is to be followed, tenderers shall submit tender offers in response to the proposed contract in the first round of submissions. Notwithstanding the requirements of C.3.4, the employer shall announce only the names of the tenderers who make a submission. The requirements of C.8 relating to the material deviations or qualifications which affect the competitive position of tenderers shall not apply.

C.1.6.2.2 All responsive tenderers or at least a minimum of not less than three responsive tenderers that are highest ranked in terms of the evaluation criteria stated in the tender data shall be invited to enter into competitive negotiations based on the principle of equal treatment, keeping confidential the proposed solutions and associated information.

Notwithstanding the provisions of C.2.17, the employer may request that tenders be clarified, specified and fine-tuned in order to improve a tenderer's competitive position provided that such clarification, specification, fine-tuning or additional information does not alter any fundamental aspects of the offers or impose substantial new requirements which restrict or distort competition or have a discriminatory effect.

C.1.6.2.3 At the conclusion of each round of negotiations, tenderers shall be invited by the employer to revise their tender offer based on the same evaluation criteria, with or without adjusted weightings. Tenderers shall be advised when they are to submit their best and final offer.

C.1.6.2.4 The contract shall be awarded in accordance with the provisions of C.3.11 and C.3.13 after tenderers have been requested to submit their best and final offer.

### **C.1.6.3 Proposal procedure using the two stage-system**

#### **C.1.6.3.1 Option 1**

Tenderers shall in the first stage submit technical proposals and, if required, cost parameters around which a contract may be negotiated. The employer shall evaluate each responsive submission in terms of the method of evaluation stated in the tender data, and in the second stage negotiate a contract with the tenderer scoring the highest number of evaluation points and award the contract in terms of these conditions of tender.

#### **C.1.6.3.2 Option 2**

C.1.6.3.2.1 Tenderers shall submit in the first stage only technical proposals. The employer shall invite all responsive tenderers to submit tender offers in the second stage, following the issuing of procurement documents.

C.1.6.3.2.2 The employer shall evaluate tenders received during the second stage in terms of the method of evaluation stated in the tender data, and award the contract in terms of these conditions of tender.

## **C.2 Tenderer's obligations**

### **C.2.1 Eligibility**

C.2.1.1 Submit a tender offer only if the tenderer satisfies the criteria stated in the tender data and the tenderer, or any of his principals, is not under any restriction to do business with employer.

C.2.1.2 Notify the employer of any proposed material change in the capabilities or formation of the tendering entity (or both) or any other criteria which formed part of the qualifying requirements used by the employer as the basis in a prior process to invite the tenderer to submit a tender offer and obtain the employer's written approval to do so prior to the closing time for tenders.

### **C.2.2 Cost of tendering**

C.2.2.1 Accept that, unless otherwise stated in the tender data, the employer will not compensate the tenderer for any costs incurred in the preparation and submission of a tender offer, including the costs of any testing necessary to demonstrate that aspects of the offer complies with requirements.

C.2.2.2 The cost of the tender documents charged by the employer shall be limited to the actual cost incurred by the employer for printing the documents. Employers must attempt to make available the tender documents on its website so as not to incur any costs pertaining to the printing of the tender documents.

**C.2.3 Check documents**

Check the tender documents on receipt for completeness and notify the employer of any discrepancy or omission.

**C.2.4 Confidentiality and copyright of documents**

Treat as confidential all matters arising in connection with the tender. Use and copy the documents issued by the employer only for the purpose of preparing and submitting a tender offer in response to the invitation.

**C.2.5 Reference documents**

Obtain, as necessary for submitting a tender offer, copies of the latest versions of standards, specifications, conditions of contract and other publications, which are not attached but which are incorporated into the tender documents by reference.

**C.2.6 Acknowledge addenda**

Acknowledge receipt of addenda to the tender documents, which the employer may issue, and if necessary apply for an extension to the closing time stated in the tender data, in order to take the addenda into account.

**C.2.7 Clarification meeting**

Attend, where required, a clarification meeting at which tenderers may familiarize themselves with aspects of the proposed work, services or supply and raise questions. Details of the meeting(s) are stated in the tender data.

**C.2.8 Seek clarification**

Request clarification of the tender documents, if necessary, by notifying the employer at least five (5) working days before the closing time stated in the tender data.

**C.2.9 Insurance**

Be aware that the extent of insurance to be provided by the employer (if any) might not be for the full cover required in terms of the conditions of contract identified in the contract data. The tenderer is advised to seek qualified advice regarding insurance.

**C.2.10 Pricing the tender offer**

C.2.10.1 Include in the rates, prices, and the tendered total of the prices (if any) all duties, taxes except Value Added Tax (VAT), and other levies payable by the successful tenderer, such duties, taxes and levies being those applicable fourteen (14) days before the closing time stated in the tender data.

C.2.10.2 Show VAT payable by the employer separately as an addition to the tendered total of the prices.

C.2.10.3 Provide rates and prices that are fixed for the duration of the contract and not subject to adjustment except as provided for in the conditions of contract identified in the contract data.

C.2.10.4 State the rates and prices in Rand unless instructed otherwise in the tender data. The conditions of contract identified in the contract data may provide for part payment in other currencies.

**C.2.11 Alterations to documents**

Do not make any alterations or additions to the tender documents, except to comply with instructions issued by the employer, or necessary to correct errors made by the tenderer. All signatories to the tender offer shall initial all such alterations.

**C.2.12 Alternative tender offers**

C.2.12.1 Unless otherwise stated in the tender data, submit alternative tender offers only if a main tender offer, strictly in accordance with all the requirements of the tender documents, is also submitted as well as a schedule that compares the requirements of the tender documents with the alternative requirements that are proposed.

C.2.12.2 Accept that an alternative tender offer must be based only on the criteria stated in the tender data or criteria otherwise acceptable to the employer.

C.2.12.3 An alternative tender offer must only be considered if the main tender offer is the winning tender.

**C.2.13 Submitting a tender offer**

C.2.13.1 Submit one tender offer only, either as a single tendering entity or as a member in a joint venture to provide the whole of the works identified in the contract data and described in the scope of works, unless stated otherwise in the tender data.

C.2.13.2 Return all returnable documents to the employer after completing them in their entirety, either electronically (if they were issued in electronic format) or by writing legibly in non-erasable ink.

C.2.13.3 Submit the parts of the tender offer communicated on paper as an original plus the number of copies stated in the tender data, with an English translation of any documentation in a language other than English, and the parts communicated electronically in the same format as they were issued by the employer.

C.2.13.4 Sign the original and all copies of the tender offer where required in terms of the tender data. The employer will hold all authorized signatories liable on behalf of the tenderer. Signatories for tenderers proposing to contract as joint ventures shall state which of the signatories is the lead partner whom the employer shall hold liable for the purpose of the tender offer.

C.2.13.5 Seal the original and each copy of the tender offer as separate packages marking the packages as "ORIGINAL" and "COPY". Each package shall state on the outside the employer's address and identification details stated in the tender data, as well as the tenderer's name and contact address.

C.2.13.6 Where a two-envelope system is required in terms of the tender data, place and seal the returnable documents listed in the tender data in an envelope marked "financial proposal" and place the remaining returnable documents in an envelope marked "technical proposal". Each envelope shall state on the outside the employer's address and identification details stated in the tender data, as well as the tenderer's name and contact address.

C.2.13.7 Seal the original tender offer and copy packages together in an outer package that states on the outside only the employer's address and identification details as stated in the tender data.

C.2.13.8 Accept that the employer will not assume any responsibility for the misplacement or premature opening of the tender offer if the outer package is not sealed and marked as stated.

C.2.13.9 Accept that tender offers submitted by facsimile or e-mail will be rejected by the employer, unless stated otherwise in the tender data.

**C.2.14 Information and data to be completed in all respects**

Accept that tender offers, which do not provide all the data or information requested completely and in the form required, may be regarded by the employer as non-responsive.

**C.2.15 Closing time**

C.2.15.1 Ensure that the employer receives the tender offer at the address specified in the tender data not later than the closing time stated in the tender data. Accept that proof of posting shall not be accepted as proof of delivery.

C.2.15.2 Accept that, if the employer extends the closing time stated in the tender data for any reason, the requirements of these conditions of tender apply equally to the extended deadline.

**C.2.16 Tender offer validity**

C.2.16.1 Hold the tender offer(s) valid for acceptance by the employer at any time during the validity period stated in the tender data after the closing time stated in the tender data.

C.2.16.2 If requested by the employer, consider extending the validity period stated in the tender data for an agreed additional period with or without any conditions attached to such extension.

C.2.16.3 Accept that a tender submission that has been submitted to the employer may only be withdrawn or substituted by giving the employer's agent written notice before the closing time for tenders that a tender is to be withdrawn or substituted. If the validity period stated in C.2.16 lapses before the employer evaluating tender, the contractor reserves the right to review the price based on Consumer Price Index (CPI).

C.2.16.4 Where a tender submission is to be substituted, a tenderer must submit a substitute tender in accordance with the requirements of C.2.13 with the packages clearly marked as "SUBSTITUTE".

**C.2.17 Clarification of tender offer after submission**

Provide clarification of a tender offer in response to a request to do so from the employer during the evaluation of tender offers. This may include providing a breakdown of rates or prices and correction of arithmetical errors by the adjustment of certain rates or item prices (or both). No change in the competitive position of tenderers or substance of the tender offer is sought, offered, or permitted.

*Note: Sub-clause C.2.17 does not preclude the negotiation of the final terms of the contract with a preferred tenderer following a competitive selection process, should the Employer elect to do so.*

**C.2.18 Provide other material**

C.2.18.1 Provide, on request by the employer, any other material that has a bearing on the tender offer, the tenderer's commercial position (including notarized joint venture agreements), preferencing arrangements, or samples of materials, considered necessary by the employer for the purpose of a full and fair risk assessment.

Should the tenderer not provide the material, or a satisfactory reason as to why it cannot be provided, by the time for submission stated in the employer's request, the employer may regard the tender offer as non-responsive.

C.2.18.2 Dispose of samples of materials provided for evaluation by the employer, where required.

**C.2.19 Inspections, tests and analysis**

Provide access during working hours to premises for inspections, tests and analysis as provided for in the tender data.

**C.2.20 Submit securities, bonds and policies**

If requested, submit for the employer's acceptance before formation of the contract, all securities, bonds, guarantees, policies and certificates of insurance required in terms of the conditions of contract identified in the contract data.

**C.2.21 Check final draft**

Check the final draft of the contract provided by the employer within the time available for the employer to issue the contract.

**C.2.22 Return of other tender documents**

If so instructed by the employer, return all retained tender documents within twenty-eight (28) days after the expiry of the validity period stated in the tender data.

**C.2.23 Certificates**

Include in the tender submission or provide the employer with any certificates as stated in the tender data.

**C.3 The employer's undertakings****C.3.1 Respond to requests from the tenderer**

C.3.1.1 Unless otherwise stated in the tender Data, respond to a request for clarification received up to five (5) working days before the tender closing time stated in the Tender Data and notify all tenderers who collected tender documents.

C.3.1.2 Consider any request to make a material change in the capabilities or formation of the tendering entity (or both) or any other criteria which formed part of the qualifying requirements used to prequalify a tenderer to submit a tender offer in terms of a previous procurement process and deny any such request if as a consequence:

- a) an individual firm, or a joint venture as a whole, or any individual member of the joint venture fails to meet any of the collective or individual qualifying requirements;
- b) the new partners to a joint venture were not prequalified in the first instance, either as individual firms or as another joint venture; or
- c) in the opinion of the Employer, acceptance of the material change would compromise the outcome of the prequalification process.

**C.3.2 Issue Addenda**

If necessary, issue addenda that may amend or amplify the tender documents to each tenderer during the period from the date that tender documents are available until three (3) working days before the tender closing time stated in the Tender Data. If, as a result a tenderer applies for an extension to the closing time stated in the Tender Data, the Employer may grant such extension and, shall then notify all tenderers who collected tender documents.

**C.3.3 Return late tender offers**

Return tender offers received after the closing time stated in the Tender Data, unopened, (unless it is necessary to open a tender submission to obtain a forwarding address), to the tenderer concerned.

**C.3.4 Opening of tender submissions**

C.3.4.1 Unless the two-envelope system is to be followed, open valid tender submissions in the presence of tenderers' agents who choose to attend at the time and place stated in the tender data. Tender submissions for which acceptable reasons for withdrawal have been

submitted will not be opened.

C.3.4.2 Announce at the meeting held immediately after the opening of tender submissions, at a venue indicated in the tender data, the name of each tenderer whose tender offer is opened and, where applicable, the total of his prices, number of points claimed for its BBBEE status level and time for completion for the main tender offer only.

C.3.4.3 Make available the record outlined in C.3.4.2 to all interested persons upon request.

### **C.3.5 Two-envelope system**

C.3.5.1 Where stated in the tender data that a two-envelope system is to be followed, open only the technical proposal of valid tenders in the presence of tenderers' agents who choose to attend at the time and place stated in the tender data and announce the name of each tenderer whose technical proposal is opened.

C.3.5.2 Evaluate functionality of the technical proposals offered by tenderers, then advise tenderers who remain in contention for the award of the contract of the time and place when the financial proposals will be opened. Open only the financial proposals of tenderers, who score in the functionality evaluation more than the minimum number of points for functionality stated in the tender data, and announce the score obtained for the technical proposals and the total price and any points claimed on BBBEE status level. Return unopened financial proposals to tenderers whose technical proposals failed to achieve the minimum number of points for functionality.

### **C.3.6 Non-disclosure**

Not disclose to tenderers, or to any other person not officially concerned with such processes, information relating to the evaluation and comparison of tender offers, the final evaluation price and recommendations for the award of a contract, until after the award of the contract to the successful tenderer.

### **C.3.7 Grounds for rejection and disqualification**

Determine whether there has been any effort by a tenderer to influence the processing of tender offers and instantly disqualify a tenderer (and his tender offer) if it is established that he engaged in corrupt or fraudulent practices.

### **C.3.8 Test for responsiveness**

C.3.8.1 Determine, after opening and before detailed evaluation, whether each tender offer properly received:

- a) complies with the requirements of these Conditions of Tender,
- b) has been properly and fully completed and signed, and
- c) is responsive to the other requirements of the tender documents.

C.3.8.2 A responsive tender is one that conforms to all the terms, conditions, and specifications of the tender documents without material deviation or qualification. A material deviation or qualification is one which, in the Employer's opinion, would:

- a) detrimentally affect the scope, quality, or performance of the works, services or supply identified in the Scope of Work,
- b) significantly change the Employer's or the tenderer's risks and responsibilities under the contract, or
- c) affect the competitive position of other tenderers presenting responsive tenders, if it were to be rectified.

Reject a non-responsive tender offer, and not allow it to be subsequently made responsive by correction or withdrawal of the non-conforming deviation or reservation.

### C.3.9 Arithmetical errors, omissions and discrepancies

C.3.9.1 Check responsive tenders for discrepancies between amounts in words and amounts in figures. Where there is a discrepancy between the amounts in figures and the amount in words, the amount in words shall govern.

C.3.9.2 Check the highest ranked tender or tenderer with the highest number of tender evaluation points after the evaluation of tender offers in accordance with C.3.11 for:

- a) the gross misplacement of the decimal point in any unit rate;
- b) omissions made in completing the pricing schedule or bills of quantities; or
- c) arithmetic errors in:
  - (i) line item totals resulting from the product of a unit rate and a quantity in bills of quantities or schedules of prices; or
  - (ii) the summation of the prices.

C.3.9.3 Notify the tenderer of all errors or omissions that are identified in the tender offer and either confirm the tender offer as tendered or accept the corrected total of prices.

C.3.9.4 Where the tenderer elects to confirm the tender offer as tendered, correct the errors as follows:

- a) If bills of quantities or pricing schedules apply and there is an error in the line item total resulting from the product of the unit rate and the quantity, the line item total shall govern and the rate shall be corrected. Where there is an obviously gross misplacement of the decimal point in the unit rate, the line item total as quoted shall govern, and the unit rate shall be corrected.
- b) Where there is an error in the total of the prices either as a result of other corrections required by this checking process or in the tenderer's addition of prices, the total of the prices shall govern and the tenderer will be asked to revise selected item prices (and their rates if bills of quantities apply) to achieve the tendered total of the prices.

### C.3.10 Clarification of a tender offer

Obtain clarification from a tenderer on any matter that could give rise to ambiguity in a contract arising from the tender offer.

### C.3.11 Evaluation of tender offers

The Standard Conditions of Tender standardize the procurement processes, methods and procedures from the time that tenders are invited to the time that a contract is awarded. They are generic in nature and are made project specific through choices that are made in developing the Tender Data associated with a specific project.

Conditions of tender are by definition the document that establishes a tenderer's obligations in submitting a tender and the employer's undertakings in soliciting and evaluating tender offers. Such conditions establish the rules from the time a tender is advertised to the time that a contract is awarded and require employers to conduct the process of offer and acceptance in terms of a set of standard procedures.

The CIDB Standard Conditions of Tender are based on a procurement system that satisfies the following system requirements:	
Requirement	Qualitative interpretation of goal
Fair	The process of offer and acceptance is conducted impartially without bias, providing simultaneous and timely access to participating parties to the same information.
Equitable	Terms and conditions for performing the work do not unfairly prejudice the interests of the parties.
Transparent	The only grounds for not awarding a contract to a tenderer who satisfies all requirements are restrictions from doing business with the employer, lack of capability or capacity, legal impediments and conflicts of interest.

Competitive	The system provides for appropriate levels of competition to ensure cost effective and best value outcomes.
Cost effective	The processes, procedures and methods are standardized with sufficient flexibility to attain best value outcomes in respect of quality, timing and price, and least resources to effectively manage and control procurement processes.

**The activities associated with evaluating tender offers are as follows:**

- a) Open and record tender offers received
- b) Determine whether or not tender offers are complete
- c) Determine whether or not tender offers are responsive
- d) Evaluate tender offers
- e) Determine if there are any grounds for disqualification
- f) Determine acceptability of preferred tenderer
- g) Prepare a tender evaluation report
- h) Confirm the recommendation contained in the tender evaluation report

**C.3.11.1 General**

The employer must appoint an evaluation panel of not less than three persons conversant with the proposed scope of works to evaluate each responsive tender offer using the tender evaluation methods and associated evaluation criteria and weightings that are specified in the tender data.

**C.3.12 Insurance provided by the employer**

If requested by the proposed successful tenderer, submit for the tenderer's information the policies and / or certificates of insurance which the conditions of contract identified in the contract data, require the employer to provide.

**C.3.13 Acceptance of tender offer**

Accept the tender offer; if in the opinion of the employer, it does not present any risk and only if the tenderer:

- a) is not under restrictions, or has principals who are under restrictions, preventing participating in the employer's procurement;
- b) can, as necessary and in relation to the proposed contract, demonstrate that he or she possesses the professional and technical qualifications, professional and technical competence, financial resources, equipment and other physical facilities, managerial capability, reliability, experience and reputation, expertise and the personnel, to perform the contract;
- c) has the legal capacity to enter into the contract;
- d) is not; insolvent, in receivership, under Business Rescue as provided for in chapter 6 of the Companies Act No. 2008, bankrupt or being wound up, has his/her affairs administered by a court or a judicial officer, has suspended his/her business activities or is subject to legal proceedings in respect of any of the foregoing;
- e) complies with the legal requirements, if any, stated in the tender data; and
- f) is able, in the opinion of the employer, to perform the contract free of conflicts of interest.

**C.3.14 Prepare contract documents**

C.3.14.1 If necessary, revise documents that shall form part of the contract and that were issued by the employer as part of the tender documents to take account of:

- a) addenda issued during the tender period,
- b) inclusion of some of the returnable documents and
- c) other revisions agreed between the employer and the successful tenderer.

C.3.14.2 Complete the schedule of deviations attached to the form of offer and acceptance, if any.

### **C.3.15 Complete adjudicator's contract**

Unless alternative arrangements have been agreed or otherwise provided for in the contract, arrange for both parties to complete formalities for appointing the selected adjudicator at the same time as the main contract is signed.

### **C.3.16 Registration of the award**

An employer must, within twenty-one (21) working days from the date on which a contractor's offer to perform a construction works contract is accepted in writing by the employer, register and publish the award on the cidb Register of Projects.

### **C.3.17 Provide copies of the contracts**

Provide to the successful tenderer the number of copies stated in the Tender Data of the signed copy of the contract as soon as possible after completion and signing of the form of offer and acceptance.

### **C.3.18 Provide written reasons for actions taken**

Provide upon request written reasons to tenderers for any action that is taken in applying these conditions of tender but withhold information which is not in the public interest to be divulged, which is considered to prejudice the legitimate commercial interests of tenderers or might prejudice fair competition between tenderers.

## **PART T2: RETURNABLE SCHEDULES**

<b>TABLE OF CONTENTS</b>	<b>Page</b>	<b>Colour</b>
<b>T2.1: LIST OF RETURNABLE DOCUMENTS.....</b>	<b>T.22</b>	<b>Yellow</b>
<b>T2.2: RETURNABLE SCHEDULES TO BE COMPLETED BY TENDERER .....</b>	<b>T.23</b>	<b>Yellow</b>

## T2.1 List of Returnable Documents

The Tenderer must complete the following Returnable Documents:

### 1 Returnable Schedules required only for Tender Evaluation purposes

- A: Central Database (CSD) Summary Report
- B: Record of Addenda to Tender Documents
- C: Certificate of Authority for Joint Ventures / Close Corporation/ Partnership/ Company/ Sole Proprietor (Certified copies of Identity Documents for all members of Joint Ventures / Close Corporation / Partnership / Company / Sole Proprietor)
- D: Registration Certificates of entities – Joint Ventures / Close Corporation/ Partnership/ Company/ Sole Proprietor
- E: Compulsory Enterprise Questionnaire
- F: Schedule of the Tenderer's Experience
- F.1: Tenderer's Current Obligation Works
- G: Schedule of Key Personnel
- H: Format of Curriculum Vitae
- I: Proposed Amendments, Qualifications and Alternatives
- J: Schedule of Subcontractors
- K: Schedule of Plant and Equipment available for this contract
- L: Copy of the Workmen's Compensation Registration Certificate (or proof of payment of contributions in terms of the Compensation for Occupational Injuries and Diseases Act No. 130 of 1993)
- M: Company profile, including track record
- N: Construction Industries Development Board (CIBD) Registration – **3CE or 3SH to 4CE or 4SH** for Category 1, and Contractors with CIDB grading of **5CE or 5SH to 7CE or 7SH** for Category 2.

### 2 Other Documents required only for Tender Evaluation purposes

- O: Tax Compliance Status
- P: Financial Standing – Attach Letter of Intent
- Q: SBD Forms Required to be completed
- R: Execution Programme / Program of Works

### 3 Returnable Schedules that will be incorporated into the Contract

- S: Detailed Method Statement
- T: Contractor's Health and Safety Declaration

### 4 Other Documents that will be incorporated into the Contract

- U: Contractor's Safety Plan
- V: Proforma Notification form in terms of the Occupational Health and Safety Act 1993, Construction Regulations, 2003
- W: Monthly Labour Report
- X: Bidder's Detailed Experience – Reference Sheet

### 5 The Offer portion

- Part C1 Agreement and Contract Data
- Part C2 Pricing Data
- Part C3 Scope of Work
- Part C4 Site Information

## **T2.2 Returnable Schedules to be completed by Tenderer.**

## **A. CENTRAL SUPPLIER DATABASE (CSD) SUMMARY REPORT**

**[Tenderer's CENTRAL SUPPLIER DATABASE (CSD) SUMMARY REPORT to be attached here**

**B. RECORD OF ADDENDA TO TENDER DOCUMENTS**

We confirm that the following communications received from the Employer before the submission of this Tender Offer, amending the Tender Documents, have been taken into account in this Tender Offer:		
1.		
1.		
2.		
3.		
4.		
5.		

Attach additional pages if more space is required.

Signed..... Date.....

Name..... Position.....

Tenderer.....

**C. CERTIFICATE OF AUTHORITY OF AN ENTITY**

Indicate the status of the Tenderer by ticking the appropriate box hereunder. The Tenderer must complete the Certificate set out below for the relevant category.

(I) Company	(II) Close Corporation	(III) Partnership	(IV) Joint Venture	(V) Sole Proprietor

**(I) CERTIFICATE FOR COMPANY**

I ....., chairperson of the Board of Directors of .....  
 ....., hereby confirm that by resolution of the Board (copy attached)  
 taken on ..... 20.....,  
 Mr/Ms ....., acting in the capacity of .....  
 ....., was authorised to sign all Documents in  
 connection with this Tender and any Contract resulting from it on behalf of the Company.

**Signature of Chairman:** .....

**Signature of Signatory:** .....

**As Witnesses:**

1..... Name in Block Letters.....

2..... Name in Block Letters.....

**Date:** .....

**(II) CERTIFICATE FOR CLOSE CORPORATION**

We, the undersigned, being the key Members in the business trading as.....  
 ..... hereby authorise Mr/Ms .....  
 acting in the capacity of ....., to sign all Documents  
 in connection with the Tender for Contract No and any Contract resulting from it on our behalf.

**Signature of Signatory:** .....

**As Witnesses:**

1..... Name in Block Letters.....

2..... Name in Block Letters.....

**Date:** .....

NAME	ADDRESS	SIGNATURE	DATE

**Note:** *This Certificate is to be completed and signed by all of the key Members upon whom rests the Direction of the Affairs of the Close Corporation as a whole.*

**(III) CERTIFICATE FOR PARTNERSHIP**

We, the undersigned, being the key Partners in the business trading as,

.....hereby authorise Mr/Ms.....

acting in the capacity of ..... , to sign all Documents in connection

with the Tender for Contract No and any Contract resulting from it on our behalf.

**Signature of Signatory:** .....

**As Witnesses:**

1..... Name in Block Letters.....

2..... Name in Block Letters.....

**Date:** .....

NAME	ADDRESS	SIGNATURE	DATE

**Note:** *This Certificate is to be completed and signed by all of the key Partners upon who rests the Direction of the Affairs of the Partnership as a whole.*

**(IV) CERTIFICATE FOR JOINT VENTURE**

We, the undersigned, are submitting this Tender Offer in Joint Venture and hereby authorize Mr/Ms ..... , authorized signatory of the Company, ..... acting in the capacity of Lead Partner, to sign all Documents in connection with the Tender Offer for Contract No and any Contract resulting from it on our behalf.

This authorization is evidenced by the attached power of attorney signed by legally authorized signatories of all the Partners to the Joint Venture.

**Signature of Signatory:** .....

**As Witnesses:**

1..... Name in Block Letters.....

2..... Name in Block Letters.....

**Date:** .....

NAME OF FIRM	ADDRESS	AUTHORISING SIGNATURE, NAME AND CAPACITY
Lead Partner		

**Note: This Certificate is to be completed and signed by all of the key Partners upon who rests the Direction of the Affairs of the Joint Venture as a whole.**

**V) CERTIFICATE FOR SOLE PROPRIETOR**

I....., hereby confirm that I am the Sole Owner of the

business trading as:.....

**Signature of Sole Owner:** .....

**As Witnesses:**

1..... Name in Block Letters.....

2..... Name in Block Letters.....

**Date:** .....

## **D. REGISTRATION CERTIFICATE OF AN ENTITY**

***[Important note to Tenderer: Registration Certificates for Companies, Close Corporations, Partnerships and ID Documents for Sole Proprietors must be inserted here. In the case of a Joint Venture, a copy of a duly signed Joint Venture Agreement must be included]***

**E. COMPULSORY ENTERPRISE QUESTIONNAIRE**

The following particulars must be furnished. In the case of a Joint Venture, **separate** Enterprise questionnaires in respect of each Partner must be completed and submitted.

**Section 1: Name of Enterprise:** .....

**Section 2: VAT registration number, if any:** .....

**Section 3: CIDB registration number, if any:** .....

**Section 4: Particulars of Sole Proprietors and Partners in Partnerships**

Name*	Identity number*	Personal income tax number*

\* Complete only if Sole Proprietor or Partnership and attach separate page if more than 3 Partners

**Section 5: Particulars of Companies and Close Corporations**

Company registration number .....

Close Corporation number .....

Tax reference number .....

**Section 6: Record in the service of the State**

Indicate by marking the relevant boxes with a cross, if any Sole Proprietor, Partner in a Partnership or Director, Manager, Principal Shareholder or Stakeholder in a Company or Close Corporation is currently or has been within the last 12 months in the service of any of the following:

- a Member of any Municipal Council
- a Member of any Provincial Legislature
- a Member of the National Assembly or the National Council of Province
- a Member of the Board of Directors of any Municipal entity
- an Official of any Municipality or Municipal entity
- an employee of any Provincial Department, National or Provincial Public entity or Constitutional Institution within the meaning of the Public Finance Management Act, 1999 (Act 1 of 1999)
- a Member of an Accounting Authority of any National or Provincial Public Entity
- an employee of Parliament or a Provincial Legislature

If any of the above boxes are marked, disclose the following:

Name of Sole Proprietor, Partner, Director, Manager, Principal Shareholder or Stakeholder	Name of Institution, Public Office, board or organ of State and position held	Status of service (tick appropriate column)	
		Current	Within last 12 months

\*insert separate page if necessary

**Section 7: Record of spouses, children and parents in the service of the State**

Indicate by marking the relevant boxes with a cross, if any spouse, child or parent of a Sole Proprietor, Partner in a Partnership or Director, Manager, Principal Shareholder or Stakeholder in a Company or Close Corporation is currently or has been within the last 12 months been in the service of any of the following:

- a Member of any Municipal Council
- a Member of any Provincial Legislature
- a Member of the National Assembly or the National Council of Province
- a Member of the Board of Directors of any Municipal Entity
- an Official of any Municipality or Municipal entity
- an employee of any Provincial Department, National or Provincial Public Entity or Constitutional Institution within the meaning of the Public Finance Management Act, 1999 (Act 1 of 1999)
- a Member of an Accounting Authority of any National or Provincial Public entity
- an employee of Parliament or a Provincial Legislature

Name of spouse, child or parent	Name of Institution, Public Office, Board or Organ of State and position held	Status of service (tick appropriate column)	
		Current	Within last 12 months

\*insert separate page if necessary

The undersigned, who warrants that he / she is duly authorised to do so on behalf of the Enterprise:

- i) authorizes the Employer to obtain a tax clearance Certificate from the South African Revenue Services that my / our tax matters are in order;
- ii) confirms that the neither the name of the Enterprise or the name of any Partner, Manager, Director or other Person, who wholly or partly exercises, or may exercise, control over the Enterprise appears on the Register of Tender Defaulters established in terms of the Prevention and Combating of Corrupt Activities Act of 2004;
- iii) confirms that no Partner, Member, Director or other Person, who wholly or partly exercises, or may exercise, control over the Enterprise appears, has within the last five years been convicted of fraud or corruption;
- iv) confirms that I / we are not associated, linked or involved with any other Tendering entities submitting Tender Offers and have no other relationship with any of the Tenderers or those responsible for compiling the Scope of Work that could cause or be interpreted as a conflict of interest; and
- iv) confirms that the contents of this questionnaire are within my personal knowledge and are to the best of my belief both true and correct.

Signed \_\_\_\_\_

Date \_\_\_\_\_

Name \_\_\_\_\_

Position \_\_\_\_\_

Enterprise Name \_\_\_\_\_

**F. SCHEDULE OF THE TENDERER’S EXPERIENCE**

The following is a Statement of Work of similar nature recently successfully executed by myself / ourselves (attach completion certificate for all completed projects as proof):

Employer: Contact Person and Telephone Number	Consulting Engineer: Contact Person and Telephone Number	Nature of Work	Value of Work (inclusive of VAT)	Date Completed or Expected to be Completed

SIGNATURE: .....  
 (of person authorised to sign on behalf of the Tenderer)

DATE: .....

**F.1 TENDERER’S CURRENT OBLIGATION WORKS**

The following is a Statement of Works currently as obligations:

Employer: Contact Person and Telephone Number	Consulting Engineer: Contact Person and Telephone Number	Nature of Work	Value of Work (inclusive of VAT)	Date Expected to be Completed

SIGNATURE: .....  
 (of person authorised to sign on behalf of the Tenderer)

DATE: .....

**G. KEY PERSONNEL**

In terms of the Project Specification and the Conditions of Tender, unskilled Workers may only be brought in from outside the Local Community if such personnel are not available locally.

The Tenderer shall list below the personnel which he intends to utilize on the Works, including key personnel which may have to be brought in from outside if not available locally.

Category of Employee	Number of Persons					
	Key Personnel, Part of the Contractors Organisation		Key Personnel to be imported if not locally available		Unskilled Personnel to be recruited from the local community	
	HDI	NON-HDI	HDI	NON-HDI	HDI	NON-HDI
Project Manager						
Irrigation Technician						
Site Agent						
Electricians						
Welders						
Builders						
Mechanics						
Plumbers						
Civil Technicians						
Quality control & Health and Safety						
Plant operators						
Unskilled Workers						
Others:						
.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....

SIGNATURE: .....  
 (of person authorised to sign on behalf of the Tenderer)

DATE: .....











## I. AMENDMENTS, QUALIFICATIONS AND ALTERNATIVES

*(This is not an invitation for amendments, deviations or alternatives, but should the Tenderer desire to make any departures from the Provisions of this Contract he shall set out his proposals clearly hereunder. The Employer will not consider any amendment, unless form (a), has been completed to the satisfaction of the Employer). The Tenderer is referred to Tender Data paragraph F.2.12, where it is clearly stated that no Alternative Offers will be accepted.*

I / We herewith propose the amendments, as set out in the table below:

### (a) AMENDMENTS

PAGE, CLAUSE OR ITEM NO	PROPOSED AMENDMENT

- Notes:**
- (1) Amendments to the General and Special Conditions of Contract are not acceptable;
  - (2) The Tenderer must give full details of all the financial implications of the amendments and qualifications in a covering letter attached to his Tender.

**J. SCHEDULE OF PROPOSED SUBCONTRACTORS**

We notify you that it is our intention to employ the following Subcontractors for work in this Contract.

If we are awarded a Contract, we agree that this notification does not change the requirement for us to submit the names of proposed Subcontractors in accordance with requirements in the Contract for such appointments. If there are no such requirements in the Contract, then your written acceptance of this list shall be binding between us.

	<b>Name and address of proposed Subcontractor</b>	<b>Nature and extent of Work / Service</b>	<b>Previous experience with Subcontractor.</b>
1.			
2.			
3.			
4.			
5.			

Signed \_\_\_\_\_ Date \_\_\_\_\_

Name \_\_\_\_\_ Position \_\_\_\_\_

Tenderer \_\_\_\_\_

**K. SCHEDULE OF PLANT AND EQUIPMENT**

The following are lists of major items of relevant equipment that I / we presently own or lease and will have available for this Contract or will acquire or hire for this Contract if my / our Tender is accepted.

(a) Details of major equipment that is owned by and immediately available for this Contract.

Quantity	Description, size, capacity, etc.

Attach additional pages if more space is required.

(b) Details of major equipment that will be hired, or acquired for this Contract if my / our Tender is acceptable.

Quantity	Description, size, capacity, etc.

Attach additional pages if more space is required.

Signed \_\_\_\_\_ Date \_\_\_\_\_

Name \_\_\_\_\_ Position \_\_\_\_\_

Tenderer \_\_\_\_\_

**Proof of ownership and/or rental agreement should form part of the tender document.**

**L. COPY OF WORKMEN'S COMPENSATION REGISTRATION CERTIFICATE (OR PROOF OF PAYMENT OF CONTRIBUTIONS IN TERMS OF THE COMPENSATION FOR OCCUPATIONAL INJURIES AND DISEASES ACT NO. 130 OF 1993)**

***[Certified Copy of the Certificate or Proof of Payment thereof obtained from the Workmen's Compensation Commissioner to be inserted here]***

### **M. COMPANY PROFILE, INCLUDING TRACK RECORD**

***[Abbreviated company profile, giving history, status, activities, staff and track record of the tendering entity, to be inserted here. In case of a Joint Venture, a separate profile for each partner must be submitted]***

## **N. CONSTRUCTION INDUSTRIES DEVELOPMENT BOARD (CIDB) REGISTRATION**

***[Certified copy of the Tenderer's CIDB registration indicating the Contractor grading designation, to be inserted here. For a Joint Venture, each partner's CIDB certificate is to be included, as applicable]***

## **O. TAX COMPLIANCE STATUS**

### **IMPORTANT NOTES:**

1. The Central Supplier Database and tax compliance status PIN are approved methods that will be used to verify tax compliance as SARS does not issue tax clearance certificate anymore but has made an online provision available via e-Filing for bidders to print their own tax clearance certificates which can be submitted with this bid.
2. Tax Clearance submitted by bidders will be verified on e-Filing and/or Central Supplier database.
3. Bidders must provide a tax compliance status PIN and Central Supplier Database Number to access their records and verify tax compliance status.

**APPLICATION FORM FOR TAX CLEARANCE CERTIFICATE**

*(In respect of Tender see note at bottom)*

- 1. NAME OF TAXPAYER/TENDERER:.....
- 2. TRADE NAME: .....
- 3. IDENTIFICATION No. (if applicable):.....
- 4. COMPANY/CLOSE CORPORATION REG No:.....
- 5. INCOME TAX REFERENCE No:.....
- 6. VAT REGISTRATION No:.....
- 7. PAYE EMPLOYERS REG No. (if applicable) :.....

**NB: Copy of the Tender request must be attached to this application.**

CONTACT PERSON REQUIRING TAX CLEARANCE CERTIFICATE:

SIGNATURE: .....

NAME : .....

TELEPHONE NUMBER : CODE: ..... NUMBER: .....

ADDRESS : .....

DATE : 20...../...../.....

Please note that the Commissioner for the South African Revenue Service (SARS) will not exercise his discretionary powers in favour of any person with regard to any interest, penalties and/or additional tax leviable due to the late or underpayment of taxes, duties or levies or the rendition of returns by any person.

NAME OF PERSON RESPONSIBLE FOR CONTRACT: .....

(ST 5.1) March 1999

**NB: This is a pro forma application form that has to be submitted to SARS to enable them to issue the required Tax Clearance Certificate. The original and valid Tax Clearance Certificate furnished by the Receiver of Revenue must be submitted with the Tender (to be attached to the next page).**

**TAX CLEARANCE CERTIFICATE**

**[Valid Original Tax Clearance Certificate obtained from SARS to be inserted here after or CSD Summary Report]**

**P. TENDERER’S FINANCIAL STANDING**

In terms of Clause F.2.18.1 of the Contract-specific Tender Data the Tenderer shall provide information about his commercial position, which includes information necessary for the Employer to evaluate the Tenderer’s financial standing.

To that end the Tenderer must provide with his tender a bank rating, certified by his banker, to the effect that he will be able to successfully complete the contract at the tendered amount within the specified time for completion.

However, should the Tenderer be unable to provide a bank rating with his tender, he shall state the reasons as to why he is unable to do so, and in addition provide the following details of his banker and bank account that he intends to use for project:

Name of account holder: .....

Name of Bank: ..... Branch: .....

Account number: ..... Type of account: .....

Telephone number: ..... Facsimile number: .....

Name of contact person (at bank): .....

**Failure to provide either the required bank details or a certified bank rating with his tender, will lead to the conclusion that the Tenderer does not have the necessary financial resources at his disposal to complete the contract successfully within the specified time for completion.**

The Employer undertakes to treat the information thus obtained as confidential, strictly for the use of evaluation of the tender submitted by the Tenderer.

SIGNATURE: ..... DATE: .....  
(of person authorised to sign on behalf of the Tenderer)

**P1 FINANCIAL INFORMATION OF TENDERER**

This information sheet has to be filled in by the financier of the Tenderer, duly signed and stamped on behalf of the financial institution he represents.

**Tenderer / Tender Details**

Tender Description: .....

Contract Period: .....

Name of Tenderer: .....

Bank Account Number: .....

Tender Amount: .....

State amount of Demand Guarantee: R.....

**Attach Letter of Intent from Financial Institution**

**Financial Institution**

Name of Commercial Bank: .....

Branch: .....

Name of Bank Manager: .....

Telephone Number: .....

We acting on behalf of the above Commercial Bank confirm that

..... (Tenderer)

has operated an account with us for the last ..... years.

We have been requested to provide a bank rating based in relation to the financial capability of the Tenderer, taking into account directives set out in the following two tables.

**FINANCIAL CAPABILITY**

Maximum value of contract that the Tenderer is considered capable of	Value on which Bank Rating must be used
Up to R300 000	R24 000
R1 000 000	R78 000
R3 000 000	R240 000
R5 000 000	R480 000
R10 000 000	R900 000

R30 000 000	R2 400 000
R100 000 000	R7 800 000

**BANK RATING**

Bank Code	Description of Bank Code
A	Undoubted for the amount of enquiry
B	Good for the amount of enquiry
C	Good for the amount quoted if strictly in the way of business
D	Fair trade risk for amount of enquiry
E	Figures considered too high
F	Financial position unknown
G	Occasional dishonours
H	Frequent dishonours

The value on which our Bank Rating of the Tenderer is based is R.....

In words ..... only)

**The Bank Rating is code:** .....

.....  
Signature: Manager Financial Institution

.....  
Print Name

.....  
Date

**RUBBER STAMP OF INSTITUTION**



**Q: SBD FORMS REQUIRED TO BE COMPLETED**

- **SBD 1 – INVITATION TO BID (REVISED 2022)**
- **SBD 3.2 – NON-FIRM PRICES WITH ESCALATION**
- **SBD 4 – BIDDERS DISCLOSURE**
- **SBD 6.1 – PREFERENCE POINT CLAIM FORM**

**PART A  
INVITATION TO BID**

**SBD1**

<b>YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE (NAME OF DEPARTMENT/ PUBLIC ENTITY)</b>					
BID NUMBER:	ACDP 23/16	CLOSING DATE:	10 February 2026	CLOSING TIME:	11H00
DESCRIPTION	<b>A 3-Year Framework Agreement for the Development and Maintenance of Irrigation and Civil Works for Individuals, Schemes and Government Facilities Projects</b>				
<b>BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT (STREET ADDRESS)</b>					
67/69 BICCARD STREET DEPARTMENT					
DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT					
POLOKWANE					
0699					
<b>BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO</b>			<b>TECHNICAL ENQUIRIES MAY BE DIRECTED TO:</b>		
CONTACT PERSON	M Mankgaba		CONTACT PERSON	T Ngoepe	
TELEPHONE NUMBER	015 294 3210		TELEPHONE NUMBER	(015) 294 3429/ 066 079 3405	
FACSIMILE NUMBER			FACSIMILE NUMBER		
E-MAIL ADDRESS	<a href="mailto:mologadi@agric.limpopo.gov.za">mologadi@agric.limpopo.gov.za</a>		E-MAIL ADDRESS	<a href="mailto:NgoepeT@agric.limpopo.gov.za">NgoepeT@agric.limpopo.gov.za</a>	
<b>SUPPLIER INFORMATION</b>					
NAME OF BIDDER					
POSTAL ADDRESS					
STREET ADDRESS					
TELEPHONE NUMBER	CODE		NUMBER		
CELLPHONE NUMBER					
FACSIMILE NUMBER	CODE		NUMBER		
E-MAIL ADDRESS					
VAT REGISTRATION NUMBER					
SUPPLIER COMPLIANCE STATUS	TAX COMPLIANCE SYSTEM PIN:		OR	CENTRAL SUPPLIER DATABASE No:	MAAA
ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES ENCLOSE PROOF]		ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES, ANSWER THE QUESTIONNAIRE BELOW]	
<b>QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS</b>					
IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?				<input type="checkbox"/> YES <input type="checkbox"/> NO	
DOES THE ENTITY HAVE A BRANCH IN THE RSA?				<input type="checkbox"/> YES <input type="checkbox"/> NO	
DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA?				<input type="checkbox"/> YES <input type="checkbox"/> NO	
DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA?				<input type="checkbox"/> YES <input type="checkbox"/> NO	
IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?				<input type="checkbox"/> YES <input type="checkbox"/> NO	
<b>IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 BELOW.</b>					

**SBD1**

**PART B  
TERMS AND CONDITIONS FOR BIDDING**

<b>1. BID SUBMISSION:</b>	
1.1.	BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
1.2.	<b>ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED (NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.</b>
1.3.	THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
1.4.	<b>THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).</b>
<b>2. TAX COMPLIANCE REQUIREMENTS</b>	
2.1	BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
2.2	BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
2.3	APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
2.4	BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
2.5	IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED; EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
2.6	WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
2.7	NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

**NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.**

SIGNATURE OF BIDDER: .....

CAPACITY UNDER WHICH THIS BID IS SIGNED: .....  
(Proof of authority must be submitted e.g. company resolution)

DATE: .....

**SBD 3.2**

**PRICING SCHEDULE – NON-FIRM PRICES  
(PURCHASES)**

**NOTE: PRICE ADJUSTMENTS WILL BE ALLOWED AT THE PERIODS AND TIMES SPECIFIED IN THE BIDDING DOCUMENTS.**

**IN CASES WHERE DIFFERENT DELIVERY POINTS INFLUENCE THE PRICING, A SEPARATE PRICING SCHEDULE MUST BE SUBMITTED FOR EACH DELIVERY POINT**

Name of Bidder.....	Bid number... <b>ACDP 23/16</b> .....
Closing Time 11:00 .....	Closing date <b>10 FEBRUARY 2026</b> .....

OFFER TO BE VALID FOR **240 DAYS** FROM THE CLOSING DATE OF BID.

ITEM NO.	QUANTITY	DESCRIPTION	BID PRICE IN RSA CURRENCY **(ALL APPLICABLE TAXES INCLUDED)
----------	----------	-------------	--

- Required by: ..... **LDARD**.....
- At: ..... **POLOKWANE – HEAD OFFICE**.....
- Brand and model .....
- Country of origin .....
- Does the offer comply with the specification(s)? ..... \*YES/NO
- If not to specification, indicate deviation(s) .....
- Period required for delivery .....
- Delivery: ..... \*Firm/not firm

\*\* "all applicable taxes" includes value-added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies.

\*Delete if not applicable

**SBD 3.2**

**PRICE ADJUSTMENTS**

**A NON-FIRM PRICES SUBJECT TO ESCALATION**

1. IN CASES OF PERIOD CONTRACTS, NON-FIRM PRICES WILL BE ADJUSTED (LOADED) WITH THE ASSESSED CONTRACT PRICE ADJUSTMENTS IMPLICIT IN NON FIRM PRICES WHEN CALCULATING THE COMPARATIVE PRICES
2. IN THIS CATEGORY PRICE ESCALATIONS WILL ONLY BE CONSIDERED IN TERMS OF THE FOLLOWING FORMULA:

$$Pa = (1 - V)Pt \left( D1 \frac{R1t}{R1o} + D2 \frac{R2t}{R2o} + D3 \frac{R3t}{R3o} + D4 \frac{R4t}{R4o} \right) + VPt$$

Where:

- Pa = The new escalated price to be calculated.
- (1-V)Pt = 85% of the original bid price. **Note that Pt must always be the original bid price and not an escalated price.**
- D1, D2.. = Each factor of the bid price eg. labour, transport, clothing, footwear, etc. The total of the various factors D1, D2...etc. must add up to 100%.
- R1t, R2t..... = Index figure obtained from new index (depends on the number of factors used).
- R1o, R2o = Index figure at time of bidding.
- VPt = 15% of the original bid price. This portion of the bid price remains firm i.e. it is not subject to any price escalations.

3. The following index/indices must be used to calculate your bid price:

Index..... Dated.....      Index..... Dated.....      Index..... Dated.....

Index..... Dated.....      Index..... Dated.....      Index..... Dated.....

4. FURNISH A BREAKDOWN OF YOUR PRICE IN TERMS OF ABOVE-MENTIONED FORMULA. THE TOTAL OF THE VARIOUS FACTORS MUST ADD UP TO 100%.

FACTOR (D1, D2 etc. eg. Labour, transport etc.)	PERCENTAGE OF BID PRICE

**SBD 3.2**

**B PRICES SUBJECT TO RATE OF EXCHANGE VARIATIONS**

1. Please furnish full particulars of your financial institution, state the currencies used in the conversion of the prices of the items to South African currency, which portion of the price is subject to rate of exchange variations and the amounts remitted abroad.

PARTICULARS OF FINANCIAL INSTITUTION	ITEM NO	PRICE	CURRENCY	RTE	PORTION OF PRICE SUBJECT TO ROE	AMOUNT IN FOREIGN CURRENCY REMITTED ABROAD
				ZAR=		
				ZAR=		
				ZAR=		
				ZAR=		
				ZAR=		
				ZAR=		

2. Adjustments for rate of exchange variations during the contract period will be calculated by using the average monthly exchange rates as issued by your commercial bank for the periods indicated hereunder: (Proof from bank required)

AVERAGE MONTHLY EXCHANGE RATES FOR THE PERIOD:	DATE DOCUMENTATION MUST BE SUBMITTED TO THIS OFFICE	DATE FROM WHICH NEW CALCULATED PRICES WILL BECOME EFFECTIVE	DATE UNTIL WHICH NEW CALCULATED PRICE WILL BE EFFECTIVE

**FAILURE TO COMPLETE THE ABOVE WILL RESULT IN NO PRICE INCREASE ON A NON- FIRM PRICE**

.....  
Signature of Bidder

.....  
Date

**SBD4**

**BIDDER'S DISCLOSURE**

**1. PURPOSE OF THE FORM**

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

**2. Bidder's declaration**

2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest<sup>1</sup> in the enterprise, employed by the state? **YES/NO**

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of institution	State

2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? **YES/NO**

2.2.1 If so, furnish particulars:  
 .....  
 .....

2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? **YES/NO**

2.3.1 If so, furnish particulars:  
 .....  
 .....

<sup>1</sup> the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

**3 DECLARATION**

I, the undersigned, (name)..... in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium<sup>2</sup> will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

**I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT. I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.**

.....  
Signature

.....  
Date

.....  
Position

.....  
Name of bidder

<sup>2</sup> Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

**SBD 6.1****PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022**

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

**NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022**

**1. GENERAL CONDITIONS**

1.1 The following preference point systems are applicable to invitations to tender:

- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

**1.2 To be completed by the organ of state**

*(delete whichever is not applicable for this tender).*

a) The applicable preference point system for this tender is the 90/10 preference point system.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

- (a) Price; and
- (b) Specific Goals.

**1.4 To be completed by the organ of state:**

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	90
SPECIFIC GOALS	10
Total points for Price and SPECIFIC GOALS	100

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

**2. DEFINITIONS**

- (a) **“tender”** means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation.

- (b) “**price**” means an amount of money tendered for goods or services and includes all applicable taxes less all unconditional discounts.
- (c) “**Rand value**” means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes.
- (d) “**tender for income-generating contracts**” means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) “**The Act**” means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

### 3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

#### 3.1. POINTS AWARDED FOR PRICE

##### 3.1.1 THE 90/10 PREFERENCE POINT SYSTEMS

A maximum of 90 points is allocated for price on the following basis:

**90/10**

$$Ps = 90 \left( 1 - \frac{Pt - P_{min}}{P_{min}} \right)$$

Where:

- Ps = Points scored for price of tender under consideration
- Pt = Price of tender under consideration
- Pmin = Price of lowest acceptable tender

#### 3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

##### 3.2.1. POINTS AWARDED FOR PRICE

A maximum of 90 points is allocated for price on the following basis:

**90/10**

$$Ps = 90 \left( 1 + \frac{Pt - P_{max}}{P_{max}} \right)$$

Where:

- Ps = Points scored for price of tender under consideration
- Pt = Price of tender under consideration
- Pmax = Price of highest acceptable tender

### 4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer

will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:

- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
- (a) an invitation for tender for income-generating contracts, that either the 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
  - (b) any other invitation for tender, that either the 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 preference point system.

**Table 1: Specific goals for the tender and points claimed are indicated per the table below.**

**(Note to organs of state: Where the 90/10 preference point system is applicable, corresponding points must also be indicated as such.**

**Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)**

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system)  (To be completed by the organ of state)	Number of points claimed (90/10 system)  (To be completed by the tenderer)
Black People ownership>51%	7	
Women ownership>51%	1	
People with Disability ownership>51%	1	
Youth ownership>51%	1	
Total	10	

**DECLARATION WITH REGARD TO COMPANY/FIRM**

4.3. Name of company/firm.....

4.4. Company registration number: .....

4.5. TYPE OF COMPANY/ FIRM

- Partnership/Joint Venture / Consortium
- One-person business/sole propriety
- Close corporation
- Public Company
- Personal Liability Company
- (Pty) Limited

- Non-Profit Company
- State Owned Company

[TICK APPLICABLE BOX]

4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
  - (a) disqualify the person from the tendering process;
  - (b) recover costs, losses or damages it has incurred or suffered as a result of that person’s conduct;
  - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
  - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
  - (e) forward the matter for criminal prosecution, if deemed necessary.

.....  
**SIGNATURE(S) OF TENDERER(S)**

**SURNAME AND NAME:** .....

**DATE:** .....

**ADDRESS:** .....

.....

.....

.....





[Add more pages as required]

**T: CONTRACTOR'S HEALTH AND SAFETY DECLARATION**

In terms of Clause 4(4) of the OHS Act 1993 Construction Regulations 2014 (referred to as "the Regulations" hereafter), a Contractor may only be appointed to perform construction Work if the Employer is satisfied that the Contractor has the necessary competencies and resources to carry out the Work safely in accordance with the Occupational Health and Safety Act No 85 of 1993 and the OHS Act 1993 Construction Regulations 2014.

To that effect a person duly authorised by the Tenderer must complete and sign the declaration hereafter in detail.

**Declaration by Tenderer**

1. I the undersigned hereby declare and confirm that I am fully conversant with the Occupational Health and Safety Act No 85 of 1993 (as amended by the Occupational Health and Safety Amendment Act No 181 of 1993), and the OHS Act 1993 Construction Regulations 2014.
2. I hereby declare that my Company has the competence and the necessary resources to safely carry out the construction Work under this Contract in compliance with the Construction Regulations and the Employer's Health and Safety Specifications.
3. I propose to achieve compliance with the Regulations by one of the following:
  - (a) From my own competent resources as detailed in 4(a) hereafter: ..... **\*Yes / No**
  - (b) From my own resources still to be appointed or trained until competency is achieved, as detailed in 4(b) hereafter: ..... **\*Yes / No**
  - (c) From outside sources by appointment of competent specialist Subcontractors as detailed in 4(c) hereafter: ..... **\*Yes / No**

(\* = delete whatever is not applicable)

4. Details of resources I propose:

*(Note: Competent resources shall include safety personnel such as a construction supervisor and Construction Safety Officer as defined in Regulation 6, and Competent Persons as defined in Regulations 7, 8, 10, 11, 12, 14, 15, 18, 21(1), 22, 26 and 27, as applicable to this Contract)*

- (a) Details of the competent and qualified key persons from my Company's own resources, who will form part of the Contract team:

NAMES OF COMPETENT PERSONS	POSITIONS TO BE FILLED BY COMPETENT PERSONS

(b) Details of training of persons from my Company's own resources (or to be hired) who still have to be trained to achieve the necessary competency:

(i) By whom will training be provided? .....

(ii) When will training be undertaken? .....

(iii) List the positions to be filled by persons to be trained or hired: .....

.....  
.....  
.....

(c) Details of competent resources to be appointed as Subcontractors if Competent Persons cannot be supplied from own Company:

Name of proposed Subcontractor: .....

Qualifications or details of competency of the Subcontractor: .....

.....  
.....  
.....

5. I hereby undertake, if my Tender is accepted, to provide, before commencement of the Works under the Contract, a suitable and sufficiently Documented Health and Safety Plan in accordance with Regulation 5(1) of the Construction Regulations, which plan shall be subject to approval by the Employer.

6. I confirm that copies of my Company's approved Health and Safety Plan, the Employer's Safety Specifications as well as the OHSA 1993 Construction Regulations 2014 will be provided on Site and will at all times be available for inspection by the Contractor's personnel, the Employer's personnel, the Engineer, visitors, and Officials and Inspectors of the Department of Labour.

7. I hereby confirm that adequate provision has been made in my Tendered rates and prices in the Schedule of Quantities to cover the cost of all resources, actions, training and all health and safety measures envisaged in the OHSA 1993 Construction Regulations 2014, and that I will be liable for any penalties that may be applied by the Employer in terms of the said Regulations (Regulation 30) for failure on the Contractor's part to comply with the Provisions of the Act and the Regulations.

8. I agree that my failure to complete and execute this declaration to the satisfaction of the Employer will mean that I am unable to comply with the requirements of the OHSA 1993 Construction Regulations 2014, and accept that my Tender will be prejudiced and may be rejected at the discretion of the Employer.

SIGNATURE: .....  
(of person authorised to sign on behalf of the Tenderer)

DATE: .....

## **U: CONTRACTOR'S SAFETY PLAN**

***[The Contractor shall submit the Contractor's Health and Safety Plan as required in terms of Regulation 5 of the Occupational Health and Safety Act 1993 Construction Regulations 2014, and referred to in T2.1, before commencement of the Works.]***

**V. PRO FORMA NOTIFICATION FORM IN TERMS OF THE OCCUPATIONAL HEALTH AND SAFETY ACT 1993, CONSTRUCTION REGULATIONS 2003**

***[This form must be completed and forwarded, prior to commencement of Work on Site, by all Contractors that qualify in terms of Regulation 3 of the Construction Regulations 2003, to the Office of the Department of Labour]***

- 1. (a) Name and postal address of Contractor:.....  
.....
- (b) Name of Contractor's contact person: .....  
Telephone number: .....
- 2. Contractor's Workman's compensation registration number: .....
- 3. (a) Name and postal address of Client: .....  
.....
- (b) Name of Client's contact person or Agent:.....  
Telephone number .....
- 4. (a) Name and postal address of designer(s) for the Project: .....
- (b) Name of Designer's contact person: .....  
Telephone number .....
- 5. Name of Contractor's Construction Supervisor on Site appointed in terms of Regulation 6(1): ..... Telephone number: .....
- 6. Name/s of Contractor's sub-ordinate supervisors on Site appointed in terms of Regulation 6(2).  
.....
- 7. Exact physical address of the construction Site or Site Office: .....
- 8. Nature of the construction Work: .....
- 9. Expected Commencement Date: .....
- 10. Expected Completion Date: .....
- 11. Estimated maximum number of persons on the construction Site: .....
- 12. Planned number of Subcontractors on the construction Site accountable to Contractor: .....
- 13. Name(s) of Subcontractors already chosen: .....
- .....
- .....
- .....
- .....

SIGNED BY:

CONTRACTOR: ..... DATE: .....

CLIENT: ..... DATE: .....

### W. MONTHLY LABOUR REPORT

**MONTHLY LABOUR REPORT FOR CERTIFICATE OF PAYMENT NO. ....**

**JOBS CREATED.....**

**AS PER BUSINESS PLAN**

A	B	C	D	E	F	G	H	I	J
Category	Number of persons employed in category	Rate (R/d)	Local P-days	Non-local P-Days	Total P-days (D+E)	Amount expended on labour (C x F)	P-days by women	P-days by youth	P-days by disabled
Clerical									
Managerial									
Supervisory									
Skilled									
Semi-skilled									
Unskilled									
All operations									

**ACTUAL TO DATE**

A	B	C	D	E	F	G	H	I	J
Category	Number of persons employed in category	Rate (R/d)	Local P-days	Non-local P-Days	Total P-days (D+E)	Amount expended on labour (C x F)	P-days by women	P-days by youth	P-days by disabled
Clerical									
Managerial									
Supervisory									
Skilled									
Semi-skilled									
Unskilled									
All operations									

**SUMMARY**

Planned person-days target  
 Tendered construction period (months):  
 Overall person-days target per month:  
 Months represented by this report:  
 Person-day target for this month:  
 Achieved person-days to date:  
 Person-days ahead/behind target:

**X: BIDDER’S DETAILED EXPERIENCE – REFERENCE SHEET**

**BIDDER’S DETAILED EXPERIENCE – REFERENCE SHEET**

The following are to be completed by the Client or Principal Agent / Consultant and is to be supported in each case by a letter of award and the works completion certificate. Both client and Pricipal Agent must stamp the documents, failure to obtain both stamp will result in no allocation of points.

**Project Name and scope of work:**

Scope of work : .....

Contract duration: .....

Actual Contract Duration: .....

Name of Institution/company /place where contract was undertaken/ Client	Principal Agent/ Consultant	Value of contract	Contract Duration (in days, weeks, months, years)	Actual Contract Duration (in days, weeks, months, years)

**To be filled by Principal Agent**

Description/Performance	Very Poor (1)	Poor (2)	Fair (3)	Good (4)	Excellent (5)
Quality of office administration					
Quality of Site Management					
Competence Foreman					
Co-operation during contract					
Quality of workmanship					
Quality of materials					
Programme management					
Rectification of condemned work					
Tidiness of site					
Adequacy of equipment					
Adequacy of labour force					
Procurement of material					
Labour relations					

**Any other additional remarks considered necessary to assist in evaluation of the contractor?**

.....

.....

Client/Principal Agent/consultant Firm.....

Telephone .....

Client/Principal Agent/consultant Signature .....

Date .....

STAMP

**BIDDER'S DETAILED EXPERIENCE – REFERENCE SHEET**

The following are to be completed by the Client or Principal Agent / Consultant and is to be supported in each case by a letter of award and the works completion certificate. Both client and Pricipal Agent must stamp the documents, failure to obtain both stamp will result in no allocation of points.

**Project Name and scope of work:**

Scope of work : .....

Contract duration: .....

Actual Contract Duration: .....

Name of Institution/company /place where contract was undertaken/ Client	Principal Agent/ Consultant	Value of contract	Contract Duration (in days, weeks, months, years)	Actual Contract Duration (in days, weeks, months, years)

**To be filled by Principal Agent**

Description/Performance	Very Poor (1)	Poor (2)	Fair (3)	Good (4)	Excellent (5)
Quality of office administration					
Quality of Site Management					
Competence Foreman					
Co-operation during contract					
Quality of workmanship					
Quality of materials					
Programme management					
Rectification of condemned work					
Tidiness of site					
Adequacy of equipment					
Adequacy of labour force					
Procurement of material					
Labour relations					

**Any other additional remarks considered necessary to assist in evaluation of the contractor?**

.....  
 .....

Client/Principal Agent/consultant Firm.....

Telephone .....

Client/Principal Agent/consultant Signature .....

Date .....

STAMP

**BIDDER'S DETAILED EXPERIENCE – REFERENCE SHEET**

The following are to be completed by the Client or Principal Agent / Consultant and is to be supported in each case by a letter of award and the works completion certificate. Both client and Pricipal Agent must stamp the documents, failure to obtain both stamp will result in no allocation of points.

**Project Name and scope of work:**

Scope of work : .....

Contract duration: .....

Actual Contract Duration: .....

Name of Institution/company /place where contract was undertaken/ Client	Principal Agent/ Consultant	Value of contract	Contract Duration (in days, weeks, months, years)	Actual Contract Duration (in days, weeks, months, years)

**To be filled by Principal Agent**

Description/Performance	Very Poor (1)	Poor (2)	Fair (3)	Good (4)	Excellent (5)
Quality of office administration					
Quality of Site Management					
Competence Foreman					
Co-operation during contract					
Quality of workmanship					
Quality of materials					
Programme management					
Rectification of condemned work					
Tidiness of site					
Adequacy of equipment					
Adequacy of labour force					
Procurement of material					
Labour relations					

**Any other additional remarks considered necessary to assist in evaluation of the contractor?**

.....  
 .....

Client/Principal Agent/consultant Firm.....

Telephone .....

Client/Principal Agent/consultant Signature .....

Date .....

STAMP

**BIDDER'S DETAILED EXPERIENCE – REFERENCE SHEET**

The following are to be completed by the Client or Principal Agent / Consultant and is to be supported in each case by a letter of award and the works completion certificate. Both client and Pricipal Agent must stamp the documents, failure to obtain both stamp will result in no allocation of points.

**Project Name and scope of work:**

Scope of work : .....

Contract duration: .....

Actual Contract Duration: .....

Name of Institution/company /place where contract was undertaken/ Client	Principal Agent/ Consultant	Value of contract	Contract Duration (in days, weeks, months, years)	Actual Contract Duration (in days, weeks, months, years)

**To be filled by Principal Agent**

Description/Performance	Very Poor (1)	Poor (2)	Fair (3)	Good (4)	Excellent (5)
Quality of office administration					
Quality of Site Management					
Competence Foreman					
Co-operation during contract					
Quality of workmanship					
Quality of materials					
Programme management					
Rectification of condemned work					
Tidiness of site					
Adequacy of equipment					
Adequacy of labour force					
Procurement of material					
Labour relations					

**Any other additional remarks considered necessary to assist in evaluation of the contractor?**

.....

.....

Client/Principal Agent/consultant Firm.....

Telephone .....

Client/Principal Agent/consultant Signature .....

Date .....

STAMP

**BIDDER'S DETAILED EXPERIENCE – REFERENCE SHEET**

The following are to be completed by the Client or Principal Agent / Consultant and is to be supported in each case by a letter of award and the works completion certificate. Both client and Pricipal Agent must stamp the documents, failure to obtain both stamp will result in no allocation of points.

**Project Name and scope of work:**

Scope of work : .....

Contract duration: .....

Actual Contract Duration: .....

Name of Institution/company /place where contract was undertaken/ Client	Principal Agent/ Consultant	Value of contract	Contract Duration (in days, weeks, months, years)	Actual Contract Duration (in days, weeks, months, years)

**To be filled by Principal Agent**

Description/Performance	Very Poor (1)	Poor (2)	Fair (3)	Good (4)	Excellent (5)
Quality of office administration					
Quality of Site Management					
Competence Foreman					
Co-operation during contract					
Quality of workmanship					
Quality of materials					
Programme management					
Rectification of condemned work					
Tidiness of site					
Adequacy of equipment					
Adequacy of labour force					
Procurement of material					
Labour relations					

**Any other additional remarks considered necessary to assist in evaluation of the contractor?**

.....  
 .....

Client/Principal Agent/consultant Firm.....

Telephone .....

Client/Principal Agent/consultant Signature .....

Date .....

STAMP

## **THE CONTRACT**

**PART C1: AGREEMENTS AND CONTRACT DATA**

**PART C2: PRICING DATA**

**PART C3: SCOPE OF WORK**

**PART C4: SITE INFORMATION**

## **LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT**

### **A 3-YEAR FRAMEWORK AGREEMENT FOR THE DEVELOPMENT AND MAINTENANCE OF IRRIGATION AND CIVIL WORKS FOR INDIVIDUAL, SCHEMES AND GOVERNMENT FACILITIES PROJECTS FOR THE LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT.**

#### **TABLE OF CONTENTS**

##### **PART C1: AGREEMENTS AND CONTRACT DATA (YELLOW COLOUR)**

###### **C1.1: FORM OF OFFER AND ACCEPTANCE**

###### **C1.2: CONTRACT DATA**

###### **C1.2.1: CONDITIONS OF CONTRACT**

###### **C1.2.2: PART A: CONTRACT DATA PROVIDED BY THE EMPLOYER**

###### **PART B: CONTRACT DATA PROVIDED BY THE CONTRACTOR**

###### **C1.3: FORM OF GUARANTEE**

###### **C1.4: AGREEMENT IN TERMS OF SECTION 37(2) OF THE OCCUPATIONAL HEALTH AND SAFETY ACT No 85 OF 1993**

##### **PART C2: PRICING DATA (YELLOW COLOUR)**

###### **C2.1: PRICING INSTRUCTIONS**

###### **C2.2: BILL OF QUANTITIES**

###### **C2.3: PAYMENT DATA**

##### **PART C3: SCOPE OF WORK (BLUE COLOUR)**

###### **TABLE OF CONTENTS**

###### **C3.1: STANDARD SPECIFICATIONS**

###### **C3.2: PROJECT SPECIFICATIONS**

###### **C3.3: PARTICULAR SPECIFICATIONS**

## **PART C1: AGREEMENTS AND CONTRACT DATA**

### **C1.1: FORM OF OFFER AND ACCEPTANCE**

### **C1.2: CONTRACT DATA**

C1.2.1: CONDITIONS OF CONTRACT

C1.2.2: STANDARD CONDITION OF TENDER (ANNEX C)

C1.2.3: PART A: CONTRACT DATA PROVIDED BY THE EMPLOYER

PART B: CONTRACT DATA PROVIDED BY THE CONTRACTOR

### **C1.3: FORM OF GUARANTEE (NOT A REQUIREMENT)**

### **C1.4: AGREEMENT IN TERMS OF SECTION 37(2) OF THE OCCUPATIONAL HEALTH AND SAFETY ACT (No 85 OF 1993)**

**LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT**

**A 3-YEAR FRAMEWORK AGREEMENT FOR THE DEVELOPMENT AND MAINTENANCE OF IRRIGATION AND CIVIL WORKS FOR INDIVIDUAL, SCHEMES AND GOVERNMENT FACILITIES PROJECTS FOR THE LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT**

**C1.1 Form of Offer and Acceptance**

**Offer**

The Employer, identified in the Acceptance Signature block, has solicited Offers to enter into a Contract for the procurement of:

Contract No **ACDP 23/16** : **A 3-YEAR FRAMEWORK AGREEMENT FOR THE DEVELOPMENT AND MAINTENANCE OF IRRIGATION AND CIVIL WORKS FOR INDIVIDUAL, SCHEMES AND GOVERNMENT FACILITIES PROJECTS FOR THE LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT.**

The Tenderer, identified in the Offer Signature block, has examined the Documents listed in the Tender Data and addenda thereto as listed in the Returnable Schedules, and by submitting this Offer has accepted the Conditions of Tender.

By the representative of the Tenderer, deemed to be duly authorized, signing this part of this Form of Offer and Acceptance, the Tenderer Offers to perform all of the obligations and liabilities of the Contractor under the Contract including compliance with all its Terms and Conditions according to their true intent and meaning for an amount to be determined in accordance with the Conditions of Contract identified in the Contract Data.

**THE OFFERED TOTAL OF THE PRICES INCLUSIVE OF VALUE ADDED TAX IS:**

.....  
 ..... Rand (in words);  
**R** ..... (in figures)

This Offer may be accepted by the Employer by signing the Acceptance part of this Form of Offer and Acceptance and returning one copy of this Document to the Tenderer before the end of the period of validity stated in the Tender Data, whereupon the Tenderer becomes the Party named as the Contractor in the Conditions of Contract identified in the Contract Data.

<b>Signature Block: Tenderer</b>	
Signature .....	Date .....
Name .....	
Capacity .....	
Name of organization. ....	
Address of organization .....	
.....	
Signature of witness .....	Date .....
Name of witness .....	

## Acceptance

By signing this part of this Form of Offer and Acceptance, the Employer identified below accepts the Tenderer's Offer. In consideration thereof, the Employer shall pay the Contractor the amount due in accordance with the conditions of Contract identified in the Contract Data. Acceptance of the Tenderer's Offer shall Form an Agreement between the Employer and the Tenderer upon the Terms and Conditions contained in this Agreement and in the Contract that is the subject of this Agreement.

The terms of the Contract, are contained in:

- Part C1: Agreements and Contract Data, (which includes this Agreement)
- Part C2: Pricing Data
- Part C3: Scope of work.
- Part C4: Site Information and Drawings and Documents or parts thereof, which may be incorporated by reference into Parts C1 to C4 above.

Deviations from and amendments to the Documents listed in the Tender Data and any addenda thereto as listed in the Tender Schedules as well as any changes to the Terms of the Offer agreed by the Tenderer and the Employer during this process of Offer and Acceptance, are contained in the Schedule of Deviations attached to and Forming part of this Agreement. No amendments to or deviations from said Documents are valid unless contained in this schedule.

The Tenderer shall within two weeks after receiving a completed copy of this Agreement, including the Schedule of Deviations (if any), contact the Employer's agent (whose details are given in the Contract Data) for delivery of any Bonds, Guarantees, proof of Insurance and any other Documentation to be provided in terms of the Conditions of Contract Identified in the Contract Data. Failure to fulfil any of these Obligations in accordance with those terms shall constitute a repudiation of this Agreement.

Notwithstanding anything contained herein, this Agreement comes into effect on the date when the Tenderer receives one fully completed original copy of this Document, including the Schedule of Deviations (if any). Unless the Tenderer (now Contractor) within five working days of the date of such receipt notifies the Employer in writing of any reason why he cannot accept the Contents of this Agreement, this Agreement shall constitute a binding Contract between the Parties.

<b>Signature Block: Employer</b>	
Signature .....	Date .....
Name .....	
Capacity .....	
<b>for the Employer</b>	Limpopo Department of Agriculture and Rural Development
Signature of witness .....	Date .....
Name of witness .....	

## Schedule of Deviations

1 Subject .....

Details .....

.....

.....

.....

.....

2 Subject .....

Details .....

.....

.....

.....

.....

3 Subject .....

Details .....

.....

.....

.....

.....

4 Subject .....

Details .....

.....

.....

.....

.....

5 Subject .....

Details .....

.....

.....

.....

.....

By the duly Authorised Representatives signing this Agreement, the Employer and the Tenderer agree to and accept the foregoing Schedule of Deviations as the only deviations from and amendments to the Documents listed in the Tender Data and addenda thereto as listed in the Tender Schedules, as well as any confirmation, clarification or changes to the terms of the Offer agreed by the Tenderer and the Employer during this process of Offer and Acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the Tender Documents and the receipt by the Tenderer of a completed signed copy of this Agreement shall have any meaning or effect in the Contract between the parties arising from this Agreement.

*[ONLY TO BE COMPLETED UPON ACCEPTANCE OF A TENDER]*

**For the Tenderer:**

Signature(s)	_____	_____
Name(s)	_____	_____
Capacity	_____	_____

\_\_\_\_\_  
(Name and address of organisation)

Name & Signature of Witness	_____	Date	_____
-----------------------------------	-------	------	-------

**For the Employer:**

Signature(s)	_____	_____
Name(s)	_____	_____
Capacity	_____	_____

\_\_\_\_\_  
(Name and address of organisation)

## LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

### A 3-YEAR FRAMEWORK AGREEMENT FOR THE DEVELOPMENT AND MAINTENANCE OF IRRIGATION AND CIVIL WORKS FOR INDIVIDUAL, SCHEMES AND GOVERNMENT FACILITIES PROJECTS FOR THE LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

#### C1.2 CONTRACT DATA

***Section 1.01 The General Conditions of Contract for Construction Works (2010) published by the South African Institution of Civil Engineering, is applicable to this Contract. Copies of these Conditions of Contract may be obtained from the South African Institution of Civil Engineering (Tel: 011-805 5947).***

The General Conditions of Contract for Construction Works make several references to the Contract Data for Specific Data, which together with these Conditions collectively describe the risks, liabilities and obligations of the Contracting parties and the procedures for the administration of the Contract. The Contract Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the General Conditions of Contract.

Each item of Data given below is cross-referenced to the clause in the General Conditions of Contract for Construction Works to which it mainly applies.

In the case where the Department upgrade to the latest version of the General Conditions of Contract while this contract is still ongoing, the Department reserves the rights to upgrade and adopt the latest version of the General Conditions of Contract and implement in accordance.

## **LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT**

### **A 3-YEAR FRAMEWORK AGREEMENT FOR THE DEVELOPMENT AND MAINTENANCE OF IRRIGATION AND CIVIL WORKS FOR INDIVIDUAL, SCHEMES AND GOVERNMENT FACILITIES PROJECTS FOR THE LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT**

#### **C1.2.1: CONDITIONS OF CONTRACT**

##### **GENERAL CONDITIONS OF CONTRACT**

##### **SPECIAL CONDITIONS OF CONTRACT**

1. **GENERAL**
2. **CONTRACT ABOVE R3M (THREE MILLION RAND)**
3. **AMENDMENTS TO THE GENERAL CONDITIONS OF CONTRACT**
4. **TRANSFER OF RIGHTS**
5. **SPECIAL NOTES TO BIDDERS**

## C1.2.1 CONDITIONS OF CONTRACT

### GENERAL CONDITIONS OF CONTRACT

This Contract will be based on the "General Conditions of Contract for Construction Works - 1st Edition 2010", issued by the South African Institution of Civil Engineering (Short title: "**General Conditions of Contract 2010**") and can be obtained from:

#### SAICE

Waterfall Park  
Howick Gardens  
Vorna Valley Half way House  
Becker Street  
MIDRAND  
1685  
Gauteng Province  
Tel: (011) 805-5947/8  
Fax: (011) 805-5971

It is agreed that the only variations from the General Conditions of Contract 2010 are those set out hereafter under "Special Conditions of Contract".

### SPECIAL CONDITIONS OF CONTRACT

#### 1. GENERAL

These Special Conditions of Contract (SCC) form an integral part of the Contract. The Special Conditions shall amplify, modify or supersede, as the case may be, the General Conditions of Contract 2010 to the extent specified below, and shall take precedence and shall govern.

The clauses of the Special Conditions hereafter are numbered "SCC" followed in each case by the number of the applicable clause or sub clause in the General Conditions of Conditions 2010, and the applicable heading, or (where a new special condition that has no relation to the existing clauses is introduced) by a number that follows after the last clause number in the General Conditions, and an appropriate heading.

#### 2. CONTRACT ABOVE R3M (THREE MILLION RAND)

The following special conditions apply:

- (a)
  - (i) All bidders from outside the province must enter into a Consortium or Joint Venture with local SMMEs or suppliers.
  - (ii) Preference must be given to local bidders entering into Joint Ventures with local SMME's or suppliers.
  - (iii) The members of consortium or Joint Venture, formed in response to preferential procurement conditions, must share in the control and management of such consortium.
  - (iv) The percentage of the contract value managed or executed by the local partner must not be less than 40% of the project value.
  - (v) All white owned bidders must enter into joint venture with black owned local contractor and percentage of management and control for equity owned by black must not be less than 25% in the venture arrangement.
- (b) The AO/AA may, after consulting the departmental or public entities demand management unit, in the bid documentation, exempt bidders from complying with the provisions of clause (a), if there are no SMME's or suppliers in Limpopo with the skills or knowledge required to execute the project.
- (c) In the case of construction works, applicable to the construction industry;
- (d)
  - (i) The Consortium or Joint Venture that benefits from the preference system, must within 30 days of receiving notice of the contract ,must organize themselves into legal entity or provide with a working agreement between members of the Joint venture or

- consortium. Successful suppliers, both from in and outside the province, must upon implementation of the project, establish fully fledged office, branch or plant in the province. The department reserves the right to retain a percentage of contract value to ensure that the above condition is complied with.
- (ii) The retained fee must be paid to the supplier or service provider on successfully completing the contract and after having complied with the special conditions.
  - (iii) Where the supplier or service provider fails to successfully complete the contract or comply with any condition, such supplier or service provider will forfeit the retained percentage.
  - (iv) Notwithstanding the forfeiture of the retained percentage of the contract value, if the failure to comply with conditions in clause (i) amounts to breach of the contract, the department or public entity may invoke any remedy available to it in law.
  - (v) A performance guarantee of 10% is applicable to all contracts above R2 000 000.00 and must be obtained from either commercial bank or insurance company prior to award of bids. The performance security shall be dominated in the currency of the contract and shall be in the form of a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in South Africa. The accounting officer reserves the right to cancel the award of the bid when the bidder fails to present the required security as stipulated in the special conditions.
- (e) In all labor-intensive projects, at least 70% of the laborers must be employed from the local community where the project will be executed.
  - (f) CIDB Standard for Enterprise Development – A minimum of 5% of the total project value to be undertaken by joint-venture partners or to be sub-contracted to developing contractors.
  - (g) The Contractor shall, in the performance of the Contract, achieve the CIDB Contract Skills Development Goal (established in the Standard for developing skills through infrastructure contracts (Gazette 48491 of 28 April 2023) and the CIDB Standard for Indirect Targeting for Enterprise Development through Construction Works Contracts (Gazette 36190 of 25 Feb 2013).
  - (h) The Contractor shall determine the CSDG, expressed in Rand, which shall not be less than the subtotal multiplied by a percentage (%) factor of 0,5% as given in Table 2 of the Standard for the Civil Engineering class of construction works. The Employer shall state the percentage (%) factor in the Final Tender Summary section under CSDG.

### 3. AMENDMENTS TO THE GENERAL CONDITIONS OF CONTRACT

Clause no.	Description
SCC 4.5.2	Replace the term "Safety" with "Occupational Health and Safety"
SCC 42.2	Add the following to the sub-clause: Extension of time in respect of abnormal rainfall shall be calculated using the rainfall (Formula 1) for each calendar month or part thereof.
SCC 49.6.1 to 4.9.6.3	Replace the term "Bank" with "Bank or Insurance Company"
SCC 55.1.8	Replace sub-clause with: The Contractor or anyone on his behalf or in his employ would pay, offer or offer as payment to any person in the employ of the Employer, or in the employ of the Engineer, a gratuity or reward or commission.
SCC 50	Replace the Heading with " <b>VARIATIONS EXCEEDING 20 PERCENT</b> "
SCC 50.1	Replace the wording: " <i>greater than 15 percent</i> " with " <i>greater than 20 percent</i> ".
SCC 59	<b><u>The following additional clauses to the General Conditions of Contract shall apply:</u></b>  <b>LABOUR INTENSIVE WORKS</b>

**SCC 59.1**

**Payment for the labour-intensive component of the works**

Payment for works identified in the Scope of Work as being labour-intensive shall only be made in accordance with the provisions of the Contract if the works are constructed strictly in accordance with the provisions of the scope of work. Any non-payment for such works shall not relieve the Contractor in any way from his obligations either in Contract or in delict.

<b>SCC 59.2</b>	<p><b>Applicable labour laws</b></p> <p>The Ministerial Determination, Special Public Works Programmes, issued in terms of the Basic Conditions of Employment Act of 1997 by the Minister of Labour in Government Notice No R63 of 25 January 2002, as reproduced below, shall apply to work which are undertaken by unskilled or semi-skilled workers.</p>
<b>SCC 59.3.1</b>	<p><b>Introduction</b></p> <p>(a) This document contains the Standard Terms and Conditions for workers employed in elementary occupations on a Special Public Works Programme (SPWP). These terms and Conditions do NOT apply to persons employed in the supervision and management of a SPWP.</p> <p>(b) In this document –</p> <p>(i) “Department” means any department of State, implementing Agent or Contractor;</p> <p>(ii) “Employer” means any Municipality, implementing Agency or Contractor that hires workers to work in elementary occupations on a SPWP;</p> <p>(iii) “worker” means any person working in an elementary occupation on a SPWP.;</p> <p>(iv) “elementary occupation” means any occupation involving unskilled or semi-skilled work;</p> <p>(v) “Management” means any person employed by a Municipality or implementing Agency to administer or execute an SPWP;</p> <p>(vi) “task” means a fixed quantity of work;</p> <p>(vii) “task-based work” means work in which a worker is paid a fixed rate for performing a task;</p> <p>(viii) “task-rated worker” means a worker paid on the basis of the number of tasks completed;</p> <p>(ix) “time-rated worker” means a worker paid on the basis of the length of time worked.</p>
<b>SCC 59.3.2</b>	<p><b>Terms of Work</b></p> <p>(a) Workers on a SPWP are employed on a temporary basis.</p> <p>(b) A worker may NOT be employed for longer than 24 months in any five year cycle on a SPWP.</p> <p>(c) Employment on a SPWP does not qualify as employment as a contributor for the purpose of the Unemployment Insurance Act 30 of 1966.</p>
<b>SCC 59.3.3</b>	<p><b>Normal Hours of Work</b></p> <p>(a) An Employer may not set tasks or hours of work that require a worker to work–</p> <p>(i) more than forty hours in any week</p> <p>(ii) on more than five days in any week; and</p> <p>(iii) for more than eight hours on any day.</p> <p>(b) An Employer and worker may agree that a worker will work four days per week. The worker may then work up to ten hours per day.</p>

	(c) A task-rated worker may not work more than a total of 55 hours in any week to complete the tasks allocated (based on a 40-hour week) to that worker.
<b>SCC 59.3.4</b>	<p><b>Meal Breaks</b></p> <p>(a) <b>A worker may not work for more than five hours without taking a meal break of at least thirty minutes duration.</b></p> <p>(b) An Employer and worker may agree on longer meal breaks.</p> <p>(c) A worker may not work during a meal break. However, an Employer may require a worker to perform duties during a meal break if those duties cannot be left unattended and cannot be performed by another worker. An Employer must take reasonable steps to ensure that a worker is relieved of his or her duties during the meal break.</p> <p>(d) A worker is not entitled to payment for the period of a meal break. However, a worker who is paid on the basis of time worked must be paid if the worker is required to work or to be available for work during the meal break.</p>
<b>SCC 59.3.5</b>	<p><b>Special Conditions for Security Guards</b></p> <p>(a) A security guard may work up to 55 hours per week and up to eleven hours per day.</p> <p>(b) A security guard who works more than ten hours per day must have a meal break of at least one hour or two breaks of at least 30 minutes each.</p>
<b>SCC 59.3.6</b>	<p><b>Daily Rest Period</b></p> <p>Every worker is entitled to a daily rest period of at least eight consecutive hours. The daily rest period is measured from the time the worker ends work on one day until the time the worker starts work on the next day.</p>
<b>SCC 59.3.7</b>	<p><b>Weekly Rest Period</b></p> <p>Every worker must have two days off every week. A worker may only work on their day off to perform work which must be done without delay and cannot be performed by workers during their ordinary hours of work ("emergency work").</p>
<b>SCC 59.3.8</b>	<p><b>Work on Sundays and Public Holidays</b></p> <p>(a) A worker may only work on a Sunday or Public holiday to perform emergency or security work.</p> <p>(b) Work on Sundays is paid at the ordinary rate of pay.</p> <p>(c) A task-rated worker who works on a public holiday must be paid –</p> <p>(i) the worker's daily task rate, if the worker works for less than four hours;</p> <p>(ii) double the worker's daily task rate, if the worker works for more than four hours.</p> <p>(d) A time-rated worker who works on a public holiday must be paid –</p> <p>(i) the worker's daily rate of pay, if the worker works for less than four hours on the public holiday;</p> <p>(ii) double the worker's daily rate of pay, if the worker works for more than four hours on the public holiday.</p>

**SCC 59.3.9****Sick Leave**

- (a) Only workers who work four or more days per week have the right to claim sick-pay in terms of this clause.
- (b) A worker who is unable to work on account of illness or injury is entitled to claim one day's paid sick leave for every full month that the worker has worked in terms of a Contract.
- (c) A worker may accumulate a maximum of twelve days' sick leave in a year.
- (d) Accumulated sick-leave may not be transferred from one Contract to another Contract.
- (e) An Employer must pay a task-rated worker the worker's daily task rate for a day's sick leave.
- (f) An Employer must pay a time-rated worker the worker's daily rate of pay for a day's sick leave.
- (g) An Employer must pay a worker sick pay on the worker's usual payday.
- (h) Before paying sick-pay, an Employer may require a worker to produce a certificate stating that the worker was unable to work on account of sickness or injury if the worker is—
  - (i) absent from work for more than two consecutive days; or
  - (ii) absent from work on more than two occasions in any eight-week period.
- (i) A medical certificate must be issued and signed by a Medical Practitioner, a qualified Nurse or a Clinic staff member authorised to issue medical certificates indicating the duration and reason for incapacity.
- (j) A worker is not entitled to paid sick-leave for a work-related injury or occupational disease for which the worker can claim compensation under the Compensation for Occupational Injuries and Diseases Act.

**SCC 59.3.10****Maternity Leave**

- (a) A worker may take up to four consecutive months' unpaid maternity leave.
- (b) A worker is not entitled to any payment or employment-related benefits during maternity leave.
- (c) A worker must give her Employer reasonable notice of when she will start maternity leave and when she will return to work.
- (d) A worker is not required to take the full period of maternity leave. However, a worker may not work for four weeks before the expected date of birth of her child or for six weeks after the birth of her child, unless a medical practitioner, midwife or qualified nurse certifies that she is fit to do so.
- (e) A worker may begin maternity leave –
  - (i) four weeks before the expected date of birth; or
  - (ii) on an earlier date –
    - (1) if a medical Practitioner, Midwife or Certified Nurse certifies that it is necessary for the health of the worker or that of her unborn child; or

<p><b>SCC 59.3.11</b></p>	<p>(2) if agreed to between Employer and worker; or</p> <p>(iii) on a later date, if a medical Practitioner, Midwife or Certified nurse has certified that the worker is able to continue to work without endangering her health.</p> <p>(f) A worker who has a miscarriage during the third trimester of pregnancy or bears a stillborn child may take maternity leave for up to six weeks after the miscarriage or stillbirth.</p> <hr/> <p>(g) A worker who returns to work after maternity leave has the right to start a new cycle of twenty-four months employment, unless the SPWP on which she was employed has ended.</p> <p><b>Family responsibility leave</b> Workers, who work for at least four days per week, are entitled to three days paid family responsibility leave each year in the following circumstances –</p> <p>(a) when the employee's child is born;</p> <p>(b) when the employee's child is sick;</p> <p>(c) in the event of a death of –</p> <p>(i) the employee's spouse or life partner;</p> <p>(ii) the employee's parent, adoptive parent, grandparent, child, adopted child, grandchild or sibling.</p>
<p><b>SCC 59.3.12</b></p>	<p><b>Statement of Conditions</b></p> <p>(a) An Employer must give a worker a statement containing the following details at the start of employment –</p> <p>(i) the Employer's name and address and the name of the SPWP;</p> <p>(ii) the tasks or job that the worker is to perform; and</p> <p>(iii) the period for which the worker is hired or, if this is not certain, the expected duration of the Contract;</p> <p>(iv) the worker's rate of pay and how this is to be calculated;</p> <p>(v) the training that the worker will receive during the SPWP.</p> <p>(b) An Employer must ensure that these terms are explained in a suitable language to any employee who is unable to read the statement.</p> <p>(c) An Employer must supply each worker with a copy of these Conditions of employment.</p>
<p><b>SCC 59.3.13</b></p>	<p><b>Keeping Records</b></p> <p>(a) Every Employer must keep a written record of at least the following –</p> <p>(i) the worker's name and position;</p> <p>(ii) in the case of a task-rated worker, the number of tasks completed by the worker;</p> <p>(iii) in the case of a time-rated worker, the time worked by the worker;</p> <p>(iv) payments made to each worker.</p>

<p><b>SCC 59.3.14</b></p>	<p>(b) The Employer must keep this record for a period of at least three years after the completion of the SPWP.</p> <p><b>Payment</b></p> <p>(a) An Employer must pay all wages at least monthly in cash or by cheque or into a bank account.</p> <p>(b) A task-rated worker will only be paid for tasks that have been completed.</p> <p>(c) An Employer must pay a task-rated worker within five weeks of the work being completed and the work having been approved by the manager or the Contractor having submitted an invoice to the Employer.</p> <p>(d) A time-rated worker will be paid at the end of each month.</p> <p>(e) Payment must be made in cash, by cheque or by direct deposit into a bank account designated by the worker.</p> <p>(f) Payment in cash or by cheque must take place –</p> <p>(i) at the workplace or at a place agreed to by the worker;</p> <p>(ii) during the worker's working hours or within fifteen minutes of the start or finish of work;</p> <p>(iii) in a sealed envelope which becomes the property of the worker.</p> <p>(g) An Employer must give a worker the following information in writing –</p> <p>(i) the period for which payment is made;</p> <p>(ii) the numbers of tasks completed or hours worked;</p> <p>(iii) the worker's earnings;</p> <p>(iv) any money deducted from the payment;</p> <p>(v) the actual amount paid to the worker.</p> <p>(h) If the worker is paid in cash or by cheque, this information must be recorded on the envelope and the worker must acknowledge receipt of payment by signing for it</p> <p>(i) If a worker's employment is terminated, the Employer must pay all monies owing to that worker within one month of the termination of employment.</p>
<p><b>SCC 59.3.15</b></p>	<p><b>Deductions</b></p> <p>(a) An Employer may not deduct money from a worker's payment unless the deduction is required in terms of a law.</p> <p>(b) An Employer must deduct and pay to the SA Revenue Services any income tax that the worker is required to pay.</p> <p>(c) An Employer who deducts money from a worker's pay for payment to another person must pay the money to that person within the time period and other requirements specified in the agreement law, court order or arbitration award concerned.</p>

<p><b>SCC 59.3.16</b></p>	<p>(d) An Employer may not require or allow a worker to –</p> <ul style="list-style-type: none"> <li>(i) repay any payment except an overpayment previously made by the Employer by mistake;</li> <li>(ii) state that the worker received a greater amount of money than the Employer actually paid to the worker; or</li> <li>(iii) pay the Employer or any other person for having been employed.</li> </ul> <p><b>Health and Safety</b></p> <p>(a) Employers must take all reasonable steps to ensure that the working environment is healthy and safe.</p> <p>(b) A worker must –</p> <ul style="list-style-type: none"> <li>(i) work in a way that does not endanger his/her health and safety or that of any other person;</li> <li>(ii) obey any health and safety instruction;</li> <li>(iii) obey all health and safety rules of the SPWP;</li> <li>(iv) use any personal protective equipment or clothing issued by the Employer;</li> <li>(e) report any accident, near-miss incident or dangerous behaviour by another person to their Employer or manager.</li> </ul>
<p><b>SCC 59.3.17</b></p>	<p><b>Compensation for Injuries and Diseases</b></p> <p>(a) It is the responsibility of the Employers (other than a Contractor) to arrange for all persons employed on a SPWP to be covered in terms of the Compensation for Occupational Injuries and Diseases Act, 130 of 1993.</p> <p>(b) A worker must report any work-related injury or occupational disease to their Employer or manager.</p> <p>(c) The Employer must report the accident or disease to the Compensation Commissioner.</p> <p>(d) An Employer must pay a worker who is unable to work because of an injury caused by an accident at work 75% of their earnings for up to three months. The Employer will be refunded this amount by the Compensation Commissioner. This does NOT apply to injuries caused by accidents outside the workplace such as road accidents or accidents at home.</p>
<p><b>SCC 59.3.18</b></p>	<p><b>Termination</b></p> <p>(a) The Employer may terminate the employment of a worker for good cause after following a fair procedure.</p> <p>(b) A worker will not receive severance pay on termination.</p> <p>(c) A worker is not required to give notice to terminate employment. However, a worker who wishes to resign should advise the Employer in advance to allow the Employer to find a replacement.</p> <p>(d) A worker who is absent for more than three consecutive days without informing the Employer of an intention to return to work will have terminated the Contract.</p>

<p><b>SCC 59.3.19</b></p>	<p>However, the worker may be re-engaged if a position becomes available for the balance of the 24-month period.</p> <p>(e) A worker who does not attend required training events, without good reason, will have terminated the Contract. However, the worker may be re-engaged if a position becomes available for the balance of the 24-month period.</p> <p><b>Certificate of Service</b></p> <p>On termination of employment, a worker is entitled to a certificate stating –</p> <ul style="list-style-type: none"> <li>(i) the worker’s full name;</li> <li>(ii) the name and address of the Employer;</li> <li>(iii) the SPWP on which the worker worked;</li> <li>(iv) the work performed by the worker;</li> <li>(v) any training received by the worker as part of the SPWP;</li> <li>(vi) the period for which the worker worked on the SPWP;</li> <li>(vii) any other information agreed on by the Employer and worker.</li> </ul>
<p><b>SCC 59.3.20</b></p>	<p><b>Reporting</b></p> <p>The Contractor shall report the breakdown of each payment certificate into the broad categories of:</p> <ul style="list-style-type: none"> <li>a) Overheads,</li> <li>b) Supervision,</li> <li>c) Materials,</li> <li>d) Plant, and</li> <li>e) Labour.</li> </ul> <p>The Contractor shall further report for each payment certificate the person-days of employment as set out in the Pro Forma, Schedule X: Monthly Labour Report.</p> <p>In the calculation of person-days, a day shall be taken as 8 hours and no time over and above 8 hours per day shall be used to contribute to the number of person-days reported.</p>
<p><b>SCC 59.3.21</b></p>	<p><b>Source of Labour</b></p> <p>The Contractor shall source his labour from the local area through the services of an appropriate Councillor or Community Liaison Officer or another appointed person who has contact with a labour pool in the area.</p>

**4. TRANSFER OF RIGHTS**

The successful tenderer should complete and submit a Transfer of Rights Form to claim for materials on site with every progress payment for the project. No payment for materials on site would be granted if this Document is not submitted with the progress payment being considered.

**TRANSFER OF RIGHTS**

**TRANSFER OF RIGHTS AND INDEMNITY (To be completed during construction by successful Tenderer only)**

**Claim for materials on site, Payment Certificate No.** ..... **Date:** .....

**Contract No:** ..... For (Contract title) .....

.....

I, the undersigned (name of signatory) ..... in my capacity as

..... of (name of Contractor) .....

duly authorised hereto on behalf of the Contractor hereby transfer, cede and assign all the Contractor's rights, title and interest in and to the materials and goods, for which evidence of bona fide ownership is attached hereto, unto and in favour of (name of Employer) ..... insofar as the Contractor retains actual control of the materials and goods, the right of ownership thereof passes to the Employer by *constitutum possessorium*.

I herewith indemnify the Employer against any claim to and in respect of said materials by reason of the Contractor's sequestration or liquidation or of any defect in the Contractor's title to the materials and agree that no payment for materials on site will be made by the Employer until such time as I have submitted documentary proof of bona fide ownership of the said materials and goods.

This transfer shall become effective upon conclusion of the Contractor receiving payment from the Employer or from any other person on behalf of the Employer for the materials and goods as Materials on Site, payment of retention money thereon excluded.

I further confirm that I am fully responsible for all materials and goods listed under this Transfer of Rights and that they have been insured adequately against all risks and will remain insured until they are built into or used in the permanent works and taken over by the Employer.

**This certificate of Transfer of Rights applies only to the materials and goods as listed in the following table.**

Description of Item	Unit	Quantity	Rate	Amount	Supplier
Total Value of Materials and goods					

**Signed by:** ..... **Date:** .....  
for and on behalf of the Contractor.

**Witnessed by:** ..... **Date:** .....

**NOTE:** This form, together with the documentary proof of ownership or proof of payment by the Contractor to the supplier, shall accompany the Contractor’s claim for payment for materials on site in terms of Clause 49.1.5 of the General Conditions of Contract 2004.

### 5. SPECIAL NOTES TO BIDDERS

The following special conditions are for compliance and attention to bidders:

- 1.1. CIDB reserve the right to call interviews with short-listed bidders before final selection.
- 1.2. CIDB reserve the right to conduct supplier due diligence prior to final award or at any time during the contract period. This may include surprise site visits.
- 1.3. CIDB reserve the right to appoint the bidder that proves to be fully capable and qualified to handle and execute the job.
- 1.4. The proposals submitted must be in line with the detailed specification.
- 1.5. CIDB reserve the right to cancel or withdraw this bid if:
  - i. Due to changed circumstances, there is no longer a need for these services; or
  - ii. Funds are no longer available to cover the total envisaged expenditure; or
  - iii. No acceptable bids are received; or
  - iv. There is a material irregularity in the Bid process.
- 1.6. In the case of sub-contracting or joint venture agreement, CIDB will enter into a single contract with the principal bidder.
- 1.7. Bidders who are not registered on Central Supplier Database (CSD) must register before submission of bids.
- 1.8. Any completion of the bid document in pencil or erasable ink will not be acceptable and will automatically disqualify the submitted bid.
- 1.9. Successful bidder will be required to sign and enter into a formal contract upon the award.
- 1.10. Notwithstanding shortcomings and/or inconsistencies, if any, in this specification, which is only a minimum specification, a bidder shall make provision for a complete solution that will deliver the required service efficiently and cost-effectively.
- 1.11. Bid documents must be submitted physically to the closing address as reflected on the Tender document.

- 1.12. Bids received after the closing date and time will not be accepted for consideration.
- 1.13. This request for bid document contains confidential information about CIDB, which has been provided to supply potential bidders with the data necessary to provide a holistic response.
- 1.14. No part of the contents may be used, copied, disclosed or conveyed in whole or in part to any party, in any manner whatsoever without the prior written permission of CIDB.
- 1.15. Any reproduction or transmission of information contained in this document except for the sole purpose of responding to this bid is strictly prohibited.

**Clause C.2.1** Only those tenderers who are registered with the CIDB, or are capable of being so prior to the closing date of the tender, in a contractor grading designation equal to or higher than a contractor grading designation determined in accordance with the sum tendered, or a value determined in accordance with Regulation 25 (1B) or 25(7A) of the Construction Industry Development Regulations, for the advertised grading class of construction work, are eligible to have their tenders evaluated.

**Joint ventures are eligible to submit tenders provided that:**

1. Every member of the joint venture is registered with the CIDB;
2. The lead partner contractor's grading designation should not be lower than one level below the required minimum grading designation in the class of works construction works under considerations and possess the required recognition status. The combined contractor grading designation calculated in accordance with the Construction Industry Development Regulations should be equal to or higher than a contractor grading designation as per the tender's advert.

**C1.2.2 PART A: DATA PROVIDED BY THE EMPLOYER**

The following Contract Specific Data are applicable to this Contract.

**REFERENCE CONTRACT SPECIFIC DATA BY THE EMPLOYER**

Clause 1.1.14: **Name of Employer:** Limpopo Department of Agriculture & Rural Development, Polokwane

Clause 1.2.2: **Address of Employer:**

Physical:

Limpopo Department of Agriculture & Rural Development  
69 Biccard Street  
Polokwane  
0700

Postal:

Limpopo Department of Agriculture & Rural Development  
P Bag X9487  
Polokwane  
0700

## E-Mail:

Telephone No: (015) 294 3348

Fax No: (015) 294 4535

Clause 1.1.15: **Name of Engineer:** Ms T Ngoepe

Clause 1.2.2: **Address of Engineer:**

Physical:

Limpopo Department of Agriculture & Rural Development  
67/69 Biccard Street  
Polokwane  
0700

Postal:

Limpopo Department of Agriculture & Rural Development  
Private Bag X9487  
Polokwane  
0700

E-Mail: NgoepeT@agric.limpopo.gov.za

Telephone No: (015) 294 3429

Clause 1.6 & 38.1: Special non-working days are Sundays and the following statutory public holidays as declared by National or Regional Government:

New Year's Day, Human Rights Day, Good Friday, Family Day, Freedom Day, Workers day, Youth Day, National Women's Day, Heritage Day, Day of Reconciliation, Christmas Day and the Day of Goodwill including the construction industry year end break.

Clause 1.6: The year end break commences on the first working day after 15 December and ends on the first working day after 5 January of the next year.

Clause 2.3: The Engineer is required to obtain the specific approval of the Employer for the following:

The Engineer requires Departmental approval in order to authorise any expenditure in excess of the Tender Sum plus 15% Contingencies.

Clause 7: Performance Guarantee to be delivered within 14 days of the Commencement Day.

The total liability under the guarantee should not be less than 10% of the tender amount, excluding VAT.

Clause 10.1: The Contractor shall commence executing the work within 14 days of the Commencement

date.

- Clause 12.2: The Contractor shall deliver his programme of work within 14 days of the Commencement date.
- Clause 35.1.1.2.2: The value of material to be supplied by the Employer is nil.
- Clause 35.1.1.2.3: The amount to cover Professional fees for repairing damage and loss to be included in the Insurance sum is R 150 000.00
- Clause 35.1.3: The limit of indemnity for Liability Insurance is R 5 000 000.00 for any single liability claim. Liability insurance shall include spread of fire risk.
- Clause 37.2.2.3: The percentage allowance to cover overhead charges is 15%.
- Clause 42.1: The Works shall be completed as per task order, excluding special non-working days and the year-end break.
- Clause 43.1: The penalty for failing to complete the works is 0.05% of the Total Tender Sum per Calendar Day.
- Clause 46: No Contract Price Adjustment will be allowed for this Contract.
- Clause 49.1.5: The percentage advance on materials not yet built into the Permanent Works is: 80%
- Clause 49.3: The percentage retention on the amounts due to the Contractor is 10 %, excluding Contract Price Adjustment, Contingencies and VAT, and limited to 5% of the Contract amount, excluding Contract Price Adjustment, Contingencies and VAT.
- Clause 49.6: A Retention money Guarantee will **not** be permitted.
- Clause 53.1: The Defects Liability Period is 12 months measured from the date of the Certificate of Completion. And a guarantee of 12 months.
- Clause 58.1.4: Dispute resolution shall be by Adjudication.
- Clause 58.3: Dispute Resolution shall be by Adjudication.

**C1.2.2: PART B: DATA PROVIDED BY THE CONTRACTOR**

The following Contract Specific Data are applicable to this Contract:

<b>REFERENCE</b>	<b>CONTRACT SPECIFIC DATA BY THE CONTRACTOR</b>
Clause 1.1.8:	<b>Name of Contractor:</b> .....
Clause 1.2.2:	<b>Address of the Contractor:</b>
	<u>Physical:</u> .....
	<u>Postal:</u> .....
	.....
	.....
	.....
	.....
	E-Mail: .....
	Telephone No: ..... Fax No: .....

Clause 46.3: The variation in cost of all special materials is to be provided in the table SM 1 for special materials.

The rates and prices for the special materials shall be furnished by the Tenderer, which rates and prices shall not include VAT but shall include all other obligatory taxes and levies. **The quoted price is the ruling price on the Month prior to close of tender.**

**TABLE: SM1**

Special material	Unit on which variation will be determined		Price for base month ex factory, excluding transport, labour or any other costs.
	Containers	Delivered in bulk	

\* Contractor to indicate the type, unit and rate of special material to be listed. When called upon to do so, the Contractor shall substantiate the above rates or prices with acceptable documentary evidence. Contractor to provide any other Special Materials if deemed necessary

**C1.3 FORM OF GUARANTEE - PRO FORMA**

Contract No.  
WHEREAS **The Limpopo Department of Agriculture and Rural Development** (hereinafter referred to as the Employer”) entered into, a Contract with:

.....  
(Hereinafter called “the Contactor”) on the ..... day of ..... 20.....

for **A 3-YEAR FRAMEWORK AGREEMENT FOR THE DEVELOPMENT AND MAINTENANCE OF IRRIGATION AND CIVIL WORKS FOR INDIVIDUAL, SCHEMES AND GOVERNMENT FACILITIES PROJECTS FOR THE LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT**

AND WHEREAS it is provided by such Contract that the Contractor shall provide the Employer with security by way of a Guarantee for the due and faithful fulfilment of such Contract by the Contractor;

AND WHEREAS ..... has / have at the request of the Contractor, agreed to give such Guarantee;

NOW THEREFORE WE ..... do hereby Guarantee and bind ourselves jointly and severally as Guarantor and Co-principal Debtors to the Employer under renunciation of the benefits of division and execution for the due and faithful performance by the Contractor of all the Terms and Conditions of the said Contract, subject to the following Conditions:

1. The Employer shall, without reference and / or notice to us, have complete liberty of action to act in any manner authorized and/or contemplated by the terms of the said Contract, and/or to agree to any modifications, variations, alterations, directions or extensions of the completion date of the works under the said Contract, and that its rights under this Guarantee shall in no way be prejudiced nor our liability hereunder be affected by reason of any steps which the Employer may take under such Contract, or of any modification, variation, alterations of the completion date which the Employer may make, give, concede or agree to under the said Contract.
2. This Guarantee shall be limited to the payment of a sum of money.
3. The Employer shall be entitled, without reference to us, to release any Guarantee held by it, and to give time to or compound or make any other arrangement with the Contractor.
4. This Guarantee shall remain in full force and effect until the issue of the Certificate of Completion in terms of the Contract, unless we are advised in writing by the Employer before the issue of the said Certificate of his intention to institute claims, and the particulars thereof, in which event this Guarantee shall remain in full force and effect until all such claims have been paid or liquidated.
5. Our total liability hereunder shall not exceed the Guaranteed Sum of:  
.....  
.....Rand (in words);  
R. .... (in figures)
6. The Guarantor reserves the right to withdraw from this Guarantee by depositing the Guaranteed Sum with the beneficiary, whereupon our liability hereunder shall cease.
7. We hereby choose our address for the serving of all notices for all purposes arising here from as  
.....  
.....

.....  
.....

IN WITNESS WHEREOF this Guarantee has been executed by us at .....  
on this ..... day of ..... 20 .....

Signature .....

Duly authorized to sign on behalf of .....

Address .....  
.....  
.....

As witnesses:

1 .....

2 .....

**C1.4: AGREEMENT IN TERMS OF SECTION 37(2) OF THE OCCUPATIONAL HEALTH AND SAFETY ACT NO 85 OF 1993**

THIS AGREEMENT is made between **The Limpopo Department of Agriculture and Rural Development**

(hereinafter called the EMPLOYER of the one part, herein represented by:

.....

in his capacity as: .....

AND: .....

(hereinafter called the CONTRACTOR) of the other part, herein represented by .....

.....

in his capacity as: .....

duly authorised to sign on behalf of the Contractor.

WHEREAS the CONTRACTOR is the Mandatory of the EMPLOYER in consequence of an Agreement between the CONTRACTOR and the EMPLOYER in respect of

**CONTRACT No: ACDP 23/16: A 3-YEAR FRAMEWORK AGREEMENT FOR THE DEVELOPMENT AND MAINTENANCE OF IRRIGATION AND CIVIL WORKS FOR INDIVIDUAL, SCHEMES AND GOVERNMENT FACILITIES PROJECTS FOR THE LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT**

AND WHEREAS the EMPLOYER and the CONTRACTOR have agreed to enter into an agreement in terms of the provisions of Section 37(2) of the Occupational Health and Safety Act No 85 of 1993, as amended by OHS Act Amendment Act No 181/1993 (hereinafter referred to as the ACT);

**NOW THEREFORE** the parties agree as follows:

1. **The CONTRACTOR undertakes to acquaint the appropriate officials and employees of the CONTRACTOR with all relevant provisions of the ACT and the regulations promulgated in terms thereof.**
2. The CONTRACTOR undertakes to fully comply with all relevant duties, obligations and prohibitions imposed in terms of the ACT and Regulations: Provided that should the EMPLOYER have prescribed certain arrangements and procedures that same shall be observed and adhered to by the CONTRACTOR, his officials and employees. The CONTRACTOR shall bear the onus of acquainting himself/herself/itself with such arrangements and procedures.
3. The CONTRACTOR hereby accepts Sole Liability for such due compliance with the relevant duties, obligations, prohibitions, arrangements and procedures, if any, imposed by the ACT and Regulations, and the CONTRACTOR expressly absolves the EMPLOYER and the Employer's CONSULTING ENGINEERS from being obliged to comply with any of the aforesaid duties, obligations, prohibitions, arrangements and procedures in respect of the work included in the Contract.
4. The CONTRACTOR agrees that any duly authorised officials of the EMPLOYER shall be entitled, although not obliged, to take such steps as may be necessary to ensure that the CONTRACTOR has complied with his undertakings as more fully set out in paragraphs 1 and 2 above, which steps may include, but shall not be limited to, the right to inspect any appropriate site or premises occupied by the CONTRACTOR, or to take such steps it may deem necessary to remedy the default of the CONTRACTOR at the cost of the CONTRACTOR.
5. The CONTRACTOR shall be obliged to report forthwith to the EMPLOYER any investigation, complaint or criminal charge which may arise as a consequence of the provisions of the ACT and Regulations, pursuant to work performed in terms of this agreement, and shall, on written demand, provide full details in writing of

such investigation, complaint or criminal charge.

Thus signed at ..... for and on behalf of the CONTRACTOR  
on this the ..... day of ..... 20.....

SIGNATURE: .....

NAME AND SURNAME: .....

CAPACITY: .....

WITNESSES: 1. ....  
2. ....

Thus signed at ..... for and on behalf of the EMPLOYER on this  
the ..... day of ..... 20.....

SIGNATURE: .....

NAME AND SURNAME: .....

CAPACITY: .....

WITNESSES: 1. ....  
2. ....

## **PART C2: PRICING DATA**

### **C2.1: PRICING INSTRUCTIONS**

### **C2.2: BILL OF QUANTITIES**

## LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

### A 3-YEAR FRAMEWORK AGREEMENT FOR THE DEVELOPMENT AND MAINTENANCE OF IRRIGATION AND CIVIL WORKS FOR INDIVIDUAL, SCHEMES AND GOVERNMENT FACILITIES PROJECTS FOR THE LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

#### C2.1 Pricing Instructions

- Measurement and payment shall be in accordance with the relevant provisions of the General Conditions of Contract (2010 edition) as amended in the Scope of Works.
- The units of measurement described in this Bill of Quantities are metric units. Abbreviations used in the Bill of Quantities are as follows:

%	=	percent
h	=	hour
ha	=	hectare
kg	=	kilogram
kl	=	kilolitre
km	=	kilometre
km-pass	=	kilometre-pass
kPa	=	kilopascal
kW	=	kilowatt
l	=	litre
m	=	metre
mm	=	millimetre
m <sup>2</sup>	=	square metre
m <sup>2</sup> -pass	=	square metre-pass
m <sup>3</sup>	=	cubic metre
m <sup>3</sup> -km	=	cubic metre-kilometre
MN	=	meganewton
MN.m	=	meganewton-metre
MPa	=	megapascal
No.	=	number
Prov sum	=	Provisional sum
PC sum	=	Prime Cost sum
R/only	=	Rate only
sum	=	lump sum
t	=	ton (1000 kg)
W/day	=	Work day

- For the purpose of this Bill of Quantities, the following words shall have the meanings hereby assigned to them:
 

Unit:	The unit of measurement for each item of work as defined in the Specifications
Quantity:	The number of units of work for each item.
Rate:	The agreed payment per unit of measurement.
Amount:	The product of the quantity and the agreed rate for an item.
Lump sum:	An agreed amount for an item, the extent of which is described in the Bills of Quantities but the quantity of work of which is not measured in any units.
- Unless otherwise stated, items are measured net in accordance with the Drawings, and no allowance is made for waste.
- The prices and rates in this Bill of Quantities are fully inclusive prices for the Work described under the items. Such prices and rates cover all costs and expenses that may be required in and for the execution of the Work described in accordance with the provisions of the Scope of Work, and shall cover the cost of all general risks, liabilities, and obligations set forth or implied in the Contract Data, as well as overhead charges and

- profit. These prices will be used as a basis for assessment of payment for additional Work that may have to be carried out.
6. It will be assumed that prices included in the Bill of Quantities are based on Acts, Ordinances, Regulations, By-laws, International Standards and National Standards that were published 28 days before the closing date for Tenders. (Refer to [www.stanza.org.za](http://www.stanza.org.za) or [www.iso.org](http://www.iso.org) for information on Standards)
  7. Where the Scope of Work requires detailed Drawings and designs or other information to be provided, all costs associated therewith are deemed to have been provided for and included in the unit rates and sum amount Tendered such items
  8. This contract is rate-based thus the Bidder is required to rate all the items in the Bill of Quantities, Amounts, Sub-totals and Totals as per the provided pricing data, using black ink. Failure to comply will lead to the bid being disqualified.
  9. The quantities set out in this Bill of Quantities are approximate and do not necessarily represent the actual amount of Work to be done. The quantities of work accepted and Certified for Payment will be used for determining payments due and not the quantities given in this Bill of Quantities.
  10. The short descriptions of the items of payment given in this Bill of Quantities are only for the purposes of identifying the items. More details regarding the extent of the work entailed under each item appear in the Scope of Work.
  11. The item numbers appearing in the Bills of Quantities refer to the corresponding item numbers in the Specifications were applicable.
  12. Those parts of the contract to be constructed using labour-intensive methods have been marked in the Bills of Quantities with the letters "LI" in a separate column filled in against every item so designated. The works, or parts of the works so designated are to be constructed using labour-intensive methods only. The use of plant to provide such works, other than plant specifically provided for in the scope of work, is a variation to the contract. The items marked with the letters LI are not necessarily an exhaustive list of all the activities which must be done by hand, and this clause does not over-ride any of the requirements in the generic labour intensive specification in the Scope of Works.
  13. Payment for items which are designated to be constructed labour-intensively (either in this schedule or in the Scope of Works) will not be made unless they are constructed using labour-intensive methods. Any unauthorised use of plant to carry out work which was to be done labour-intensively will not be condoned and any works so constructed will not be certified for payment.

**LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT**

**A 3-YEAR FRAMEWORK AGREEMENT FOR THE DEVELOPMENT AND MAINTENANCE OF IRRIGATION AND CIVIL WORKS FOR INDIVIDUAL, SCHEMES AND GOVERNMENT FACILITIES PROJECTS FOR THE LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT**

**C2.2 Bill of Quantities**

**CATEGORY 1 BOQ – ONLY BIDDERS WITH CIDB GRADING 3CE OR 3SH TO 4CE OR 4SH MUST COMPLETE THIS SECTION.**

DRAFT

**LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT**  
**FRAMEWORK AGREEMENT FOR DEVELOPMENT AND MAINTENANCE OF IRRIGATION PROJECTS**  
**SUMMARY OF SCHEDULE OF QUANTITIES AND CALCULATION OF CONTRACT AMOUNT**

<b>SECTION AND DESCRIPTION</b>	<b>AMOUNT</b>
SECTION A : PRELIMINARY AND GENERAL	
SECTION B: EARTHWORKS	
SECTION C : STEEL PIPES AND FITTINGS	
SECTION D : HDPE PIPES AND FITTINGS	
SECTION E : PVC PIPES AND FITTINGS	
SECTION F : DRIP IRRIGATION	
SECTION G : SPRINKLER IRRIGATION	
SECTION H : FILTERS & AIRVALVES	
SECTION J : LDPE PIPES AND FITTINGS	
SECTION K : VALVES & METERS	
SECTION L : SHADENET	
SECTION M : TUNNELS & RESEVOIRS	
SECTION P : BUILDING	
SECTION R : ELECTRICALS AND PLUMBING	
SECTION S : POWER GENERATION EQUIPMNET	
SECTION T : PUMPS & MOTORS,CONTROLS & CABLES	
<b>TOTAL SCHEDULE OF QUANTITIES</b>	
ADD 5% CONTINGENCIES	
<b>SUB TOTAL</b>	
ADD 15% VAT	
<b>TOTAL TENDER AMOUNT</b>	

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b><u>SECTION A: PRELIMINARY &amp; GENERAL</u></b>						
		<b>Note:</b> Contractor to Hire at least 5 LOCAL personnel/labour at not less than R200/day labour rate for a 3 months Contract Period with Sub Total Task Order Amount of R3 000 000,00 before VAT and Contingencies				
		<b>Note:</b> For the purpose of costing, assume a 5 months construction period, with a total value of works (excl. P&G) of R3 000 000,00.				
<b>A.1</b>	<b>SANS 1200A</b>	<b>SCHEDULED FIXED-CHARGE AND VALUE RELATED ITEMS (Max. 5% of R 3000 000,00)</b>				
A.1.1	8.3.1	Contractual Requirements	Sum	1		
	<b>8.3.2</b>	<b>Establishment of Facilities on Site</b>				
	8.3.2.2	<u>FACILITIES FOR CONTRACTOR</u>				
A.1.2		a) Offices and storage shed	Sum	1		
A.1.3		d) Living accommodation	Sum	1		
A.1.4		e) Ablution and Latrine Facilities	Sum	1		
A.1.5		f) Tools and equipment	Sum	1		
A.1.6		g) Water supplies, electrical power and communication	Sum	1		
A.1.7	<b>5,1,1</b>	Setting out of the works	Sum	1		
A.1.8	<b>8.3.4</b>	Removal of Site Establishment	Sum	1		
	<b>8.4</b>	<b>SCHEDULED TIME-RELATED ITEMS (Max. 5% of R 3000 000,00)</b>				
A.1.9	8.4.1	Contractual Requirements	Sum	1		
A.1.10		Insurance of the works	Sum	1		
	<b>8.4.2</b>	<b>Operation and Maintenance of Facilities on Site</b>				
	8.4.2.2	<u>FACILITIES FOR CONTRACTOR</u>				
A.1.11		a) Offices and storage shed	Sum	1		
A.1.12		d) Living accommodation	Sum	1		
A.1.13		e) Ablution and Latrine Facilities	Sum	1		
A.1.14		f) Tools and equipment	Sum	1		
A.1.15		g) Water supplies, electrical power and communication	Sum	1		
A.1.16	8.4.3	Supervision for Duration of Construction	Sum	1		
<b>A</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>A</b>		<b>Brought forward</b>				
	<b>8,5</b>	<b>SUMS STATED PROVISIONALLY BY ENGINEER</b>				
A.1.17	8.5 (b)	a) Topographical Survey	Prov Sum	1	50000	rate only
A.1.18		b) Remuneration of Community Liaison Officer (CLO)	Prov Sum	1	15000	rate only
A.1.19		c) Overheads, charges and profit on a) to b) above	%	R65 000		
		<b>OCCUPATIONAL HEALTH AND SAFETY</b>				
A.1.20		Contractor's initial obligations in respect of the Occupational Health and Safety Act and Construction Regulations	Sum	1		
A.1.21		Contractor's time related obligations in respect of the Occupational Health and Safety Act and Construction Regulations	Month	5		
A.1.22		Submission of the Health and Safety File	Sum	1		
A.1.23		Dust suppression by water spraying construction site, with 10 000L Tanker	Day	1		
A.1.24		SANS approved weld mesh type temporary barrier fencing 1,8m high covered with a net fixed to and including 100mm diameter gum poles set securely min 300mm deep in ground at max 3m spacing including excavation, backfilling, etc	m	200		
A.1.25		Extra over mesh fence for pedestrian gate size 1.8 x 1,8m high.	No	1		
		<u>Provision for Personal Protective Equipment and Protective Clothing per each person:</u>				
A.1.26		Reflective vests.	No	5		
A.1.27		Hard hats.	No	5		
A.1.28		Protective foot wear.	No	5		
A.1.29		Ear Plugs.	No	5		
A.1.30		Dust Masks.	No	5		
A.1.31		Working suite - jacket and pants	No	5		
		<u>Costs of Medical Certificates and Medical Surveillance:</u>				
A.1.32		Entry medical fitness examinations per employee	No	5		
A.1.33		Respiratory prevention kit allocation and routine screening	No	5		
A.1.34		Exit Examinations per employee	No	5		
<b>A</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>A</b>		<b>Brought forward</b>				
	<b>SANS 1200A</b>	<b>DAYWORKS</b>				
<b>A.2</b>	<b>8,7</b>	<b>Daywork Labour</b>				
A.2.1		Contractor's Representative	hour	1		
A.2.2		Surveyor	hour	1		
A.2.3		Irrigation engineer	hour	1		
A.2.4		Plumber	hour	1		
A.2.5		Boilermaker	hour	1		
A.2.6		Bricklayer	hour	1		
A.2.7		Plasterer	hour	1		
A.2.8		Welder with API 1104 Certificate	hour	1		
A.2.9		Electrician	hour	1		
A.2.10		Semi-skilled labourer	hour	1		
A.2.11		Labourer	hour	1		
<b>A,3</b>	<b>8,7</b>	<b>Plant hire : Work Rates on Site</b>				
A.3.1		Crane 20 t - 35 t capacity	hour	1		
A.3.2		Tractor 60 kW - 90 kW	hour	1		
A.3.3		TLB 60 kW - 70 kW	hour	1		
A.3.4		Motor graders 150 kW - 160 kW	hour	1		
A.3.6		Wheel excavators 0,4 - 1,25m <sup>3</sup> bucket size	hour	1		
A.3.7		Water tankers 4 000 - 20 000 litre	hour	1		
A.3.8		Drilling rig up to 200 metres	hour	1		
A.3.9		Borehole Testing equipment up 10 litres/s	hour	1		
A.3.10		Dumpers 0,5m <sup>3</sup> (Hydraulic tip)	hour	1		
A.3.11		Mono pump with 80mm DN outlet (diesel driven) 2.2 - 7.5 kW	hour	1		
A.3.12		Arc-welding unit (300 A)	hour	1		
A.3.13		10 kVA (petrol) 220V Generator	hour	1		
A.3.14		30 kVA (diesel) 380V - 3ph Generator	hour	1		
<b>A</b>		<b>Carried forward</b>				
<b>A</b>		<b>Brought forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount	
<b>A,4</b>		<b>TRAINING AND OTHER MARKUPS</b>					
A.4.1		<b>SUMS STATED PROVISIONALLY BY ENGINEER (Employer)</b>					
A.4.2		<b>SABI ACCREDITED TRAINING</b>					
A.4.3		Provision of M1 - Basic principles and installation of irrigation systems by an SABI accredited training service provider / institute (25 People)	Sum	1	150 000	rate only	
A.4.4		Provision of M2 - Irrigation Scheduling and management of irrigation systems an SABI accredited training service provider / institute (5 People)	Sum	1	60 000	rate only	
A.4.5		Provision of refresher training on the irrigation equipment installed. Training to be done by the Supplier of an SABI accredited training service provider / institute	Sum	1	40 000	rate only	
A.4.6		Training allowance for direct payments to targeted labour in terms of formal training days	Sum	1	30 000	rate only	
A.4.7		Transport & accommodation of workers for training where it is not possible to undertake the training in close proximity to the site	Sum	1	20 000	rate only	
A.4.8		Extra over A.4.3 to A.4.7 above for the administration payment of training, allowances transport and venue arrangements	%	300 000			
<b>A,5</b>		<b>Mark up on other specialists services</b>					
A.5.1		Geohydrological services	PC sum	100 000	1	rate only	
		Mark up on above	%	100 000			
A.5.2		Electrical and mechanical engineering services	PC sum	100 000	1	rate only	
		Mark up on above	%	100 000			
A.5.3		Geotechnical services	PC sum	100 000	1	rate only	
		Mark up on above	%	100 000			
A.5.4		Agricultural Engineering (Ancillary works)	PC sum	100 000	1	rate only	
		Mark up on above	%	100 000			
A.5.5		Provision of Operation and maintenance manual for Irrigation Development Works	PC sum	20 000	1	rate only	
		Mark up on above	%	20 000			
A.5.6		Structural engineering services	PC sum	100 000	1	rate only	
		Mark up on above	%	100 000			
		<b>TOTAL SECTION "A" CARRIED FORWARD TO SUMMARY</b>					

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>SECTION B: EARTHWORKS</b>						
<b>B.1</b>		<b>SITE CLEARANCE</b>				
B.1.1		Clear and grub site including vegetation, trees and tree stumps of girth up to 1m	m <sup>2</sup>	1		
B.1.2		Clear and grub vegetation on the pipeline path, 2m wide clearing	m	1		
B.1.3		De-bushing of virgin land with congested high dense bush/trees	ha	1		
B.1.4		De-bushing of virgin land with scattered bush/trees	ha	1		
		<u>Remove Topsoil</u>				
B.1.5		Strip to 150 mm deep x 1 m wide on single pipe and 2 m wide on double on pipeline centre line, stockpile and prevent dust	m <sup>2</sup>	2000		
		<b>Dams De-Silting</b>				
B.1.6		Removal of silt in dam basin including free haul of 2km and dumping on approved site as per Engineers instruction.	m <sup>3</sup>	100		
		<b>Keeping excavations free of water:</b>				
B.1.7		Keeping excavations free from mud and storm water	Sum	1		
B.1.8		Handling and Keeping excavations free from subterranean sources.	Sum	1		
B.2	<b>SANS 1200D</b>	<b>EXCAVATION</b>				
B.2.1		Excavations in all materials for trenches to a depth less than 1000 mm for removal of unsuitable material and dispose of material for 600mm wide trenches	m	1		
B.2.2		Excavations in all materials for trenches to a depth less than 1000 mm for removal of unsuitable material and dispose of material for 800mm wide trenches	m	1		
B.2.3		Excavations in all materials for trenches to a depth less than 1500 mm for removal of unsuitable material and dispose of material for 600mm wide trenches	m	1		
B.2.4		Excavations in all materials for trenches to a depth less 1500 mm for removal of unsuitable material and dispose of material for 800mm wide trenches	m	1		
B.2.5		Excavations in all materials for trenches to a depth over 1500 mm for removal of unsuitable material and dispose of material for 600mm wide trenches	m	1		
<b>B</b>		<b>Carried forward</b>				

<b>B</b>		<b>Brought forward</b>				
B.2.6		Excavations in all materials for trenches to a depth over 1500 mm for removal of unsuitable material and dispose of material for 800mm wide trenches	m	1		
B.2.7		Extra-over Item above (Items B.2.1 - B.2.6)				
B.2.8		Intermediate excavations	m <sup>3</sup>	1		
B.2.9		Hard excavations	m <sup>3</sup>	1		
B.2.10		Boulder excavation, Class A	m <sup>3</sup>	1		
B.2.11		Boulder excavation, Class B	m <sup>3</sup>	1		
		<b>BEDDING (PIPES)</b>				
		Provision of bedding from trench excavation:				
B.2.12		Selected granular material	m <sup>3</sup>	1		
B.2.13		Selected fill material	m <sup>3</sup>	1		
		Supply only of bedding by importation From other necessary excavations (Provisional)				
B.2.14		Selected granular material	m <sup>3</sup>	1		
B.2.15		Selected fill material	m <sup>3</sup>	1		
		Dealing with Services that intersect a trench to complete works:				
B.2.16		Stock fences	No	1		
B.2.17		Water Pipes	No	1		
B.2.18		Roads	No	1		
B.2.19		Power cables	No	1		
		Finishing				
		Reinstate road surfaces complete with all courses:				
B.2.20		Gravel road surfaces	m <sup>2</sup>	1		
B.2.21		Paved road surfaces	m <sup>2</sup>	1		
<b>B</b>		<b>Carried forward</b>				



No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b><u>SECTION C : STEEL PIPES AND FITTINGS</u></b>						
C		Supply, deliver, install and test the following steel pipes, fittings and specials complete with gaskets, bolts, nuts and washers. Conforming to SABS 719, SABS 62-1989 and BS534. All steel pipes and fittings to have a wall thickness of 4.5mm and galvanized according to specification SABS 1461 and SABS ISO 14713. All flanges Table D				
C.1		<b><u>Barrel Nipple</u></b>				
C.1.1		40 mm	no	1		
C.1.2		50 mm	no	1		
C.1.3		65 mm	no	1		
C.1.4		80 mm	no	1		
C.1.5		100 mm	no	1		
C.2		<b><u>Nipple Galvanised Hexagonal</u></b>				
C.2.1		40 mm	no	1		
C.2.2		50 mm	no	1		
C.2.3		65 mm	no	1		
C.2.4		80 mm	no	1		
C.2.5		100 mm	no	1		
C.3		<b><u>Elbow Galvanised Female/Female 90°</u></b>				
C.3.1		40 mm	no	1		
C.3.2		50 mm	no	1		
C.3.3		65 mm	no	1		
C.3.4		80 mm	no	1		
C.3.5		100 mm	no	1		
C.4		<b><u>Elbow Galvanised Male/Female 90°</u></b>				
C.4.1		40 mm	no	1		
C.4.2		50 mm	no	1		
C.4.3		65 mm	no	1		
C		<b>Brought forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>C</b>		<b>Brought forward</b>				
C.4.4		80 mm	no	1		
C.4.5		100 mm	no	1		
C.5		<b><u>Elbow Galvanised Gemale/Female 45</u></b>				
C.5.1		40 mm	no	1		
C.5.2		50 mm	no	1		
C.5.3		65 mm	no	1		
C.5.4		80 mm	no	1		
C.5.5		100 mm	no	1		
C.6		<b><u>Coupling galvanised swage</u></b>				
C.6.1		40 mm	no	1		
C.6.2		50 mm	no	1		
C.6.3		65 mm	no	1		
C.6.4		80 mm	no	1		
C.6.5		100 mm	no	1		
C.7		<b><u>Crosses galvanised</u></b>				
C.7.1		40 mm	no	1		
C.7.2		50 mm	no	1		
C.7.3		65 mm	no	1		
C.7.4		80 mm	no	1		
C.7.5		100 mm	no	1		
C.8		<b><u>Backnut galvanised</u></b>				
C.8.1		40 mm	no	1		
C.8.2		50 mm	no	1		
C.8.3		65 mm	no	1		
C.8.4		80 mm	no	1		
<b>C</b>		<b>Brought forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>C</b>		<b>Brought forward</b>				
C.8.5		100 mm	no	1		
C.9		<b><u>Union galvanised conical</u></b>				
C.9.1		40 mm	no	1		
C.9.2		50 mm	no	1		
C.9.3		65 mm	no	1		
C.9.4		80 mm	no	1		
C.9.5		100 mm	no	1		
C.10		<b><u>Union galvanised conical</u></b>				
C.10.1		40 mm	no	1		
C.10.2		50 mm	no	1		
C.10.3		65 mm	no	1		
C.10.4		80 mm	no	1		
C.10.5		100 mm	no	1		
C.11		<b><u>Coupling Galvanised Johnson</u></b>				
C.11.1		40 mm	no	1		
C.11.2		50 mm	no	1		
C.11.3		65 mm	no	1		
C.11.4		80 mm	no	1		
C.11.5		100 mm	no	1		
C.12		<b><u>Nipple Galvanised Longscrew</u></b>				
C.12.1		40 mm	no	1		
C.12.2		50 mm	no	1		
C.12.3		65 mm	no	1		
C.12.4		80 mm	no	1		
C.12.5		100 mm	no	1		
<b>C</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>C</b>		<b>Brought forward</b>				
C.13		<b><u>Adaptor Galvanised Swage</u></b>				
C.13.1		40 mm	no	1		
C.13.2		50 mm	no	1		
C.13.3		65 mm	no	1		
C.13.4		80 mm	no	1		
C.13.5		100 mm	no	1		
C.14		<b><u>Plug Galvanised Hollow</u></b>				
C.14.1		40 mm	no	1		
C.14.2		50 mm	no	1		
C.14.3		65 mm	no	1		
C.14.4		80 mm	no	1		
C.14.5		100 mm	no	1		
C.15		<b><u>Socket Galvanised</u></b>				
C.15.1		40 mm	no	1		
C.15.2		50 mm	no	1		
C.15.3		65 mm	no	1		
C.15.4		80 mm	no	1		
C.15.5		100 mm	no	1		
C.16		<b><u>Endcap Galvanised</u></b>				
C.16.1		40 mm	no	1		
C.16.2		50 mm	no	1		
C.16.3		65 mm	no	1		
C.16.4		80 mm	no	1		
C.16.5		100 mm	no	1		
<b>C</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>C</b>		<b>Brought forward</b>				
C.17		<b><u>Holderbat Galvanised</u></b>				
C.17.1		40 mm	no	1		
C.17.2		50 mm	no	1		
C.17.3		65 mm	no	1		
C.17.4		80 mm	no	1		
C.17.5		100 mm	no	1		
C.18		<b><u>Socket Galvanised Sprinkler</u></b>				
C.18.1		20 mm	no	1		
C.18.2		25 mm	no	1		
C.18.3		32 mm	no	1		
C.18.4		40 mm	no	1		
C.18.5		50 mm	no	1		
C.18.6		65 mm	no	1		
C.18.7		80 mm	no	1		
C.18.8		100 mm	no	1		
C.19		<b><u>Tee Galvanised</u></b>				
C.19.1		40 mm	no	1		
C.19.2		50 mm	no	1		
C.19.3		65 mm	no	1		
C.19.4		80 mm	no	1		
C.19.5		100 mm	no	1		
C.20		<b><u>Socket Steel</u></b>				
C.20.1		40 mm	no	1		
C.20.2		50 mm	no	1		
C.20.3		65 mm	no	1		
C.20.4		80 mm	no	1		
<b>C</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>C</b>		<b>Brought forward</b>				
C.20.5		100 mm	no	1		
C.21		<b><u>Socket Galvanised Reducing</u></b>				
C.21.1		40x25mm	no	1		
C.21.2		40x32mm	no	1		
C.21.3		50x25mm	no	1		
C.21.4		50x32mm	no	1		
C.21.5		50x40mm	no	1		
C.21.6		65x25mm	no	1		
C.21.7		65x32mm	no	1		
C.21.8		65x40mm	no	1		
C.21.9		65x50mm	no	1		
C.21.10		80x40mm	no	1		
C.22		<b><u>Tee Galvanised Reducing</u></b>				
C.22.1		40x25mm	no	1		
C.22.2		40x32mm	no	1		
C.22.3		50x25mm	no	1		
C.22.4		50x32mm	no	1		
C.22.5		50x40mm	no	1		
C.22.6		65x25mm	no	1		
C.22.7		65x32mm	no	1		
C.22.8		65x40mm	no	1		
C.22.9		65x50mm	no	1		
C.22.10		80x40mm	no	1		
C.23		<b><u>Standpipe Galvanised</u></b>				
C.23.1		25mm x 150mm	no	1		
C.23.2		25mm x 200mm	no	1		
<b>C</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>C</b>		<b>Brought forward</b>				
C.23.3		25mm x 300mm	no	1		
C.23.4		25mm x 400mm	no	1		
C.23.5		25mm x 450mm	no	1		
C.23.6		25mm x 500mm	no	1		
C.23.7		25mm x 600mm	no	1		
C.23.8		25mm x 750mm	no	1		
C.23.9		25mm x 900mm	no	1		
C.23.10		25mm x 1000mm	no	1		
C.23.11		32mm x 150mm	no	1		
C.23.12		32mm x 200mm	no	1		
C.23.13		32mm x 300mm	no	1		
C.23.14		32mm x 400mm	no	1		
C.23.15		32mm x 450mm	no	1		
C.23.16		32mm x 500mm	no	1		
C.23.17		32mm x 600mm	no	1		
C.23.18		32mm x 750mm	no	1		
C.23.19		32mm x 900mm	no	1		
C.23.20		32mm x 1000mm	no	1		
C.23.21		40mm x 150mm	no	1		
C.23.22		40mm x 200mm	no	1		
C.23.23		40mm x 300mm	no	1		
C.23.24		40mm x 400mm	no	1		
C.23.25		40mm x 450mm	no	1		
C.23.26		40mm x 500mm	no	1		
C.23.27		40mm x 600mm	no	1		
C.23.28		40mm x 750mm	no	1		
C.23.29		40mm x 900mm	no	1		
C.23.30		40mm x 1000mm	no	1		
C.23.31		50mm x 150mm	no	1		
<b>C</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>C</b>		<b>Brought forward</b>				
C.23.32		50mm x 200mm	no	1		
C.23.33		50mm x 300mm	no	1		
C.23.34		50mm x 400mm	no	1		
C.23.35		50mm x 450mm	no	1		
C.23.36		50mm x 500mm	no	1		
C.23.37		50mm x 600mm	no	1		
C.23.38		50mm x 750mm	no	1		
C.23.39		50mm x 900mm	no	1		
C.23.40		50mm x 1000mm	no	1		
C.23.41		65mm x 150mm	no	1		
C.23.42		65mm x 200mm	no	1		
C.23.43		65mm x 300mm	no	1		
C.23.44		65mm x 400mm	no	1		
C.23.45		65mm x 450mm	no	1		
C.23.46		65mm x 500mm	no	1		
C.23.47		65mm x 600mm	no	1		
C.23.48		65mm x 750mm	no	1		
C.23.49		65mm x 900mm	no	1		
C.23.50		65mm x 1000mm	no	1		
C.23.51		80mm x 150mm	no	1		
C.23.52		80mm x 200mm	no	1		
C.23.53		80mm x 300mm	no	1		
C.23.54		80mm x 400mm	no	1		
C.23.55		80mm x 450mm	no	1		
C.23.56		80mm x 500mm	no	1		
C.23.57		80mm x 600mm	no	1		
C.23.58		80mm x 750mm	no	1		
C.23.59		80mm x 900mm	no	1		
C.23.60		80mm x 1000mm	no	1		
<b>C</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>C</b>		<b>Brought forward</b>				
C.23.61		100mm x 150mm	no	1		
C.23.62		100mm x 200mm	no	1		
C.23.63		100mm x 300mm	no	1		
C.23.64		100mm x 400mm	no	1		
C.23.65		100mm x 450mm	no	1		
C.23.66		100mm x 500mm	no	1		
C.23.67		100mm x 600mm	no	1		
C.23.68		100mm x 750mm	no	1		
C.23.69		100mm x 900mm	no	1		
C.23.70		100mm x 1000mm	no	1		
C.24		<b><u>Flange Screwed</u></b>				
C.24.1		40mm	no	1		
C.24.2		50mm	no	1		
C.24.3		65mm	no	1		
C.24.4		80mm	no	1		
C.24.5		100mm	no	1		
C.25		<b><u>Flange Screwed On</u></b>				
C.25.1		40mm	no	1		
C.25.2		50mm	no	1		
C.25.3		65mm	no	1		
C.25.4		80mm	no	1		
C.25.5		100mm	no	1		
C.26		<b><u>Flange Weld On</u></b>				
C.26.1		40mm	no	1		
C.26.2		50mm	no	1		
C.26.3		65mm	no	1		
<b>C</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>C</b>		<b>Brought forward</b>				
C.26.4		80mm	no	1		
C.26.5		100mm	no	1		
C.27		<b><u>Flange Weld On (Table 1600/3)</u></b>				
C.27.1		50mm	no	1		
C.27.2		65mm	no	1		
C.27.3		80mm	no	1		
C.27.4		100mm	no	1		
C.28		<b><u>Back Ring (Used With UPV Stubs)</u></b>				
C.28.1		50mm	no	1		
C.28.2		65mm	no	1		
C.28.3		80mm	no	1		
C.28.4		100mm	no	1		
C.29		<b><u>Insertion Ring Gasket</u></b>				
C.29.1		50mm	no	1		
C.29.2		65mm	no	1		
C.29.3		80mm	no	1		
C.30		<b><u>Insertion Ring Full Face Gasket</u></b>				
C.30.1		50mm	no	1		
C.30.2		65mm	no	1		
C.30.3		80mm	no	1		
C.31		<b><u>Galvanised steel pipe</u></b>				
C.31.1		40 mm	m	1		
<b>C</b>		<b>Carried forward</b>				
<b>C</b>		<b>Brought forward</b>				
C.31.2		50 mm	m	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
C.31.3		65 mm	m	1		
C.31.4		80 mm	m	1		
C.32		<b><u>Galvanised steel quick coupling perrot pipe</u></b>				
C.32.1		50 mm	m	1		
C.32.2		70 mm	m	1		
C.32.3		89 mm	m	1		
C.33		<b><u>Galvanised steel Special fittings</u></b>				
C.33.1		Allow a sum for fabrication of special galvanised steel pipes as specified by the Engineer. (3 Quotations from reputable suppliers)	Prov sum	1	10000	rate only
C.33.2		Profit over above Item C.33.1	%	10000		
C.33.3		Extra over Item C.33.2: Deliver, install and test fabricated special galvanised steel pipes.	Sum	1		
C.34		<b><u>Other Galvanised Steel Pipes and Fittings</u></b>				
C.34.1		Other Galvanised Steel Pipes and Fittings not priced in the above Items. Mark up on other pipes & fitting as specified by the Engineer (3 Quotations from reputable suppliers)	Prov sum	1	10000	rate only
C.34.2		Mark up on other Galvanised Steel Pipes and Fittings for Item C.34.1	%	10000		
C.34.3		Extra over Item C.34.2: Deliver, install and test other Galvanised Steel Pipes and Fittings	Sum	1		
<b>TOTAL SECTION "C" CARRIED FORWARD TO SUMMARY</b>						

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b><u>SECTION D : HDPE PIPES AND FITTINGS</u></b>						
D		Supply, deliver, install and test the following SABS approved HDPE pipes, fittings.				
D.1		<b><u>Coupling Compression</u></b>				
D.1.4		32mm	no	1		
D.1.5		40mm	no	1		
D.1.6		50mm	no	1		
D.1.7		63mm	no	1		
D.1.8		75mm	no	1		
D.1.9		90mm	no	1		
D.2		<b><u>Endcap Compression</u></b>				
D.2.4		32mm	no	1		
D.2.5		40mm	no	1		
D.2.6		50mm	no	1		
D.2.7		63mm	no	1		
D.2.8		75mm	no	1		
D.2.9		90mm	no	1		
D.3		<b><u>Equal Tee Compression</u></b>				
D.3.4		32mm	no	1		
D		<b>Carried forward</b>				
D		<b>Brought forward</b>				
D.3.5		40mm	no	1		
D.3.6		50mm	no	1		
D.3.7		63mm	no	1		
D.3.8		75mm	no	1		
D.3.9		90mm	no	1		
D.4		<b><u>Elbow Compression</u></b>				
D.4.4		32mm	no	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
D.4.5		40mm	no	1		
D.4.6		50mm	no	1		
D.4.7		63mm	no	1		
D.4.8		75mm	no	1		
D.4.9		90mm	no	1		
D.5		<b><u>Male Adaptors</u></b>				
D.5.8		32mm x 25mm	no	1		
D.5.9		32mm x 32mm	no	1		
D.5.10		40mm x 25mm	no	1		
D.5.11		40mm x 32mm	no	1		
<b>D</b>		<b>Carried forward</b>				
<b>D</b>		<b>Brought forward</b>				
D.5.12		40mm x 40mm	no	1		
D.5.13		50mm x 32mm	no	1		
D.5.14		50mm x 40mm	no	1		
D.5.15		50mm x 50mm	no	1		
D.5.16		63mm x 40mm	no	1		
D.5.17		63mm x 50mm	no	1		
D.5.18		63mm x 65mm	no	1		
D.5.19		75mm x 50mm	no	1		
D.5.20		75mm x 65mm	no	1		
D.5.21		75mm x 80mm	no	1		
D.5.22		90mm x 50mm	no	1		
D.5.23		90mm x 65mm	no	1		
D.5.24		90mm x 80mm	no	1		
D.6		<b><u>Female Adaptors</u></b>				
D.6.8		32mm x 25mm	no	1		
D.6.9		32mm x 32mm	no	1		
D.6.10		40mm x 25mm	no	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
D.6.11		40mm x 32mm	no	1		
D.6.12		40mm x 40mm	no	1		
<b>D</b>		<b>Carried forward</b>				
<b>D</b>		<b>Brought forward</b>				
D.6.13		50mm x 32mm	no	1		
D.6.14		50mm x 40mm	no	1		
D.6.15		50mm x 50mm	no	1		
D.6.16		63mm x 40mm	no	1		
D.6.17		63mm x 50mm	no	1		
D.6.18		75mm x 50mm	no	1		
D.6.19		75mm x 65mm	no	1		
D.6.20		75mm x 80mm	no	1		
D.6.21		90mm x 50mm	no	1		
D.6.22		90mm x 65mm	no	1		
D.6.23		90mm x 80mm	no	1		
D.7		<b><u>Reducing Coupling</u></b>				
D.7.4		40mm x 25mm	no	1		
D.7.5		40mm x 32mm	no	1		
D.7.6		50mm x 32mm	no	1		
D.7.7		50mm x 40mm	no	1		
D.7.8		63mm x 32mm	no	1		
D.7.9		63mm x 40mm	no	1		
D.7.10		63mm x 50mm	no	1		
D.7.11		75mm x 50mm	no	1		
D.7.12		75mm x 63mm	no	1		
D.7.13		90mm x 63mm	no	1		
D.7.14		90mm x 75mm	no	1		
<b>D</b>		<b>Carried forward</b>				
<b>D</b>		<b>Brought forward</b>				
D.7.15		110mm x 90mm	no	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
D.8		<b><u>Reducing Tee</u></b>				
D.8.1		25mm x 20mm	no	1		
D.8.2		32mm x 25mm	no	1		
D.8.3		40mm x 32mm	no	1		
D.8.4		50mm x 32mm	no	1		
D.8.5		50mm x 40mm	no	1		
D.8.6		63mm x 50mm	no	1		
D.8.7		75mm x 63mm	no	1		
D.8.8		90mm x 75mm	no	1		
D.8.9		110mm x 90mm	no	1		
D.9		<b><u>Single Union Ball Valve (Compression)</u></b>				
D.9.1		20mm	no	1		
D.9.2		25mm	no	1		
D.9.3		32mm	no	1		
D.9.4		40mm	no	1		
D.9.5		50mm	no	1		
D.9.6		63mm	no	1		
D.10		<b><u>Clamp Saddles (6 BAR)</u></b>				
D.10.1		25mm x 15mm	no	1		
D.10.2		25mm x 20mm	no	1		
D.10.3		32mm x 15mm	no	1		
D.10.4		32mm x 20mm	no	1		
D.10.5		32mm x 25mm	no	1		
D.10.6		40mm x 15mm	no	1		
D.10.7		40mm x 20mm	no	1		
<b>D</b>		<b>Carried forward</b>				
<b>D</b>		<b>Brought forward</b>				
D.10.8		40mm x 25mm	no	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
D.10.9		50mm x 15mm	no	1		
D.10.10		50mm x 20mm	no	1		
D.10.11		50mm x 25mm	no	1		
D.10.12		50mm x 32mm	no	1		
D.10.13		63mm x 15mm	no	1		
D.10.14		63mm x 20mm	no	1		
D.10.15		63mm x 25mm	no	1		
D.10.16		63mm x 32mm	no	1		
D.10.17		63mm x 40mm	no	1		
D.10.18		75mm x 15mm	no	1		
D.10.19		75mm x 20mm	no	1		
D.10.20		75mm x 25mm	no	1		
D.10.21		75mm x 32mm	no	1		
D.10.22		75mm x 40mm	no	1		
D.10.23		75mm x 50mm	no	1		
D.10.24		90mm x 15mm	no	1		
D.10.25		90mm x 20mm	no	1		
D.10.26		90mm x 25mm	no	1		
D.10.27		90mm x 32mm	no	1		
D.10.28		90mm x 40mm	no	1		
D.10.29		90mm x 50mm	no	1		
<b>D</b>		<b>Carried forward</b>				
<b>D</b>		<b>Brought forward</b>				
D.11		<b><u>Reinforced Clamp Saddles (10 Bar)</u></b>				
D.11.1		25mm x 15mm	no	1		
D.11.2		25mm x 20mm	no	1		
D.11.3		32mm x 15mm	no	1		
D.11.4		32mm x 20mm	no	1		
D.11.5		32mm x 25mm	no	1		
D.11.6		40mm x 15mm	no	1		
D.11.7		40mm x 20mm	no	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
D.11.8		40mm x 25mm	no	1		
D.11.9		50mm x 15mm	no	1		
D.11.10		50mm x 20mm	no	1		
D.11.11		50mm x 25mm	no	1		
D.11.12		50mm x 32mm	no	1		
D.11.13		63mm x 15mm	no	1		
D.11.14		63mm x 20mm	no	1		
D.11.15		63mm x 25mm	no	1		
D.11.16		63mm x 32mm	no	1		
D.11.17		63mm x 40mm	no	1		
D.11.18		75mm x 15mm	no	1		
D.11.19		75mm x 20mm	no	1		
D.11.20		75mm x 25mm	no	1		
D.11.21		75mm x 32mm	no	1		
D.11.22		75mm x 40mm	no	1		
D.11.23		75mm x 50mm	no	1		
D.11.24		90mm x 15mm	no	1		
D.11.25		90mm x 20mm	no	1		
D.11.26		90mm x 25mm	no	1		
D.11.27		90mm x 32mm	no	1		
D.11.28		90mm x 40mm	no	1		
<b>D</b>		<b>Carried forward</b>				
<b>D</b>		<b>Brought forward</b>				
D.12		<b><u>Other Compression Fittings</u></b>				
D.12.1		Mark up on other compression fitting as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	5000	rate only
D.12.2		Mark up on other compression fitting	%	5000		
D.12.3		Extra over Item D.12.2: Deliver, install and test other Compression Fittings	Sum	1		
D.13		<b><u>HDPE pipe complete with fittings (Class 6)</u></b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
D.13.3		32mm	m	1		
D.13.4		40mm	m	1		
D.13.5		50mm	m	1		
D.13.6		63mm	m	1		
D.13.7		75mm	m	1		
D.14		<b><u>HDPE pipe complete with fittings (Class 10)</u></b>				
<b>D</b>		<b>Carried forward</b>				
<b>D</b>		<b>Brought forward</b>				
D.14.3		32mm	m	1		
D.14.4		40mm	m	1		
D.14.5		50mm	m	1		
D.14.6		63mm	m	1		
D.14.7		75mm	m	1		
D.15		<b><u>HDPE pipe complete with fittings (Class 12)</u></b>				
D.15.3		32mm	m	1		
D.15.4		40mm	m	1		
D.15.5		50mm	m	1		
D.15.6		63mm	m	1		
D.15.7		75mm	m	1		
D.16		<b><u>HDPE pipe complete with fittings (Class 16)</u></b>				
D.16.3		32mm	m	1		
D.16.4		40mm	m	1		
D.16.5		50mm	m	1		
D.16.6		63mm	m	1		
D.16.7		75mm	m	1		
<b>D</b>		<b>Carried forward</b>				
<b>D</b>		<b>Brought forward</b>				
D.17		<b><u>HDPE quick coupling pipe (Class 10)</u></b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
D.17.1		50 mm	m	1		
D.17.2		63 mm	m	1		
D.17.3		75 mm	m	1		
D.19		<b><u>Special HDPE pipes and fittings</u></b>				
D.19.1		Mark up on the fabrication of special HDPE pipes and fittings as specified by the Engineer (3 Quotations from reputable suppliers)	Prov sum	1	10000	rate only
D.19.2		Mark up on Special HDPE pipes	%	10000		
D.19.3		Extra over Item D.19.2: Deliver, install and test Special HDPE pipes and fittings	Sum	1		
<b>TOTAL SECTION "D" CARRIED FORWARD TO SUMMARY</b>						-

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
SANS 1200C		<b><u>SECTION E : PVC PIPES AND FITTINGS</u></b>				
E		Supply, deliver, install and test the following SABS approved PVC pipes and fittings.				
E.1		<b><u>uPVC pipe complete with spigot, integral socket and rubber ring seal (Class 6)</u></b>				
E.1.1		50 mm	m	1		
E.1.2		63 mm	m	1		
E.1.3		75 mm	m	1		
E.1.4		90 mm	m	1		
E.2		<b><u>uPVC pipe complete with spigot, integral socket and rubber ring seal (Class 09)</u></b>				
E.2.1		50 mm	m	1		
E.2.2		63 mm	m	1		
E.2.3		75 mm	m	1		
E.2.4		90 mm	m	1		
E		<b>Carried forward</b>				
E		<b>Brought forward</b>				
E.3		<b><u>uPVC pipe complete with spigot, integral socket and rubber ring seal (Class 12)</u></b>				
E.3.1		50 mm	m	1		
E.3.2		63 mm	m	1		
E.3.3		75 mm	m	1		
E.3.4		90 mm	m	1		
E.4		<b><u>uPVC pipe complete with spigot, integral socket and rubber ring seal (Class 16)</u></b>				
E.4.1		50 mm	m	1		
E.4.2		63 mm	m	1		
E.4.3		75 mm	m	1		
E.4.4		90 mm	m	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
E.5		<u><b>uPVC pipe complete with spigot, integral socket and rubber ring seal (Class 20)</b></u>				
E.5.1		50 mm	m	1		
<b>E</b>		<b>Carried forward</b>				
<b>E</b>		<b>Brought forward</b>				
E.5.2		63 mm	m	1		
E.5.3		75 mm	m	1		
E.5.4		90 mm	m	1		
E.6		<u><b>mPVC pipe complete with spigot, integral socket and rubber ring seal (Class 6)</b></u>				
E.6.1		50 mm	m	1		
E.6.2		63 mm	m	1		
E.6.3		75 mm	m	1		
E.6.4		90 mm	m	1		
E.7		<u><b>mPVC pipe complete with spigot, integral socket and rubber ring seal (Class 09)</b></u>				
E.7.1		50 mm	m	1		
E.7.2		63 mm	m	1		
E.7.3		75 mm	m	1		
<b>E</b>		<b>Carried forward</b>				
<b>E</b>		<b>Brought forward</b>				
E.7.4		90 mm	m	1		
E.8		<u><b>mPVC pipe complete with spigot, integral socket and rubber ring seal (Class 12)</b></u>				
E.8.1		50 mm	m	1		
E.8.2		63 mm	m	1		
E.8.3		75 mm	m	1		
E.8.4		90 mm	m	1		
E.9		<u><b>mPVC pipe complete with spigot, integral socket and rubber ring seal (Class 16)</b></u>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
E.9.1		50 mm	m	1		
E.9.2		63 mm	m	1		
E.9.3		75 mm	m	1		
E.9.4		90 mm	m	1		
<b>E</b>		<b>Carried forward</b>				
<b>E</b>		<b>Brought forward</b>				
E.10		<b><u>mPVC pipe complete with spigot, integral socket and rubber ring seal (Class 20)</u></b>				
E.10.1		50 mm	m	1		
E.10.2		63 mm	m	1		
E.10.3		75 mm	m	1		
E.10.4		90 mm	m	1		
E.11		<b><u>COUPLINGS DOUBLE &amp; REPAIR</u></b>				
E.11.1		50 mm	no	1		
E.11.2		63 mm	no	1		
E.11.3		75 mm	no	1		
E.11.4		90 mm	no	1		
<b>E</b>		<b>Carried forward</b>				
<b>E</b>		<b>Brought forward</b>				
E.12		<b><u>Pipe seal to female thread elbow</u></b>				
E.12.1		50 mm x 2 inch	no	1		
E.12.2		63 mm x 2 inch	no	1		
E.12.3		75 mm x 2 inch	no	1		
E.12.4		75 mm x 3 inch	no	1		
E.12.5		90 mm x 3 inch	no	1		
E.13		<b><u>FLANGE ADAPTORS EPOXY COATED ALUMINIUM (TABLE D)</u></b>				
E.13.1		50mm	no	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
E.13.2		63mm	no	1		
E.13.3		75mm	no	1		
E.13.4		90mm	no	1		
<b>E</b>		<b>Carried forward</b>				
<b>E</b>		<b>Brought forward</b>				
E.14		<b><u>FLANGE ADAPTORS CAST IRON BITUMEN COATED (TABLE D)</u></b>				
E.14.1		50mm	no	1		
E.14.2		63mm	no	1		
E.14.3		75mm	no	1		
E.14.4		90mm	no	1		
E.15		<b><u>BENDS EPOXY COATED ALUMINIUM (64-45)</u></b>				
E.15.1		50mm	no	1		
E.15.2		63mm	no	1		
E.15.3		75mm	no	1		
E.15.4		90mm	no	1		
<b>E</b>		<b>Carried forward</b>				
<b>E</b>		<b>Brought forward</b>				
E.16		<b><u>BENDS CAST IRON BITUMEN COATED (11,5-90 Degrees)</u></b>				
E.16.1		50mm	no	1		
E.16.2		63mm	no	1		
E.16.3		75mm	no	1		
E.16.4		90mm	no	1		
E.17		<b><u>COUPLING EPOXY COATED ALUMINIUM (9 BAR)</u></b>				
E.17.1		50mm	no	1		
E.17.2		63mm	no	1		
E.17.3		75mm	no	1		
E.17.4		90mm	no	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
E.18		<b><u>COUPLING CAST IRON BITUMEN COATED (16 BAR)</u></b>				
E.18.1		50mm	no	1		
E.18.2		63mm	no	1		
E.18.3		75mm	no	1		
<b>E</b>		<b>Carried forward</b>				
<b>E</b>		<b>Brought forward</b>				
E.18.4		90mm	no	1		
E.19		<b><u>ADAPTOR B.S.P MALE &amp;FEMALE</u></b>				
E.19.1		50mm x 2"	no	1		
E.19.2		63mm x 2"	no	1		
E.19.3		75mm x 2"	no	1		
E.19.4		75mm x 3"	no	1		
E.19.5		90mm x 3"	no	1		
E.19.6		90mm x 4"	no	1		
E.20		<b><u>END CAPS</u></b>				
E.20.1		50mm	no	1		
E.20.2		63mm	no	1		
E.20.3		75mm	no	1		
<b>E</b>		<b>Carried forward</b>				
<b>E</b>		<b>Brought forward</b>				
E.20.4		90mm	no	1		
E.21		<b><u>EQUAL TEES</u></b>				
E.21.1		50mm	no	1		
E.21.2		63mm	no	1		
E.21.3		75mm	no	1		
E.21.4		90mm	no	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
E.22		<b><u>BENDS - 22 &amp; 11.25 DEGREES</u></b>				
E.22.1		50mm	no	1		
E.22.2		63mm	no	1		
E.22.3		75mm	no	1		
<b>E</b>		<b>Carried forward</b>				
<b>E</b>		<b>Brought forward</b>				
E.23		<b><u>BENDS - 90 &amp; 45 DEGREES</u></b>				
E.23.1		50mm	no	1		
E.23.2		63mm	no	1		
E.23.3		75mm	no	1		
E.24		<b><u>Male/Female Reducer class 9</u></b>				
E.24.1		50mm x 40mm	no	1		
E.24.2		63mm x 40mm	no	1		
E.24.3		63mm x 50mm	no	1		
E.24.4		75mm x 50mm	no	1		
E.24.5		75mm x 63mm	no	1		
<b>E</b>		<b>Carried forward</b>				
<b>E</b>		<b>Brought forward</b>				
E.25		<b><u>Reducing Cross</u></b>				
E.25.1		50mm x 40mm	no	1		
E.25.2		63mm x 40mm	no	1		
E.25.3		63mm x 50mm	no	1		
E.25.4		75mm x 50mm	no	1		
E.25.5		75mm x 63mm	no	1		
E.25.6		90mm x 63mm	no	1		
E.25.7		90mm x 75mm	no	1		
<b>E</b>		<b>Carried forward</b>				
<b>E</b>		<b>Brought forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
E.26		<b><u>Reducing Tee</u></b>				
E.26.1		50mm x 40mm	no	1		
E.26.2		63mm x 40mm	no	1		
E.26.3		63mm x 50mm	no	1		
E.26.4		75mm x 50mm	no	1		
E.26.5		75mm x 63mm	no	1		
E.26.6		90mm x 63mm	no	1		
E.26.7		90mm x 75mm	no	1		
E.27		<b><u>FLANGED ON BRANCH TEE (Table D)</u></b>				
E.27.1		50mm	no	1		
E.27.2		63mm	no	1		
E.27.3		75mm	no	1		
E.27.4		90mm	no	1		
E		<b>Carried forward</b>				
E		<b>Brought forward</b>				
E.28		<b><u>ADAPTOR PVC-AC</u></b>				
E.28.1		50mm	no	1		
E.28.2		63mm	no	1		
E.28.3		75mm	no	1		
E.29		<b><u>ADAPTOR FLANGED (Table D)</u></b>				
E.29,1		50mm	no	1		
E.29,2		63mm	no	1		
E.29,3		75mm	no	1		
E		<b>Carried forward</b>				
E		<b>Brought forward</b>				
E.30		<b><u>Other PVC fittings and pipes</u></b>				
E.30.1		Mark up on other PVC fittings and pipes as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	10000	rate only

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
E.30.2		Mark up on other PVC fittings and pipes	%	10000		
E.30.3		Extra over Item E.30.2: Deliver,install and test other PVC pipes.	no	1		
E.30.4		Extra over Item E.30.2: Deliver,install and test other PVC fittings.	Sum	1		
<b>TOTAL SECTION "E" CARRIED FORWARD TO SUMMARY</b>						

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b><u>SECTION F : DRIP IRRIGATION</u></b>						
F		<b>Supply, deliver,install and test the following drippers and dripperlines complete with fittings.</b>				
F.1		<b>Pressure Compensating (PC) Inline (Integral) Drippers, Thick wall dripline (wall thickness 0.9 mm and more), Flow rate between 0.5 and 4 l/h.</b>				
F.1.1		0.3 meter dripper spacing	m	1		
F.1.2		0.4 meter dripper spacing	m	1		
F.1.3		0.5 meter dripper spacing	m	1		
F.1.4		0.6 meter dripper spacing	m	1		
F.2		<b>Pressure Compensating (PC) Inline (Integral) Drippers, Meduim wall dripline (wall thickness 0.5 to 0.89 mm), Flow rate between 0.5 and 4 l/h.</b>				
F.2.1		0.3 meter dripper spacing	m	1		
F.2.2		0.4 meter dripper spacing	m	1		
F.2.3		0.5 meter dripper spacing	m	1		
F.2.4		0.6 meter dripper spacing	m	1		
F.3		<b>Pressure Compensating (PC) Inline (Integral) Drippers, Thin wall dripline (wall thickness 0.45 mm and less), Flow rate between 0.5 and 4 l/h.</b>				
F.3.1		0.3 meter dripper spacing	m	1		
F.3.2		0.4 meter dripper spacing	m	1		
F.3.3		0.5 meter dripper spacing	m	1		
F.3.4		0.6 meter dripper spacing	m	1		
F		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
F		<b>Brought forward</b>				
F.4		<b>Non Pressure Compensating (NPC) Inline (Integral) Drippers, Thick wall dripline (wall thickness 0.9 mm and more), Flow rate between 0.5 and 4 l/h.</b>				
F.4.1		0.3 meter dripper spacing	m	1		
F.4.2		0.4 meter dripper spacing	m	1		
F.4.3		0.5 meter dripper spacing	m	1		
F.4.4		0.6 meter dripper spacing	m	1		
F.5		<b>Non Pressure Compensating (NPC) Inline (Integral) Drippers, Meduim wall dripline (wall thickness 0.5 to 0.89 mm), Flow rate between 0.5 and 4 l/h.</b>				
F.5.1		0.3 meter dripper spacing	m	1		
F.5.2		0.4 meter dripper spacing	m	1		
F.5.3		0.5 meter dripper spacing	m	1		
F.5.4		0.6 meter dripper spacing	m	1		
F.6		<b>Non Pressure Compensating (NPC) Inline (Integral) Drippers, Thin wall dripline (wall thickness 0.45 mm and less), Flow rate between 0.5 and 4 l/h.</b>				
F.6.1		0.3 meter dripper spacing	m	1		
F.6.2		0.4 meter dripper spacing	m	1		
F.6.3		0.5 meter dripper spacing	m	1		
F.6.4		0.6 meter dripper spacing	m	1		
F		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
F		<b>Brought forward</b>				
<b>F.7</b>		<b><u>Other Inline (Integral) Drippers PC and NPC</u></b>				
F.7.1		Mark up on other Inline (Integral) Drippers PC and NPC as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	10000	rate only
F.7.2		Mark up on other Inline (Integral) Drippers PC and NPC	%	10000		
F.7.3		Extra over Item F.7.1: Deliver,install and test Other Inline (Integral) Drippers PC and NPC.	m	1		
		<b>Supply, deliver,install and test the following online drippers and pipes complete with fittings.</b>				
<b>F.8</b>		<b><u>INSERT FITTINGS</u></b>				
F.8.1		12mm short coupling	no	1		
F.8.2		16mm short coupling	no	1		
F.8.3		12mm long coupling	no	1		
F.8.4		16mm long coupling	no	1		
F.8.5		17mm long coupling	no	1		
F.8.6		20mm long coupling	no	1		
F.8.7		16/12mm long reducing	no	1		
F.8.8		17/16mm long reducing	no	1		
F.8.9		20/16mm long reducing	no	1		
F.8.10		20/17mm long reducing	no	1		
F.8.11		12mm elbow long insert	no	1		
F.8.12		16mm elbow long insert	no	1		
F.8.13		20mm elbow long insert	no	1		
F		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>F</b>		<b>Brought forward</b>				
F.8.14		17mm elbow long insert	no	1		
F.8.15		12x12x12 long insert T	no	1		
F.8.16		16x16x16 long insert T	no	1		
F.8.17		17x17x17 long insert T	no	1		
F.8.18		20x20x20 long insert T	no	1		
F.8.19		16x12x16 reducing T	no	1		
F.8.20		Dripline LPD Barb 17mm	no	1		
F.8.21		Dripline LPD Barb 16mm	no	1		
F.8.22		Barb Connector 17mm x ½" Male	no	1		
F.8.23		Barb Connector 16mm x ½" Male	no	1		
F.8.24		Dripline Flush VLV Barb20 W/Snap Clip	no	1		
F.8.25		Dripline Flush VLV Barb17 W/Snap Clip	no	1		
F.8.26		Dripline Flush VLV Barb16 W/Snap Clip	no	1		
F.8.27		Multi Outlet ¾" x 6 x 12mm 6 way	no	1		
F.8.28		Multi Outlet 1" x 6 x 16mm 6 way	no	1		
F.8.29		Combination saddle + nut 32mm poly pipe or bigger	no	1		
F.8.30		Stopper - 12/16/17mm	no	1		
F.8.31		Stopper figure 8 20mm	no	1		
F.8.32		2 way angle barb connector - 16 X ¾ MALE	no	1		
<b>F</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
F		<b>Brought forward</b>				
<b>F.9</b>		<b><u>BLIND PIPE (LDPE)</u></b>				
F.9.1		12 mm	m	1		
F.9.2		16 mm	m	1		
F.9.3		17 mm	m	1		
F.9.4		20 mm	m	1		
<b>F.10</b>		<b><u>Pressure compensating and Non Drain online drippers</u></b>				
F.10.1		1.0 l/h (seal 0.2 bar, fully open 0.6 - 3.5 bar)	no	1		
F.10.2		2.2 l/h (seal 0.2 bar, fully open 0.6 - 3.5 bar)	no	1		
F.10.3		3.8 l/h (seal 0.2 bar, fully open 0.6 - 3.5 bar)	no	1		
F.10.4		8.0 l/h (seal 0.2 bar, fully open 0.6 - 3.5 bar)	no	1		
F.10.5		3.1 l/h (seal 0.4 bar, fully open 1.1 - 3.5 bar)	no	1		
F.10.6		5.3 l/h (seal 0.2 bar, fully open 1.1- 3.5 bar)	no	1		
F.10.7		11 l/h (seal 0.4 bar, fully open 1.1 - 3.5 bar)	no	1		
<b>F.11</b>		<b><u>Non Pressure compensating Button Dripper</u></b>				
F.11.1		2 l/h	no	10		
F.11.2		4 l/h	no	10		
F.11.3		8 l/h	no	10		
F		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
F		<b>Brought forward</b>				
F.12		<b><u>BUTTON DRIPPER ACCESSORIES (3x5 mm tube)</u></b>				
F.12.1		Single Threaded outlet adaptor	no	1		
F.12.2		2-way threaded branch adaptor	no	1		
F.12.3		2-way barbed branch adaptor	no	1		
F.12.4		4-way threaded branch adaptor	no	1		
F.12.5		4-way barbed branch adaptor	no	1		
F.12.6		Barb adaptor for multi outlet	no	1		
F.12.7		Connector JDW 3x5mm (used with 5mm Odx 3mm ID flex tube)	no	1		
F.12.8		Dripeg - flow equalizer or dripper (30 degree diagonal labyrinth)	no	1		
F.12.9		Snapeg (30 degree diagonal external grip)	no	1		
F.12.10		Flex tubing 5mm OD x 3mm ID	m	1		
F.12.11		Flex tubing 5mm OD x 3mm ID	m	1		
F.12.12		Manifold 4-way complete with 400mm tube and peg	no	1		
F.12.13		Manifold 4-way complete with 600mm tube and peg	no	1		
F.12.14		Manifold 2-way complete with 400mm tube and peg	no	1		
F.12.15		Manifold 2-way complete with 600mm tube and peg	no	1		
F		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
F		<b>Brought forward</b>				
<b>F.13</b>		<b><u>Other Online Drippers, fittings and pipes</u></b>				
F.13.1		Mark up on other Online Drippers, fittings and LDPE pipes as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	5000	rate only
F.13.2		Mark up on other Online Drippers, fittings and LDPE pipes	%	5000		
F.13.3		Extra over Item F.13.1: Deliver,install and test Other Online Drippers and fittings.	Sum	1		
F.13.4		Extra over Item F.13.1: Deliver,install and test Other LDPE pipes.	m	1		
		<b>TOTAL SECTION "F" CARRIED FORWARD TO SUMMARY</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>SECTION G : SPRINKLER IRRIGATION</b>						
<b>G</b>		<b><u>Supply, deliver,install and test the following sprinklers complete with all fittings.</u></b>				
<b>G.1</b>		<b><u>Mirco Sprinkler: Pressure compensating 1.5 - 4 bar, Flow rate 20 - 110 l/h, Wetting diameter 4 - 8m.</u></b>				
G.1.1		Micro Sprinkler complete with all nozzles, rotors / swivels, fittings, stake and 60 cm long micro tube.	no	1		
G.1.2		Micro Sprinkler complete with all nozzles, rotors / swivels, fittings, stake and ≥90 cm long micro tube.	no	1		
<b>G.2</b>		<b><u>Mirco Sprinkler: Pressure compensating 1.5 - 4 bar, Flow rate 20 - 110 l/h, Wetting diameter 4 - 8m. With Stream Deflector for 1 - 2m wetting diameter.</u></b>				
G.2.1		Micro Sprinkler complete with all nozzles, rotors / swivels, fittings, stake and 60 cm long micro tube.	no	1		
G.2.2		Micro Sprinkler complete with all nozzles, rotors / swivels, fittings, stake and ≥90 cm long micro tube.	no	1		
<b>G.3</b>		<b><u>Mirco Sprinkler: Operating preasure 0.75 - 2 bar, Flow rate 10 - 110 l/h, Wetting diameter 0.5 - 8m.</u></b>				
G.3.1		Micro Sprinkler complete with all nozzles, rotors / swivels, fittings, stake and 60 cm long micro tube.	no	1		
G.3.2		Micro Sprinkler complete with all nozzles, rotors / swivels, fittings, stake and ≥90 cm long micro tube.	no	1		
<b>G.4</b>		<b><u>Mirco Sprinkler: Operating preasure 0.75 - 2 bar, Flow rate 10 - 110 l/h, Wetting diameter 0.5 - 8m. With Stream Deflector 0.5 - 2m wetting diameter.</u></b>				
G.4.1		Micro Sprinkler complete with all nozzles, rotors / swivels, fittings, stake and 60 cm long micro tube.	no	1		
G.4.2		Micro Sprinkler complete with all nozzles, rotors / swivels, fittings, stake and ≥90 cm long micro tube.	no	1		
<b>G</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>G</b>		<b>Brought forward</b>				
<b>G.5</b>		<b><u>Mirco Sprinkler: Operating preasure 2 - 2.5 bar, Flow rate 150 - 300 I/h, Wetting diameter 8 - 11m.</u></b>				
G.5.1		Micro Sprinkler complete with all nozzles, rotors / swivels, fittings, stake and 60 cm long micro tube.	no	1		
G.5.2		Micro Sprinkler complete with all nozzles, rotors / swivels, fittings, stake and ≥90 cm long micro tube.	no	1		
<b>G.6</b>		<b><u>Impact Sprinkler: Operating preasure 2 - 3 bar, Flow rate 200 - 750 I/h, Wetting diameter 11 - 19m.</u></b>				
G.6.1		Sprinkler with trajectory of ≤15 degrees, Popup mechanism with insect protection and integral filter. (Netafim, Meganet 15D or similar)	no	1		
G.6.2		Sprinkler with trajectory of ≤24 degrees, Popup mechanism with insect protection and integral filter. (Netafim, Meganet 24D or similar)	no	1		
<b>G.7</b>		<b><u>Supply, deliver,install and test Impact Sprinklers complete with all fittings.</u></b>				
G.7.1		Impact Sprinkler: Operating preasure 2 - 3 bar, Flow rate 510 - 1275 I/h, Wetting diameter 18 - 22m.	no	1		
G.7.2		Impact Sprinkler: Operating preasure 2 - 4 bar, Flow rate 1200 - 2000 I/h, Wetting diameter 22 - 29m.	no	1		
G.7.3		Impact Sprinkler: Operating preasure 3 - 4 bar, Flow rate 2150 - 3060 I/h, Wetting diameter 29 - 35m.	no	1		
G.7.4		Impact Sprinkler: Adjustable Arc, Operating preasure 2 - 3 bar, Flow rate 500 - 630 I/h, Wetting diameter 20m.	no	1		
G.7.5		Impact Sprinkler: Low preasure, Operating preasure 1 - 2 bar, Flow rate 350 - 450 I/h, Wetting diameter 17 - 22m.	no	1		
<b>G</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>G</b>		<b>Brought forward</b>				
<b>G.8</b>		<b><u>Other Impact Sprinklers</u></b>				
G.8.1		Mark up on other Impact Sprinklers as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	5000	rate only
G.8.2		Mark up on other Impact Sprinklers	%	5000		
G.8.3		Extra over Item G.8.1: Deliver, install and test Other Impact Sprinklers	Sum	1		
<b>G.9</b>		<b><u>PVC riser pipe threaded both ends</u></b>				
G.9.1		300 mm x 15 mm	no	1		
G.9.2		600 mm x 15 mm	no	1		
G.9.3		900 mm x 15 mm	no	1		
G.9.4		1200 mm x 15 mm	no	1		
G.9.5		300 mm x 20 mm	no	1		
G.9.6		600 mm x 20 mm	no	1		
G.9.7		900 mm x 20 mm	no	1		
G.9.8		1200 mm x 20 mm	no	1		
<b>TOTAL SECTION "G" CARRIED FORWARD TO SUMMARY</b>						

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>SECTION H : FILTERS &amp; AIRVALVES</b>						
H		<b><u>Supply, deliver, install and test the following filters complete with all fittings and valves.</u></b>				
H.1		<b><u>Plastic manual In-Line (Y-Type) screen filters complete with polyester screen and drain valve</u></b>				
H.1.1		20mm Filter with minimum 3,5 m <sup>3</sup> /h flow, 100 - 300 micron screen, Filtration Surface minimum 160 cm <sup>2</sup>	no	1		
H.1.2		25mm Filter with minimum 4,5 m <sup>3</sup> /h flow, 100 - 300 micron screen, Filtration Surface minimum 160 cm <sup>2</sup>	no	1		
H.1.3		32mm Filter with minimum 10 m <sup>3</sup> /h flow, 100 - 300 micron screen, Filtration Surface minimum 590 cm <sup>2</sup>	no	1		
H.1.4		40mm Filter with minimum 7 m <sup>3</sup> /h flow, 100 - 300 micron screen, Filtration Surface minimum 300 cm <sup>2</sup>	no	1		
H.1.5		50mm Filter with minimum 16 m <sup>3</sup> /h flow, 100 - 300 micron screen, Filtration Surface minimum 510 cm <sup>2</sup>	no	1		
H.2		<b><u>Plastic manual (On-Line) screen filters complete with polyester screen and drain valve</u></b>				
H.2.1		50mm Filter with minimum 15 m <sup>3</sup> /h flow, 100 - 300 micron screen, Filtration Surface minimum 800 cm <sup>2</sup>	no	1		
H.2.2		50 - 63mm Filter with min 20 m <sup>3</sup> /h flow, 100 - 300 micron screen, Filtration Surface minimum 1200 cm <sup>2</sup>	no	1		
H.2.3		50 - 63mm Filter with min 25 m <sup>3</sup> /h flow, 100 - 300 micron screen, Filtration Surface minimum 1600 cm <sup>2</sup>	no	1		
H		<b>Carried forward</b>				
H		<b>Brought forward</b>				
H.3		<b><u>Manual In-Line (Y-Type) screen filters complete with Stainless-steel screen and drain valve (10 bar)</u></b>				
H.3.1		40mm Filter with minimum 15 m <sup>3</sup> /h flow, 130 - 500 micron screen, Filtration Surface minimum 800 cm <sup>2</sup>	no	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
H.3.2		50mm Filter with minimum 25 m <sup>3</sup> /h flow, 100 - 500 micron screen, Filtration Surface minimum 800 cm <sup>2</sup>	no	1		
H.3.3		80mm Filter with minimum 50 m <sup>3</sup> /h flow, 100 - 500 micron screen, Filtration Surface minimum 1700 cm <sup>2</sup>	no	1		
H.3.4		100mm Filter with minimum 80 m <sup>3</sup> /h flow, 100 - 500 micron screen, Filtration Surface minimum 2500 cm <sup>2</sup>	no	1		
<b>H.4</b>		<b><u>Manual On-Line screen filters complete with Stainless-steel screen and drain valve (10 bar)</u></b>				
H.4.1		40mm Filter with minimum 15 m <sup>3</sup> /h flow, 130 - 500 micron screen, Filtration Surface minimum 800 cm <sup>2</sup>	no	1		
H.4.2		50mm Filter with minimum 25 m <sup>3</sup> /h flow, 100 - 500 micron screen, Filtration Surface minimum 800 cm <sup>2</sup>	no	1		
<b>H.5</b>		<b><u>Manual Disc filters complete with discs and drain valve</u></b>				
H.5.1		20mm Filter with minimum 4 m <sup>3</sup> /h flow, 100 - 400 micron, Filtration Surface minimum 160 cm <sup>2</sup>	no	1		
H.5.2		25mm Filter with minimum 6 m <sup>3</sup> /h flow, 100 - 400 micron, Filtration Surface minimum 170 cm <sup>2</sup>	no	1		
H.5.3		25mm Filter with minimum 8 m <sup>3</sup> /h flow, 100 - 400 micron, Filtration Surface minimum 500 cm <sup>2</sup>	no	1		
<b>H</b>		<b>Carried forward</b>				
<b>H</b>		<b>Brought forward</b>				
H.5.4		40mm Filter with minimum 8 m <sup>3</sup> /h flow, 100 - 400 micron, Filtration Surface minimum 300 cm <sup>2</sup>	no	1		
H.5.5		40mm Filter with minimum 12 m <sup>3</sup> /h flow, 100 - 400 micron, Filtration Surface minimum 500 cm <sup>2</sup>	no	1		
H.5.6		50mm Filter with minimum 25 m <sup>3</sup> /h flow, 100 - 400 micron, Filtration Surface minimum 950 cm <sup>2</sup>	no	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>H.6</b>		<b><u>Other Filters</u></b>				
H.6.1		Mark up on other Filters as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	20000	rate only
H.6.2		Mark up on other Filters	%	20000		
H.6.3		Extra over Item H.6.1: Deliver,install and test other Filters: Up to 2 Unit filter bank	no	1		
H.6.4		Extra over Item H.6.1: Deliver,install and test other Filters: 3 Unit filter bank	no	1		
<b>TOTAL SECTION "H" CARRIED FORWARD TO SUMMARY</b>						

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b><u>SECTION J : LDPE PIPES AND FITTINGS</u></b>						
J		<b>Supply, deliver,install and test the following non SABS approved LDPE pipes and fittings (Poly Prop) subject to engineers approval . A two year warranty for pipe and fittings . All material to be manufactured from virgin plastic.</b>				
J.1		<b><u>Coupling Insert</u></b>				
J.1.4		32mm	no	1		
J.1.5		40mm	no	1		
J.1.6		50mm	no	1		
J.2		<b><u>Endplug Insert</u></b>				
J.2.4		32mm	no	1		
J.2.5		40mm	no	1		
J.2.6		50mm	no	1		
J.3		<b><u>Equal Tee insert</u></b>				
J.3.4		32mm	no	1		
J.3.5		40mm	no	1		
J.3.6		50mm	no	1		
J		<b>Carried forward</b>				
J		<b>Brought forward</b>				
J.4		<b><u>Elbow insert</u></b>				
J.4.4		32mm	no	1		
J.4.5		40mm	no	1		
J.4.6		50mm	no	1		
J.5		<b><u>Male Adaptors</u></b>				
J.5.4		32mm	no	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
J.5.5		40mm	no	1		
J.5.6		50mm	no	1		
J.6		<b><u>Reducing Male Adaptors</u></b>				
J.6.3		32mm x 25mm	no	1		
J.6.4		40mm x 32mm	no	1		
J.6.5		40mm x 50mm	no	1		
J.6.6		50mm x 40mm	no	1		
<b>J</b>		<b>Carried forward</b>				
<b>J</b>		<b>Brought forward</b>				
J.8		<b><u>Female Adaptors</u></b>				
J.8.4		32mm	no	1		
J.8.5		40mm	no	1		
J.9		<b><u>Reducing Insert couplings</u></b>				
J.9.4		40mm x 25mm	no	1		
J.9.5		40mm x 32mm	no	1		
J.9.6		50mm x 25mm	no	1		
J.9.7		50mm x 32mm	no	1		
J.9.8		50mm x 40mm	no	1		
J.10		<b><u>Male Combination Elbow Adaptor</u></b>				
J.10.6		32mm x 32mm	no	1		
J.10.7		40mm x 40mm	no	1		
J.10.8		50mm x 50mm	no	1		
<b>J</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>J</b>		<b>Brought forward</b>				
J.11		<b><u>Female Combination Elbow Adaptor</u></b>				
J.11.5		32mm x 32mm	no	1		
J.11.6		40mm x 40mm	no	1		
J.11.7		40mm x 50mm	no	1		
J.11.8		50mm x 40mm	no	1		
J.11.9		50mm x 50mm	no	1		
J.12		<b><u>Male Combination Tee</u></b>				
J.12.9		32mm x 32mm	no	1		
J.12.10		40mm x 25mm	no	1		
J.12.11		40mm x 32mm	no	1		
J.12.12		40mm x 40mm	no	1		
J.12.13		50mm x 25mm	no	1		
J.12.15		50mm x 40mm	no	1		
J.12.16		50mm x 50mm	no	1		
<b>J</b>		<b>Carried forward</b>				
<b>J</b>		<b>Brought forward</b>				
J.13		<b><u>Female Combination Tee</u></b>				
J.13.9		32mm x 32mm	no	1		
J.13.10		40mm x 25mm	no	1		
J.13.11		40mm x 32mm	no	1		
J.13.12		40mm x 40mm	no	1		
J.13.13		50mm x 25mm	no	1		
J.13.14		50mm x 32mm	no	1		
J.13.15		50mm x 40mm	no	1		
J.13.16		50mm x 50mm	no	1		
J.14		<b><u>Reducing Tee</u></b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
J.14.4		40mm x 25mm	no	1		
J.14.5		40mm x 32mm	no	1		
J.14.6		50mm x 25mm	no	1		
J.14.7		50mm x 32mm	no	1		
J.14.8		50mm x 40mm	no	1		
<b>J</b>		<b>Carried forward</b>				
<b>J</b>		<b>Brought forward</b>				
J.15		<b><u>LDPE pipe complete with fittings (Class 6)</u></b>				
J.15.3		32mm	m	1		
J.15.4		40mm	m	1		
J.15.5		50mm	m	1		
J.16		<b><u>LDPE pipe complete with fittings (Class 3)</u></b>				
J.16.3		32mm	m	1		
J.16.4		40mm	m	1		
J.16.5		50mm	m	1		
J.17		<b><u>Other LDPE Pipes</u></b>				
J.17.1		Mark up on other LDPE Pipes as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	20000	rate only
J.17.2		Mark up on other LDPE Pipes.	%	20000		
J.17.3		Extra over Item J.17.2: Deliver, Install, Testing and Commission other LDPE Pipes.	m	100		
J.18		<b><u>Other Insert Fittings (Poly Prop) for LDPE Pipes</u></b>				
J.18.1		Mark up on other Insert Fittings (Poly Prop) for LDPE Pipes as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	10000	rate only
J.18.2		Mark up on other Insert Fittings (Poly Prop) for LDPE Pipes.	%	10000		
J.18.3		Extra over Item J.18.2: Deliver, Install, Testing and Commission other Insert Fittings (Poly Prop) for LDPE Pipes.	no	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
		<b>TOTAL SECTION " J " CARRIED FORWARD TO SUMMARY</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b><u>SECTION K : VALVES &amp; METERS</u></b>						
<b>K</b>		<b>Supply, deliver,install and test the following valves</b>				
<b>K.1</b>		<b><u>PVC ball valve (PN 16)</u></b>				
K.1.1		15mm	no	1		
K.1.2		20mm	no	1		
K.1.3		25mm	no	1		
K.1.4		32mm	no	1		
K.1.5		40mm	no	1		
K.1.6		50mm	no	1		
<b>K.2</b>		<b><u>Solvent Weld PVC ball valve (PN16)</u></b>				
K.2.1		15mm	no	1		
K.2.2		20mm	no	1		
K.2.3		25mm	no	1		
K.2.4		32mm	no	1		
K.2.5		40mm	no	1		
K.2.6		50mm	no	1		
K.2.7		63mm	no	1		
<b>K.3</b>		<b><u>Stainless Steel ball valve (PN16)</u></b>				
K.3.1		15mm	no	1		
K.3.2		20mm	no	1		
K.3.3		25mm	no	1		
K.3.4		32mm	no	1		
K.3.5		40mm	no	1		
K.3.6		50mm	no	1		
<b>K</b>		<b>Carried forward</b>				
<b>K</b>		<b>Brought forward</b>				
<b>K.4</b>		<b><u>Flanged cast iron gate valve (PN25) (SANS 664)</u></b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
K.4.1		50 mm	no	1		
K.4.2		65 mm	no	1		
<b>K.5</b>		<b><u>Wafer butterfly valve with lever handle (PN16)</u></b>				
K.5.1		50 mm	no	1		
K.5.2		65 mm	no	1		
<b>K.6</b>		<b><u>Wafer Butterfly valve, Stainless Steel with lever handle (PN16)</u></b>				
K.6.1		50 mm	no	1		
K.6.2		65 mm	no	1		
<b>K</b>		<b>Carried forward</b>				
<b>K</b>		<b>Brought forward</b>				
<b>K.7</b>		<b>Supply, deliver, install and test the following diaphragm irrigation control valves</b>				
<b>K.7.1</b>		<b><u>Manually Controlled Valve complete with 3-way selector (Closed, Outo, Open) PN 10</u></b>				
		a) 50 mm	no	1		
		b) 65 mm	no	1		
<b>K.7.2</b>		<b><u>Solenoid Controlled Valve complete with 3-way solenoid (PN 10)</u></b>				
		a) 50 mm	no	1		
		b) 65 mm	no	1		
<b>K.7.3</b>		<b><u>Pressure Reducing Valve complete with 3-way selector and 3-way Pilot valve</u></b>				
		a) 50 mm	no	1		
		b) 65 mm	no	1		
<b>K.7.4</b>		<b><u>Other Valves</u></b>				
K.7.4.1		Mark up on other Valves as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
K.7.4.2		Mark up on other Valves.	%			
K.7.4.3		Extra over Item K.7.4.2: Deliver, Install, Testing and Commission other Valves.	set	1		
<b>K</b>		<b>Carried forward</b>				
<b>K</b>		<b>Brought forward</b>				
<b>K.8</b>		<b><u>Supply deliver and install the following water meters</u></b>				
K.8.1		<b><u>Cast Iron , Epoxy coated (Flange Table D)</u></b>				
		a) 40 mm	no	1		
		b) 50 mm	no	1		
		c) 65 mm	no	1		
K.8.2		<b><u>Other Water Meters</u></b>				
K.8.2.1		Mark up on other Water Meters as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	8000	rate only
K.8.2.2		Mark up on other Water Meters.	%	8000		
K.8.2.3		Extra over Item K.8.2.2: Deliver, Install, Testing and Commission other Water Meters.	set	1		
<b>K.9</b>		<b><u>Supply, deliver,install and test the following air valves and fittings.</u></b>				
K.9.1		<b><u>Double purpose air valves</u></b>				
		a) 25 mm	no	1		
		b) 32 mm	no	1		
		c) 40 mm	no	1		
		d) 50 mm	no	1		
K.9.2		<b><u>Vacuum breakers</u></b>				
		a) 25 mm	no	1		
		b) 32 mm	no	1		
		c) 40 mm	no	1		
		d) 50 mm	no	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
K		<b>Carried forward</b>				
K		<b>Brought forward</b>				
K.9.3		<b><u>Automatic air valves,</u></b>				
		a) 25 mm	no	1		
		b) 32 mm	no	1		
		c) 40 mm	no	1		
		d) 50 mm	no	1		
K.9.4		<b><u>Other Air Valves</u></b>				
K.9.4.1		Mark up on other Air Valves as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	6000	rate only
K.9.4.2		Mark up on other Air Valves.	%	6000		
K.9.4.3		Extra over Item K.9.4.2: Deliver, Install, Testing and Commission other Air Valves.	set	1		
<b>TOTAL SECTION "K" CARRIED FORWARD TO SUMMARY</b>						

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b><u>SECTION L : SHADENET</u></b>						
L		<b>Supply deliver and install the following SABS approved shadenet materials and accessories. Shade Cloth to be manufactured from HDPE (High-Density Polyethylene) with UV stabiliser</b>				
L.1		<b><u>Shade Cloth</u></b>				
L.1.1		20% Shade White	m <sup>2</sup>	1		
L.1.2		40% Shade White	m <sup>2</sup>	1		
L.1.3		20% Green	m <sup>2</sup>	1		
L.1.4		40% Green	m <sup>2</sup>	1		
L.1.5		50% Green	m <sup>2</sup>	1		
L.1.6		80% Green	m <sup>2</sup>	1		
L.1.7		20% Black	m <sup>2</sup>	1		
L.1.8		40% Black	m <sup>2</sup>	1		
L.1.9		50% Black	m <sup>2</sup>	1		
L.1.10		80% Black	m <sup>2</sup>	1		
L.2		<b><u>CCA Grade H4 poles (75-100)</u></b>				
L.2.1		2.1 m	no	1		
L.2.2		2.4 m	no	1		
L.2.3		2.7 m	no	1		
L.2.4		3 m	no	1		
L.2.5		3.6 m	no	1		
L.2.6		4,2 m	no	1		
L.2.7		4.8 m	no	1		
L.3.1		<b><u>CCA Grade H4 poles (100-125)</u></b>				
L.3.1		2.1 m	no	1		
L.3.2		2.4 m	no	1		
L.3.3		2.7 m	no	1		
L		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
L		<b>Brought forward</b>				
L.3.4		3 m	no	1		
L.3.5		3.3 m	no	1		
L.3.6		3.6 m	no	1		
L.3.7		3.9 m	no	1		
L.3.8		4.2 m	no	1		
L.4		<b><u>CCA Grade H4 poles (125-150)</u></b>				
L.4.1		2.1 m	no	1		
L.4.2		2.4 m	no	1		
L.4.3		2.7 m	no	1		
L.4.4		3 m	no	1		
L.4.5		3.6 m	no	1		
L.4.6		4,2 m	no	1		
L.4.7		4.8 m	no	1		
L.5		<b><u>CCA Grade H4 poles (150-175)</u></b>				
L.5.1		2.1 m	no	1		
L.5.2		2.4 m	no	1		
L.5.3		2.7 m	no	1		
L.5.4		3 m	no	1		
L.5.5		3.6 m	no	1		
L.5.6		4,2 m	no	1		
L.5.7		4.8 m	no	1		
L.6		<b><u>ANCHORS</u></b>				
L.6.1		Duckbill type - minimum Model 88 - installed as per manufactures specifications	no	1		
L.6.2		Manta Ray type - minimum MR2 type - installed as per manufactures specifications.	no	1		
L		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
L		<b>Brought forward</b>				
L.6.3		Tyre type - minimum vehicle tyre size 14" installed and secured at minimum depth of 800mm	no	1		
L.6.4		Casted concrete blocks - min 15Mpa/19, min of 0.5m x 0.5m x 0.5m, installed at minimum depth of 800mm	no	1		
L.7		<b><u>ACCESSORIES</u></b>				
L.7.1		M10 Wire tensioners with shackles on both ends	no	1		
L.7.2		M12 Wire tensioners with shackles on both ends	no	1		
L.7.3		2.5 x 25mm Nail staples	no	1		
L.7.4		2.5 x 30mm Nail staples	no	1		
L.7.5		2.5 x 40mm Nail staples	no	1		
L.7.6		3 x 30mm Nail staples	no	1		
L.7.7		3.5 x 30mm Nail staples	no	1		
L.7.8		4 x 30mm Nail staples	no	1		
L.7.9		2.5 x 40mm Nail staples	no	1		
L.7.10		3 x 40mm Nail staples	no	1		
L.7.11		3.5 x 40mm Nail staples	no	1		
L.7.12		4 x 40mm Nail staples	no	1		
L.7.13		25mm Flat head ceiling nails	no	1		
L.7.14		4,0mm Roof Wire for anchor poles	m	1		
L.7.15		2,24mm high tensile Steel wire for netting	no	1		
L.7.16		2,0mm Galvanized wire clamps for net wire (fabricate from wire)	no	1		
L.7.17		40mm Wire Staples	no	1		
L.7.18		32mm Wire staples	no	1		
L.7.19		M12 x 1 000mm long galvanized round bar	no	1		
L.7.20		M10 x 1 000mm Long galvanized round bar	no	1		
L.7.21		M12 galvanized washers	no	1		
L		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>L</b>		<b>Brought forward</b>				
L.7.22		M10 Galvanized washers	no	1		
L.7.23		M12 Galvanized nuts	no	1		
L.7.24		M10 Galvanized nuts	no	1		
L.7.25		M10 x 2 000mm Galvanized anchors made from round bar	no	1		
L.7.26		1500mm Long Y-standard Iron fencing poles	no	1		
L.7.27		150,000 Galv hogrings(15 boxes)	no	1		
L.7.28		3000 x 5 mm Aluminium Ferrules	no	1		
L.7.29		2000 x 6 mm Aluminium Ferrules	no	1		
L.7.30		7 x 1.6 mm Galvanised staywire	m	1		
L.7.31		7 x 2 mm Galvanised staywire	m	1		
L.7.32		7 x 2.65 mm Galvanised staywire	m	1		
L.7.33		7 x 3.25 mm Galvanised staywire	m	1		
L.7.34		7 x 4 mm Galvanised staywire	m	1		
L.7.35		M10 Galv. Straining bolts	no	1		
L.7.36		M12 Turnbuckle & Eye Hook	no	1		
L.7.37		M16 Turnbuckle & Eye Hook	no	1		
L.7.38		1500m x 12mm rust treated anchor steel	no	1		
L.7.39		vine grips	no	1		
L.7.40		Double wrap grip	no	1		
L.7.41		2,24mm high tension steel wire.Full galvanised	m	1		
L.7.42		10mm Crosby Clamps	no	1		
L.7.43		Ref 888 mesh for ground anchor blocks	m2	1		
L.7.44		25MPa concrete for anchoring	m3	1		
L.7.45		500x500x150mm depth concrete shutter for shuttering anchor blocks	no	1		
<b>TOTAL SECTION "L" CARRIED FORWARD TO SUMMARY</b>						

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b><u>SECTION M : TUNNELS &amp; RESEVOIRS</u></b>						
<b>M.1</b>		<b><u>Greenhouse Tunnel</u></b>				
		Supply deliver and install complete Greenhouse Tunnel, inclusive of 200-micron UV protected, 3 layer Greenhouse plastic, door (minimum 1,9 x 2 m), front and rear - end ventilation flap, concrete footings (minimum 500 x 300 mm), and manufactured from galvanised steel members with the following minimum specifications:  a) Side pole - 48 mm x 2 mm b) Arches - 42 mm x 2 mm c) Tie beams - 34 mm x 2 mm d) Connecting poles - 42 mm x 2 mm e) Other connecting poles = 34 mm x 2 mm				
M.1.1		15 m x 10 m x 4 m (Minimum)	Sum	1		
M.1.2		30 m x 10 m x 4 m (Minimum)	Sum	1		
<b>M.2</b>		<b><u>Greenhouse Tunnel Accessories</u></b>				
M.2.1		10 L (125 - 150 micron) black planting bag	no	1		
M.2.2		Trellising hooks	no	1		
M.2.3		Heavy duty polypropolyne trellising twine, 5kg roll	roll	1		
M.2.4		All in one pH and EC meter (Bluelab OnePen or similar approved)	no	1		
M.2.5		4 mm Galvanised Wire (50kg x 4mm x 500) for Crop Support in the Tunnels	roll	1		
M.2.6		200 Micron UV protected, 3 layer Greenhouse plastic	m <sup>2</sup>	1		
M.2.7		Floor plastic, UV stabilized 200 Micron, Roll 11,5m x 31m.	roll	1		
<b>M</b>		<b>Carried forward</b>				
<b>M</b>		<b>Brought forward</b>				





No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b><u>SECTION P : BUILDING</u></b>						
P.1		<b><u>DEMOLISHING AND REMOVING</u></b>				
P.1.1		Demolish existing building structures comprising of brickwork, roofing, closures and foundations. and dispose safely.	m <sup>2</sup>	1		
P.1.2		Demolition of non-reinforced concrete	m <sup>2</sup>	1		
P.1.3		Demolition of reinforced concrete	m <sup>2</sup>	1		
P.1.4		Cart away rubble from demolitions and dispose off site.	m <sup>3</sup>	1		
P.1.5		Restore site with soil material filling and compaction.	m <sup>3</sup>	1		
P.1.6		Empty Sewage Septic tank and dispose in line with regulations.	m <sup>3</sup>	1		
P.1.7		Decommission a pit toilet, including treatment, removal and disposal of sludge waste.	no	1		
P.2		<b><u>EARTHWORKS</u></b>				
		<u>Excavation in earth not exceeding 1,5m deep:</u>				
P.2.1		Foundation Trenches	m <sup>3</sup>	1		
P.2.2		Footing Holes.	m <sup>3</sup>	1		
P.2.3		Cut levels and depositing excavated material in prescribed stock piles on site.	m <sup>3</sup>	1		
		<u>Extra over trench and hole excavations in earth for excavation in:</u>				
P.2.4		Intermediate excavation	m <sup>3</sup>	1		
P.2.5		Soft/loose rock	m <sup>3</sup>	1		
P.2.6		Hard rock	m <sup>3</sup>	1		
		<u>Extra over all excavations for carting away:</u>				
P.2.7		Surplus material from excavations and/or stock piles on site to a dumping site to be located by the contractor.	m <sup>3</sup>	1		
		<u>Risk of collapse of excavations:</u>				
P.2.8		Shoring Sides of trench and hole excavations not exceeding 1,5m deep.	m <sup>2</sup>	1		
P.2.9		Shoring Sides of trench and hole excavations exceeding 1,5m deep.	m <sup>2</sup>	1		
P		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
P		<b>Brought forward</b>				
		<u>Keeping excavations free of water:</u>				
P.2.10		Keeping excavations free from mud and storm water	Sum	1		
P.2.11		Handling and Keeping excavations free from water irrespective of source.	Sum	1		
P.3		<b><u>SOIL POISONING</u></b>				
		Vegetation herbicide and anti-termite soil poisoning applied by a Registered Pest Control company utilizing complaint chemicals				
P.3.1		Surrounding area, foundation trenches/ furrows, under floors, forming agaist foundation walls.	m <sup>2</sup>	1		
P.3.2		To bottoms and sides of trenches, holes, etc.	m <sup>2</sup>	1		
P.4		<b><u>BACK FILLING</u></b>				
P.4.1		Back filling obtained from the excavations and / or prescribed stock piles on site (minimum G7 material) compacted to 93% Mod. AASHTO density.	m <sup>3</sup>	1		
P.4.2		Imported G5 filling, selected and supplied by the Contractor, including depositing in layers not exceeding 150mm thick and compacting to 98% modified AASHTO dry densit.	m <sup>3</sup>	1		
P.4.3		Imported G7 filling, selected and supplied by the Contractor, including depositing in layers not exceeding 150mm thick and compacting to 98% modified AASHTO dry density.	m <sup>3</sup>	1		
P.4.4		Coarse river sand filling supplied by the contractor.	m <sup>3</sup>	1		
P.4.5		Compaction of in-situ material under floors etc including scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 93% Mod AASHTO density.	m <sup>3</sup>	1		
P.4.6		Allow for Prescribed density tests on filling compaction by an approved laboratory to determine density of filling material.	no	1		
P.4.7		Allow for sample collection and submitting for test by an approved laboratory to determine material class, for site stock piled and borrowing materials	no	1		
P		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
P		<b>Brought forward</b>				
P.5		<b><u>CONCRETE</u></b>				
P.5.1		Surface blinding layer under footings and bases (15Mpa/19mm Concrete).	m <sup>3</sup>	1		
P.5.2		Surface screeds (20Mpa/19mm), limited to 30mm thick	m <sup>3</sup>	1		
P.5.3		25Mpa/19mm <b>Un-Reinforced</b> concrete casting and vibrated for Foundations, footings, etc.	m <sup>3</sup>	1		
P.5.4		25Mpa/19mm <b>Reinforced</b> concrete casting and vibrated for Foundations, footings, etc.	m <sup>3</sup>	1		
P.5.5		30Mpa/19mm <b>Un-Reinforced</b> concrete casting and vibrated for Foundations, footings, etc.	m <sup>3</sup>	1		
P.5.6		30Mpa/19mm <b>Reinforced</b> concrete casting and vibrated for Foundations, footings, etc.	m <sup>3</sup>	1		
P.5.7		Making and testing of 150x150x150mm concrete strength test cubes	no	1		
P.5.8		Concrete Top Surface Finishing: Smooth wood floated finish	m <sup>2</sup>	1		
P.5.9		Concrete Top Surface Finishing: Steel Floated Finish	m <sup>2</sup>	1		
P.5.10		Charmfers at corners: 19 x 19mm triangular fillet at corners forming	m	1		
P.6		<b><u>ROUGH FORMWORK</u></b>				
P.6.1		<b><u>Permanent Formwork:</u></b>				
P.6.1.1		To sides, edging, risers, ends and reveals, not exceeding 300mm height	m <sup>2</sup>	1		
P.6.1.2		To sides, edging, risers, ends and reveals, not exceeding 600mm height	m <sup>2</sup>	1		
P.6.1.3		To sides, edging, risers, ends and reveals, not exceeding 1500mm height	m <sup>2</sup>	1		
P.6.1.4		Circular columns shuttering	m <sup>2</sup>	1		
P.6.1.5		Suspended slabs shuttering	m <sup>2</sup>	1		
P.6.2		<b><u>Temporary Formwork:</u></b>				
P.6.2.1		To sides, edging, risers, ends and reveals, not exceeding 300mm height	m <sup>2</sup>	1		
P.6.2.2		To sides, edging, risers, ends and reveals, not exceeding 600mm height	m <sup>2</sup>	1		
P.6.2.3		To sides, edging, risers, ends and reveals, not exceeding 1500mm height	m <sup>2</sup>	1		
P.6.2.4		Circular columns shuttering	m <sup>2</sup>	1		
P.6.2.5		Suspended slabs shuttering	m <sup>2</sup>	1		
P		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
P		<b>Brought forward</b>				
P.7		<b><u>SMOOTH FORMWORK</u></b>				
P.7.1		<b><u>Permanent Formwork:</u></b>				
P.7.1.1		To sides, edging, risers, ends and reveals, not exceeding 300mm height	m <sup>2</sup>	1		
P.7.1.2		To sides, edging, risers, ends and reveals, not exceeding 600mm height	m <sup>2</sup>	1		
P.7.1.3		To sides, edging, risers, ends and reveals, not exceeding 1500mm height	m <sup>2</sup>	1		
P.7.1.4		Circular columns shuttering	m <sup>2</sup>	1		
P.7.1.5		Suspended slabs shuttering	m <sup>2</sup>	1		
P.7.2		<b><u>Temporary Formwork:</u></b>				
P.7.2.1		To sides, edging, risers, ends and reveals, not exceeding 300mm height	m <sup>2</sup>	1		
P.7.2.2		To sides, edging, risers, ends and reveals, not exceeding 600mm height	m <sup>2</sup>	1		
P.7.2.3		To sides, edging, risers, ends and reveals, not exceeding 1500mm height	m <sup>2</sup>	1		
P.7.2.4		Circular columns shuttering	m <sup>2</sup>	1		
P.7.2.5		Suspended slabs shuttering	m <sup>2</sup>	1		
P.7.2.6		Reinforced precasted rib and block Slabs as permanent shutters - top ref mesh and concrete topping measured elsewhere	m <sup>2</sup>	1		
P.8		<b><u>CONCRETE JOINTS</u></b>				
P.8.1		Saw cut joints: 6mm wide x 50mm deep Saw cut joints on top of concrete	m	1		
P.8.2		Construction Joints: 6mm Soft board, not exceeding	m	1		
P.9		<b><u>CONCRETE REINFORCEMENT</u></b>				
P.9.1		High tensile steel reinforcement bars to structural concrete work.	t	1		
P.9.2		<b><u>Fabric reinforcement:</u></b>				
P.9.2.1		REF. 193 fabric reinforcement in concrete surface beds, raft slabs etc.	m <sup>2</sup>	1		
P.9.2.2		REF. 245 fabric reinforcement in concrete surface beds, raft slabs etc.	m <sup>2</sup>	1		
P		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
P		<b>Brought forward</b>				
P.9.2.3		REF. 395 fabric reinforcement in concrete surface beds, raft slabs etc.	m <sup>2</sup>	1		
P.9.2.4		REF. 617 fabric reinforcement in concrete surface beds, raft slabs etc.	m <sup>2</sup>	1		
P.9.2.5		REF. 888 fabric reinforcement in concrete surface beds, raft slabs etc.	m <sup>2</sup>	1		
P.10		<b><u>MASONRY BRICKWORK</u></b>				
		Supply, Deliver, and Construct Brickwork consisting of solid clay bricks to SABS 227-1986, with 10.5 MPa minimum nominal compressive strength in Class I mortar. (Cement to be 42.5N all-purpose cement):				
P.10.1		Stock Brick 220mm wide (One brick) wall, complete with mortar, ties, etc.	m <sup>2</sup>	1		
P.10.2		Stock Brick 110mm wide (Half brick) wall, complete with mortar, ties, etc.	m <sup>2</sup>	1		
P.10.3		150mm wide (one brick) using maxi bricks walls.	m <sup>2</sup>	1		
		<b>FACE BRICK:</b> FBS clay face brick , bedded and jointed in Class II mortar and pointed with recessed vertical and horizontal joints (Cement to be 42.5N all-purpose cement):				
P.10.6		Supply, Deliver, and Construct Brickwork: Face Brick outside and inside, 220mm wide (One brick) wall, complete with mortar, ties, pointed outside and inside, etc.	m <sup>2</sup>	1		
P.10.7		Supply, Deliver, and Construct Brickwork: Face Brick outside and Stock Brick inside, 220mm wide (One brick) wall, complete with mortar, ties, pointed outside, etc.	m <sup>2</sup>	1		
P.10.8		Supply, Deliver, and Construct Brickwork: Face Brick outside, 110mm wide (Half brick) wall, complete with mortar, ties, pointed outside, etc.	m <sup>2</sup>	1		
P.11		<b><u>BRICKFORCE</u></b>				
P.11.1		NHBRC Galvanized brickforce: 150 x 2.8 mm	m	1		
P.11.2		NHBRC Galvanized brickforce: 75 x 2.8 mm	m	1		
P		<b>Carried forward</b>				
P		<b>Brought forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
P.12		<b><u>ROOF TIES (Bracing Strap)</u></b>				
P.12.1		Bracing Strap (MiTek or similar approved) Galvanized roof tie with one end fixed to timber and other built into brickwork or concrete.	m	1		
P.13		<b><u>WATERPROOFING</u></b>				
P.13.1		Sealing of walls with 1:3 cement and sand mixture	m <sup>2</sup>	1		
P.13.2		Sealing of walls with two coats of bitumen emulsion waterproofing	m <sup>2</sup>	1		
P.13.3		Coprox masonry waterproofing or equal approved waterproof cement additive	kg	10		
P.14		<b><u>LINTOLS</u></b>				
P.14.1		Pre-Cast Concrete lintols 75 x 110				
P.14.1.1		Lintels 0.9 m	no	1		
P.14.1.2		Lintels 1.2 m	no	1		
P.14.1.3		Lintels 1.8 m	no	1		
P.14.1.4		Lintels 2.4 m	no	1		
P.14.1.5		Lintels 3 m	no	1		
P.14.1.6		Lintels 4 m	no	1		
P.14.2		Pre-Cast Concrete lintols 75 x 150mm				
P.14.2.1		Lintels 0.9 m	no	1		
P.14.2.2		Lintels 1.2 m	no	1		
P.14.2.3		Lintels 1.8 m	no	1		
P.14.2.4		Lintels 2.4 m	no	1		
P.14.2.5		Lintels 3 m	no	1		
P.14.2.6		Lintels 4 m	no	1		
<b>P</b>		<b>Carried forward</b>				
<b>P</b>		<b>Brought forward</b>				
P.15		<b><u>DAMP PROOFING</u></b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
P.15.1		One layer of 250 micron waterproof plastic sheeting (For floors)	m <sup>2</sup>	1		
P.15.2		Damp proof 110mm x 250 micron (For walls)	m	1		
P.16		<b><u>JOINT SEALANTS</u></b>				
P.16.1		Clear Neutral silicone sealant for joint sealing around windows, door frames, etc.	m	1		
P.16.2		Two-part grey polysulphide sealing compound (10x12mm) including backing cord, bond breaker, primer, etc for joints in floors, walls, etc.	m	1		
P.17		<b><u>ROOF COVERINGS</u></b>				
		Galvanised profiled metal sheeting with "Chromadek" finish, screws and all accessories, supply and install complete, fixed to roof / clading members.				
P.17.1		Galvanised IBR profile 0,58mm Z200, with "Chromadek" finish.	m <sup>2</sup>	1		
		Galvanised (0.58mm) Flashings "Chromadek" finish fixed in strict accordance with manufacturer's instructions including installation accessories :				
P.17.2		Mono pitched ridge capping ("Chromadek" finish) with 225mm lapping secured onto the roof.	m	1		
P.17.3		Ridge cover, 0,58mm ("Chromadek" finish).	m	1		
P.17.4		Ridge Closures ("Chromadek" finish), 0,58mm ridge closures fixed under the ridge line.	m	1		
		Galvanised profiled metal sheeting, screws and all accessories, supply and install complete, fixed to roof / clading members.				
P.17.5		Galvanised IBR profile 0,58mm Z200.	m <sup>2</sup>	1		
		Galvanised (0.58mm) Flashings, fixed in strict accordance with manufacturer's instructions including installation accessories :				
P.17.6		Mono pitched ridge capping with 225mm lapping secured onto the roof.	m	1		
P.17.7		Ridge cover, 0,58mm.	m	1		
P.17.8		Ridge Closures, 0,58mm ridge closures fixed under the ridge line.	m	1		
<b>P</b>		<b>Carried forward</b>				
<b>P</b>		<b>Brought forward</b>				
P.18		<b><u>ROOF INSULATION</u></b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
P.18.1		Insulation laid and strained by 2mm galvanized wires on timber roof trusses/ steel purlins "Alububble" or equal approved insulation	m <sup>2</sup>	1		
P.19		<b><u>PROVISIONAL SUM FOR STEEL STRUCTURES</u></b>				
P.19.1		Provisional Sum, as specified by the Engineer, for the fabrication, supply, delivery, erection of a complete Steel Structure with roof and side cladding, doors, insulation, ventilators, steel members treated and painted, etc. Engineers Certificate to be included.	Prov sum	1	800000	rate only
P.19.2		Profit Over Item P.19.1	%	800000		
<b>P</b>		<b>Brought forward</b>				
P.21		<b><u>DOORS</u></b>				
		Supply, deliver and install the following doors complete.				
P.21.1		Frame and ledge open back solid Meranti door, size 813 x 2032mm. (Exterior use)	no	1		
P.21.2		Light Duty Hardboard door, size 813 x 2032mm. (Interior use)	no	1		
P.23		<b><u>METALWORK</u></b>				
		STEEL BURGLAR GATES TO DOORS				
		Security Gate (mild steel) consisting of 25 x 25 x 2mm steel frame with 12mm square bars infill placed at 109mm centres, hung with one pair of galvanised hinges including locks, handles, ironmongery complete and fixed to brickwork:				
P.23.1		Security gate size 900 x 2050mm high	no	1		
P.23.2		Security double gate size 1800 x 2050mm high.	no	1		
P.24		<b><u>PLASTERING</u></b>				
P.24.1		SCREED: 30mm thick, Untinted granolithic, on concrete.	m <sup>2</sup>	1		
P.24.2		SKIRTING: 75mm high coved granolithic skirting	m	1		
P.24.3		INTERNAL PLASTER: 10mm thick, 1:4 sand cement mixture	m <sup>2</sup>	1		
<b>P</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
P		<b>Brought forward</b>				
P.25		<b><u>PAINTWORK</u></b>				
P.25.1		Prepare wood surfaces (stop, sand down, etc.) and apply one coat wood primer, one undercoat and two coats eggshell enamel paint (Plascon or equal approved) (Doors, door frames, etc.)	m <sup>2</sup>	1		
P.25.2		Prepare and apply two coats carbolenium on exposed timber.	m <sup>2</sup>	1		
P.25.3		Prepare and apply two coats pure acrylic roof paint on fascias and barge boards.	m <sup>2</sup>	1		
P.25.4		Prepare and apply two coats enamel paint on windows frames, putty, door frames, etc.	m <sup>2</sup>	1		
P.26		<b><u>ROLLER DOORS</u></b>				
P.26.1		Industrial Roller door, Chain operated, 2400 x 3000mm high galvanized with locking mechanism	no	1		
P.26.2		Industrial Sliding Door on track and guide, 2400 x 3000mm high galvanized with locking mechanism	no	1		
P.26.3		Standard Garage roll up door 2400 x 2000mm, with a pedestrian lock mechanism	no	1		
P.27		<b><u>STEEL WINDOW FRAMES</u></b>				
P.27.1		Supply, deliver and install the following complete steel window frames and glazing.				
P.27.2		Window frame NC2 (1022 x 949 mm)	no	1		
P.27.3		Window frame NC4F (1511 x 949 mm)	no	1		
P.27.4		Window frame C1H (533 x 949 mm)	no	1		
P.27.5		Window frame NE1 (533 x 359 mm)	no	1		
P.27.6		Window frame NE11 (1975 x 629 mm)	no	1		
P.27.7		Glazing including putty, 3 - 4mm clear glass	m <sup>2</sup>	1		
P.27.8		Glazing including putty, 4mm frosted glass	m <sup>2</sup>	1		
P		<b>Carried forward</b>				
P		<b>Brought forward</b>				
P.29		<b><u>STRONG ROOM DOOR</u></b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
P.29.1		Supply, deliver & install Strong room door, 120mm thick, 6mm outer plate, 2032.5H x 1000W, Outward opening, one key lock with emergency inner release, Mass 150 to 300kg and 7 Lever security keylock 8 bolt, 180 degree opening	no	1		
P.30		<b><u>PRESSED STEEL DOOR FRAMES</u></b>				
		Supply, deliver & install the following mild steel (1,2mm thick) door frames complete with standard butt hinges and factory applied primer:				
P.30.1		Double rebated frame suitable for half brick (110mm) walls for door 813 x 2032mm high	no	1		
P.30.2		Double rebated frame suitable for one brick (220mm) walls for door 813 x 2032mm high	no	1		
P.30.3		Double rebated frame suitable for one brick (220mm) walls for door 1511 x 2032mm high	no	1		
P.30.4		Combination Door and Frame, Double Door, 1511 x 2 032mm high	no	1		
P.30.5		Combination Door and Frame, Single Door, 813 x 2 032mm high	no	1		
P.31		<b><u>LOCKS</u></b>				
P.31.1		Supply 50 mm "Viro" Padlocks and Keys (or equal approved )	no	1		
P.31.2		Three lever double cylinder lockset code 2222 or similar with Gower Handel code CZ682-05 SC complete with striking plate.	no	1		
P.31.3		Four- lever double cylinder lockset, with Gower Handel code CZ682-05 SC or similar complete with striking plate.	no	1		
P.31.4		DMWS-SS-008 or similar Bathroom /WC small case deadlock	no	1		
P.31.5		Aluminuim door stop with rubber insert	no	1		
P.32		<b><u>SIGNAGE PLATES</u></b>				
P.32.1		Wheelchair, pictogram Engraved on 152 x 152 mm stainless steel plate.	no	1		
P.32.2		Female, pictogram Engraved on 152 x 152 mm stainless steel plate.	no	1		
P.32.3		Male, pictogram Engraved on 152 x 152 mm stainless steel plate.	no	1		
P		<b>Carried forward</b>				
P		<b>Brought forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
P.37		<b><u>HAND RAILS IN TOILETS</u></b>				
P.37.1		Mark up on Grab Rails as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1		
P.37.2		Mark up on Grab rails.	%			
P.37.3		Extra over Item P.37.2: Deliver, and Install Grab Rails.	no	1		
P.38		<b><u>FIRE SERVICES</u></b>				
P.38.1		DCP dry powder portable fire extinguisher (4,5kg), including a formed Saligna Wood backboard size 450 x 100 x 22mm thick plugged and screwed to wall and finished with two coats of polyurethane varnish, including 120 x 20 x 2mm Stainless or Galvanised Steel "J" Wall Bracket.	Set	1		
P.38.2		Fixed type Fire hose reel complete with ID 20mm x 30m PVC hose (SANS 1086), chromium plated stopcock( 25mm BSP), shut-off nozzle and wall bracket bolted to wall with and including expansion bolts.	Set	1		
P.39		<b><u>FIELD SANITATION UNITS</u></b>				
		Earth-, Concrete-, and Building-works are measured elsewhere.				
P.39.1		Supply, deliver ,Install and commission a "Rocla Ama Loo Loo" or similar approved Precast Concrete Panel Toilet, 900mm W x 1100mm L x 2000mm H, Complete with prefabricated walls, roof, door, seat, pit slab cover, and handwash basin.	Sum	1		
P.39.2		Supply, deliver ,Install ,and commission an "ENVIRO LOO VIP", or similar approved. Prefabricated unit with toilet seat, extraction pipe and fan, collector pit plate setup, back inspection chamber/cover. Concrete Panel Toilet, 900mm W x 1100mm L x 2000mm H, Complete with prefabricated walls, roof, door, seat, pit slab cover, and handwash basin.	Sum	1		
<b>TOTAL SECTION "P" CARRIED FORWARD TO SUMMARY</b>						

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
		<b><u>ELECTRICAL</u></b>				
R.1		<b><u>ELECTRICAL - GENERAL</u></b>				
R.1.1		Test the complete electrical works and issue a Certificate of Compliance (CoC) by an applicable certified and registered electrical person.	Sum	1		
R.1.2		Earth Spike (Include Conductor Termination Clamp)	Sum	1		
R.2		<b><u>ELECTRICAL - TRENCHING &amp; EARTHWORKS</u></b>				
		Trenching (450mm width by 500mm depth for LV Cables) Danger tape: Orange/Yellow PVC material-300mm above cable.				
R.2.1		Hand pickable soil (soft soil)	m <sup>3</sup>	1		
R.2.2		Machine excavation (soft rock)	m <sup>3</sup>	1		
R.3		<b><u>ELECTRICAL CABLES</u></b>				
		Supply, deliver, install, and test SABS approved copper cables. Inclusive of all terminations and glands.				
R.3.1		Surfix cable - 1.5mm <sup>2</sup> x 2 + Earth (Black, White)	m	1		
R.3.2		Surfix cable - 1.5mm <sup>2</sup> x 3 + Earth (Black, White)	m	1		
R.3.3		Surfix cable - 1.5mm <sup>2</sup> x 4 + Earth (Black, White)	m	1		
R.3.4		Surfix cable - 2.5mm <sup>2</sup> x 2 + Earth (Black, White)	m	1		
R.3.5		Surfix cable - 2.5mm <sup>2</sup> x 3 + Earth (Black, White)	m	1		
R.3.6		Surfix cable -2.5mm <sup>2</sup> x 4 + Earth (Black, White)	m	1		
R.3.7		Insulated Housewire 1,5mm <sup>2</sup> , 1core cable; red, black, yellow, brown, etc	m	1		
R.3.8		Insulated Housewire 2,5mm <sup>2</sup> , 1core cable; red, black, yellow, brown, etc	m	1		
R.3.9		Insulated Housewire 4mm <sup>2</sup> , 1core cable; red, black, yellow, brown, etc	m	1		
R.3.10		Insulated Housewire 6mm <sup>2</sup> , 1core cable; red, black, yellow, brown, etc	m	1		
R.3.11		Bare copper Earth wire (SANS 1411)				
		a) 1.5 mm <sup>2</sup>	m	1		
		b) 2.5 mm <sup>2</sup>	m	1		
		c) 4 mm <sup>2</sup>	m	1		
<b>R</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>R</b>		<b>Brought forward</b>				
R.4		<b><u>LIGHT FITTINGS</u></b>				
		Supply, deliver, install, and test the following SABS approved light fittings complete with bulbs.				
R.4.1		Bulkhead Rectangular, Including 9w LED globe	no	1		
R.4.2		Batten Fitting 1,2m (4Ft) for 2 LED lamps, Including 2 x 18 w LED lamps	no	1		
R.4.3		Dust / Damp Proof 1,2 (4Ft) 2 LED lamps (Frosted UV stabilized polycarbonate), Including 2 x 18 LED lamps.	no	1		
R.5		<b><u>OTHER LIGHT FITTINGS</u></b>				
R.5.1		Mark up on other Light fittings as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	10000	rate only
R.5.2		Mark up on other Light Fittings.	%	10000		
R.5.3		Extra over Item R.5.2: Deliver, Install, and test other light fittings.	no	1		
R.6		<b><u>ENCLOSURES</u></b>				
		Supply, deliver, install, and test the following Enclosures complete with fittings, etc.				
R.6.1		Wall Box 100 x 50mm (4 x 2)	no	1		
R.6.2		Wall Box 100 x 100mm (4 x 4)	no	1		
R.6.3		Indoor 24 Way DB Box, steel and coated, flash mounted.	no	1		
R.6.4		Indoor 12 Way DB Box, steel and coated, flash mounted.	no	1		
R.6.5		Indoor 6 Way DB Box, steel and coated, flash mounted.	no	1		
R.6.6		Supply, deliver, and install, Mild Steel, Single Door, Lockable Enclosure, IP66, Out door, Powder coating, Including Galvanized Mounting plate.				
		a) 200 H x 200 W x 155 D mm	no	1		
		b) 300 H x 250 W x 155 D mm	no	1		
		c) 350 H x 250 W x 155 D mm	no	1		
R.7		<b><u>OTHER ENCLOSURES</u></b>				
R.7.1		Mark up on other Enclosures as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	10000	rate only
R.7.2		Mark up on other Enclosures.	%	10000		
R.7.3		Extra over Item R.7.2: Deliver, and Install other Enclosures.	no	1		
<b>R</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>R</b>		<b>Brought forward</b>				
R.8		<b><u>ELECTRICAL SWITCHGEAR</u></b>				
		Supply, deliver, install, and test the following Electrical Switchgear, etc.				
R.8.1		Main switch (60Amp)	no	1		
R.8.2		Earth Leakage circuit breaker (63Amp)	no	1		
R.8.3		Overload with Earth Leakage circuit breaker (63Amp)	no	1		
R.8.4		Circuit breaker (10Amp)	no	1		
R.8.5		Circuit breaker (15Amp)	no	1		
R.8.6		Circuit breaker (20Amp)	no	1		
R.8.7		Circuit breaker (25Amp)	no	1		
R.8.8		Circuit breaker (30Amp)	no	1		
R.8.9		Surge Protection breaker	no	1		
R.8.10		Waterproof Industrial socket (3 pin), Eurolux or similar	no	1		
R.8.11		Single socket 3 pin wall plug, 15Amp	no	1		
R.8.12		Double socket 3 pin wall plug, 15Amp	no	1		
R.8.13		2 Lever 1 way light switch	no	1		
R.8.14		3 Lever 1 way light switch	no	1		
R.9		<b><u>CONDUIT PIPES</u></b>				
		Supply, deliver, and install the following Conduit pipes, inclusive of all couplings, adaptors, bends, etc.				
R.9.1		PVC Conduit 20mm (Inclusive of all fittings)	m	1		
R.9.2		PVC Conduit 25mm (Inclusive of all fittings)	m	1		
R.9.3		PVC Conduit 32mm (Inclusive of all fittings)	m	1		
R.10		<b><u>OTHER ELECTRICAL MATERIAL</u></b>				
R.10.1		Mark up on other Electrical Material as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	10000	rate only
R.10.2		Mark up on other Electrical Material.	%	10000		
R.10.3		Extra over Item R.10.2: Deliver, and Install other Electrical Material.	no	1		
<b>R</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
R		<b>Brought forward</b>				
		<b><u>PLUMBING AND SEWAGE</u></b>				
R.11		<u>Supply, deliver, install, and test the following sanitary fixtures.</u>				
R.11.1		Miami Close Couple Toilet Suit or similar approved, complete with all fittings.	no	1		
R.11.2		Solo Tamarin Basin and Full Pedestal or similar approved, complete with all fittings.	no	1		
R.11.3		Icon Urinal Large or similar approved, complete with all fittings.	no	1		
R.11.4		Supply & install shower head complete with chrome shower arm & Rose, and all accessories to control valves for hot and cold water	no	1		
R.11.5		Supply & install 450x600x6mm "GG"QUALITY POLISHED GLASS MIRROR: Fixed with round nose chromium plated mirror screws.	no	1		
R.11.6		Mark up on other Bathroom Accessories as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	10000	rate only
R.11.7		Mark up on other Bathroom Accessories.	%	10000		
R.11.8		Extra over Item R.11.8: Deliver, and Install other Bathroom Accessories.	no	1		
R.12		<u>Sewage Pipeline: Supply, deliver, install, and test complete pipelines inclusive of all bends, couplings, saddles, etc.</u>				
R.12.1		Sewage pipe, 50mm PVC, including all fittings.	m	1		
R.12.2		Sewage pipe, 110mm PVC, including all fittings.	m	1		
R.12.3		Mark up on other sewer fittings as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	3000	rate only
R.12.4		Mark up on other sewer fittings.	%	3000		
R.12.5		Extra over Item R.12.4: Deliver, and Install other Sewer fittings.	no	1		
R.13		<u>Copper pipes: Supply, deliver, install (Chased into brickwalls), and testing, including joints, bends, sockets, and etc.</u>				
R.13.1		Copper pipe 15mm	m	1		
R.13.2		Copper pipe 22mm	m	1		
R.13.3		Copper pipe Joints, Bends, Tees, etc. for 15mm pipe	no	1		
R.13.4		Copper pipe Joints, Bends, Tees, etc. for 20mm pipe	no	1		
R		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
R		<b>Brought forward</b>				
R.14		<b><u>OTHER PIPES AND FITTINGS</u></b>				
R.14.1		Mark up on other pipes & fittings as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	10000	rate only
R.14.2		Mark up on other Pipes and Fittings.	%	10000		
R.14.3		Extra over Item R.14.2: Deliver, and Install other Pipes and Fittings.	no	1		
R.15		<b><u>VALVES</u></b>				
		Supply, deliver, install, and test the following valves.				
R.15.1		Pressure control valve for 600kPA, on 15 or 20mm pipes	no	1		
R.15.2		15mm Ball-o-stop valve.	no	1		
R.15.3		22mm Non Return valve.	no	1		
R		<b>Carried forward</b>				
R		<b>Brought forward</b>				
R.20		<b><u>PROVISIONAL SUMS</u></b>				
R.20.1		Allow for a provisional sum for Mechanical/Electrical or processing Equipment required works to be instructed by the engineer for purchase of materials and installation, Below R100 000,00	Prov Sum	1	100000	rate only
R.20.2		Profit over above	%	100000		
R.20.3		Allow for a provisional sum for Mechanical/Electrical or processing Equipment required works to be instructed by the engineer for purchase of materials and installation, Below R250 000,00	Prov Sum	1	250000	rate only
R.20.4		Profit over above	%	250000		
R.20.5		Allow for a provisional sum for Mechanical/Electrical or processing Equipment required works to be instructed by the engineer for purchase of materials and installation. More than R250 000 and Below R1 000 000,00.	Prov Sum	1	500000	rate only
R.20.6		Profit over above	%	500000		



No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>SECTION S : POWER GENERATION EQUIPMNET</b>						
S.1		<b><u>SOLAR SYSTEM</u></b>				
		Supply, deliver, install, and test, Pure sine wave inverter complete with: AC/DC compatibility, Overvoltage and undervoltage protection, Overload protection and overcurrent protection, Overtemperature protection, No-load protection, Operating history memory, Detachable control panel, Enclosure class IP66, Automatic generator				
S.1.1		Pure sine wave inverter 3kVA	sum	1		
S.1.2		Pure sine wave inverter 5kVA	sum	1		
S.1.3		Pure sine wave inverter 8kVA	sum	1		
S.1.4		Other Pure sine wave inverter	Prov Sum	1	60000	rate only
S.1.5		Mark-up on Item S.1.4	%	60000		
S.1.6		Supply and install DC Cicuit breakers and surge protector	sum	1		
S.1.7		Supply and install Combined Junction Box for solar panels	sum	1		
S.1.8		Supply and install array to array cable for solar panels: Flexible single core cable for photovoltaic or solar systems, Halogen free, double insulated, zone & UV resistant (AC 1000V & DC 1500V) (Black/Red)				
		a) 1.5 mm <sup>2</sup>	m	1		
		b) 2.5 mm <sup>2</sup>	m	1		
		c) 4 mm <sup>2</sup>	m	1		
		d) 6 mm <sup>2</sup>	m	1		
		e) 10 mm <sup>2</sup>	m	1		
S.2		<b><u>SOLAR PANELS (PV)</u></b>				
		Supply, deliver, install, and test monocrystalline solar panels complete with all cables, connectors, Junction boxes, surge protectors and Circuit breakers. (Ground, Roof, Elevated or floating				
		a) 300 to 395 W	no	1		
		b) 400 to 450 W	no	1		
		c) 455 to 495 W	no	1		
		d) 500 to 550 W	no	1		
<b>S</b>		<b>Carried forward</b>				

<b>S</b>		<b>Brought forward</b>			
		e) 555 - 595 W	no	1	
		f) 600 to 650 W	no	1	
S.3		<b><u>SOLAR (PV) MOUNTING SYSTEMS</u></b>			
		Supply, deliver, install a complete Solar (PV) mounting system including all rails, brackets, fasteners, and steel support structure. (Galvanised or Aluminium)			
S.3.1		<b><u>Roof Top mounting system for PV Solar panels.</u></b>			
		a) One (1) PV solar panel.	Sum	1	
		b) Set of two (2) PV solar panels.	Sum	1	
		c) Set of three (3) PV solar panels.	Sum	1	
		d) Set of four (4) PV solar panels.	Sum	1	
S.3.2		<b><u>Ground mounting structure for PV Solar panels.</u></b>			
		a) One (1) PV solar panel.	Sum	1	
		b) Set of two (2) PV solar panels.	Sum	1	
		c) Set of three (3) PV solar panels.	Sum	1	
		d) Set of four (4) PV solar panels.	Sum	1	
S.3.3		<b><u>Mounting structure on top of water tank and tank stand for PV Solar panels.</u></b>			
		a) One (1) PV solar panel.	Sum	1	
		b) Set of two (2) PV solar panels.	Sum	1	
		c) Set of three (3) PV solar panels.	Sum	1	
		d) Set of four (4) PV solar panels.	Sum	1	
S.3.4		<b><u>Single Pole mounting structure for PV panels.</u></b>			
		a) One (1) PV solar panel.	Sum	1	
		b) Set of two (2) PV solar panels.	Sum	1	
		c) Set of three (3) PV solar panels.	Sum	1	
		d) Set of four (4) PV solar panels.	Sum	1	
S.3.5		<b><u>Floating HDPE platform for PV panels. (Tilted)</u></b>			
		a) Float for one (1) PV solar panel.	Sum	1	
		b) Float for Set of two (2) PV solar panels.	Sum	1	
<b>S</b>		<b>Carried forward</b>			

<b>S</b>		<b>Brought forward</b>				
		c) Float for Set of three (3) PV solar panels.	Sum	1		
		d) Float for Set of four (4) PV solar panels.	Sum	1		
S.3.6		<b><u>Solar DB Board</u></b>				
		Supply, deliver, install, and test complete solar DB Board				
S.3.6.1		Complete combiner box, MCE CB1-1, 32 A, 1000 VDC, Input Strings 1, Output Strings 1	Sum	1		
S.3.6.2		Complete combiner box, MCE CB2-1, 32 A, 1000 VDC, Input Strings 2, Output Strings 1	Sum	1		
S.3.6.3		Complete combiner box, MCE CB2-2, 32 A, 1000 VDC, Input Strings 2, Output Strings 2	Sum	1		
S.3.6.4		Complete combiner box, MCE CB4-1, 32 A, 1000 VDC, Input Strings 4, Output Strings 1	Sum	1		
S.3.6.5		Complete combiner box, MCE CB4-2, 32 A, 1000 VDC, Input Strings 4, Output Strings 2	Sum	1		
S.3.7		<b><u>Batteries</u></b>				
S.3.7.1		Mark up on the supply, installation, and testing of Batteries as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	60000	rate only
S.3.7.2		Mark up on Item S.3.7.1	%	60000		
S.3.8		<b><u>Other Solar Equipment</u></b>				
S.3.8.1		Mark up on other Solar Equipment set as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	60000	rate only
S.3.8.2		Mark up on other Solar Equipment.	%	60000		
S.4		<b><u>FUEL GENERATORS</u></b>				
		Supply, deliver, install, test, and commission diesel generators with electric start, automatic voltage regulator, and automatic				
S.4.1		5kVA	sum	1		
S.4.2		8kVA	sum	1		
S.4.3		15kVA	sum	1		
S.4.4		25kVA	sum	1		
<b>S</b>		<b>Carried forward</b>				
<b>S</b>		<b>Brought forward</b>				
S.4.8		<b><u>Other Fuel Generators</u></b>				

S.4.8.1	Mark up on other Fuel Generator set as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	150000	rate only
S.4.8.2	Mark up on other Fuel Generator.	%	150000		
S.4.8.3	Extra over item S.4.8.2. Deliver, install, Testing and Commission other Fuel Generator	set	1		
S.4.9	<b><u>Service of Generators</u></b>				
S.4.9.1	Mark up on the Service and repair of Generators as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	10000	rate only
S.4.9.2	Mark up on the Service and repair of Generators.	%	10000		
S.5	<b><u>POWER TRANSFORMERS</u></b>				
	Supply, installation, registration and commission of new transformer including 12m treated poles				
S.5.1	25kVA	Prov Sum	1	R 100 000,00	rate only
S.5.2	Mark up on the Power Transformer	%	100000		
S.6	<b><u>GRID POWER SUPPLY</u></b>				
S.6.1	Mark up on the replacement, upgrade or installation of power grid line and transformers by a Eskom registered contractor as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	200000	rate only
S.6.2	Mark up on Item S.6.1.	%	200000		
<b>TOTAL SECTION "S" CARRIED FORWARD TO SUMMARY</b>					

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b><u>SECTION I : PUMPS &amp; MOTORS,CONTROLS &amp; CABLES</u></b>						
T.1		<b><u>Submersible Borehole Pump and Motor set</u></b>				
		Supply, Install, Testing and Commission a complete submersible pump and motor set, up to 100m depth, inclusive of riser pipe (priced elsewhere), electrical submersible cable (priced elsewhere), recovery rope, flow inducer (cooling) sleeve, accessories and all fittings to connect to the electricity supply point and delivery pipe as per Drawing No. 1701321-TY-06				
T.1.1		<b><u>Single phase, Single stage Submersible Pump &amp; Motor</u></b>				
		a) 0,25 kW	sum	1		
		b) 0,37 kW	sum	1		
		c) 0,55 kW	sum	1		
		d) 0,75 kW	sum	1		
		e) 1,1 kW	sum	1		
		f) 1,5 kW	sum	1		
		g) 2,2 kW	sum	1		
T.1.2		<b><u>Single phase, Multi stage Submersible Pump &amp; Motor</u></b>				
		a) 0,25 kW	sum	1		
		b) 0,37 kW	sum	1		
		c) 0,55 kW	sum	1		
		d) 0,75 kW	sum	1		
		e) 1,1 kW	sum	1		
		f) 1,5 kW	sum	1		
		g) 2,2 kW	sum	1		
T.1.3		<b><u>Three phase, Single stage Submersible Pump &amp; Motor</u></b>				
		a) 0,25 kW	sum	1		
		b) 0,37 kW	sum	1		
		c) 0,55 kW	sum	1		
T		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>T</b>		<b>Brought forward</b>				
		d) 0,75 kW	sum	1		
		e) 1,1 kW	sum	1		
		f) 1,5 kW	sum	1		
		g) 2,2 kW	sum	1		
<b>T.1.4</b>		<b><u>Three phase, Multi stage Submersible Pump &amp; Motor</u></b>				
		a) 1,5 kW	sum	1		
		b) 2,2 kW	sum	1		
		c) 3 kW	sum	1		
		d) 3,7 kW	sum	1		
		e) 4 kW	sum	1		
		f) 5,5 kW	sum	1		
		g) 7,5 kW	sum	1		
		h) 11 kW	sum	1		
<b>T.1.5</b>		<b><u>Other Submersible Borehole pump and motor set</u></b>				
T.1.5.1		Mark up on other Submersible Borehole pump and motor set as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	20000	rate only
T.1.5.2		Mark up on other Submersible pump and motor set.	%	20000		
T.1.5.3		Extra over Item T.1.5.2: Deliver, Install, Testing and Commission a complete submersible pump and motor set.	sum	1		
<b>T</b>		<b>Carried forward</b>				
<b>T</b>		<b>Brought forward</b>				
<b>T.1.6</b>		<b><u>Flexible borehole pipe</u></b>				
		Supply, deliver and install flexible borehole pipe, complete with all applicable fittings to connect to the pump and motor set and base plate up to 100 meter deep installation.				
		a) 50 mm inside diameter	sum	1		
		b) 64 mm inside diameter	sum	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
		c) 76 mm inside diameter	sum	1		
<b>T.1.7</b>		<b><u>STEEL PIPES AND FITTINGS</u></b>				
		Supply, deliver, install, and test the following steel pipes, fittings, and specials complete. (Conforming to SABS 719, SABS 62-1989 and BS534.) (All steel pipes and fittings to be galvanized according to SABS 1461 and SABS ISO 14713.)				
<b>T.1.7.1</b>		<b><u>Base plates epoxy coated (split type)</u></b>				
		a) 50 mm	no	1		
		b) 65 mm	no	1		
		c) 80 mm	no	1		
<b>T.1.7.2</b>		<b><u>Base plates galvanized</u></b>				
		a) 50 mm	no	1		
		b) 65 mm	no	1		
		c) 80 mm	no	1		
<b>T.1.8</b>		<b><u>Lockable Steel Manhole Cover</u></b>				
<b>T.1.8.1</b>		Supply and install complete lockable fabricated steel manhole cover for submersible pump as per Drawing No. 1701321-TY-05	PC Sum	1	10000	rate only
<b>T.1.8.2</b>		Mark up on Item T.1.8.1.	%	10000		
<b>T</b>		<b>Carried forward</b>				
<b>T</b>		<b>Brought forward</b>				
<b>T.2</b>		<b><u>Close coupled centrifugal pump and motor (Three phase, 2 or 4 pole motor)</u></b>				
		Supply, deliver, install and test the following three phase close coupled end-suction centrifugal pump and motor (2 or 4 pole) complete with cast iron impeller, and cast iron & coated casing. (Including trimming of the Impeller)				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
T.2.1		Suction - 50mm; Discharge - 32mm; Impeller - 125mm (Q - 25 <sup>3</sup> /h; H - 23m; P - 2,2kW)	set	1		
T.2.2		Suction - 50mm; Discharge - 32mm; Impeller - 160mm (Q - 20 <sup>3</sup> /h; H - 35m; P - 4kW)	set	1		
T.2.3		Suction - 50mm; Discharge - 32mm; Impeller - 200mm (Q - 14 <sup>3</sup> /h; H - 50m; P - 5,5kW)	set	1		
T.2.4		Suction - 50mm; Discharge - 32mm; Impeller - 250mm (Q - 16 <sup>3</sup> /h; H - 75m; P - 7,5kW)	set	1		
T.3		<b><u>Close coupled centrifugal pump and motor (Single phase, 2 pole motor)</u></b>				
		Supply, deliver,install and test the following single phase close coupled end-suction centrifugal pump and motor (2 pole) complete with cast iron impeller, and cast iron & coated casing. (Including trimming of Impeller)				
T.3.1		Suction - 50mm; Discharge - 32mm; Impeller - 125mm (Q - 25 <sup>3</sup> /h; H - 23m; P - 2,2kW)	set	1		
T		<b>Carried forward</b>				
T		<b>Brought forward</b>				
T.4		<b><u>Other Close coupled centrifugal pump and motor</u></b>				
T.4.1		Mark up on other Close coupled pump and motor set as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	60000	rate only
T.4.2		Mark up on other Close coupled pump and motor set.	%	60000		
T.4.3		Extra over Item T.4.2: Deliver, Install, Testing and Commission a complete Close coupled pump and motor set.	set	1		
T.5		<b><u>Centrifugal pump and motor set with base plate and flexible coupling (Three phase, 2 pole motor)</u></b>				
T.5.3		Suction - 50mm; Discharge - 32mm; Impeller - 200mm (Q - 14 <sup>3</sup> /h; H - 50m; P - 5,5kW)	set	1		
T.5.4		Suction - 50mm; Discharge - 32mm; Impeller - 250mm (Q - 16 <sup>3</sup> /h; H - 75m; P - 7,5kW)	set	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
T		<b>Carried forward</b>				
T		<b>Brought forward</b>				
T.7		<b><u>Other Centrifugal pump and motor set with base plate and flexible coupling.</u></b>				
T.7.1		Mark up on other Centrifugal pump and motor set with base plate and flexible coupling as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	60000	rate only
T.7.2		Mark up on other Centrifugal pump and motor set.	%	60000		
T.7.3		Extra over Item T.7.2: Deliver, Install, Testing and Commission a complete Centrifugal pump and motor set with base plate and flexible coupling.	set	1		
T.8		<b><u>Supply, deliver, install and test the following three phase 2 or 4 pole motors.</u></b>				
T.8.4		5.5 kW	no	1		
T.8.5		7.5 kW	no	1		
T.8.6		11 kW	no	1		
T		<b>Carried forward</b>				
T		<b>Brought forward</b>				
T.10		<b><u>Other Electrical motor.</u></b>				
T.10.1		Mark up on other Electrical motor as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	60000	rate only
T.10.2		Mark up on other Electrical motor.	%	60000		
T.10.3		Extra over Item T.10.2: Deliver, Install, Testing and Commission a complete Electrical motor and flexible coupling.	set	1		
T.11		<b><u>ELECTRICAL - GENERAL</u></b>				
T.11.1		Test the complete electrical works and issue a Certificate of Compliance (CoC) by an applicable certified and registered electrical person.	sum	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
T.11.2		Electrical Connection Fee (Provisional Sum)	sum	1	50 000	rate only
T.11.3		Handling Cost and profit in respect of Item T.11.2	%	50000		
T.11.4		Earth Spike (Include Conductor Termination Clamp)	sum	1		
<b>T</b>		<b>Carried forward</b>				
<b>T</b>		<b>Brought forward</b>				
<b>T.13</b>		<b><u>Electrical Motor Control and Starters</u></b>				
		Supply, deliver, install, and test a complete DB Board in a lockable IP55 powder coated mild steel enclosure (or similar approved by Engineer) for a pump and motor set with all applicable switch gear and starters with protections for Dry run, Pump stall, Overload, Under voltage, Over voltage, Phase failure, Phase rotation and short circuit. Inclusive of all wiring, terminations, and glands.				
T.13.1		<b>Single Phase Direct on Line</b>				
		a) 0,25 kW	sum	1		
		b) 0,37 kW	sum	1		
		c) 0,55 kW	sum	1		
		d) 0,75 kW	sum	1		
		e) 1,1 kW	sum	1		
		f) 1,5 kW	sum	1		
		g) 2,2 kW	sum	1		
T.13.2		<b>Three Pphase Direct on Line</b>				
		a) 0,25 kW	sum	1		
		b) 0,37 kW	sum	1		
<b>T</b>		<b>Carried forward</b>				
<b>T</b>		<b>Brought forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
		c) 0,55 kW	sum	1		
		d) 0,75 kW	sum	1		
		e) 1,1 kW	sum	1		
		f) 1,5 kW	sum	1		
		g) 2,2 kW	sum	1		
T.13.3		<b>Star Delta Starter (Complete with relays &amp; timers)</b>				
		a) 3 kW	sum	1		
		b) 3,7 kW	sum	1		
		c) 4 kW	sum	1		
T.13.4		<b>Soft Starter</b>				
		a) 1,5 kW	sum	1		
		b) 2,2 kW	sum	1		
		c) 3 kW	sum	1		
		d) 3,7 kW	sum	1		
		e) 4 kW	sum	1		
T.13.5		<b>Variable Speed Drives (VSDs)</b>				
		a) 1,5 kW	sum	1		
		b) 2,2 kW	sum	1		
		c) 3 kW	sum	1		
		d) 3,7 kW	sum	1		
		e) 4 kW	sum	1		
		f) 5,5 kW	sum	1		
<b>T</b>		<b>Carried forward</b>				
<b>T</b>		<b>Brought forward</b>				
T.13.6		<b>Solar-Powered Variable Speed Drives (VSDs)</b>				
		a) 1,5 kW	sum	1		
		b) 2,2 kW	sum	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
		c) 3 kW	sum	1		
		d) 3,7 kW	sum	1		
		e) 4 kW	sum	1		
T.13.7		<b>Other Electrical Motor Control and Starters</b>				
T.13.7.1		Mark up on other Electrical motor Control and Starters as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1		
T.13.7.2		Mark up on other Electrical motor Control and Starters.	%			
T.13.7.3		Extra over Item T.13.7.2: Deliver, Install, Testing and Commission a complete Electrical motor Control and Starter.	set	1		
		<b>Three Core Cable</b>				
		Supply, deliver, install and test three core SABS approved copper cables. Inclusive of all terminations and glands.				
T.14.3		<b>Three Core Submersible pump cable (SANS 1574)</b>				
		a) 1.5 mm <sup>2</sup>	m	1		
		b) 2.5 mm <sup>2</sup>	m	1		
		c) 4 mm <sup>2</sup>	m	1		
		d) 6 mm <sup>2</sup>	m	1		
		e) 10 mm <sup>2</sup>	m	1		
		f) 16 mm <sup>2</sup>	m	1		
		g) 25 mm <sup>2</sup>	m	1		
		h) 35 mm <sup>2</sup>	m	1		
		l) 50 mm <sup>2</sup>	m	1		
T		<b>Carried forward</b>				
T		<b>Brought forward</b>				
T.14.4		<b>Three Core Armoured copper cable (SANS 1507)</b>				
		a) 1.5 mm <sup>2</sup>	m	1		
		b) 2.5 mm <sup>2</sup>	m	1		
		c) 4 mm <sup>2</sup>	m	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
		d) 6 mm <sup>2</sup>	m	1		
		e) 10 mm <sup>2</sup>	m	1		
		f) 16 mm <sup>2</sup>	m	1		
		g) 25 mm <sup>2</sup>	m	1		
		h) 35 mm <sup>2</sup>	m	1		
		l) 50 mm <sup>2</sup>	m	1		
T.14.5		<b>Three Core Armoured copper cable with Earth continuity Conductor in the armour. (SANS 1507)</b>				
		a) 1.5 mm <sup>2</sup>	m	1		
		b) 2.5 mm <sup>2</sup>	m	1		
		c) 4 mm <sup>2</sup>	m	1		
		d) 6 mm <sup>2</sup>	m	1		
		e) 10 mm <sup>2</sup>	m	1		
		f) 16 mm <sup>2</sup>	m	1		
		g) 25 mm <sup>2</sup>	m	1		
		h) 35 mm <sup>2</sup>	m	1		
		l) 50 mm <sup>2</sup>	m	1		
		<b>Four Core Cable</b>				
		<b>Supply, deliver, install and test four core SABS approved copper cables. Inclusive of all terminations and glands.</b>				
T.14.6		<b>Four Core Submersible pump cable (SANS 1574)</b>				
		a) 1.5 mm <sup>2</sup>	m	1		
T		<b>Carried forward</b>				
T		<b>Brought forward</b>				
		b) 2.5 mm <sup>2</sup>	m	1		
		c) 4 mm <sup>2</sup>	m	1		
		d) 6 mm <sup>2</sup>	m	1		
		e) 10 mm <sup>2</sup>	m	1		
		f) 16 mm <sup>2</sup>	m	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
		g) 25 mm <sup>2</sup>	m	1		
		h) 35 mm <sup>2</sup>	m	1		
		l) 50 mm <sup>2</sup>	m	1		
T.14.7		<b>Four Core Armoured copper cable (SANS 1507)</b>				
		a) 1.5 mm <sup>2</sup>	m	1		
		b) 2.5 mm <sup>2</sup>	m	1		
		c) 4 mm <sup>2</sup>	m	1		
		d) 6 mm <sup>2</sup>	m	1		
		e) 10 mm <sup>2</sup>	m	1		
		f) 16 mm <sup>2</sup>	m	1		
		g) 25 mm <sup>2</sup>	m	1		
		h) 35 mm <sup>2</sup>	m	1		
		l) 50 mm <sup>2</sup>	m	1		
T.14.8		<b>Four Core Armoured copper cable with Earth continuity Conductor in the armour. (SANS 1507)</b>				
		a) 1.5 mm <sup>2</sup>	m	1		
		b) 2.5 mm <sup>2</sup>	m	1		
		c) 4 mm <sup>2</sup>	m	1		
		d) 6 mm <sup>2</sup>	m	1		
		e) 10 mm <sup>2</sup>	m	1		
		f) 16 mm <sup>2</sup>	m	1		
		g) 25 mm <sup>2</sup>	m	1		
<b>T</b>		<b>Carried forward</b>				
<b>T</b>		<b>Brought forward</b>				
		h) 35 mm <sup>2</sup>	m	1		
		l) 50 mm <sup>2</sup>	m	1		
		<b>Supply, deliver, install and test SABS approved copper cables. Inclusive of all terminations and glands.</b>				



**LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT**

**A 3-YEAR FRAMEWORK AGREEMENT FOR THE DEVELOPMENT AND MAINTENANCE OF IRRIGATION AND CIVIL WORKS FOR INDIVIDUAL, SCHEMES AND GOVERNMENT FACILITIES PROJECTS FOR THE LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT**

**C2.2 Bill of Quantities**

**CATEGORY 2 BOQ – ONLY BIDDERS WITH CIDB GRADING 5CE OR 5SH TO 7CE OR 7SH MUST COMPLETE THIS SECTION.**

**LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT**  
**FRAMEWORK AGREEMENT FOR DEVELOPMENT AND MAINTENANCE OF IRRIGATION PROJECTS**  
**SUMMARY OF SCHEDULE OF QUANTITIES AND CALCULATION OF CONTRACT AMOUNT**

<b>SECTION AND DESCRIPTION</b>	<b>AMOUNT</b>
SECTION A : PRELIMINARY AND GENERAL	
SECTION B: EARTHWORKS	
SECTION C : STEEL PIPES AND FITTINGS	
SECTION D : HDPE PIPES AND FITTINGS	
SECTION E : PVC PIPES AND FITTINGS	
SECTION F : DRIP IRRIGATION	
SECTION G : SPRINKLER IRRIGATION	
SECTION H : FILTERS & AIRVALVES	
SECTION J : LDPE PIPES AND FITTINGS	
SECTION K : VALVES & METERS	
SECTION L : SHADENET	
SECTION M : TUNNELS & RESEVOIRS	
SECTION N: CENTRE PIVOTS IRRIGATION	
SECTION P : BUILDING	
SECTION R : ELECTRICALS AND PLUMBING	
SECTION S : POWER GENERATION EQUIPMNET	
SECTION T : PUMPS & MOTORS,CONTROLS & CABLES	
<b>TOTAL SCHEDULE OF QUANTITIES</b>	
ADD 10% CONTINGENCIES	
<b>SUB TOTAL</b>	
ADD 15% VAT	
<b>TOTAL TENDER AMOUNT</b>	

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b><u>SECTION A: PRELIMINARY &amp; GENERAL</u></b>						
		<b>Note:</b> Contractor to Hire at least 10 LOCAL personnel/labour at not less than R200/day labour rate for a 6 months Contract Period with Sub Total Task Order Amount of R3 000 000,00 before VAT and Contingencies				
		<b>Note:</b> For the purpose of costing, assume a 5 months construction period, with a total value of works (excl. P&G) of R3 000 000,00.				
<b>A.1</b>	<b>SANS 1200A</b>	<b>SCHEDULED FIXED-CHARGE AND VALUE RELATED ITEMS (Max. 5% of R 3000 000,00)</b>				
A.1.1	8.3.1	Contractual Requirements	Sum	1		
	<b>8.3.2</b>	<b>Establishment of Facilities on Site</b>				
	8.3.2.2	<u>FACILITIES FOR CONTRACTOR</u>				
A.1.2		a) Offices and storage shed	Sum	1		
A.1.3		d) Living accommodation	Sum	1		
A.1.4		e) Ablution and Latrine Facilities	Sum	1		
A.1.5		f) Tools and equipment	Sum	1		
A.1.6		g) Water supplies, electrical power and communication	Sum	1		
A.1.7	<b>5,1,1</b>	Setting out of the works	Sum	1		
A.1.8	<b>8.3.4</b>	Removal of Site Establishment	Sum	1		
	<b>8.4</b>	<b>SCHEDULED TIME-RELATED ITEMS (Max. 5% of R 3000 000,00)</b>				
A.1.9	8.4.1	Contractual Requirements	Sum	1		
A.1.10		Insurance of the works	Sum	1		
	<b>8.4.2</b>	<b>Operation and Maintenance of Facilities on Site</b>				
	8.4.2.2	<u>FACILITIES FOR CONTRACTOR</u>				
A.1.11		a) Offices and storage shed	Sum	1		
A.1.12		d) Living accommodation	Sum	1		
A.1.13		e) Ablution and Latrine Facilities	Sum	1		
A.1.14		f) Tools and equipment	Sum	1		
A.1.15		g) Water supplies, electrical power and communication	Sum	1		
A.1.16	8.4.3	Supervision for Duration of Construction	Sum	1		
<b>A</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>A</b>		<b>Brought forward</b>				
	<b>8,5</b>	<b>SUMS STATED PROVISIONALLY BY ENGINEER</b>				
A.1.17	8.5 (b)	a) Topographical Survey	Prov Sum	1		
A.1.18		b) Remuneration of Community Liaison Officer (CLO)	Prov Sum	1		
A.1.19		c) Overheads, charges and profit on a) to b) above	%			
		<b>OCCUPATIONAL HEALTH AND SAFETY</b>				
A.1.20		Contractor's initial obligations in respect of the Occupational Health and Safety Act and Construction Regulations	Sum	1		
A.1.21		Contractor's time related obligations in respect of the Occupational Health and Safety Act and Construction Regulations	Month	5		
A.1.22		Submission of the Health and Safety File	Sum	1		
A.1.23		Dust suppression by water spraying construction site, with 10 000L Tanker	Day	1		
A.1.24		SANS approved weld mesh type temporary barrier fencing 1,8m high covered with a net fixed to and including 100mm diameter gum poles set securely min 300mm deep in ground at max 3m spacing including excavation, backfilling, etc	m	200		
A.1.25		Extra over mesh fence for pedestrian gate size 1.8 x 1,8m high.	No	1		
		<u>Provision for Personal Protective Equipment and Protective Clothing per each person:</u>				
A.1.26		Reflective vests.	No	10		
A.1.27		Hard hats.	No	10		
A.1.28		Protective foot wear.	No	10		
A.1.29		Ear Plugs.	No	10		
A.1.30		Dust Masks.	No	10		
A.1.31		Working suite - jacket and pants	No	10		
		<u>Costs of Medical Certificates and Medical Surveillance:</u>				
A.1.32		Entry medical fitness examinations per employee	No	10		
A.1.33		Respiratory prevention kit allocation and routine screening	No	10		
A.1.34		Exit Examinations per employee	No	10		
<b>A</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>A</b>		<b>Brought forward</b>				
	<b>SANS 1200A</b>	<b>DAYWORKS</b>				
<b>A.2</b>	<b>8,7</b>	<b>Daywork Labour</b>				
A.2.1		Contractor's Representative	hour	1		
A.2.2		Surveyor	hour	1		
A.2.3		Irrigation engineer	hour	1		
A.2.4		Plumber	hour	1		
A.2.5		Boilermaker	hour	1		
A.2.6		Bricklayer	hour	1		
A.2.7		Plasterer	hour	1		
A.2.8		Welder with API 1104 Certificate	hour	1		
A.2.9		Electrician	hour	1		
A.2.10		Semi-skilled labourer	hour	1		
A.2.11		Labourer	hour	1		
<b>A,3</b>	<b>8,7</b>	<b>Plant hire : Work Rates on Site</b>				
A.3.1		Crane 20 t - 35 t capacity	hour	1		
A.3.2		Tractor 60 kW - 90 kW	hour	1		
A.3.3		TLB 60 kW - 70 kW	hour	1		
A.3.4		Motor graders 150 kW - 160 kW	hour	1		
A.3.6		Wheel excavators 0,4 - 1,25m <sup>3</sup> bucket size	hour	1		
A.3.7		Water tankers 4 000 - 20 000 litre	hour	1		
A.3.8		Drilling rig up to 200 metres	hour	1		
A.3.9		Borehole Testing equipment up 10 litres/s	hour	1		
A.3.10		Dumpers 0,5m <sup>3</sup> (Hydraulic tip)	hour	1		
A.3.11		Mono pump with 80mm DN outlet (diesel driven) 2.2 - 7.5 kW	hour	1		
A.3.12		Arc-welding unit (300 A)	hour	1		
A.3.13		10 kVA (petrol) 220V Generator	hour	1		
A.3.14		30 kVA (diesel) 380V - 3ph Generator	hour	1		
<b>A</b>		<b>Carried forward</b>				
<b>A</b>		<b>Brought forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>A,4</b>		<b>TRAINING AND OTHER MARKUPS</b>				
A.4.1		<b>SUMS STATED PROVISIONALLY BY ENGINEER (Employer)</b>				
A.4.2		<b>SABI ACCREDITED TRAINING</b>				
A.4.3		Provision of M1 - Basic principles and installation of irrigation systems by an SABI accredited training service provider / institute (25 People)	Sum	1		
A.4.4		Provision of M2 - Irrigation Scheduling and management of irrigation systems an SABI accredited training service provider / institute (5 People)	Sum	1		
A.4.5		Provision of refresher training on the irrigation equipment installed. Training to be done by the Supplier of an SABI accredited training service provider / institue	Sum	1		
A.4.6		Training allowance for direct payments to targeted labour in terms of formal training days	Sum	1		
A.4.7		Transport & accommodation of workers for training where it is not possible to undertake the training in close proximity to the site	Sum	1		
A.4.8		Extra over A.4.3 to A.4.7 above for the administration payment of training, allowances transport and venue arrangements	%	-		
<b>A,5</b>		<b>Mark up on other specialists services</b>				
A.5.1		Geohydrological services	PC sum	100 000		
		Mark up on above	%	100 000		
A.5.2		Electrical and mechanical engineering services	PC sum	100 000		
		Mark up on above	%	100 000		
A.5.3		Geotechnical services	PC sum	100 000		
		Mark up on above	%	100 000		
A.5.4		Agricultural Engineering (Anciliry works)	PC sum	100 000		
		Mark up on above	%	100 000		
A.5.5		Provision of Operation and maintenance manual for Irrigation Development Works	PC sum	20 000		
		Mark up on above	%	20 000		
A.5.6		Structural engineering services	PC sum	100 000		
		Mark up on above	%	100 000		
		<b>TOTAL SECTION "A" CARRIED FORWARD TO SUMMARY</b>				-

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>SECTION B: EARTHWORKS</b>						
<b>B.1</b>		<b>SITE CLEARANCE</b>				
B.1.1		Clear and grub site including vegetation, trees and tree stumps of girth up to 1m	m <sup>2</sup>	1		
B.1.2		Clear and grub vegetation on the pipeline path, 2m wide clearing	m	1		
B.1.3		De-bushing of virgin land with congested high dense bush/trees	ha	1		
B.1.4		De-bushing of virgin land with scattered bush/trees	ha	1		
		<u>Remove Topsoil</u>				
B.1.5		Strip to 150 mm deep x 1 m wide on single pipe and 2 m wide on double on pipeline centre line, stockpile and prevent dust	m <sup>2</sup>	2000		
		<b>Dams De-Silting</b>				
B.1.6		Removal of silt in dam basin including free haul of 2km and dumping on approved site as per Engineers instruction.	m <sup>3</sup>	100		
		<b>Keeping excavations free of water:</b>				
B.1.7		Keeping excavations free from mud and storm water	Sum	1		
B.1.8		Handling and Keeping excavations free from subterranean sources.	Sum	1		
B.2	<b>SANS 1200D</b>	<b>EXCAVATION</b>				
B.2.1		Excavations in all materials for trenches to a depth less than 1000 mm for removal of unsuitable material and dispose of material for 600mm wide trenches	m	1		
B.2.2		Excavations in all materials for trenches to a depth less than 1000 mm for removal of unsuitable material and dispose of material for 800mm wide trenches	m	1		
B.2.3		Excavations in all materials for trenches to a depth less than 1500 mm for removal of unsuitable material and dispose of material for 600mm wide trenches	m	1		
B.2.4		Excavations in all materials for trenches to a depth less 1500 mm for removal of unsuitable material and dispose of material for 800mm wide trenches	m	1		
B.2.5		Excavations in all materials for trenches to a depth over 1500 mm for removal of unsuitable material and dispose of material for 600mm wide trenches	m	1		
<b>B</b>		<b>Carried forward</b>				

<b>B</b>		<b>Brought forward</b>				
B.2.6		Excavations in all materials for trenches to a depth over 1500 mm for removal of unsuitable material and dispose of material for 800mm wide trenches	m	1		
B.2.7		Extra-over Item above (Items B.2.1 - B.2.6)				
B.2.8		Intermediate excavations	m <sup>3</sup>	1		
B.2.9		Hard excavations	m <sup>3</sup>	1		
B.2.10		Boulder excavation, Class A	m <sup>3</sup>	1		
B.2.11		Boulder excavation, Class B	m <sup>3</sup>	1		
		<b>BEDDING (PIPES)</b>				
		Provision of bedding from trench excavation:				
B.2.12		Selected granular material	m <sup>3</sup>	1		
B.2.13		Selected fill material	m <sup>3</sup>	1		
		Supply only of bedding by importation From other necessary excavations (Provisional)				
B.2.14		Selected granular material	m <sup>3</sup>	1		
B.2.15		Selected fill material	m <sup>3</sup>	1		
		Dealing with Services that intersect a trench to complete works:				
B.2.16		Stock fences	No	1		
B.2.17		Water Pipes	No	1		
B.2.18		Roads	No	1		
B.2.19		Power cables	No	1		
		Finishing				
		Reinstate road surfaces complete with all courses:				
B.2.20		Gravel road surfaces	m <sup>2</sup>	1		
B.2.21		Paved road surfaces	m <sup>2</sup>	1		
<b>B</b>		<b>Carried forward</b>				

B		Brought forward				
<b>B.3</b>		<b>Soil Preparation</b>				
B.3.1		Plough land earmarked for irrigation to a depth of 300 mm	ha	1		
B.3.2		Disk land earmarked for irrigation	ha	1		
B.3.3		Rip the land earmarked for irrigaion to a depth of 600 mm, One way	ha	1		
B.3.4		Rip the land earmarked for irrigaion to a depth of 600 mm, 2nd Cross Ripping at 45deg	ha	1		
B.3.5		Vegetable crops ridges making with less than 0,5m wide width and 0,5m height in the field	ha	1		
B.3.6		Citrus ocharnd ridges making with over 1m wide width and 1m height in the field	ha	1		
B.3.7		Extra over above for operations under Shadenets and Tunnels (Items B.3.1 - B.3.6)	ha	1		
		<b>TOTAL SECTION "B" CARRIED FORWARD TO SUMMARY</b>				-

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b><u>SECTION C : STEEL PIPES AND FITTINGS</u></b>						
C		Supply, deliver, install and test the following steel pipes, fittings and specials complete with gaskets, bolts, nuts and washers. Conforming to SABS 719, SABS 62-1989 and BS534. All steel pipes and fittings to have a wall thickness of 4.5mm and galvanized according to specification SABS 1461 and SABS ISO 14713. All flanges Table D				
C.1		<b><u>Barrel Nipple</u></b>				
C.1.1		40 mm	no	1		
C.1.2		50 mm	no	1		
C.1.3		65 mm	no	1		
C.1.4		80 mm	no	1		
C.1.5		100 mm	no	1		
C.2		<b><u>Nipple Galvanised Hexagonal</u></b>				
C.2.1		40 mm	no	1		
C.2.2		50 mm	no	1		
C.2.3		65 mm	no	1		
C.2.4		80 mm	no	1		
C.2.5		100 mm	no	1		
C.3		<b><u>Elbow Galvanised Female/Female 90°</u></b>				
C.3.1		40 mm	no	1		
C.3.2		50 mm	no	1		
C.3.3		65 mm	no	1		
C.3.4		80 mm	no	1		
C.3.5		100 mm	no	1		
C.4		<b><u>Elbow Galvanised Male/Female 90°</u></b>				
C.4.1		40 mm	no	1		
C.4.2		50 mm	no	1		
C.4.3		65 mm	no	1		
C		<b>Brought forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>C</b>		<b>Brought forward</b>				
C.4.4		80 mm	no	1		
C.4.5		100 mm	no	1		
C.5		<b><u>Elbow Galvanised Gemale/Female 45</u></b>				
C.5.1		40 mm	no	1		
C.5.2		50 mm	no	1		
C.5.3		65 mm	no	1		
C.5.4		80 mm	no	1		
C.5.5		100 mm	no	1		
C.6		<b><u>Coupling galvanised swage</u></b>				
C.6.1		40 mm	no	1		
C.6.2		50 mm	no	1		
C.6.3		65 mm	no	1		
C.6.4		80 mm	no	1		
C.6.5		100 mm	no	1		
C.7		<b><u>Crosses galvanised</u></b>				
C.7.1		40 mm	no	1		
C.7.2		50 mm	no	1		
C.7.3		65 mm	no	1		
C.7.4		80 mm	no	1		
C.7.5		100 mm	no	1		
C.8		<b><u>Backnut galvanised</u></b>				
C.8.1		40 mm	no	1		
C.8.2		50 mm	no	1		
C.8.3		65 mm	no	1		
C.8.4		80 mm	no	1		
<b>C</b>		<b>Brought forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>C</b>		<b>Brought forward</b>				
C.8.5		100 mm	no	1		
C.9		<b><u>Union galvanised conical</u></b>				
C.9.1		40 mm	no	1		
C.9.2		50 mm	no	1		
C.9.3		65 mm	no	1		
C.9.4		80 mm	no	1		
C.9.5		100 mm	no	1		
C.10		<b><u>Union galvanised conical</u></b>				
C.10.1		40 mm	no	1		
C.10.2		50 mm	no	1		
C.10.3		65 mm	no	1		
C.10.4		80 mm	no	1		
C.10.5		100 mm	no	1		
C.11		<b><u>Coupling Galvanised Johnson</u></b>				
C.11.1		40 mm	no	1		
C.11.2		50 mm	no	1		
C.11.3		65 mm	no	1		
C.11.4		80 mm	no	1		
C.11.5		100 mm	no	1		
C.12		<b><u>Nipple Galvanised Longscrew</u></b>				
C.12.1		40 mm	no	1		
C.12.2		50 mm	no	1		
C.12.3		65 mm	no	1		
C.12.4		80 mm	no	1		
C.12.5		100 mm	no	1		
<b>C</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>C</b>		<b>Brought forward</b>				
C.13		<b><u>Adaptor Galvanised Swage</u></b>				
C.13.1		40 mm	no	1		
C.13.2		50 mm	no	1		
C.13.3		65 mm	no	1		
C.13.4		80 mm	no	1		
C.13.5		100 mm	no	1		
C.14		<b><u>Plug Galvanised Hollow</u></b>				
C.14.1		40 mm	no	1		
C.14.2		50 mm	no	1		
C.14.3		65 mm	no	1		
C.14.4		80 mm	no	1		
C.14.5		100 mm	no	1		
C.15		<b><u>Socket Galvanised</u></b>				
C.15.1		40 mm	no	1		
C.15.2		50 mm	no	1		
C.15.3		65 mm	no	1		
C.15.4		80 mm	no	1		
C.15.5		100 mm	no	1		
C.16		<b><u>Endcap Galvanised</u></b>				
C.16.1		40 mm	no	1		
C.16.2		50 mm	no	1		
C.16.3		65 mm	no	1		
C.16.4		80 mm	no	1		
C.16.5		100 mm	no	1		
<b>C</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>C</b>		<b>Brought forward</b>				
C.17		<b><u>Holderbat Galvanised</u></b>				
C.17.1		40 mm	no	1		
C.17.2		50 mm	no	1		
C.17.3		65 mm	no	1		
C.17.4		80 mm	no	1		
C.17.5		100 mm	no	1		
C.18		<b><u>Socket Galvanised Sprinkler</u></b>				
C.18.1		20 mm	no	1		
C.18.2		25 mm	no	1		
C.18.3		32 mm	no	1		
C.18.4		40 mm	no	1		
C.18.5		50 mm	no	1		
C.18.6		65 mm	no	1		
C.18.7		80 mm	no	1		
C.18.8		100 mm	no	1		
C.19		<b><u>Tee Galvanised</u></b>				
C.19.1		40 mm	no	1		
C.19.2		50 mm	no	1		
C.19.3		65 mm	no	1		
C.19.4		80 mm	no	1		
C.19.5		100 mm	no	1		
C.20		<b><u>Socket Steel</u></b>				
C.20.1		40 mm	no	1		
C.20.2		50 mm	no	1		
C.20.3		65 mm	no	1		
C.20.4		80 mm	no	1		
<b>C</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>C</b>		<b>Brought forward</b>				
C.20.5		100 mm	no	1		
C.21		<b><u>Socket Galvanised Reducing</u></b>				
C.21.1		40x25mm	no	1		
C.21.2		40x32mm	no	1		
C.21.3		50x25mm	no	1		
C.21.4		50x32mm	no	1		
C.21.5		50x40mm	no	1		
C.21.6		65x25mm	no	1		
C.21.7		65x32mm	no	1		
C.21.8		65x40mm	no	1		
C.21.9		65x50mm	no	1		
C.21.10		80x40mm	no	1		
C.22		<b><u>Tee Galvanised Reducing</u></b>				
C.22.1		40x25mm	no	1		
C.22.2		40x32mm	no	1		
C.22.3		50x25mm	no	1		
C.22.4		50x32mm	no	1		
C.22.5		50x40mm	no	1		
C.22.6		65x25mm	no	1		
C.22.7		65x32mm	no	1		
C.22.8		65x40mm	no	1		
C.22.9		65x50mm	no	1		
C.22.10		80x40mm	no	1		
C.23		<b><u>Standpipe Galvanised</u></b>				
C.23.1		25mm x 150mm	no	1		
C.23.2		25mm x 200mm	no	1		
<b>C</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>C</b>		<b>Brought forward</b>				
C.23.3		25mm x 300mm	no	1		
C.23.4		25mm x 400mm	no	1		
C.23.5		25mm x 450mm	no	1		
C.23.6		25mm x 500mm	no	1		
C.23.7		25mm x 600mm	no	1		
C.23.8		25mm x 750mm	no	1		
C.23.9		25mm x 900mm	no	1		
C.23.10		25mm x 1000mm	no	1		
C.23.11		32mm x 150mm	no	1		
C.23.12		32mm x 200mm	no	1		
C.23.13		32mm x 300mm	no	1		
C.23.14		32mm x 400mm	no	1		
C.23.15		32mm x 450mm	no	1		
C.23.16		32mm x 500mm	no	1		
C.23.17		32mm x 600mm	no	1		
C.23.18		32mm x 750mm	no	1		
C.23.19		32mm x 900mm	no	1		
C.23.20		32mm x 1000mm	no	1		
C.23.21		40mm x 150mm	no	1		
C.23.22		40mm x 200mm	no	1		
C.23.23		40mm x 300mm	no	1		
C.23.24		40mm x 400mm	no	1		
C.23.25		40mm x 450mm	no	1		
C.23.26		40mm x 500mm	no	1		
C.23.27		40mm x 600mm	no	1		
C.23.28		40mm x 750mm	no	1		
C.23.29		40mm x 900mm	no	1		
C.23.30		40mm x 1000mm	no	1		
C.23.31		50mm x 150mm	no	1		
<b>C</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>C</b>		<b>Brought forward</b>				
C.23.32		50mm x 200mm	no	1		
C.23.33		50mm x 300mm	no	1		
C.23.34		50mm x 400mm	no	1		
C.23.35		50mm x 450mm	no	1		
C.23.36		50mm x 500mm	no	1		
C.23.37		50mm x 600mm	no	1		
C.23.38		50mm x 750mm	no	1		
C.23.39		50mm x 900mm	no	1		
C.23.40		50mm x 1000mm	no	1		
C.23.41		65mm x 150mm	no	1		
C.23.42		65mm x 200mm	no	1		
C.23.43		65mm x 300mm	no	1		
C.23.44		65mm x 400mm	no	1		
C.23.45		65mm x 450mm	no	1		
C.23.46		65mm x 500mm	no	1		
C.23.47		65mm x 600mm	no	1		
C.23.48		65mm x 750mm	no	1		
C.23.49		65mm x 900mm	no	1		
C.23.50		65mm x 1000mm	no	1		
C.23.51		80mm x 150mm	no	1		
C.23.52		80mm x 200mm	no	1		
C.23.53		80mm x 300mm	no	1		
C.23.54		80mm x 400mm	no	1		
C.23.55		80mm x 450mm	no	1		
C.23.56		80mm x 500mm	no	1		
C.23.57		80mm x 600mm	no	1		
C.23.58		80mm x 750mm	no	1		
C.23.59		80mm x 900mm	no	1		
C.23.60		80mm x 1000mm	no	1		
<b>C</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>C</b>		<b>Brought forward</b>				
C.23.61		100mm x 150mm	no	1		
C.23.62		100mm x 200mm	no	1		
C.23.63		100mm x 300mm	no	1		
C.23.64		100mm x 400mm	no	1		
C.23.65		100mm x 450mm	no	1		
C.23.66		100mm x 500mm	no	1		
C.23.67		100mm x 600mm	no	1		
C.23.68		100mm x 750mm	no	1		
C.23.69		100mm x 900mm	no	1		
C.23.70		100mm x 1000mm	no	1		
C.24		<b><u>Flange Screwed</u></b>				
C.24.1		40mm	no	1		
C.24.2		50mm	no	1		
C.24.3		65mm	no	1		
C.24.4		80mm	no	1		
C.24.5		100mm	no	1		
C.25		<b><u>Flange Screwed On</u></b>				
C.25.1		40mm	no	1		
C.25.2		50mm	no	1		
C.25.3		65mm	no	1		
C.25.4		80mm	no	1		
C.25.5		100mm	no	1		
C.26		<b><u>Flange Weld On</u></b>				
C.26.1		40mm	no	1		
C.26.2		50mm	no	1		
C.26.3		65mm	no	1		
<b>C</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>C</b>		<b>Brought forward</b>				
C.26.4		80mm	no	1		
C.26.5		100mm	no	1		
C.27		<b><u>Flange Weld On (Table 1600/3)</u></b>				
C.27.1		50mm	no	1		
C.27.2		65mm	no	1		
C.27.3		80mm	no	1		
C.27.4		100mm	no	1		
C.28		<b><u>Back Ring (Used With UPV Stubs)</u></b>				
C.28.1		50mm	no	1		
C.28.2		65mm	no	1		
C.28.3		80mm	no	1		
C.28.4		100mm	no	1		
C.29		<b><u>Insertion Ring Gasket</u></b>				
C.29.1		50mm	no	1		
C.29.2		65mm	no	1		
C.29.3		80mm	no	1		
C.29.4		100mm	no	1		
C.30		<b><u>Insertion Ring Full Face Gasket</u></b>				
C.30.1		50mm	no	1		
C.30.2		65mm	no	1		
C.30.3		80mm	no	1		
C.30.4		100mm	no	1		
C.31		<b><u>Galvanised steel pipe</u></b>				
C.31.1		40 mm	m	1		
<b>C</b>		<b>Carried forward</b>				



No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b><u>SECTION D : HDPE PIPES AND FITTINGS</u></b>						
D		Supply, deliver, install and test the following SABS approved HDPE pipes, fittings.				
D.1		<b><u>Coupling Compression</u></b>				
D.1.4		32mm	no	1		
D.1.5		40mm	no	1		
D.1.6		50mm	no	1		
D.1.7		63mm	no	1		
D.1.8		75mm	no	1		
D.1.9		90mm	no	1		
D.2		<b><u>Endcap Compression</u></b>				
D.2.4		32mm	no	1		
D.2.5		40mm	no	1		
D.2.6		50mm	no	1		
D.2.7		63mm	no	1		
D.2.8		75mm	no	1		
D.2.9		90mm	no	1		
D.3		<b><u>Equal Tee Compression</u></b>				
D.3.4		32mm	no	1		
D		<b>Carried forward</b>				
D		<b>Brought forward</b>				
D.3.5		40mm	no	1		
D.3.6		50mm	no	1		
D.3.7		63mm	no	1		
D.3.8		75mm	no	1		
D.3.9		90mm	no	1		
D.4		<b><u>Elbow Compression</u></b>				
D.4.4		32mm	no	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
D.4.5		40mm	no	1		
D.4.6		50mm	no	1		
D.4.7		63mm	no	1		
D.4.8		75mm	no	1		
D.4.9		90mm	no	1		
D.5		<b><u>Male Adaptors</u></b>				
D.5.8		32mm x 25mm	no	1		
D.5.9		32mm x 32mm	no	1		
D.5.10		40mm x 25mm	no	1		
D.5.11		40mm x 32mm	no	1		
<b>D</b>		<b>Carried forward</b>				
<b>D</b>		<b>Brought forward</b>				
D.5.12		40mm x 40mm	no	1		
D.5.13		50mm x 32mm	no	1		
D.5.14		50mm x 40mm	no	1		
D.5.15		50mm x 50mm	no	1		
D.5.16		63mm x 40mm	no	1		
D.5.17		63mm x 50mm	no	1		
D.5.18		63mm x 65mm	no	1		
D.5.19		75mm x 50mm	no	1		
D.5.20		75mm x 65mm	no	1		
D.5.21		75mm x 80mm	no	1		
D.5.22		90mm x 50mm	no	1		
D.5.23		90mm x 65mm	no	1		
D.5.24		90mm x 80mm	no	1		
D.5.25		110mm x 80mm	no	1		
D.5.26		110mm x 100mm	no	1		
D.6		<b><u>Female Adaptors</u></b>				
D.6.8		32mm x 25mm	no	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
D.6.9		32mm x 32mm	no	1		
D.6.10		40mm x 25mm	no	1		
D.6.11		40mm x 32mm	no	1		
D.6.12		40mm x 40mm	no	1		
<b>D</b>		<b>Carried forward</b>				
<b>D</b>		<b>Brought forward</b>				
D.6.13		50mm x 32mm	no	1		
D.6.14		50mm x 40mm	no	1		
D.6.15		50mm x 50mm	no	1		
D.6.16		63mm x 40mm	no	1		
D.6.17		63mm x 50mm	no	1		
D.6.18		75mm x 50mm	no	1		
D.6.19		75mm x 65mm	no	1		
D.6.20		75mm x 80mm	no	1		
D.6.21		90mm x 50mm	no	1		
D.6.22		90mm x 65mm	no	1		
D.6.23		90mm x 80mm	no	1		
D.6.24		110mm x 80mm	no	1		
D.6.25		110mm x 100mm	no	1		
D.7		<b><u>Reducing Coupling</u></b>				
D.7.4		40mm x 25mm	no	1		
D.7.5		40mm x 32mm	no	1		
D.7.6		50mm x 32mm	no	1		
D.7.7		50mm x 40mm	no	1		
D.7.8		63mm x 32mm	no	1		
D.7.9		63mm x 40mm	no	1		
D.7.10		63mm x 50mm	no	1		
D.7.11		75mm x 50mm	no	1		
D.7.12		75mm x 63mm	no	1		
D.7.13		90mm x 63mm	no	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
D.7.14		90mm x 75mm	no	1		
<b>D</b>		<b>Carried forward</b>				
<b>D</b>		<b>Brought forward</b>				
D.7.15		110mm x 90mm	no	1		
D.8		<b><u>Reducing Tee</u></b>				
D.8.1		25mm x 20mm	no	1		
D.8.2		32mm x 25mm	no	1		
D.8.3		40mm x 32mm	no	1		
D.8.4		50mm x 32mm	no	1		
D.8.5		50mm x 40mm	no	1		
D.8.6		63mm x 50mm	no	1		
D.8.7		75mm x 63mm	no	1		
D.8.8		90mm x 75mm	no	1		
D.8.9		110mm x 90mm	no	1		
D.9		<b><u>Single Union Ball Valve (Compression)</u></b>				
D.9.1		20mm	no	1		
D.9.2		25mm	no	1		
D.9.3		32mm	no	1		
D.9.4		40mm	no	1		
D.9.5		50mm	no	1		
D.9.6		63mm	no	1		
D.10		<b><u>Clamp Saddles (6 BAR)</u></b>				
D.10.1		25mm x 15mm	no	1		
D.10.2		25mm x 20mm	no	1		
D.10.3		32mm x 15mm	no	1		
D.10.4		32mm x 20mm	no	1		
D.10.5		32mm x 25mm	no	1		
D.10.6		40mm x 15mm	no	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
D.10.7		40mm x 20mm	no	1		
<b>D</b>		<b>Carried forward</b>				
<b>D</b>		<b>Brought forward</b>				
D.10.8		40mm x 25mm	no	1		
D.10.9		50mm x 15mm	no	1		
D.10.10		50mm x 20mm	no	1		
D.10.11		50mm x 25mm	no	1		
D.10.12		50mm x 32mm	no	1		
D.10.13		63mm x 15mm	no	1		
D.10.14		63mm x 20mm	no	1		
D.10.15		63mm x 25mm	no	1		
D.10.16		63mm x 32mm	no	1		
D.10.17		63mm x 40mm	no	1		
D.10.18		75mm x 15mm	no	1		
D.10.19		75mm x 20mm	no	1		
D.10.20		75mm x 25mm	no	1		
D.10.21		75mm x 32mm	no	1		
D.10.22		75mm x 40mm	no	1		
D.10.23		75mm x 50mm	no	1		
D.10.24		90mm x 15mm	no	1		
D.10.25		90mm x 20mm	no	1		
D.10.26		90mm x 25mm	no	1		
D.10.27		90mm x 32mm	no	1		
D.10.28		90mm x 40mm	no	1		
D.10.29		90mm x 50mm	no	1		
D.10.30		110mm x 15mm	no	1		
D.10.31		110mm x 20mm	no	1		
D.10.32		110mm x 25mm	no	1		
D.10.33		110mm x 32mm	no	1		
D.10.34		110mm x 40mm	no	1		
D.10.35		110mm x 50mm	no	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
D.10.36		110mm x 80mm	no	1		
<b>D</b>		<b>Carried forward</b>				
<b>D</b>		<b>Brought forward</b>				
D.11		<b><u>Reinforced Clamp Saddles (10 Bar)</u></b>				
D.11.1		25mm x 15mm	no	1		
D.11.2		25mm x 20mm	no	1		
D.11.3		32mm x 15mm	no	1		
D.11.4		32mm x 20mm	no	1		
D.11.5		32mm x 25mm	no	1		
D.11.6		40mm x 15mm	no	1		
D.11.7		40mm x 20mm	no	1		
D.11.8		40mm x 25mm	no	1		
D.11.9		50mm x 15mm	no	1		
D.11.10		50mm x 20mm	no	1		
D.11.11		50mm x 25mm	no	1		
D.11.12		50mm x 32mm	no	1		
D.11.13		63mm x 15mm	no	1		
D.11.14		63mm x 20mm	no	1		
D.11.15		63mm x 25mm	no	1		
D.11.16		63mm x 32mm	no	1		
D.11.17		63mm x 40mm	no	1		
D.11.18		75mm x 15mm	no	1		
D.11.19		75mm x 20mm	no	1		
D.11.20		75mm x 25mm	no	1		
D.11.21		75mm x 32mm	no	1		
D.11.22		75mm x 40mm	no	1		
D.11.23		75mm x 50mm	no	1		
D.11.24		90mm x 15mm	no	1		
D.11.25		90mm x 20mm	no	1		
D.11.26		90mm x 25mm	no	1		
D.11.27		90mm x 32mm	no	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
D.11.28		90mm x 40mm	no	1		
<b>D</b>		<b>Carried forward</b>				
<b>D</b>		<b>Brought forward</b>				
D.11.29		90mm x 50mm	no	1		
D.11.30		110mm x 15mm	no	1		
D.11.31		110mm x 20mm	no	1		
D.11.32		110mm x 25mm	no	1		
D.11.33		110mm x 32mm	no	1		
D.11.34		110mm x 40mm	no	1		
D.11.35		110mm x 50mm	no	1		
D.11.36		110mm x 80mm	no	1		
D.12		<b><u>Other Compression Fittings</u></b>				
D.12.1		Mark up on other compression fitting as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1		
D.12.2		Mark up on other compression fitting	%	5000		
D.12.3		Extra over Item D.12.2: Deliver, install and test other Compression Fittings	Sum	1		
D.13		<b><u>HDPE pipe complete with fittings (Class 6)</u></b>				
D.13.3		32mm	m	1		
D.13.4		40mm	m	1		
D.13.5		50mm	m	1		
D.13.6		63mm	m	1		
D.13.7		75mm	m	1		
D.13.8		90mm	m	1		
D.13.9		110mm	m	1		
D.14		<b><u>HDPE pipe complete with fittings (Class 10)</u></b>				
<b>D</b>		<b>Carried forward</b>				
<b>D</b>		<b>Brought forward</b>				
D.14.3		32mm	m	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
D.14.4		40mm	m	1		
D.14.5		50mm	m	1		
D.14.6		63mm	m	1		
D.14.7		75mm	m	1		
D.14.8		90mm	m	1		
D.14.9		110mm	m	1		
D.15		<b><u>HDPE pipe complete with fittings (Class 12)</u></b>				
D.15.3		32mm	m	1		
D.15.4		40mm	m	1		
D.15.5		50mm	m	1		
D.15.6		63mm	m	1		
D.15.7		75mm	m	1		
D.15.8		90mm	m	1		
D.15.9		110mm	m	1		
D.16		<b><u>HDPE pipe complete with fittings (Class 16)</u></b>				
D.16.3		32mm	m	1		
D.16.4		40mm	m	1		
D.16.5		50mm	m	1		
D.16.6		63mm	m	1		
D.16.7		75mm	m	1		
D.16.8		90mm	m	1		
D.16.9		110mm	m	1		
<b>D</b>		<b>Carried forward</b>				
<b>D</b>		<b>Brought forward</b>				
D.17		<b><u>HDPE quick coupling pipe (Class 10)</u></b>				
D.17.1		50 mm	m	1		
D.17.2		63 mm	m	1		
D.17.3		75 mm	m	1		
D.17.4		90 mm	m	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
D.17.5		110 mm	m	1		
D.18		<b><u>HDPE WELDED PIPES (Class 12 minimum)</u></b>				
D.18.1		150mm	m	1		
D.18.2		200mm	m	1		
D.18.3		250 mm	m	1		
D.18.4		300 mm	m	1		
D.18.5		Welding of HDPE joints (ø 150 to 300 mm)	no	1		
D.19		<b><u>Special HDPE pipes and fittings</u></b>				
D.19.1		Mark up on the fabrication of special HDPE pipes and fittings as specified by the Engineer (3 Quotations from reputable suppliers)	Prov sum	1		
D.19.2		Mark up on Special HDPE pipes	%			
D.19.3		Extra over Item D.19.2: Deliver, install and test Special HDPE pipes and fittings	Sum	1		
<b>TOTAL SECTION "D" CARRIED FORWARD TO SUMMARY</b>						-

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
SANS 1200C						
<b><u>SECTION E : PVC PIPES AND FITTINGS</u></b>						
E		Supply, deliver, install and test the following SABS approved PVC pipes and fittings.				
E.1		<b><u>uPVC pipe complete with spigot, integral socket and rubber ring seal (Class 6)</u></b>				
E.1.1		50 mm	m	1		
E.1.2		63 mm	m	1		
E.1.3		75 mm	m	1		
E.1.4		90 mm	m	1		
E.1.5		110 mm	m	1		
E.1.6		125 mm	m	1		
E.1.7		140 mm	m	1		
E.1.8		160 mm	m	1		
E.1.9		200 mm	m	1		
E.1.10		250 mm	m	1		
E.1.11		315 mm	m	1		
E.2		<b><u>uPVC pipe complete with spigot, integral socket and rubber ring seal (Class 09)</u></b>				
E.2.1		50 mm	m	1		
E.2.2		63 mm	m	1		
E.2.3		75 mm	m	1		
E.2.4		90 mm	m	1		
E.2.5		110 mm	m	1		
E.2.6		125 mm	m	1		
E.2.7		140 mm	m	1		
E.2.8		160 mm	m	1		
E.2.9		200 mm	m	1		
E.2.10		250 mm	m	1		
E.2.11		315 mm	m	1		
E		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
E		<b>Brought forward</b>				
E.3		<b><u>uPVC pipe complete with spigot, integral socket and rubber ring seal (Class 12)</u></b>				
E.3.1		50 mm	m	1		
E.3.2		63 mm	m	1		
E.3.3		75 mm	m	1		
E.3.4		90 mm	m	1		
E.3.5		110 mm	m	1		
E.3.6		125 mm	m	1		
E.3.7		140 mm	m	1		
E.3.8		160 mm	m	1		
E.3.9		200 mm	m	1		
E.3.10		250 mm	m	1		
E.3.11		315 mm	m	1		
E.4		<b><u>uPVC pipe complete with spigot, integral socket and rubber ring seal (Class 16)</u></b>				
E.4.1		50 mm	m	1		
E.4.2		63 mm	m	1		
E.4.3		75 mm	m	1		
E.4.4		90 mm	m	1		
E.4.5		110 mm	m	1		
E.4.6		125 mm	m	1		
E.4.7		140 mm	m	1		
E.4.8		160 mm	m	1		
E.4.9		200 mm	m	1		
E.4.10		250 mm	m	1		
E.4.11		315 mm	m	1		
E.5		<b><u>uPVC pipe complete with spigot, integral socket and rubber ring seal (Class 20)</u></b>				
E.5.1		50 mm	m	1		
E		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
E		<b>Brought forward</b>				
E.5.2		63 mm	m	1		
E.5.3		75 mm	m	1		
E.5.4		90 mm	m	1		
E.5.5		110 mm	m	1		
E.5.6		125 mm	m	1		
E.5.7		140 mm	m	1		
E.5.8		160 mm	m	1		
E.5.9		200 mm	m	1		
E.5.10		250 mm	m	1		
E.5.11		315 mm	m	1		
E.6		<b><u>mPVC pipe complete with spigot, integral socket and rubber ring seal (Class 6)</u></b>				
E.6.1		50 mm	m	1		
E.6.2		63 mm	m	1		
E.6.3		75 mm	m	1		
E.6.4		90 mm	m	1		
E.6.5		110 mm	m	1		
E.6.6		125 mm	m	1		
E.6.7		140 mm	m	1		
E.6.8		160 mm	m	1		
E.6.9		200 mm	m	1		
E.6.10		250 mm	m	1		
E.6.11		315 mm	m	1		
E.7		<b><u>mPVC pipe complete with spigot, integral socket and rubber ring seal (Class 09)</u></b>				
E.7.1		50 mm	m	1		
E.7.2		63 mm	m	1		
E.7.3		75 mm	m	1		
E		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
E		<b>Brought forward</b>				
E.7.4		90 mm	m	1		
E.7.5		110 mm	m	1		
E.7.6		125 mm	m	1		
E.7.7		140 mm	m	1		
E.7.8		160 mm	m	1		
E.7.9		200 mm	m	1		
E.7.10		250 mm	m	1		
E.7.11		315 mm	m	1		
E.8		<b><u>mPVC pipe complete with spigot, integral socket and rubber ring seal (Class 12)</u></b>				
E.8.1		50 mm	m	1		
E.8.2		63 mm	m	1		
E.8.3		75 mm	m	1		
E.8.4		90 mm	m	1		
E.8.5		110 mm	m	1		
E.8.6		125 mm	m	1		
E.8.7		140 mm	m	1		
E.8.8		160 mm	m	1		
E.8.9		200 mm	m	1		
E.8.10		250 mm	m	1		
E.8.11		315 mm	m	1		
E.9		<b><u>mPVC pipe complete with spigot, integral socket and rubber ring seal (Class 16)</u></b>				
E.9.1		50 mm	m	1		
E.9.2		63 mm	m	1		
E.9.3		75 mm	m	1		
E.9.4		90 mm	m	1		
E.9.5		110 mm	m	1		
E		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
E		<b>Brought forward</b>				
E.9.6		125 mm	m	1		
E.9.7		140 mm	m	1		
E.9.8		160 mm	m	1		
E.9.9		200 mm	m	1		
E.9.10		250 mm	m	1		
E.9.11		315 mm	m	1		
E.10		<b><u>mPVC pipe complete with spigot, integral socket and rubber ring seal (Class 20)</u></b>				
E.10.1		50 mm	m	1		
E.10.2		63 mm	m	1		
E.10.3		75 mm	m	1		
E.10.4		90 mm	m	1		
E.10.5		110 mm	m	1		
E.10.6		125 mm	m	1		
E.10.7		140 mm	m	1		
E.10.8		160 mm	m	1		
E.10.9		200 mm	m	1		
E.10.10		250 mm	m	1		
E.10.11		315 mm	m	1		
E.11		<b><u>COUPLINGS DOUBLE &amp; REPAIR</u></b>				
E.11.1		50 mm	no	1		
E.11.2		63 mm	no	1		
E.11.3		75 mm	no	1		
E.11.4		90 mm	no	1		
E.11.5		110 mm	no	1		
E.11.6		125 mm	no	1		
E.11.7		140 mm	no	1		
E.11.8		160 mm	no	1		
E		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
E		<b>Brought forward</b>				
E.11.9		200 mm	no	1		
E.11.10		250 mm	no	1		
E.11.11		315 mm	no	1		
E.12		<b><u>Pipe seal to female thread elbow</u></b>				
E.12.1		50 mm x 2 inch	no	1		
E.12.2		63 mm x 2 inch	no	1		
E.12.3		75 mm x 2 inch	no	1		
E.12.4		75 mm x 3 inch	no	1		
E.12.5		90 mm x 3 inch	no	1		
E.12.6		110 mm x 3 inch	no	1		
E.12.7		110 mm x 4 inch	no	1		
E.12.8		125 mm x 3 inch	no	1		
E.12.9		125 mm x 4 inch	no	1		
E.12.10		140 mm x 3 inch	no	1		
E.12.11		140 mm x 4 inch	no	1		
E.12.12		160 mm x 3 inch	no	1		
E.12.13		160 mm x 4 inch	no	1		
E.12.14		200 mm x 3 inch	no	1		
E.12.15		200 mm x 4 inch	no	1		
E.13		<b><u>FLANGE ADAPTORS EPOXY COATED ALUMINIUM (TABLE D)</u></b>				
E.13.1		50mm	no	1		
E.13.2		63mm	no	1		
E.13.3		75mm	no	1		
E.13.4		90mm	no	1		
E.13.5		110mm	no	1		
E.13.6		125mm	no	1		
E.13.7		140mm	no	1		
E		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
E		<b>Brought forward</b>				
E.13.8		160mm	no	1		
E.13.9		200mm	no	1		
E.13.10		250mm	no	1		
E.13.11		315mm	no	1		
E.14		<b><u>FLANGE ADAPTORS CAST IRON BITUMEN COATED (TABLE D)</u></b>				
E.14.1		50mm	no	1		
E.14.2		63mm	no	1		
E.14.3		75mm	no	1		
E.14.4		90mm	no	1		
E.14.5		110mm	no	1		
E.14.6		125mm	no	1		
E.14.7		140mm	no	1		
E.14.8		160mm	no	1		
E.14.9		200mm	no	1		
E.14.10		250mm	no	1		
E.14.11		315mm	no	1		
E.15		<b><u>BENDS EPOXY COATED ALUMINIUM (64-45)</u></b>				
E.15.1		50mm	no	1		
E.15.2		63mm	no	1		
E.15.3		75mm	no	1		
E.15.4		90mm	no	1		
E.15.5		110mm	no	1		
E.15.6		125mm	no	1		
E.15.7		140mm	no	1		
E.15.8		160mm	no	1		
E.15.9		200mm	no	1		
E.15.10		250mm	no	1		
E		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
E		<b>Brought forward</b>				
E.16		<b><u>BENDS CAST IRON BITUMEN COATED (11,5-90 Degrees)</u></b>				
E.16.1		50mm	no	1		
E.16.2		63mm	no	1		
E.16.3		75mm	no	1		
E.16.4		90mm	no	1		
E.16.5		110mm	no	1		
E.16.6		125mm	no	1		
E.16.7		140mm	no	1		
E.16.8		160mm	no	1		
E.16.9		200mm	no	1		
E.16.10		250mm	no	1		
E.17		<b><u>COUPLING EPOXY COATED ALUMINIUM (9 BAR)</u></b>				
E.17.1		50mm	no	1		
E.17.2		63mm	no	1		
E.17.3		75mm	no	1		
E.17.4		90mm	no	1		
E.17.5		110mm	no	1		
E.17.6		125mm	no	1		
E.17.7		140mm	no	1		
E.17.8		160mm	no	1		
E.17.9		200mm	no	1		
E.17.10		250mm	no	1		
E.18		<b><u>COUPLING CAST IRON BITUMEN COATED (16 BAR)</u></b>				
E.18.1		50mm	no	1		
E.18.2		63mm	no	1		
E.18.3		75mm	no	1		
E		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
E		<b>Brought forward</b>				
E.18.4		90mm	no	1		
E.18.5		110mm	no	1		
E.18.6		125mm	no	1		
E.18.7		140mm	no	1		
E.18.8		160mm	no	1		
E.18.9		200mm	no	1		
E.18.10		250mm	no	1		
E.19		<b><u>ADAPTOR B.S.P MALE &amp;FEMALE</u></b>				
E.19.1		50mm x 2"	no	1		
E.19.2		63mm x 2"	no	1		
E.19.3		75mm x 2"	no	1		
E.19.4		75mm x 3"	no	1		
E.19.5		90mm x 3"	no	1		
E.19.6		90mm x 4"	no	1		
E.19.7		110mm x 3"	no	1		
E.19.8		110mm x 4"	no	1		
E.19.9		125mm x 4"	no	1		
E.19.10		125mm x 5"	no	1		
E.19.11		140mm x 4"	no	1		
E.19.12		140mm x 5"	no	1		
E.19.13		140mm x 6"	no	1		
E.19.14		160mm x 6"	no	1		
E.19.15		160mm x 6"	no	1		
E.20		<b><u>END CAPS</u></b>				
E.20.1		50mm	no	1		
E.20.2		63mm	no	1		
E.20.3		75mm	no	1		
E		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
E		<b>Brought forward</b>				
E.20.4		90mm	no	1		
E.20.5		110mm	no	1		
E.20.6		125mm	no	1		
E.20.7		140mm	no	1		
E.20.8		160mm	no	1		
E.20.9		200mm	no	1		
E.20.10		250mm	no	1		
E.20.11		315mm	no	1		
E.21		<b><u>EQUAL TEES</u></b>				
E.21.1		50mm	no	1		
E.21.2		63mm	no	1		
E.21.3		75mm	no	1		
E.21.4		90mm	no	1		
E.21.5		110mm	no	1		
E.21.6		125mm	no	1		
E.21.7		140mm	no	1		
E.21.8		160mm	no	1		
E.21.9		200mm	no	1		
E.21.10		250mm	no	1		
E.21.11		315mm	no	1		
E.22		<b><u>BENDS - 22 &amp; 11.25 DEGREES</u></b>				
E.22.1		50mm	no	1		
E.22.2		63mm	no	1		
E.22.3		75mm	no	1		
E.22.4		90mm	no	1		
E.22.5		110mm	no	1		
E.22.6		125mm	no	1		
E		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
E		<b>Brought forward</b>				
E.22.7		140mm	no	1		
E.22.8		160mm	no	1		
E.22.9		200mm	no	1		
E.22.10		250mm	no	1		
E.22.11		315mm	no	1		
E.23		<b><u>BENDS - 90 &amp; 45 DEGREES</u></b>				
E.23.1		50mm	no	1		
E.23.2		63mm	no	1		
E.23.3		75mm	no	1		
E.23.4		90mm	no	1		
E.23.5		110mm	no	1		
E.23.6		125mm	no	1		
E.23.7		140mm	no	1		
E.23.8		160mm	no	1		
E.23.9		200mm	no	1		
E.23.10		250mm	no	1		
E.23.11		315mm	no	1		
E.24		<b><u>Male/Female Reducer class 9</u></b>				
E.24.1		50mm x 40mm	no	1		
E.24.2		63mm x 40mm	no	1		
E.24.3		63mm x 50mm	no	1		
E.24.4		75mm x 50mm	no	1		
E.24.5		75mm x 63mm	no	1		
E.24.6		90mm x 63mm	no	1		
E.24.7		90mm x 75mm	no	1		
E.24.8		110mm x 75mm	no	1		
E.24.9		110mm x 90mm	no	1		
E		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
E		<b>Brought forward</b>				
E.24.10		125mm x 90mm	no	1		
E.24.11		125mm x 110mm	no	1		
E.24.12		140mm x 110mm	no	1		
E.24.13		140mm x 125mm	no	1		
E.24.14		160mm x 110mm	no	1		
E.24.15		160mm x 125mm	no	1		
E.24.16		160mm x 140mm	no	1		
E.24.17		200mm x 160mm	no	1		
E.24.18		250mm x 200mm	no	1		
E.25		<b><u>Reducing Cross</u></b>				
E.25.1		50mm x 40mm	no	1		
E.25.2		63mm x 40mm	no	1		
E.25.3		63mm x 50mm	no	1		
E.25.4		75mm x 50mm	no	1		
E.25.5		75mm x 63mm	no	1		
E.25.6		90mm x 63mm	no	1		
E.25.7		90mm x 75mm	no	1		
E.25.8		110mm x 75mm	no	1		
E.25.9		110mm x 90mm	no	1		
E.25.10		125mm x 90mm	no	1		
E.25.11		125mm x 110mm	no	1		
E.25.12		140mm x 110mm	no	1		
E.25.13		140mm x 125mm	no	1		
E.25.14		160mm x 110mm	no	1		
E.25.15		160mm x 125mm	no	1		
E.25.16		160mm x 140mm	no	1		
E.25.17		200mm x 160mm	no	1		
E.25.18		250mm x 200mm	no	1		
E		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
E		<b>Brought forward</b>				
E.26		<b><u>Reducing Tee</u></b>				
E.26.1		50mm x 40mm	no	1		
E.26.2		63mm x 40mm	no	1		
E.26.3		63mm x 50mm	no	1		
E.26.4		75mm x 50mm	no	1		
E.26.5		75mm x 63mm	no	1		
E.26.6		90mm x 63mm	no	1		
E.26.7		90mm x 75mm	no	1		
E.26.8		110mm x 75mm	no	1		
E.26.9		110mm x 90mm	no	1		
E.26.10		125mm x 90mm	no	1		
E.26.11		125mm x 110mm	no	1		
E.26.12		140mm x 110mm	no	1		
E.26.13		140mm x 125mm	no	1		
E.26.14		160mm x 110mm	no	1		
E.26.15		160mm x 125mm	no	1		
E.26.16		160mm x 140mm	no	1		
E.26.17		200mm x 160mm	no	1		
E.26.18		250mm x 200mm	no	1		
E.27		<b><u>FLANGED ON BRANCH TEE (Table D)</u></b>				
E.27.1		50mm	no	1		
E.27.2		63mm	no	1		
E.27.3		75mm	no	1		
E.27.4		90mm	no	1		
E.27.5		110mm	no	1		
E.27.6		125mm	no	1		
E.27.7		140mm	no	1		
E.27.8		160mm	no	1		
E		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
E		<b>Brought forward</b>				
E.27.9		200mm	no	1		
E.27.10		250mm	no	1		
E.27.11		315mm	no	1		
E.28		<b><u>ADAPTOR PVC-AC</u></b>				
E.28.1		50mm	no	1		
E.28.2		63mm	no	1		
E.28.3		75mm	no	1		
E.28.4		90mm	no	1		
E.28.5		110mm	no	1		
E.28.6		125mm	no	1		
E.28.7		140mm	no	1		
E.28.8		160mm	no	1		
E.28.9		200mm	no	1		
E.28.10		250mm	no	1		
E.28.11		315mm	no	1		
E.29		<b><u>ADAPTOR FLANGED (Table D)</u></b>				
E.29,1		50mm	no	1		
E.29,2		63mm	no	1		
E.29,3		75mm	no	1		
E.29,4		90mm	no	1		
E.29,5		110mm	no	1		
E.29,6		125mm	no	1		
E.29,7		140mm	no	1		
E.29,8		160mm	no	1		
E.29,9		200mm	no	1		
E.29,10		250mm	no	1		
E.29,11		315mm	no	1		
E		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount	
E		<b>Brought forward</b>					
E.30		<b><u>Other PVC fittings and pipes</u></b>					
E.30.1		Mark up on other PVC fittings and pipes as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1			
E.30.2		Mark up on other PVC fittings and pipes	%				
E.30.3		Extra over Item E.30.2: Deliver,install and test other PVC pipes.	no	1			
E.30.4		Extra over Item E.30.2: Deliver,install and test other PVC fittings.	Sum	1			
		<b>TOTAL SECTION "E" CARRIED FORWARD TO SUMMARY</b>					

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b><u>SECTION F : DRIP IRRIGATION</u></b>						
F		<b>Supply, deliver,install and test the following drippers and dripperlines complete with fittings.</b>				
F.1		<b>Pressure Compensating (PC) Inline (Integral) Drippers, Thick wall dripline (wall thickness 0.9 mm and more), Flow rate between 0.5 and 4 l/h.</b>				
F.1.1		0.3 meter dripper spacing	m	1		
F.1.2		0.4 meter dripper spacing	m	1		
F.1.3		0.5 meter dripper spacing	m	1		
F.1.4		0.6 meter dripper spacing	m	1		
F.2		<b>Pressure Compensating (PC) Inline (Integral) Drippers, Meduim wall dripline (wall thickness 0.5 to 0.89 mm), Flow rate between 0.5 and 4 l/h.</b>				
F.2.1		0.3 meter dripper spacing	m	1		
F.2.2		0.4 meter dripper spacing	m	1		
F.2.3		0.5 meter dripper spacing	m	1		
F.2.4		0.6 meter dripper spacing	m	1		
F.3		<b>Pressure Compensating (PC) Inline (Integral) Drippers, Thin wall dripline (wall thickness 0.45 mm and less), Flow rate between 0.5 and 4 l/h.</b>				
F.3.1		0.3 meter dripper spacing	m	1		
F.3.2		0.4 meter dripper spacing	m	1		
F.3.3		0.5 meter dripper spacing	m	1		
F.3.4		0.6 meter dripper spacing	m	1		
F		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
F		<b>Brought forward</b>				
F.4		<b>Non Pressure Compensating (NPC) Inline (Integral) Drippers, Thick wall dripline (wall thickness 0.9 mm and more), Flow rate between 0.5 and 4 l/h.</b>				
F.4.1		0.3 meter dripper spacing	m	1		
F.4.2		0.4 meter dripper spacing	m	1		
F.4.3		0.5 meter dripper spacing	m	1		
F.4.4		0.6 meter dripper spacing	m	1		
F.5		<b>Non Pressure Compensating (NPC) Inline (Integral) Drippers, Meduim wall dripline (wall thickness 0.5 to 0.89 mm), Flow rate between 0.5 and 4 l/h.</b>				
F.5.1		0.3 meter dripper spacing	m	1		
F.5.2		0.4 meter dripper spacing	m	1		
F.5.3		0.5 meter dripper spacing	m	1		
F.5.4		0.6 meter dripper spacing	m	1		
F.6		<b>Non Pressure Compensating (NPC) Inline (Integral) Drippers, Thin wall dripline (wall thickness 0.45 mm and less), Flow rate between 0.5 and 4 l/h.</b>				
F.6.1		0.3 meter dripper spacing	m	1		
F.6.2		0.4 meter dripper spacing	m	1		
F.6.3		0.5 meter dripper spacing	m	1		
F.6.4		0.6 meter dripper spacing	m	1		
F		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
F		<b>Brought forward</b>				
<b>F.7</b>		<b><u>Other Inline (Integral) Drippers PC and NPC</u></b>				
F.7.1		Mark up on other Inline (Integral) Drippers PC and NPC as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1		
F.7.2		Mark up on other Inline (Integral) Drippers PC and NPC	%			
F.7.3		Extra over Item F.7.1: Deliver,install and test Other Inline (Integral) Drippers PC and NPC.	m	1		
		<b>Supply, deliver,install and test the following online drippers and pipes complete with fittings.</b>				
<b>F.8</b>		<b><u>INSERT FITTINGS</u></b>				
F.8.1		12mm short coupling	no	1		
F.8.2		16mm short coupling	no	1		
F.8.3		12mm long coupling	no	1		
F.8.4		16mm long coupling	no	1		
F.8.5		17mm long coupling	no	1		
F.8.6		20mm long coupling	no	1		
F.8.7		16/12mm long reducing	no	1		
F.8.8		17/16mm long reducing	no	1		
F.8.9		20/16mm long reducing	no	1		
F.8.10		20/17mm long reducing	no	1		
F.8.11		12mm elbow long insert	no	1		
F.8.12		16mm elbow long insert	no	1		
F.8.13		20mm elbow long insert	no	1		
F		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>F</b>		<b>Brought forward</b>				
F.8.14		17mm elbow long insert	no	1		
F.8.15		12x12x12 long insert T	no	1		
F.8.16		16x16x16 long insert T	no	1		
F.8.17		17x17x17 long insert T	no	1		
F.8.18		20x20x20 long insert T	no	1		
F.8.19		16x12x16 reducing T	no	1		
F.8.20		Dripline LPD Barb 17mm	no	1		
F.8.21		Dripline LPD Barb 16mm	no	1		
F.8.22		Barb Connector 17mm x ½" Male	no	1		
F.8.23		Barb Connector 16mm x ½" Male	no	1		
F.8.24		Dripline Flush VLV Barb20 W/Snap Clip	no	1		
F.8.25		Dripline Flush VLV Barb17 W/Snap Clip	no	1		
F.8.26		Dripline Flush VLV Barb16 W/Snap Clip	no	1		
F.8.27		Multi Outlet ¾" x 6 x 12mm 6 way	no	1		
F.8.28		Multi Outlet 1" x 6 x 16mm 6 way	no	1		
F.8.29		Combination saddle + nut 32mm poly pipe or bigger	no	1		
F.8.30		Stopper - 12/16/17mm	no	1		
F.8.31		Stopper figure 8 20mm	no	1		
F.8.32		2 way angle barb connector - 16 X ¾ MALE	no	1		
<b>F</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
F		<b>Brought forward</b>				
<b>F.9</b>		<b><u>BLIND PIPE (LDPE)</u></b>				
F.9.1		12 mm	m	1		
F.9.2		16 mm	m	1		
F.9.3		17 mm	m	1		
F.9.4		20 mm	m	1		
<b>F.10</b>		<b><u>Pressure compensating and Non Drain online drippers</u></b>				
F.10.1		1.0 l/h (seal 0.2 bar, fully open 0.6 - 3.5 bar)	no	1		
F.10.2		2.2 l/h (seal 0.2 bar, fully open 0.6 - 3.5 bar)	no	1		
F.10.3		3.8 l/h (seal 0.2 bar, fully open 0.6 - 3.5 bar)	no	1		
F.10.4		8.0 l/h (seal 0.2 bar, fully open 0.6 - 3.5 bar)	no	1		
F.10.5		3.1 l/h (seal 0.4 bar, fully open 1.1 - 3.5 bar)	no	1		
F.10.6		5.3 l/h (seal 0.2 bar, fully open 1.1- 3.5 bar)	no	1		
F.10.7		11 l/h (seal 0.4 bar, fully open 1.1 - 3.5 bar)	no	1		
<b>F.11</b>		<b><u>Non Pressure compensating Button Dripper</u></b>				
F.11.1		2 l/h	no	10		
F.11.2		4 l/h	no	10		
F.11.3		8 l/h	no	10		
F		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
F		<b>Brought forward</b>				
F.12		<b><u>BUTTON DRIPPER ACCESSORIES (3x5 mm tube)</u></b>				
F.12.1		Single Threaded outlet adaptor	no	1		
F.12.2		2-way threaded branch adaptor	no	1		
F.12.3		2-way barbed branch adaptor	no	1		
F.12.4		4-way threaded branch adaptor	no	1		
F.12.5		4-way barbed branch adaptor	no	1		
F.12.6		Barb adaptor for multi outlet	no	1		
F.12.7		Connector JDW 3x5mm (used with 5mm Odx 3mm ID flex tube)	no	1		
F.12.8		Dripeg - flow equalizer or dripper (30 degree diagonal labyrinth)	no	1		
F.12.9		Snapeg (30 degree diagonal external grip)	no	1		
F.12.10		Flex tubing 5mm OD x 3mm ID	m	1		
F.12.11		Flex tubing 5mm OD x 3mm ID	m	1		
F.12.12		Manifold 4-way complete with 400mm tube and peg	no	1		
F.12.13		Manifold 4-way complete with 600mm tube and peg	no	1		
F.12.14		Manifold 2-way complete with 400mm tube and peg	no	1		
F.12.15		Manifold 2-way complete with 600mm tube and peg	no	1		
F		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
F		<b>Brought forward</b>				
<b>F.13</b>		<b><u>Other Online Drippers, fittings and pipes</u></b>				
F.13.1		Mark up on other Online Drippers, fittings and LDPE pipes as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1		
F.13.2		Mark up on other Online Drippers, fittings and LDPE pipes	%			
F.13.3		Extra over Item F.13.1: Deliver,install and test Other Online Drippers and fittings.	Sum	1		
F.13.4		Extra over Item F.13.1: Deliver,install and test Other LDPE pipes.	m	1		
		<b>TOTAL SECTION "F" CARRIED FORWARD TO SUMMARY</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>SECTION G : SPRINKLER IRRIGATION</b>						
<b>G</b>		<b><u>Supply, deliver,install and test the following sprinklers complete with all fittings.</u></b>				
<b>G.1</b>		<b><u>Mirco Sprinkler: Pressure compensating 1.5 - 4 bar, Flow rate 20 - 110 l/h, Wetting diameter 4 - 8m.</u></b>				
G.1.1		Micro Sprinkler complete with all nozzles, rotors / swivels, fittings, stake and 60 cm long micro tube.	no	1		
G.1.2		Micro Sprinkler complete with all nozzles, rotors / swivels, fittings, stake and ≥90 cm long micro tube.	no	1		
<b>G.2</b>		<b><u>Mirco Sprinkler: Pressure compensating 1.5 - 4 bar, Flow rate 20 - 110 l/h, Wetting diameter 4 - 8m. With Stream Deflector for 1 - 2m wetting diameter.</u></b>				
G.2.1		Micro Sprinkler complete with all nozzles, rotors / swivels, fittings, stake and 60 cm long micro tube.	no	1		
G.2.2		Micro Sprinkler complete with all nozzles, rotors / swivels, fittings, stake and ≥90 cm long micro tube.	no	1		
<b>G.3</b>		<b><u>Mirco Sprinkler: Operating preasure 0.75 - 2 bar, Flow rate 10 - 110 l/h, Wetting diameter 0.5 - 8m.</u></b>				
G.3.1		Micro Sprinkler complete with all nozzles, rotors / swivels, fittings, stake and 60 cm long micro tube.	no	1		
G.3.2		Micro Sprinkler complete with all nozzles, rotors / swivels, fittings, stake and ≥90 cm long micro tube.	no	1		
<b>G.4</b>		<b><u>Mirco Sprinkler: Operating preasure 0.75 - 2 bar, Flow rate 10 - 110 l/h, Wetting diameter 0.5 - 8m. With Stream Deflector 0.5 - 2m wetting diameter.</u></b>				
G.4.1		Micro Sprinkler complete with all nozzles, rotors / swivels, fittings, stake and 60 cm long micro tube.	no	1		
G.4.2		Micro Sprinkler complete with all nozzles, rotors / swivels, fittings, stake and ≥90 cm long micro tube.	no	1		
<b>G</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>G</b>		<b>Brought forward</b>				
<b>G.5</b>		<b><u>Mirco Sprinkler: Operating preasure 2 - 2.5 bar, Flow rate 150 - 300 I/h, Wetting diameter 8 - 11m.</u></b>				
G.5.1		Micro Sprinkler complete with all nozzles, rotors / swivels, fittings, stake and 60 cm long micro tube.	no	1		
G.5.2		Micro Sprinkler complete with all nozzles, rotors / swivels, fittings, stake and ≥90 cm long micro tube.	no	1		
<b>G.6</b>		<b><u>Impact Sprinkler: Operating preasure 2 - 3 bar, Flow rate 200 - 750 I/h, Wetting diameter 11 - 19m.</u></b>				
G.6.1		Sprinkler with trajectory of ≤15 degrees, Popup mechanism with insect protection and integral filter. (Netafim, Meganet 15D or similar)	no	1		
G.6.2		Sprinkler with trajectory of ≤24 degrees, Popup mechanism with insect protection and integral filter. (Netafim, Meganet 24D or similar)	no	1		
<b>G.7</b>		<b><u>Supply, deliver,install and test Impact Sprinklers complete with all fittings.</u></b>				
G.7.1		Impact Sprinkler: Operating preasure 2 - 3 bar, Flow rate 510 - 1275 I/h, Wetting diameter 18 - 22m.	no	1		
G.7.2		Impact Sprinkler: Operating preasure 2 - 4 bar, Flow rate 1200 - 2000 I/h, Wetting diameter 22 - 29m.	no	1		
G.7.3		Impact Sprinkler: Operating preasure 3 - 4 bar, Flow rate 2150 - 3060 I/h, Wetting diameter 29 - 35m.	no	1		
G.7.4		Impact Sprinkler: Adjustable Arc, Operating preasure 2 - 3 bar, Flow rate 500 - 630 I/h, Wetting diameter 20m.	no	1		
G.7.5		Impact Sprinkler: Low preasure, Operating preasure 1 - 2 bar, Flow rate 350 - 450 I/h, Wetting diameter 17 - 22m.	no	1		
<b>G</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>G</b>		<b>Brought forward</b>				
<b>G.8</b>		<b><u>Other Impact Sprinklers</u></b>				
G.8.1		Mark up on other Impact Sprinklers as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1		
G.8.2		Mark up on other Impact Sprinklers	%			
G.8.3		Extra over Item G.8.1: Deliver, install and test Other Impact Sprinklers	Sum	1		
<b>G.9</b>		<b><u>PVC riser pipe threaded both ends</u></b>				
G.9.1		300 mm x 15 mm	no	1		
G.9.2		600 mm x 15 mm	no	1		
G.9.3		900 mm x 15 mm	no	1		
G.9.4		1200 mm x 15 mm	no	1		
G.9.5		300 mm x 20 mm	no	1		
G.9.6		600 mm x 20 mm	no	1		
G.9.7		900 mm x 20 mm	no	1		
G.9.8		1200 mm x 20 mm	no	1		
<b>TOTAL SECTION "G" CARRIED FORWARD TO SUMMARY</b>						

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>SECTION H : FILTERS &amp; AIRVALVES</b>						
H		<b><u>Supply, deliver, install and test the following filters complete with all fittings and valves.</u></b>				
H.1		<b><u>Plastic manual In-Line (Y-Type) screen filters complete with polyester screen and drain valve</u></b>				
H.1.1		20mm Filter with minimum 3,5 m <sup>3</sup> /h flow, 100 - 300 micron screen, Filtration Surface minimum 160 cm <sup>2</sup>	no	1		
H.1.2		25mm Filter with minimum 4,5 m <sup>3</sup> /h flow, 100 - 300 micron screen, Filtration Surface minimum 160 cm <sup>2</sup>	no	1		
H.1.3		32mm Filter with minimum 10 m <sup>3</sup> /h flow, 100 - 300 micron screen, Filtration Surface minimum 590 cm <sup>2</sup>	no	1		
H.1.4		40mm Filter with minimum 7 m <sup>3</sup> /h flow, 100 - 300 micron screen, Filtration Surface minimum 300 cm <sup>2</sup>	no	1		
H.1.5		50mm Filter with minimum 16 m <sup>3</sup> /h flow, 100 - 300 micron screen, Filtration Surface minimum 510 cm <sup>2</sup>	no	1		
H.2		<b><u>Plastic manual (On-Line) screen filters complete with polyester screen and drain valve</u></b>				
H.2.1		50mm Filter with minimum 15 m <sup>3</sup> /h flow, 100 - 300 micron screen, Filtration Surface minimum 800 cm <sup>2</sup>	no	1		
H.2.2		50 - 63mm Filter with min 20 m <sup>3</sup> /h flow, 100 - 300 micron screen, Filtration Surface minimum 1200 cm <sup>2</sup>	no	1		
H.2.3		50 - 63mm Filter with min 25 m <sup>3</sup> /h flow, 100 - 300 micron screen, Filtration Surface minimum 1600 cm <sup>2</sup>	no	1		
H.2.4		63 - 80mm Filter with min 25 m <sup>3</sup> /h flow, 100 - 300 micron screen, Filtration Surface minimum 1200 cm <sup>2</sup>	no	1		
H.2.5		63 - 80mm Filter with min 30 m <sup>3</sup> /h flow, 100 - 300 micron screen, Filtration Surface minimum 1600 cm <sup>2</sup>	no	1		
H.2.6		80 - 100mm Filter with min 45 m <sup>3</sup> /h flow, 100 - 300 micron screen, Filtration Surface minimum 2400 cm <sup>2</sup>	no	1		
H		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
H		<b>Brought forward</b>				
H.3		<b><u>Manual In-Line (Y-Type) screen filters complete with Stainless-steel screen and drain valve (10 bar)</u></b>				
H.3.1		40mm Filter with minimum 15 m <sup>3</sup> /h flow, 130 - 500 micron screen, Filtration Surface minimum 800 cm <sup>2</sup>	no	1		
H.3.2		50mm Filter with minimum 25 m <sup>3</sup> /h flow, 100 - 500 micron screen, Filtration Surface minimum 800 cm <sup>2</sup>	no	1		
H.3.3		80mm Filter with minimum 50 m <sup>3</sup> /h flow, 100 - 500 micron screen, Filtration Surface minimum 1700 cm <sup>2</sup>	no	1		
H.3.4		100mm Filter with minimum 80 m <sup>3</sup> /h flow, 100 - 500 micron screen, Filtration Surface minimum 2500 cm <sup>2</sup>	no	1		
H.4		<b><u>Manual On-Line screen filters complete with Stainless-steel screen and drain valve (10 bar)</u></b>				
H.4.1		40mm Filter with minimum 15 m <sup>3</sup> /h flow, 130 - 500 micron screen, Filtration Surface minimum 800 cm <sup>2</sup>	no	1		
H.4.2		50mm Filter with minimum 25 m <sup>3</sup> /h flow, 100 - 500 micron screen, Filtration Surface minimum 800 cm <sup>2</sup>	no	1		
H.4.3		80mm Filter with minimum 50 m <sup>3</sup> /h flow, 100 - 500 micron screen, Filtration Surface minimum 1700 cm <sup>2</sup>	no	1		
H.4.4		100mm Filter with minimum 80 m <sup>3</sup> /h flow, 100 - 500 micron screen, Filtration Surface minimum 2500 cm <sup>2</sup>	no	1		
H.5		<b><u>Manual Disc filters complete with discs and drain valve</u></b>				
H.5.1		20mm Filter with minimum 4 m <sup>3</sup> /h flow, 100 - 400 micron, Filtration Surface minimum 160 cm <sup>2</sup>	no	1		
H.5.2		25mm Filter with minimum 6 m <sup>3</sup> /h flow, 100 - 400 micron, Filtration Surface minimum 170 cm <sup>2</sup>	no	1		
H.5.3		25mm Filter with minimum 8 m <sup>3</sup> /h flow, 100 - 400 micron, Filtration Surface minimum 500 cm <sup>2</sup>	no	1		
H		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
H		<b>Brought forward</b>				
H.5.4		40mm Filter with minimum 8 m <sup>3</sup> /h flow, 100 - 400 micron, Filtration Surface minimum 300 cm <sup>2</sup>	no	1		
H.5.5		40mm Filter with minimum 12 m <sup>3</sup> /h flow, 100 - 400 micron, Filtration Surface minimum 500 cm <sup>2</sup>	no	1		
H.5.6		50mm Filter with minimum 25 m <sup>3</sup> /h flow, 100 - 400 micron, Filtration Surface minimum 950 cm <sup>2</sup>	no	1		
H.5.7		80mm Filter with minimum 50 m <sup>3</sup> /h flow, 100 - 400 micron, Filtration Surface minimum 1 900 cm <sup>2</sup>	no	1		
H.5.8		100mm Filter with minimum 70 m <sup>3</sup> /h flow, 100 - 400 micron, Filtration Surface minimum 2 600 cm <sup>2</sup>	no	1		
<b>H.6</b>		<b><u>Other Filters</u></b>				
H.6.1		Mark up on other Filters as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	200000	rate only
H.6.2		Mark up on other Filters	%	200000		
H.6.3		Extra over Item H.6.1: Deliver,install and test other Filters: Up to 2 Unit filter bank	no	1		
H.6.4		Extra over Item H.6.1: Deliver,install and test other Filters: 3 Unit filter bank	no	1		
H.6.5		Extra over Item H.6.1: Deliver,install and test other Filters: 4 Unit filter bank	no	1		
H.6.6		Extra over Item H.6.1: Deliver,install and test other Filters: 5 Unit filter bank	no	1		
H.6.7		Extra over Item H.6.1: Deliver,install and test other Filters: 6 Unit filter bank	no	1		
<b>TOTAL SECTION "H" CARRIED FORWARD TO SUMMARY</b>						

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b><u>SECTION J : LDPE PIPES AND FITTINGS</u></b>						
J		<b>Supply, deliver,install and test the following non SABS approved LDPE pipes and fittings (Poly Prop) subject to engineers approval . A two year warranty for pipe and fittings . All material to be manufactured from virgin plastic.</b>				
J.1		<b><u>Coupling Insert</u></b>				
J.1.4		32mm	no	1		
J.1.5		40mm	no	1		
J.1.6		50mm	no	1		
J.2		<b><u>Endplug Insert</u></b>				
J.2.4		32mm	no	1		
J.2.5		40mm	no	1		
J.2.6		50mm	no	1		
J.3		<b><u>Equal Tee insert</u></b>				
J.3.4		32mm	no	1		
J.3.5		40mm	no	1		
J.3.6		50mm	no	1		
J		<b>Carried forward</b>				
J		<b>Brought forward</b>				
J.4		<b><u>Elbow insert</u></b>				
J.4.4		32mm	no	1		
J.4.5		40mm	no	1		
J.4.6		50mm	no	1		
J.5		<b><u>Male Adaptors</u></b>				
J.5.4		32mm	no	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
J.5.5		40mm	no	1		
J.5.6		50mm	no	1		
J.6		<b><u>Reducing Male Adaptors</u></b>				
J.6.3		32mm x 25mm	no	1		
J.6.4		40mm x 32mm	no	1		
J.6.5		40mm x 50mm	no	1		
J.6.6		50mm x 40mm	no	1		
<b>J</b>		<b>Carried forward</b>				
<b>J</b>		<b>Brought forward</b>				
J.8		<b><u>Female Adaptors</u></b>				
J.8.4		32mm	no	1		
J.8.5		40mm	no	1		
J.9		<b><u>Reducing Insert couplings</u></b>				
J.9.4		40mm x 25mm	no	1		
J.9.5		40mm x 32mm	no	1		
J.9.6		50mm x 25mm	no	1		
J.9.7		50mm x 32mm	no	1		
J.9.8		50mm x 40mm	no	1		
J.10		<b><u>Male Combination Elbow Adaptor</u></b>				
J.10.6		32mm x 32mm	no	1		
J.10.7		40mm x 40mm	no	1		
J.10.8		50mm x 50mm	no	1		
<b>J</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>J</b>		<b>Brought forward</b>				
J.11		<b><u>Female Combination Elbow Adaptor</u></b>				
J.11.5		32mm x 32mm	no	1		
J.11.6		40mm x 40mm	no	1		
J.11.7		40mm x 50mm	no	1		
J.11.8		50mm x 40mm	no	1		
J.11.9		50mm x 50mm	no	1		
J.12		<b><u>Male Combination Tee</u></b>				
J.12.9		32mm x 32mm	no	1		
J.12.10		40mm x 25mm	no	1		
J.12.11		40mm x 32mm	no	1		
J.12.12		40mm x 40mm	no	1		
J.12.13		50mm x 25mm	no	1		
J.12.15		50mm x 40mm	no	1		
J.12.16		50mm x 50mm	no	1		
<b>J</b>		<b>Carried forward</b>				
<b>J</b>		<b>Brought forward</b>				
J.13		<b><u>Female Combination Tee</u></b>				
J.13.9		32mm x 32mm	no	1		
J.13.10		40mm x 25mm	no	1		
J.13.11		40mm x 32mm	no	1		
J.13.12		40mm x 40mm	no	1		
J.13.13		50mm x 25mm	no	1		
J.13.14		50mm x 32mm	no	1		
J.13.15		50mm x 40mm	no	1		
J.13.16		50mm x 50mm	no	1		
J.14		<b><u>Reducing Tee</u></b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
J.14.4		40mm x 25mm	no	1		
J.14.5		40mm x 32mm	no	1		
J.14.6		50mm x 25mm	no	1		
J.14.7		50mm x 32mm	no	1		
J.14.8		50mm x 40mm	no	1		
<b>J</b>		<b>Carried forward</b>				
<b>J</b>		<b>Brought forward</b>				
J.15		<b><u>LDPE pipe complete with fittings (Class 6)</u></b>				
J.15.3		32mm	m	1		
J.15.4		40mm	m	1		
J.15.5		50mm	m	1		
J.16		<b><u>LDPE pipe complete with fittings (Class 3)</u></b>				
J.16.3		32mm	m	1		
J.16.4		40mm	m	1		
J.16.5		50mm	m	1		
J.17		<b><u>Other LDPE Pipes</u></b>				
J.17.1		Mark up on other LDPE Pipes as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1		
J.17.2		Mark up on other LDPE Pipes.	%			
J.17.3		Extra over Item J.17.2: Deliver, Install, Testing and Commission other LDPE Pipes.	m	100		
J.18		<b><u>Other Insert Fittings (Poly Prop) for LDPE Pipes</u></b>				
J.18.1		Mark up on other Insert Fittings (Poly Prop) for LDPE Pipes as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1		
J.18.2		Mark up on other Insert Fittings (Poly Prop) for LDPE Pipes.	%			
J.18.3		Extra over Item J.18.2: Deliver, Install, Testing and Commission other Insert Fittings (Poly Prop) for LDPE Pipes.	no	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
		<b>TOTAL SECTION " J " CARRIED FORWARD TO SUMMARY</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b><u>SECTION K : VALVES &amp; METERS</u></b>						
<b>K</b>		<b>Supply, deliver,install and test the following valves</b>				
<b>K.1</b>		<b><u>PVC ball valve (PN 16)</u></b>				
K.1.1		15mm	no	1		
K.1.2		20mm	no	1		
K.1.3		25mm	no	1		
K.1.4		32mm	no	1		
K.1.5		40mm	no	1		
K.1.6		50mm	no	1		
<b>K.2</b>		<b><u>Solvent Weld PVC ball valve (PN16)</u></b>				
K.2.1		15mm	no	1		
K.2.2		20mm	no	1		
K.2.3		25mm	no	1		
K.2.4		32mm	no	1		
K.2.5		40mm	no	1		
K.2.6		50mm	no	1		
K.2.7		63mm	no	1		
K.2.8		80mm	no	1		
K.2.9		90mm	no	1		
K.2.10		100mm	no	1		
<b>K.3</b>		<b><u>Stainless Steel ball valve (PN16)</u></b>				
K.3.1		15mm	no	1		
K.3.2		20mm	no	1		
K.3.3		25mm	no	1		
K.3.4		32mm	no	1		
K.3.5		40mm	no	1		
K.3.6		50mm	no	1		
<b>K</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>K</b>		<b>Brought forward</b>				
<b>K.4</b>		<b><u>Flanged cast iron gate valve (PN25) (SANS 664)</u></b>				
K.4.1		50 mm	no	1		
K.4.2		80 mm	no	1		
K.4.3		100 mm	no	1		
K.4.4		150 mm	no	1		
K.4.5		200 mm	no	1		
K.4.6		250 mm	no	1		
<b>K.5</b>		<b><u>Wafer butterfly valve with lever handle (PN16)</u></b>				
K.5.1		50 mm	no	1		
K.5.2		65 mm	no	1		
K.5.3		80 mm	no	1		
K.5.4		100 mm	no	1		
K.5.5		125 mm	no	1		
K.5.6		150 mm	no	1		
K.5.7		200 mm	no	1		
K.5.8		250 mm	no	1		
<b>K.6</b>		<b><u>Wafer Butterfly valve, Stainless Steel with lever handle (PN16)</u></b>				
K.6.1		50 mm	no	1		
K.6.2		65 mm	no	1		
K.6.3		80 mm	no	1		
K.6.4		100 mm	no	1		
K.6.5		125 mm	no	1		
K.6.6		150 mm	no	1		
K.6.7		200 mm	no	1		
K.6.8		250 mm	no	1		
<b>K</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
K		<b>Brought forward</b>				
K.7		<b>Supply, deliver, install and test the following diaphragm irrigation control valves</b>				
K.7.1		<b><u>Manually Controlled Valve complete with 3-way selector (Closed, Outo, Open) PN 10</u></b>				
		a) 50 mm	no	1		
		b) 65 mm	no	1		
		c) 80 mm	no	1		
		d) 100 mm	no	1		
K.7.2		<b><u>Solenoid Controlled Valve complete with 3-way solenoid (PN 10)</u></b>				
		a) 50 mm	no	1		
		b) 65 mm	no	1		
		c) 80 mm	no	1		
		d) 100 mm	no	1		
K.7.3		<b><u>Pressure Reducing Valve complete with 3-way selector and 3-way Pilot valve</u></b>				
		a) 50 mm	no	1		
		b) 65 mm	no	1		
		c) 80 mm	no	1		
		d) 100 mm	no	1		
		e) 150 mm	no	1		
		f) 200 mm	no	1		
K.7.4		<b><u>Other Valves</u></b>				
K.7.4.1		Mark up on other Valves as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1		
K.7.4.2		Mark up on other Valves.	%			
K.7.4.3		Extra over Item K.7.4.2: Deliver, Install, Testing and Commission other Valves.	set	1		
K		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
K		<b>Brought forward</b>				
K.8		<b><u>Supply deliver and install the following water meters</u></b>				
K.8.1		<b><u>Cast Iron , Epoxy coated (Flange Table D)</u></b>				
		a) 40 mm	no	1		
		b) 50 mm	no	1		
		c) 65 mm	no	1		
		d) 80 mm	no	1		
		e) 90 mm	no	1		
		f) 100 mm	no	1		
K.8.2		<b><u>Other Water Meters</u></b>				
K.8.2.1		Mark up on other Water Meters as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1		
K.8.2.2		Mark up on other Water Meters.	%			
K.8.2.3		Extra over Item K.8.2.2: Deliver, Install, Testing and Commission other Water Meters.	set	1		
K.9		<b><u>Supply, deliver,install and test the following air valves and fittings.</u></b>				
K.9.1		<b><u>Double purpose air valves</u></b>				
		a) 25 mm	no	1		
		b) 32 mm	no	1		
		c) 40 mm	no	1		
		d) 50 mm	no	1		
K.9.2		<b><u>Vacuum breakers</u></b>				
		a) 25 mm	no	1		
		b) 32 mm	no	1		
		c) 40 mm	no	1		
		d) 50 mm	no	1		
K		<b>Carried forward</b>				



No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b><u>SECTION L : SHADENET</u></b>						
L		<b>Supply deliver and install the following SABS approved shadenet materials and accessories. Shade Cloth to be manufactured from HDPE (High-Density Polyethylene) with UV stabiliser</b>				
L.1		<b><u>Shade Cloth</u></b>				
L.1.1		20% Shade White	m <sup>2</sup>	1		
L.1.2		40% Shade White	m <sup>2</sup>	1		
L.1.3		20% Green	m <sup>2</sup>	1		
L.1.4		40% Green	m <sup>2</sup>	1		
L.1.5		50% Green	m <sup>2</sup>	1		
L.1.6		80% Green	m <sup>2</sup>	1		
L.1.7		20% Black	m <sup>2</sup>	1		
L.1.8		40% Black	m <sup>2</sup>	1		
L.1.9		50% Black	m <sup>2</sup>	1		
L.1.10		80% Black	m <sup>2</sup>	1		
L.2		<b><u>CCA Grade H4 poles (75-100)</u></b>				
L.2.1		2.1 m	no	1		
L.2.2		2.4 m	no	1		
L.2.3		2.7 m	no	1		
L.2.4		3 m	no	1		
L.2.5		3.6 m	no	1		
L.2.6		4,2 m	no	1		
L.2.7		4.8 m	no	1		
L.3.1		<b><u>CCA Grade H4 poles (100-125)</u></b>				
L.3.1		2.1 m	no	1		
L.3.2		2.4 m	no	1		
L.3.3		2.7 m	no	1		
L		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
L		<b>Brought forward</b>				
L.3.4		3 m	no	1		
L.3.5		3.3 m	no	1		
L.3.6		3.6 m	no	1		
L.3.7		3.9 m	no	1		
L.3.8		4.2 m	no	1		
L.4		<b><u>CCA Grade H4 poles (125-150)</u></b>				
L.4.1		2.1 m	no	1		
L.4.2		2.4 m	no	1		
L.4.3		2.7 m	no	1		
L.4.4		3 m	no	1		
L.4.5		3.6 m	no	1		
L.4.6		4,2 m	no	1		
L.4.7		4.8 m	no	1		
L.5		<b><u>CCA Grade H4 poles (150-175)</u></b>				
L.5.1		2.1 m	no	1		
L.5.2		2.4 m	no	1		
L.5.3		2.7 m	no	1		
L.5.4		3 m	no	1		
L.5.5		3.6 m	no	1		
L.5.6		4,2 m	no	1		
L.5.7		4.8 m	no	1		
L.6		<b><u>ANCHORS</u></b>				
L.6.1		Duckbill type - minimum Model 88 - installed as per manufactures specifications	no	1		
L.6.2		Manta Ray type - minimum MR2 type - installed as per manufactures specifications.	no	1		
L		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
L		<b>Brought forward</b>				
L.6.3		Tyre type - minimum vehicle tyre size 14" installed and secured at minimum depth of 800mm	no	1		
L.6.4		Casted concrete blocks - min 15Mpa/19, min of 0.5m x 0.5m x 0.5m, installed at minimum depth of 800mm	no	1		
L.7		<b><u>ACCESSORIES</u></b>				
L.7.1		M10 Wire tensioners with shackles on both ends	no	1		
L.7.2		M12 Wire tensioners with shackles on both ends	no	1		
L.7.3		2.5 x 25mm Nail staples	no	1		
L.7.4		2.5 x 30mm Nail staples	no	1		
L.7.5		2.5 x 40mm Nail staples	no	1		
L.7.6		3 x 30mm Nail staples	no	1		
L.7.7		3.5 x 30mm Nail staples	no	1		
L.7.8		4 x 30mm Nail staples	no	1		
L.7.9		2.5 x 40mm Nail staples	no	1		
L.7.10		3 x 40mm Nail staples	no	1		
L.7.11		3.5 x 40mm Nail staples	no	1		
L.7.12		4 x 40mm Nail staples	no	1		
L.7.13		25mm Flat head ceiling nails	no	1		
L.7.14		4,0mm Roof Wire for anchor poles	m	1		
L.7.15		2,24mm high tensile Steel wire for netting	no	1		
L.7.16		2,0mm Galvanized wire clamps for net wire (fabricate from wire)	no	1		
L.7.17		40mm Wire Staples	no	1		
L.7.18		32mm Wire staples	no	1		
L.7.19		M12 x 1 000mm long galvanized round bar	no	1		
L.7.20		M10 x 1 000mm Long galvanized round bar	no	1		
L.7.21		M12 galvanized washers	no	1		
L		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>L</b>		<b>Brought forward</b>				
L.7.22		M10 Galvanized washers	no	1		
L.7.23		M12 Galvanized nuts	no	1		
L.7.24		M10 Galvanized nuts	no	1		
L.7.25		M10 x 2 000mm Galvanized anchors made from round bar	no	1		
L.7.26		1500mm Long Y-standard Iron fencing poles	no	1		
L.7.27		150,000 Galv hogrings(15 boxes)	no	1		
L.7.28		3000 x 5 mm Aluminium Ferrules	no	1		
L.7.29		2000 x 6 mm Aluminium Ferrules	no	1		
L.7.30		7 x 1.6 mm Galvanised staywire	m	1		
L.7.31		7 x 2 mm Galvanised staywire	m	1		
L.7.32		7 x 2.65 mm Galvanised staywire	m	1		
L.7.33		7 x 3.25 mm Galvanised staywire	m	1		
L.7.34		7 x 4 mm Galvanised staywire	m	1		
L.7.35		M10 Galv. Straining bolts	no	1		
L.7.36		M12 Turnbuckle & Eye Hook	no	1		
L.7.37		M16 Turnbuckle & Eye Hook	no	1		
L.7.38		1500m x 12mm rust treated anchor steel	no	1		
L.7.39		vine grips	no	1		
L.7.40		Double wrap grip	no	1		
L.7.41		2,24mm high tension steel wire.Full galvanised	m	1		
L.7.42		10mm Crosby Clamps	no	1		
L.7.43		Ref 888 mesh for ground anchor blocks	m2	1		
L.7.44		25MPa concrete for anchoring	m3	1		
L.7.45		500x500x150mm depth concrete shutter for shuttering anchor blocks	no	1		
		<b>TOTAL SECTION "L" CARRIED FORWARD TO SUMMARY</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b><u>SECTION M : TUNNELS &amp; RESEVOIRS</u></b>						
<b>M.1</b>		<b><u>Greenhouse Tunnel</u></b>				
		<p><b>Supply deliver and install complete Greenhouse Tunnel, inclusive of 200-micron UV protected, 3 layer Greenhouse plastic, door (minimum 1,9 x 2 m), front and rear - end ventilation flap, concrete footings (minimum 500 x 300 mm), and manufactured from galvanised steel members with the following minimum specifications:</b></p> <p><b>a) Side pole - 48 mm x 2 mm</b>  <b>b) Arches - 42 mm x 2 mm</b>  <b>c) Tie beams - 34 mm x 2 mm</b>  <b>d) Connecting poles - 42 mm x 2 mm</b>  <b>e) Other connecting poles = 34 mm x 2 mm</b></p>				
M.1.1		15 m x 10 m x 4 m (Minimum)	Sum	1		
M.1.2		30 m x 10 m x 4 m (Minimum)	Sum	1		
M.1.3		30 m x 20 m x 4 m (Minimum)	Sum	1		
<b>M.2</b>		<b><u>Greenhouse Tunnel Accessories</u></b>				
M.2.1		10 L (125 - 150 micron) black planting bag	no	1		
M.2.2		Trellising hooks	no	1		
M.2.3		Heavy duty polypropolyne trellising twine, 5kg roll	roll	1		
M.2.4		All in one pH and EC meter (Bluelab OnePen or similar approved)	no	1		
M.2.5		4 mm Galvanised Wire (50kg x 4mm x 500) for Crop Support in the Tunnels	roll	1		
M.2.6		200 Micron UV protected, 3 layer Greenhouse plastic	m <sup>2</sup>	1		
M.2.7		Floor plastic, UV stabilized 200 Micron, Roll 11,5m x 31m.	roll	1		
<b>M</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>M</b>		<b>Brought forward</b>				
<b>M.3</b>		<b><u>Provisional Sum</u></b>				
M.3.1		Allow Provisional sum for the installation of tunnel equipment such as fertigation, pumping unit. Computer aided monitoring, ventilation controls by specialist manufacturing company	Prov sum	1	200000	rate only
M.3.2		Profit Over Item M.3.1	%	200000		
M.3.3		Allow Provisional sum for the erection of Semi-automated Ventilated Tunnel House by specialist manufacturing company	Prov sum	1	5000000	rate only
M.3.4		Profit Over Item M.3.3	%	5000000		
<b>M.4</b>		<b><u>Polyethylene Water Tank</u></b>				
		Supply, erect and anchored elevated polyethylene water tank onto tank stand (3,6 & 9m high):				
M.4.1		5 000 Litres LDPE Tank	sum	1		
M.4.2		10 000 Litres LDPE Tank	sum	1		
M.4.4		Install and test all the pipe work and fittings for an elevated tank installation and connect to a water supply for a 10 000 or 5 000 litre tank.	sum	1		
<b>M.5</b>		<b><u>Steel Tank Stand</u></b>				
		Supply and erect a prefabricated complete elevated steel tank stand (painted) with Engineers Certificate suitable for a 10 000-storage tank:				
M.5.1		3 meter high for 10 000 litres	sum	1		
M.5.2		6 meter high for 10 000 litres	sum	1		
M.5.3		9 meter high for 10 000 litres	sum	1		
		Supply and erect a prefabricated complete elevated steel tank stand (painted) with Engineers Certificate suitable for a 5 000-storage tank:				
M.5.4		3 meter high for 5 000 litres	sum	1		
M.5.5		6 meter high for 5 000 litres	sum	1		
M.5.6		9 meter high for 5 000 litres	sum	1		
<b>M</b>		<b>Carried forward</b>				
<b>M</b>		<b>Brought forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
M.6		<b><u>Concrete</u></b>				
	SANS 1200G	Casting of concrete footings, inclusive of excavations (1m x 1m x 1m per footing)				
M.6.1		Class 25/19 concrete	m <sup>3</sup>	1		
M.7		<b><u>Prefabricated Galvanized steel water reservoir</u></b>				
		Prefabricated Galvanized steel water reservoir complete with roof, internal ladder, external cat ladder with safety cage, 1x inlet (50 mm) including galvanized steel inlet pipe and fittings, outlet (80 mm) including valve, overflow, manhole, scour valve, whirlybird or similar approved ventilator, water level indicator, concrete ring beam or slab with Engineers Certificate were applicable and PVC lining in the following size categories:				
M.7.1		240 000 to 260 000 Litres capacity	litre	1		
M.7.2		260 000 to 280 000 Litres capacity	litre	1		
M.7.3		490 000 to 550 000 Litres capacity	litre	1		
M.7.4		740 000 to 800 000 Litres capacity	litre	1		
M.7.5		1 000 000 to 1 100 000 Litres capacity	litre	1		
M.8		<b><u>HDPE Dam Lining</u></b>				
		Supply, deliver, install and commission HDPE Dam Linnings. Including on-site plastic welding.				
M.8.1		HDPE Dam Lining 1,5mm	m <sup>2</sup>	1		
M.8.2		HDPE Dam Lining 2,0mm	m <sup>2</sup>	1		
<b>TOTAL SECTION "M" CARRIED FORWARD TO SUMMARY</b>						

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b><u>SECTION N : CENTRE PIVOT</u></b>						
<b>N</b>		<b>CENTRE PIVOT IRRIGATION</b>				
		Provisional sum for the Supply, deliver, install, test, and commission of a complete Centre Pivot Irrigation by a reputable supplier as specified by the Engineer. (Turn-key solution)				
<b>N.1</b>		<b>Non-towable Centre Pivot</b>				
N.1.1		Single span Centre Pivot cover up to 3,0 Ha.	PC sum	1	400000	rate only
N.1.2		Two span Centre Pivot cover up to 8,6 Ha.	PC sum	1	700000	rate only
N.1.3		Three span Centre Pivot cover up to 17,0 Ha.	PC sum	1	2000000	rate only
		Mark up on above	%	3100000		
<b>N.2</b>		<b>Towable Centre Pivot</b>				
N.2.1		Single span Centre Pivot cover up to 3,0 Ha.	sum	1	450000	rate only
N.2.2		Two span Centre Pivot cover up to 8,6 Ha.	sum	1	700000	rate only
N.2.3		Three span Centre Pivot cover up to 17,0 Ha.	sum	1	2200000	rate only
		Mark up on above	%	3350000		
<b>N.3</b>		<b><u>Other Centre Pivot components</u></b>				
N.3.1		Mark up on other Centre Pivot components as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	90000	rate only
N.3.2		Mark up on other Centre Pivot components.	%	90000		
<b>N</b>		<b>Carried forward</b>				
<b>N</b>		<b>Brought forward</b>				
<b>N.5</b>		<b><u>Concrete</u></b>				
	SANS 1200G	Casting of concrete footings / platforms as specified by Centre Pivot Supplier, inclusive of excavations.				
N.5.1		Class 25/19 concrete	m <sup>3</sup>	1		
N.5.2		Excavation for footings / platforms	m <sup>3</sup>	1		



No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b><u>SECTION P : BUILDING</u></b>						
P.1		<b><u>DEMOLISHING AND REMOVING</u></b>				
P.1.1		Demolish existing building structures comprising of brickwork, roofing, closures and foundations. and dispose safely.	m <sup>2</sup>	1		
P.1.2		Demolition of non-reinforced concrete	m <sup>2</sup>	1		
P.1.3		Demolition of reinforced concrete	m <sup>2</sup>	1		
P.1.4		Cart away rubble from demolitions and dispose off site.	m <sup>3</sup>	1		
P.1.5		Restore site with soil material filling and compaction.	m <sup>3</sup>	1		
P.1.6		Empty Sewage Septic tank and dispose in line with regulations.	m <sup>3</sup>	1		
P.1.7		Decommission a pit toilet, including treatment, removal and disposal of sludge waste.	no	1		
P.2		<b><u>EARTHWORKS</u></b>				
		<u>Excavation in earth not exceeding 1,5m deep:</u>				
P.2.1		Foundation Trenches	m <sup>3</sup>	1		
P.2.2		Footing Holes.	m <sup>3</sup>	1		
P.2.3		Cut levels and depositing excavated material in prescribed stock piles on site.	m <sup>3</sup>	1		
		<u>Extra over trench and hole excavations in earth for excavation in:</u>				
P.2.4		Intermediate excavation	m <sup>3</sup>	1		
P.2.5		Soft/loose rock	m <sup>3</sup>	1		
P.2.6		Hard rock	m <sup>3</sup>	1		
		<u>Extra over all excavations for carting away:</u>				
P.2.7		Surplus material from excavations and/or stock piles on site to a dumping site to be located by the contractor.	m <sup>3</sup>	1		
		<u>Risk of collapse of excavations:</u>				
P.2.8		Shoring Sides of trench and hole excavations not exceeding 1,5m deep.	m <sup>2</sup>	1		
P.2.9		Shoring Sides of trench and hole excavations exceeding 1,5m deep.	m <sup>2</sup>	1		
P		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
P		<b>Brought forward</b>				
		<u>Keeping excavations free of water:</u>				
P.2.10		Keeping excavations free from mud and storm water	Sum	1		
P.2.11		Handling and Keeping excavations free from water irrespective of source.	Sum	1		
P.3		<b><u>SOIL POISONING</u></b>				
		Vegetation herbicide and anti-termite soil poisoning applied by a Registered Pest Control company utilizing complaint chemicals				
P.3.1		Surrounding area, foundation trenches/ furrows, under floors, forming agaist foundation walls.	m <sup>2</sup>	1		
P.3.2		To bottoms and sides of trenches, holes, etc.	m <sup>2</sup>	1		
P.4		<b><u>BACK FILLING</u></b>				
P.4.1		Back filling obtained from the excavations and / or prescribed stock piles on site (minimum G7 material) compacted to 93% Mod. AASHTO density.	m <sup>3</sup>	1		
P.4.2		Imported G5 filling, selected and supplied by the Contractor, including depositing in layers not exceeding 150mm thick and compacting to 98% modified AASHTO dry densit.	m <sup>3</sup>	1		
P.4.3		Imported G7 filling, selected and supplied by the Contractor, including depositing in layers not exceeding 150mm thick and compacting to 98% modified AASHTO dry density.	m <sup>3</sup>	1		
P.4.4		Coarse river sand filling supplied by the contractor.	m <sup>3</sup>	1		
P.4.5		Compaction of in-situ material under floors etc including scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 93% Mod AASHTO density.	m <sup>3</sup>	1		
P.4.6		Allow for Prescribed density tests on filling compaction by an approved laboratory to determine density of filling material.	no	1		
P.4.7		Allow for sample collection and submitting for test by an approved laboratory to determine material class, for site stock piled and borrowing materials	no	1		
P		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
P		<b>Brought forward</b>				
P.5		<b><u>CONCRETE</u></b>				
P.5.1		Surface blinding layer under footings and bases (15Mpa/19mm Concrete).	m <sup>3</sup>	1		
P.5.2		Surface screeds (20Mpa/19mm), limited to 30mm thick	m <sup>3</sup>	1		
P.5.3		25Mpa/19mm <b>Un-Reinforced</b> concrete casting and vibrated for Foundations, footings, etc.	m <sup>3</sup>	1		
P.5.4		25Mpa/19mm <b>Reinforced</b> concrete casting and vibrated for Foundations, footings, etc.	m <sup>3</sup>	1		
P.5.5		30Mpa/19mm <b>Un-Reinforced</b> concrete casting and vibrated for Foundations, footings, etc.	m <sup>3</sup>	1		
P.5.6		30Mpa/19mm <b>Reinforced</b> concrete casting and vibrated for Foundations, footings, etc.	m <sup>3</sup>	1		
P.5.7		Making and testing of 150x150x150mm concrete strength test cubes	no	1		
P.5.8		Concrete Top Surface Finishing: Smooth wood floated finish	m <sup>2</sup>	1		
P.5.9		Concrete Top Surface Finishing: Steel Floated Finish	m <sup>2</sup>	1		
P.5.10		Charmfers at corners: 19 x 19mm triangular fillet at corners forming	m	1		
P.6		<b><u>ROUGH FORMWORK</u></b>				
P.6.1		<b><u>Permanent Formwork:</u></b>				
P.6.1.1		To sides, edging, risers, ends and reveals, not exceeding 300mm height	m <sup>2</sup>	1		
P.6.1.2		To sides, edging, risers, ends and reveals, not exceeding 600mm height	m <sup>2</sup>	1		
P.6.1.3		To sides, edging, risers, ends and reveals, not exceeding 1500mm height	m <sup>2</sup>	1		
P.6.1.4		Circular columns shuttering	m <sup>2</sup>	1		
P.6.1.5		Suspended slabs shuttering	m <sup>2</sup>	1		
P.6.2		<b><u>Temporary Formwork:</u></b>				
P.6.2.1		To sides, edging, risers, ends and reveals, not exceeding 300mm height	m <sup>2</sup>	1		
P.6.2.2		To sides, edging, risers, ends and reveals, not exceeding 600mm height	m <sup>2</sup>	1		
P.6.2.3		To sides, edging, risers, ends and reveals, not exceeding 1500mm height	m <sup>2</sup>	1		
P.6.2.4		Circular columns shuttering	m <sup>2</sup>	1		
P.6.2.5		Suspended slabs shuttering	m <sup>2</sup>	1		
P		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
P		<b>Brought forward</b>				
P.7		<b><u>SMOOTH FORMWORK</u></b>				
P.7.1		<b><u>Permanent Formwork:</u></b>				
P.7.1.1		To sides, edging, risers, ends and reveals, not exceeding 300mm height	m <sup>2</sup>	1		
P.7.1.2		To sides, edging, risers, ends and reveals, not exceeding 600mm height	m <sup>2</sup>	1		
P.7.1.3		To sides, edging, risers, ends and reveals, not exceeding 1500mm height	m <sup>2</sup>	1		
P.7.1.4		Circular columns shuttering	m <sup>2</sup>	1		
P.7.1.5		Suspended slabs shuttering	m <sup>2</sup>	1		
P.7.2		<b><u>Temporary Formwork:</u></b>				
P.7.2.1		To sides, edging, risers, ends and reveals, not exceeding 300mm height	m <sup>2</sup>	1		
P.7.2.2		To sides, edging, risers, ends and reveals, not exceeding 600mm height	m <sup>2</sup>	1		
P.7.2.3		To sides, edging, risers, ends and reveals, not exceeding 1500mm height	m <sup>2</sup>	1		
P.7.2.4		Circular columns shuttering	m <sup>2</sup>	1		
P.7.2.5		Suspended slabs shuttering	m <sup>2</sup>	1		
P.7.2.6		Reinforced precasted rib and block Slabs as permanent shutters - top ref mesh and concrete topping measured elsewhere	m <sup>2</sup>	1		
P.8		<b><u>CONCRETE JOINTS</u></b>				
P.8.1		Saw cut joints: 6mm wide x 50mm deep Saw cut joints on top of concrete	m	1		
P.8.2		Construction Joints: 6mm Soft board, not exceeding	m	1		
P.9		<b><u>CONCRETE REINFORCEMENT</u></b>				
P.9.1		High tensile steel reinforcement bars to structural concrete work.	t	1		
P.9.2		<b><u>Fabric reinforcement:</u></b>				
P.9.2.1		REF. 193 fabric reinforcement in concrete surface beds, raft slabs etc.	m <sup>2</sup>	1		
P.9.2.2		REF. 245 fabric reinforcement in concrete surface beds, raft slabs etc.	m <sup>2</sup>	1		
P		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
P		<b>Brought forward</b>				
P.9.2.3		REF. 395 fabric reinforcement in concrete surface beds, raft slabs etc.	m <sup>2</sup>	1		
P.9.2.4		REF. 617 fabric reinforcement in concrete surface beds, raft slabs etc.	m <sup>2</sup>	1		
P.9.2.5		REF. 888 fabric reinforcement in concrete surface beds, raft slabs etc.	m <sup>2</sup>	1		
P.10		<b><u>MASONRY BRICKWORK</u></b>				
		Supply, Deliver, and Construct Brickwork consisting of solid clay bricks to SABS 227-1986, with 10.5 MPa minimum nominal compressive strength in Class I mortar. (Cement to be 42.5N all-purpose cement):				
P.10.1		Stock Brick 220mm wide (One brick) wall, complete with mortar, ties, etc.	m <sup>2</sup>	1		
P.10.2		Stock Brick 110mm wide (Half brick) wall, complete with mortar, ties, etc.	m <sup>2</sup>	1		
P.10.3		150mm wide (one brick) using maxi bricks walls.	m <sup>2</sup>	1		
		<b>FACE BRICK:</b> FBS clay face brick , bedded and jointed in Class II mortar and pointed with recessed vertical and horizontal joints (Cement to be 42.5N all-purpose cement):				
P.10.6		Supply, Deliver, and Construct Brickwork: Face Brick outside and inside, 220mm wide (One brick) wall, complete with mortar, ties, pointed outside and inside, etc.	m <sup>2</sup>	1		
P.10.7		Supply, Deliver, and Construct Brickwork: Face Brick outside and Stock Brick inside, 220mm wide (One brick) wall, complete with mortar, ties, pointed outside, etc.	m <sup>2</sup>	1		
P.10.8		Supply, Deliver, and Construct Brickwork: Face Brick outside, 110mm wide (Half brick) wall, complete with mortar, ties, pointed outside, etc.	m <sup>2</sup>	1		
P.11		<b><u>BRICKFORCE</u></b>				
P.11.1		NHBRC Galvanized brickforce: 150 x 2.8 mm	m	1		
P.11.2		NHBRC Galvanized brickforce: 75 x 2.8 mm	m	1		
P		<b>Carried forward</b>				
P		<b>Brought forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
P.12		<b><u>ROOF TIES (Bracing Strap)</u></b>				
P.12.1		Bracing Strap (MiTek or similar approved) Galvanized roof tie with one end fixed to timber and other built into brickwork or concrete.	m	1		
P.13		<b><u>WATERPROOFING</u></b>				
P.13.1		Sealing of walls with 1:3 cement and sand mixture	m <sup>2</sup>	1		
P.13.2		Sealing of walls with two coats of bitumen emulsion waterproofing	m <sup>2</sup>	1		
P.13.3		Coprox masonry waterproofing or equal approved waterproof cement additive	kg	10		
P.14		<b><u>LINTOLS</u></b>				
P.14.1		Pre-Cast Concrete lintols 75 x 110				
P.14.1.1		Lintels 0.9 m	no	1		
P.14.1.2		Lintels 1.2 m	no	1		
P.14.1.3		Lintels 1.8 m	no	1		
P.14.1.4		Lintels 2.4 m	no	1		
P.14.1.5		Lintels 3 m	no	1		
P.14.1.6		Lintels 4 m	no	1		
P.14.2		Pre-Cast Concrete lintols 75 x 150mm				
P.14.2.1		Lintels 0.9 m	no	1		
P.14.2.2		Lintels 1.2 m	no	1		
P.14.2.3		Lintels 1.8 m	no	1		
P.14.2.4		Lintels 2.4 m	no	1		
P.14.2.5		Lintels 3 m	no	1		
P.14.2.6		Lintels 4 m	no	1		
<b>P</b>		<b>Carried forward</b>				
<b>P</b>		<b>Brought forward</b>				
P.15		<b><u>DAMP PROOFING</u></b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
P.15.1		One layer of 250 micron waterproof plastic sheeting (For floors)	m <sup>2</sup>	1		
P.15.2		Damp proof 110mm x 250 micron (For walls)	m	1		
P.16		<b><u>JOINT SEALANTS</u></b>				
P.16.1		Clear Neutral silicone sealant for joint sealing around windows, door frames, etc.	m	1		
P.16.2		Two-part grey polysulphide sealing compound (10x12mm) including backing cord, bond breaker, primer, etc for joints in floors, walls, etc.	m	1		
P.17		<b><u>ROOF COVERINGS</u></b>				
		Galvanised profiled metal sheeting with "Chromadek" finish, screws and all accessories, supply and install complete, fixed to roof / clading members.				
P.17.1		Galvanised IBR profile 0,58mm Z200, with "Chromadek" finish.	m <sup>2</sup>	1		
		Galvanised (0.58mm) Flashings "Chromadek" finish fixed in strict accordance with manufacturer's instructions including installation accessories :				
P.17.2		Mono pitched ridge capping ("Chromadek" finish) with 225mm lapping secured onto the roof.	m	1		
P.17.3		Ridge cover, 0,58mm ("Chromadek" finish).	m	1		
P.17.4		Ridge Closures ("Chromadek" finish), 0,58mm ridge closures fixed under the ridge line.	m	1		
		Galvanised profiled metal sheeting, screws and all accessories, supply and install complete, fixed to roof / clading members.				
P.17.5		Galvanised IBR profile 0,58mm Z200.	m <sup>2</sup>	1		
		Galvanised (0.58mm) Flashings, fixed in strict accordance with manufacturer's instructions including installation accessories :				
P.17.6		Mono pitched ridge capping with 225mm lapping secured onto the roof.	m	1		
P.17.7		Ridge cover, 0,58mm.	m	1		
P.17.8		Ridge Closures, 0,58mm ridge closures fixed under the ridge line.	m	1		
<b>P</b>		<b>Carried forward</b>				
<b>P</b>		<b>Brought forward</b>				
P.18		<b><u>ROOF INSULATION</u></b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
P.18.1		Insulation laid and strained by 2mm galvanized wires on timber roof trusses/ steel purlins "Alububble" or equal approved insulation	m <sup>2</sup>	1		
P.19		<b><u>PROVISIONAL SUM FOR STEEL STRUCTURES</u></b>				
P.19.1		Provisional Sum, as specified by the Engineer, for the fabrication, supply, delivery, erection of a complete Steel Structure with roof and side cladding, doors, insulation, ventilators, steel members treated and painted, etc. Engineers Certificate to be included.	Prov sum	1	800000	rate only
P.19.2		Profit Over Item P.19.1	%	800000		
<b>P</b>		<b>Brought forward</b>				
P.21		<b><u>DOORS</u></b>				
		Supply, deliver and install the following doors complete.				
P.21.1		Frame and ledge open back solid Meranti door, size 813 x 2032mm. (Exterior use)	no	1		
P.21.2		Light Duty Hardboard door, size 813 x 2032mm. (Interior use)	no	1		
P.23		<b><u>METALWORK</u></b>				
		STEEL BURGLAR GATES TO DOORS				
		Security Gate (mild steel) consisting of 25 x 25 x 2mm steel frame with 12mm square bars infill placed at 109mm centres, hung with one pair of galvanised hinges including locks, handles, ironmongery complete and fixed to brickwork:				
P.23.1		Security gate size 900 x 2050mm high	no	1		
P.23.2		Security double gate size 1800 x 2050mm high.	no	1		
P.24		<b><u>PLASTERING</u></b>				
P.24.1		SCREED: 30mm thick, Untinted granolithic, on concrete.	m <sup>2</sup>	1		
P.24.2		SKIRTING: 75mm high coved granolithic skirting	m	1		
P.24.3		INTERNAL PLASTER: 10mm thick, 1:4 sand cement mixture	m <sup>2</sup>	1		
<b>P</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
P		<b>Brought forward</b>				
P.25		<b><u>PAINTWORK</u></b>				
P.25.1		Prepare wood surfaces (stop, sand down, etc.) and apply one coat wood primer, one undercoat and two coats eggshell enamel paint (Plascon or equal approved) (Doors, door frames, etc.)	m <sup>2</sup>	1		
P.25.2		Prepare and apply two coats carbolenium on exposed timber.	m <sup>2</sup>	1		
P.25.3		Prepare and apply two coats pure acrylic roof paint on fascias and barge boards.	m <sup>2</sup>	1		
P.25.4		Prepare and apply two coats enamel paint on windows frames, putty, door frames, etc.	m <sup>2</sup>	1		
P.26		<b><u>ROLLER DOORS</u></b>				
P.26.1		Industrial Roller door, Chain operated, 2400 x 3000mm high galvanized with locking mechanism	no	1		
P.26.2		Industrial Sliding Door on track and guide, 2400 x 3000mm high galvanized with locking mechanism	no	1		
P.26.3		Standard Garage roll up door 2400 x 2000mm, with a pedestrian lock mechanism	no	1		
P.27		<b><u>STEEL WINDOW FRAMES</u></b>				
P.27.1		Supply, deliver and install the following complete steel window frames and glazing.				
P.27.2		Window frame NC2 (1022 x 949 mm)	no	1		
P.27.3		Window frame NC4F (1511 x 949 mm)	no	1		
P.27.4		Window frame C1H (533 x 949 mm)	no	1		
P.27.5		Window frame NE1 (533 x 359 mm)	no	1		
P.27.6		Window frame NE11 (1975 x 629 mm)	no	1		
P.27.7		Glazing including putty, 3 - 4mm clear glass	m <sup>2</sup>	1		
P.27.8		Glazing including putty, 4mm frosted glass	m <sup>2</sup>	1		
P		<b>Carried forward</b>				
P		<b>Brought forward</b>				
P.29		<b><u>STRONG ROOM DOOR</u></b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
P.29.1		Supply, deliver & install Strong room door, 120mm thick, 6mm outer plate, 2032.5H x 1000W, Outward opening, one key lock with emergency inner release, Mass 150 to 300kg and 7 Lever security keylock 8 bolt, 180 degree opening	no	1		
P.30		<b><u>PRESSED STEEL DOOR FRAMES</u></b>				
		Supply, deliver & install the following mild steel (1,2mm thick) door frames complete with standard butt hinges and factory applied primer:				
P.30.1		Double rebated frame suitable for half brick (110mm) walls for door 813 x 2032mm high	no	1		
P.30.2		Double rebated frame suitable for one brick (220mm) walls for door 813 x 2032mm high	no	1		
P.30.3		Double rebated frame suitable for one brick (220mm) walls for door 1511 x 2032mm high	no	1		
P.30.4		Combination Door and Frame, Double Door, 1511 x 2 032mm high	no	1		
P.30.5		Combination Door and Frame, Single Door, 813 x 2 032mm high	no	1		
P.31		<b><u>LOCKS</u></b>				
P.31.1		Supply 50 mm "Viro" Padlocks and Keys (or equal approved )	no	1		
P.31.2		Three lever double cylinder lockset code 2222 or similar with Gower Handel code CZ682-05 SC complete with striking plate.	no	1		
P.31.3		Four- lever double cylinder lockset, with Gower Handel code CZ682-05 SC or similar complete with striking plate.	no	1		
P.31.4		DMWS-SS-008 or similar Bathroom /WC small case deadlock	no	1		
P.31.5		Aluminuim door stop with rubber insert	no	1		
P.32		<b><u>SIGNAGE PLATES</u></b>				
P.32.1		Wheelchair, pictogram Engraved on 152 x 152 mm stainless steel plate.	no	1		
P.32.2		Female, pictogram Engraved on 152 x 152 mm stainless steel plate.	no	1		
P.32.3		Male, pictogram Engraved on 152 x 152 mm stainless steel plate.	no	1		
P		<b>Carried forward</b>				
P		<b>Brought forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
P.37		<b><u>HAND RAILS IN TOILETS</u></b>				
P.37.1		Mark up on Grab Rails as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	5000	rate only
P.37.2		Mark up on Grab rails.	%	5000		
P.37.3		Extra over Item P.37.2: Deliver, and Install Grab Rails.	no	1		
P.38		<b><u>FIRE SERVICES</u></b>				
P.38.1		DCP dry powder portable fire extinguisher (4,5kg), including a formed Saligna Wood backboard size 450 x 100 x 22mm thick plugged and screwed to wall and finished with two coats of polyurethane varnish, including 120 x 20 x 2mm Stainless or Galvanised Steel "J" Wall Bracket.	Set	1		
P.38.2		Fixed type Fire hose reel complete with ID 20mm x 30m PVC hose (SANS 1086), chromium plated stopcock( 25mm BSP), shut-off nozzle and wall bracket bolted to wall with and including expansion bolts.	Set	1		
P.39		<b><u>FIELD SANITATION UNITS</u></b>				
		Earth-, Concrete-, and Building-works are measured elsewhere.				
P.39.1		Supply, deliver ,Install and commission a "Rocla Ama Loo Loo" or similar approved Precast Concrete Panel Toilet, 900mm W x 1100mm L x 2000mm H, Complete with prefabricated walls, roof, door, seat, pit slab cover, and handwash basin.	Sum	1		
P.39.2		Supply, deliver ,Install ,and commission an "ENVIRO LOO VIP", or similar approved. Prefabricated unit with toilet seat, extraction pipe and fan, collector pit plate setup, back inspection chamber/cover. Concrete Panel Toilet, 900mm W x 1100mm L x 2000mm H, Complete with prefabricated walls, roof, door, seat, pit slab cover, and handwash basin.	Sum	1		
<b>TOTAL SECTION "P" CARRIED FORWARD TO SUMMARY</b>						

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
		<b><u>ELECTRICAL</u></b>				
R.1		<b><u>ELECTRICAL - GENERAL</u></b>				
R.1.1		Test the complete electrical works and issue a Certificate of Compliance (CoC) by an applicable certified and registered electrical person.	Sum	1		
R.1.2		Earth Spike (Include Conductor Termination Clamp)	Sum	1		
R.2		<b><u>ELECTRICAL - TRENCHING &amp; EARTHWORKS</u></b>				
		Trenching (450mm width by 500mm depth for LV Cables) Danger tape: Orange/Yellow PVC material-300mm above cable.				
R.2.1		Hand pickable soil (soft soil)	m <sup>3</sup>	1		
R.2.2		Machine excavation (soft rock)	m <sup>3</sup>	1		
R.3		<b><u>ELECTRICAL CABLES</u></b>				
		Supply, deliver, install, and test SABS approved copper cables. Inclusive of all terminations and glands.				
R.3.1		Surfix cable - 1.5mm <sup>2</sup> x 2 + Earth (Black, White)	m	1		
R.3.2		Surfix cable - 1.5mm <sup>2</sup> x 3 + Earth (Black, White)	m	1		
R.3.3		Surfix cable - 1.5mm <sup>2</sup> x 4 + Earth (Black, White)	m	1		
R.3.4		Surfix cable - 2.5mm <sup>2</sup> x 2 + Earth (Black, White)	m	1		
R.3.5		Surfix cable - 2.5mm <sup>2</sup> x 3 + Earth (Black, White)	m	1		
R.3.6		Surfix cable -2.5mm <sup>2</sup> x 4 + Earth (Black, White)	m	1		
R.3.7		Insulated Housewire 1,5mm <sup>2</sup> , 1core cable; red, black, yellow, brown, etc	m	1		
R.3.8		Insulated Housewire 2,5mm <sup>2</sup> , 1core cable; red, black, yellow, brown, etc	m	1		
R.3.9		Insulated Housewire 4mm <sup>2</sup> , 1core cable; red, black, yellow, brown, etc	m	1		
R.3.10		Insulated Housewire 6mm <sup>2</sup> , 1core cable; red, black, yellow, brown, etc	m	1		
R.3.11		Bare copper Earth wire (SANS 1411)				
		a) 1.5 mm <sup>2</sup>	m	1		
		b) 2.5 mm <sup>2</sup>	m	1		
		c) 4 mm <sup>2</sup>	m	1		
<b>R</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
R		<b>Brought forward</b>				
R.4		<b><u>LIGHT FITTINGS</u></b>				
		Supply, deliver, install, and test the following SABS approved light fittings complete with bulbs.				
R.4.1		Bulkhead Rectangular, Including 9w LED globe	no	1		
R.4.2		Batten Fitting 1,2m (4Ft) for 2 LED lamps, Including 2 x 18 w LED lamps	no	1		
R.4.3		Dust / Damp Proof 1,2 (4Ft) 2 LED lamps (Frosted UV stabilized polycarbonate), Including 2 x 18 LED lamps.	no	1		
R.5		<b><u>OTHER LIGHT FITTINGS</u></b>				
R.5.1		Mark up on other Light fittings as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	10000	rate only
R.5.2		Mark up on other Light Fittings.	%	10000		
R.5.3		Extra over Item R.5.2: Deliver, Install, and test other light fittings.	no	1		
R.6		<b><u>ENCLOSURES</u></b>				
		Supply, deliver, install, and test the following Enclosures complete with fittings, etc.				
R.6.1		Wall Box 100 x 50mm (4 x 2)	no	1		
R.6.2		Wall Box 100 x 100mm (4 x 4)	no	1		
R.6.3		Indoor 24 Way DB Box, steel and coated, flash mounted.	no	1		
R.6.4		Indoor 12 Way DB Box, steel and coated, flash mounted.	no	1		
R.6.5		Indoor 6 Way DB Box, steel and coated, flash mounted.	no	1		
R.6.6		Supply, deliver, and install, Mild Steel, Single Door, Lockable Enclosure, IP66, Out door, Powder coating, Including Galvanized Mounting plate.				
		a) 200 H x 200 W x 155 D mm	no	1		
		b) 300 H x 250 W x 155 D mm	no	1		
		c) 350 H x 250 W x 155 D mm	no	1		
R.7		<b><u>OTHER ENCLOSURES</u></b>				
R.7.1		Mark up on other Enclosures as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	10000	rate only
R.7.2		Mark up on other Enclosures.	%	10000		
R.7.3		Extra over Item R.7.2: Deliver, and Install other Enclosures.	no	1		
R		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>R</b>		<b>Brought forward</b>				
R.8		<b><u>ELECTRICAL SWITCHGEAR</u></b>				
		Supply, deliver, install, and test the following Electrical Switchgear, etc.				
R.8.1		Main switch (60Amp)	no	1		
R.8.2		Earth Leakage circuit breaker (63Amp)	no	1		
R.8.3		Overload with Earth Leakage circuit breaker (63Amp)	no	1		
R.8.4		Circuit breaker (10Amp)	no	1		
R.8.5		Circuit breaker (15Amp)	no	1		
R.8.6		Circuit breaker (20Amp)	no	1		
R.8.7		Circuit breaker (25Amp)	no	1		
R.8.8		Circuit breaker (30Amp)	no	1		
R.8.9		Surge Protection breaker	no	1		
R.8.10		Waterproof Industrial socket (3 pin), Eurolux or similar	no	1		
R.8.11		Single socket 3 pin wall plug, 15Amp	no	1		
R.8.12		Double socket 3 pin wall plug, 15Amp	no	1		
R.8.13		2 Lever 1 way light switch	no	1		
R.8.14		3 Lever 1 way light switch	no	1		
R.9		<b><u>CONDUIT PIPES</u></b>				
		Supply, deliver, and install the following Conduit pipes, inclusive of all couplings, adaptors, bends, etc.				
R.9.1		PVC Conduit 20mm (Inclusive of all fittings)	m	1		
R.9.2		PVC Conduit 25mm (Inclusive of all fittings)	m	1		
R.9.3		PVC Conduit 32mm (Inclusive of all fittings)	m	1		
R.10		<b><u>OTHER ELECTRICAL MATERIAL</u></b>				
R.10.1		Mark up on other Electrical Material as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	10000	rate only
R.10.2		Mark up on other Electrical Material.	%	10000		
R.10.3		Extra over Item R.10.2: Deliver, and Install other Electrical Material.	no	1		
<b>R</b>		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
R		<b>Brought forward</b>				
		<b><u>PLUMBING AND SEWAGE</u></b>				
R.11		<u>Supply, deliver, install, and test the following sanitary fixtures.</u>				
R.11.1		Miami Close Couple Toilet Suit or similar approved, complete with all fittings.	no	1		
R.11.2		Solo Tamarin Basin and Full Pedestal or similar approved, complete with all fittings.	no	1		
R.11.3		Icon Urinal Large or similar approved, complete with all fittings.	no	1		
R.11.4		Supply & install shower head complete with chrome shower arm & Rose, and all accessories to control valves for hot and cold water	no	1		
R.11.5		Supply & install 450x600x6mm "GG"QUALITY POLISHED GLASS MIRROR: Fixed with round nose chromium plated mirror screws.	no	1		
R.11.6		Mark up on other Bathroom Accessories as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	10000	rate only
R.11.7		Mark up on other Bathroom Accessories.	%	10000		
R.11.8		Extra over Item R.11.8: Deliver, and Install other Bathroom Accessories.	no	1		
R.12		<u>Sewage Pipeline: Supply, deliver, install, and test complete pipelines inclusive of all bends, couplings, saddles, etc.</u>				
R.12.1		Sewage pipe, 50mm PVC, including all fittings.	m	1		
R.12.2		Sewage pipe, 110mm PVC, including all fittings.	m	1		
R.12.3		Mark up on other sewer fittings as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	3000	rate only
R.12.4		Mark up on other sewer fittings.	%	3000		
R.12.5		Extra over Item R.12.4: Deliver, and Install other Sewer fittings.	no	1		
R.13		<u>Copper pipes: Supply, deliver, install (Chased into brickwalls), and testing, including joints, bends, sockets, and etc.</u>				
R.13.1		Copper pipe 15mm	m	1		
R.13.2		Copper pipe 22mm	m	1		
R.13.3		Copper pipe Joints, Bends, Tees, etc. for 15mm pipe	no	1		
R.13.4		Copper pipe Joints, Bends, Tees, etc. for 20mm pipe	no	1		
R		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
R		<b>Brought forward</b>				
R.14		<b><u>OTHER PIPES AND FITTINGS</u></b>				
R.14.1		Mark up on other pipes & fittings as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	10000	rate only
R.14.2		Mark up on other Pipes and Fittings.	%	10000		
R.14.3		Extra over Item R.14.2: Deliver, and Install other Pipes and Fittings.	no	1		
R.15		<b><u>VALVES</u></b>				
		Supply, deliver, install, and test the following valves.				
R.15.1		Pressure control valve for 600kPA, on 15 or 20mm pipes	no	1		
R.15.2		15mm Ball-o-stop valve.	no	1		
R.15.3		22mm Non Return valve.	no	1		
R		<b>Carried forward</b>				
R		<b>Brought forward</b>				
R.20		<b><u>PROVISIONAL SUMS</u></b>				
R.20.1		Allow for a provisional sum for Mechanical/Electrical or processing Equipment required works to be instructed by the engineer for purchase of materials and installation, Below R100 000,00	Prov Sum	1	100000	rate only
R.20.2		Profit over above	%	100000		
R.20.3		Allow for a provisional sum for Mechanical/Electrical or processing Equipment required works to be instructed by the engineer for purchase of materials and installation, Below R250 000,00	Prov Sum	1	250000	rate only
R.20.4		Profit over above	%	250000		
R.20.5		Allow for a provisional sum for Mechanical/Electrical or processing Equipment required works to be instructed by the engineer for purchase of materials and installation. More than R250 000 and Below R1 000 000,00.	Prov Sum	1	500000	rate only
R.20.6		Profit over above	%	500000		



No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>SECTION S : POWER GENERATION EQUIPMNET</b>						
S.1		<b><u>SOLAR SYSTEM</u></b>				
		Supply, deliver, install, and test, Pure sine wave inverter complete with: AC/DC compatibility, Overvoltage and undervoltage protection, Overload protection and overcurrent protection, Overtemperature protection, No-load protection, Operating history memory, Detachable control panel, Enclosure class IP66, Automatic generator start, Display of function.				
S.1.1		Pure sine wave inverter 3kVA	sum	1		
S.1.2		Pure sine wave inverter 5kVA	sum	1		
S.1.3		Pure sine wave inverter 8kVA	sum	1		
S.1.4		Other Pure sine wave inverter	Prov Sum	1	60000	rate only
S.1.5		Mark-up on Item S.1.4	%	60000		
S.1.6		Supply and install DC Cicuit breakers and surge protector	sum	1		
S.1.7		Supply and install Combined Junction Box for solar panels	sum	1		
S.1.8		Supply and install array to array cable for solar panels: Flexible single core cable for photovoltaic or solar systems, Halogen free, double insulated, zone & UV resistant (AC 1000V & DC 1500V) (Black/Red)				
		a) 1.5 mm <sup>2</sup>	m	1		
		b) 2.5 mm <sup>2</sup>	m	1		
		c) 4 mm <sup>2</sup>	m	1		
		d) 6 mm <sup>2</sup>	m	1		
		e) 10 mm <sup>2</sup>	m	1		
S.2		<b><u>SOLAR PANELS (PV)</u></b>				
		Supply, deliver, install, and test monocrystalline solar panels complete with all cables, connectors, Junction boxes, surge protectors and Circuit breakers. (Ground, Roof, Elevated or floating installation)				
		a) 300 to 395 W	no	1		
		b) 400 to 450 W	no	1		
		c) 455 to 495 W	no	1		
		d) 500 to 550 W	no	1		
<b>S</b>		<b>Carried forward</b>				

S	Brought forward				
	e) 555 - 595 W	no	1		
	f) 600 to 650 W	no	1		
S.3	<b>SOLAR (PV) MOUNTING SYSTEMS</b>				
	Supply, deliver, install a complete Solar (PV) mounting system including all rails, brackets, fasteners, and steel support structure. (Galvanised or Aluminium)				
S.3.1	<b><u>Roof Top mounting system for PV Solar panels.</u></b>				
	a) One (1) PV solar panel.	Sum	1		
	b) Set of two (2) PV solar panels.	Sum	1		
	c) Set of three (3) PV solar panels.	Sum	1		
	d) Set of four (4) PV solar panels.	Sum	1		
S.3.2	<b><u>Ground mounting structure for PV Solar panels.</u></b>				
	a) One (1) PV solar panel.	Sum	1		
	b) Set of two (2) PV solar panels.	Sum	1		
	c) Set of three (3) PV solar panels.	Sum	1		
	d) Set of four (4) PV solar panels.	Sum	1		
S.3.3	<b><u>Mounting structure on top of water tank and tank stand for PV Solar panels.</u></b>				
	a) One (1) PV solar panel.	Sum	1		
	b) Set of two (2) PV solar panels.	Sum	1		
	c) Set of three (3) PV solar panels.	Sum	1		
	d) Set of four (4) PV solar panels.	Sum	1		
S.3.4	<b><u>Single Pole mounting structure for PV panels.</u></b>				
	a) One (1) PV solar panel.	Sum	1		
	b) Set of two (2) PV solar panels.	Sum	1		
	c) Set of three (3) PV solar panels.	Sum	1		
	d) Set of four (4) PV solar panels.	Sum	1		
S.3.5	<b><u>Floating HDPE platform for PV panels. (Tilted)</u></b>				
	a) Float for one (1) PV solar panel.	Sum	1		
	b) Float for Set of two (2) PV solar panels.	Sum	1		
<b>S</b>	<b>Carried forward</b>				

S		Brought forward				
		c) Float for Set of three (3) PV solar panels.	Sum	1		
		d) Float for Set of four (4) PV solar panels.	Sum	1		
S.3.6		<b><u>Solar DB Board</u></b>				
		Supply, deliver, install, and test complete solar DB Board				
S.3.6.1		Complete combiner box, MCE CB1-1, 32 A, 1000 VDC, Input Strings 1, Output Strings 1	Sum	1		
S.3.6.2		Complete combiner box, MCE CB2-1, 32 A, 1000 VDC, Input Strings 2, Output Strings 1	Sum	1		
S.3.6.3		Complete combiner box, MCE CB2-2, 32 A, 1000 VDC, Input Strings 2, Output Strings 2	Sum	1		
S.3.6.4		Complete combiner box, MCE CB4-1, 32 A, 1000 VDC, Input Strings 4, Output Strings 1	Sum	1		
S.3.6.5		Complete combiner box, MCE CB4-2, 32 A, 1000 VDC, Input Strings 4, Output Strings 2	Sum	1		
S.3.7		<b><u>Batteries</u></b>				
S.3.7.1		Mark up on the supply, installation, and testing of Batteries as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	60000	rate only
S.3.7.2		Mark up on Item S.3.7.1	%	60000		
S.3.8		<b><u>Other Solar Equipment</u></b>				
S.3.8.1		Mark up on other Solar Equipment set as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	60000	rate only
S.3.8.2		Mark up on other Solar Equipment.	%	60000		
S.4		<b><u>FUEL GENERATORS</u></b>				
		Supply, deliver, install, test, and commission diesel generators with electric start, automatic voltage regulator, and automatic transfer switch.				
S.4.1		5kVA	sum	1		
S.4.2		8kVA	sum	1		
S.4.3		15kVA	sum	1		
S.4.4		25kVA	sum	1		
S.4.5		50kVA	sum	1		
S.4.6		65kVA	sum	1		
S.4.7		100kVA	sum	1		
S		<b>Carried forward</b>				

S	Brought forward				
S.4.8	<b><u>Other Fuel Generators</u></b>				
S.4.8.1	Mark up on other Fuel Generator set as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	500000	rate only
S.4.8.2	Mark up on other Fuel Generator.	%	500000		
S.4.8.3	Extra over Item S.4.8.2: Deliver, Install, Testing and Commission other Fuel Generator.	set	1		
S.4.9	<b><u>Service of Generators</u></b>				
S.4.9.1	Mark up on the Service and repair of Generators as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	10000	rate only
S.4.9.2	Mark up on the Service and repair of Generators.	%	10000		
S.5	<b><u>POWER TRANSFORMERS</u></b>				
	Supply, installation, registration and commission of new transformer including 12m treated poles				
S.5.1	25kVA	sum	1		
S.5.2	50kVA	sum	1		
S.5.3	100kVA	sum	1		
S.6	<b><u>GRID POWER SUPPLY</u></b>				
S.6.1	Mark up on the replacement, upgrade or installation of power grid line and transformers by a Eskom registered contractor as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	200000	rate only
S.6.2	Mark up on Item S.6.1.	%	200000		
<b>TOTAL SECTION "S" CARRIED FORWARD TO SUMMARY</b>					

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b><u>SECTION I : PUMPS &amp; MOTORS,CONTROLS &amp; CABLES</u></b>						
T.1		<b><u>Submersible Borehole Pump and Motor set</u></b>				
		Supply, Install, Testing and Commission a complete submersible pump and motor set, up to 100m depth, inclusive of riser pipe (priced elsewhere), electrical submersible cable (priced elsewhere), recovery rope, flow inducer (cooling) sleeve, accessories and all fittings to connect to the electricity supply point and delivery pipe as per Drawing No. 1701321-TY-06				
T.1.1		<b><u>Single phase, Single stage Submersible Pump &amp; Motor</u></b>				
		a) 0,25 kW	sum	1		
		b) 0,37 kW	sum	1		
		c) 0,55 kW	sum	1		
		d) 0,75 kW	sum	1		
		e) 1,1 kW	sum	1		
		f) 1,5 kW	sum	1		
		g) 2,2 kW	sum	1		
T.1.2		<b><u>Single phase, Multi stage Submersible Pump &amp; Motor</u></b>				
		a) 0,25 kW	sum	1		
		b) 0,37 kW	sum	1		
		c) 0,55 kW	sum	1		
		d) 0,75 kW	sum	1		
		e) 1,1 kW	sum	1		
		f) 1,5 kW	sum	1		
		g) 2,2 kW	sum	1		
T.1.3		<b><u>Three phase, Single stage Submersible Pump &amp; Motor</u></b>				
		a) 0,25 kW	sum	1		
		b) 0,37 kW	sum	1		
		c) 0,55 kW	sum	1		
T		<b>Carried forward</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>T</b>		<b>Brought forward</b>				
		d) 0,75 kW	sum	1		
		e) 1,1 kW	sum	1		
		f) 1,5 kW	sum	1		
		g) 2,2 kW	sum	1		
<b>T.1.4</b>		<b><u>Three phase, Multi stage Submersible Pump &amp; Motor</u></b>				
		a) 1,5 kW	sum	1		
		b) 2,2 kW	sum	1		
		c) 3 kW	sum	1		
		d) 3,7 kW	sum	1		
		e) 4 kW	sum	1		
		f) 5,5 kW	sum	1		
		g) 7,5 kW	sum	1		
		h) 11 kW	sum	1		
<b>T.1.5</b>		<b><u>Other Submersible Borehole pump and motor set</u></b>				
T.1.5.1		Mark up on other Submersible Borehole pump and motor set as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	20000	rate only
T.1.5.2		Mark up on other Submersible pump and motor set.	%	20000		
T.1.5.3		Extra over Item T.1.5.2: Deliver, Install, Testing and Commission a complete submersible pump and motor set.	sum	1		
<b>T</b>		<b>Carried forward</b>				
<b>T</b>		<b>Brought forward</b>				
<b>T.1.6</b>		<b><u>Flexible borehole pipe</u></b>				
		Supply, deliver and install flexible borehole pipe, complete with all applicable fittings to connect to the pump and motor set and base plate up to 100 meter deep installation.				
		a) 50 mm inside diameter	sum	1		
		b) 64 mm inside diameter	sum	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
		c) 76 mm inside diameter	sum	1		
<b>T.1.7</b>		<b><u>STEEL PIPES AND FITTINGS</u></b>				
		Supply, deliver, install, and test the following steel pipes, fittings, and specials complete. (Conforming to SABS 719, SABS 62-1989 and BS534.) (All steel pipes and fittings to be galvanized according to SABS 1461 and SABS ISO 14713.)				
<b>T.1.7.1</b>		<b><u>Base plates epoxy coated (split type)</u></b>				
		a) 50 mm	no	1		
		b) 65 mm	no	1		
		c) 80 mm	no	1		
<b>T.1.7.2</b>		<b><u>Base plates galvanized</u></b>				
		a) 50 mm	no	1		
		b) 65 mm	no	1		
		c) 80 mm	no	1		
<b>T.1.8</b>		<b><u>Lockable Steel Manhole Cover</u></b>				
<b>T.1.8.1</b>		Supply and install complete lockable fabricated steel manhole cover for submersible pump as per Drawing No. 1701321-TY-05	PC Sum	1	10000	rate only
<b>T.1.8.2</b>		Mark up on Item T.1.8.1.	%	10000		
<b>T</b>		<b>Carried forward</b>				
<b>T</b>		<b>Brought forward</b>				
<b>T.2</b>		<b><u>Close coupled centrifugal pump and motor (Three phase, 2 or 4 pole motor)</u></b>				
		Supply, deliver, install and test the following three phase close coupled end-suction centrifugal pump and motor (2 or 4 pole) complete with cast iron impeller, and cast iron & coated casing. (Including trimming of the Impeller)				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
T.2.1		Suction - 50mm; Discharge - 32mm; Impeller - 125mm (Q - 25 <sup>3</sup> /h; H - 23m; P - 2,2kW)	set	1		
T.2.2		Suction - 50mm; Discharge - 32mm; Impeller - 160mm (Q - 20 <sup>3</sup> /h; H - 35m; P - 4kW)	set	1		
T.2.3		Suction - 50mm; Discharge - 32mm; Impeller - 200mm (Q - 14 <sup>3</sup> /h; H - 50m; P - 5,5kW)	set	1		
T.2.4		Suction - 50mm; Discharge - 32mm; Impeller - 250mm (Q - 16 <sup>3</sup> /h; H - 75m; P - 7,5kW)	set	1		
<b>T.3</b>		<b><u>Close coupled centrifugal pump and motor (Single phase, 2 pole motor)</u></b>				
		Supply, deliver,install and test the following single phase close coupled end-suction centrifugal pump and motor (2 pole) complete with cast iron impeller, and cast iron & coated casing. (Including trimming of Impeller)				
T.3.1		Suction - 50mm; Discharge - 32mm; Impeller - 125mm (Q - 25 <sup>3</sup> /h; H - 23m; P - 2,2kW)	set	1		
<b>T</b>		<b>Carried forward</b>				
<b>T</b>		<b>Brought forward</b>				
<b>T.4</b>		<b><u>Other Close coupled centrifugal pump and motor</u></b>				
T.4.1		Mark up on other Close coupled pump and motor set as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	60000	rate only
T.4.2		Mark up on other Close coupled pump and motor set.	%	60000		
T.4.3		Extra over Item T.4.2: Deliver, Install, Testing and Commission a complete Close coupled pump and motor set.	set	1		
<b>T.5</b>		<b><u>Centrifugal pump and motor set with base plate and flexible coupling (Three phase, 2 pole motor)</u></b>				
T.5.3		Suction - 50mm; Discharge - 32mm; Impeller - 200mm (Q - 14 <sup>3</sup> /h; H - 50m; P - 5,5kW)	set	1		
T.5.4		Suction - 50mm; Discharge - 32mm; Impeller - 250mm (Q - 16 <sup>3</sup> /h; H - 75m; P - 7,5kW)	set	1		
T.5.5		Suction - 65mm; Discharge - 40mm; Impeller - 125mm (Q - 28 <sup>3</sup> /h; H - 20m; P - 11kW)	set	1		
T.5.7		Suction - 65mm; Discharge - 40mm; Impeller - 200mm (Q - 40 <sup>3</sup> /h; H - 58m; P - 15kW)	set	1		
T.5.8		Suction - 65mm; Discharge - 50mm; Impeller - 160mm (Q - 50 <sup>3</sup> /h; H - 36m; P - 18kW)	set	1		
T.5.9		Suction - 65mm; Discharge - 50mm; Impeller - 200mm (Q - 60 <sup>3</sup> /h; H - 58m; P - 22kW)	set	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
T.5.10		Suction - 65mm; Discharge - 50mm; Impeller - 250mm (Q - 80 <sup>3</sup> /h; H - 80m; P - 30kW)	set	1		
<b>T</b>		<b>Carried forward</b>				
<b>T</b>		<b>Brought forward</b>				
<b>T.7</b>		<b><u>Other Centrifugal pump and motor set with base plate and flexible coupling.</u></b>				
T.7.1		Mark up on other Centrifugal pump and motor set with base plate and flexible coupling as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	60000	rate only
T.7.2		Mark up on other Centrifugal pump and motor set.	%	60000		
T.7.3		Extra over Item T.7.2: Deliver, Install, Testing and Commission a complete Centrifugal pump and motor set with base plate and flexible coupling.	set	1		
<b>T.8</b>		<b><u>Supply, deliver, install and test the following three phase 2 or 4 pole motors.</u></b>				
T.8.4		5.5 kW	no	1		
T.8.5		7.5 kW	no	1		
T.8.6		11 kW	no	1		
<b>T</b>		<b>Carried forward</b>				
<b>T</b>		<b>Brought forward</b>				
T.8.7		15 kW	no	1		
T.8.8		18.5 kW	no	1		
T.8.9		22 kW	no	1		
T.8.10		30 kW	no	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
<b>T.10</b>		<b><u>Other Electrical motor.</u></b>				
T.10.1		Mark up on other Electrical motor as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	60000	rate only
T.10.2		Mark up on other Electrical motor.	%	60000		
T.10.3		Extra over Item T.10.2: Deliver, Install, Testing and Commission a complete Electrical motor and flexible coupling.	set	1		
<b>T.11</b>		<b><u>ELECTRICAL - GENERAL</u></b>				
T.11.1		Test the complete electrical works and issue a Certificate of Compliance (CoC) by an applicable certified and registered electrical person.	sum	1		
T.11.2		Electrical Connection Fee (Provisional Sum)	sum	1	50 000	rate only
T.11.3		Handling Cost and profit in respect of Item T.11.2	%	50000		
T.11.4		Earth Spike (Include Conductor Termination Clamp)	sum	1		
<b>T</b>		<b>Carried forward</b>				
<b>T</b>		<b>Brought forward</b>				
<b>T.13</b>		<b><u>Electrical Motor Control and Starters</u></b>				
		Supply, deliver, install, and test a complete DB Board in a lockable IP55 powder coated mild steel enclosure (or similar approved by Engineer) for a pump and motor set with all applicable switch gear and starters with protections for Dry run, Pump stall, Overload, Under voltage, Over voltage, Phase failure, Phase rotation and short circuit. Inclusive of all wiring, terminations, and glands.				
T.13.1		<b>Single Phase Direct on Line</b>				
		a) 0,25 kW	sum	1		
		b) 0,37 kW	sum	1		
		c) 0,55 kW	sum	1		
		d) 0,75 kW	sum	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
		e) 1,1 kW	sum	1		
		f) 1,5 kW	sum	1		
		g) 2,2 kW	sum	1		
T.13.2		<b>Three Pphase Direct on Line</b>				
		a) 0,25 kW	sum	1		
		b) 0,37 kW	sum	1		
<b>T</b>		<b>Carried forward</b>				
<b>T</b>		<b>Brought forward</b>				
		c) 0,55 kW	sum	1		
		d) 0,75 kW	sum	1		
		e) 1,1 kW	sum	1		
		f) 1,5 kW	sum	1		
		g) 2,2 kW	sum	1		
T.13.3		<b>Star Delta Starter (Complete with relays &amp; timers)</b>				
		a) 3 kW	sum	1		
		b) 3,7 kW	sum	1		
		c) 4 kW	sum	1		
		d) 5,5 kW	sum	1		
		e) 7,5 kW	sum	1		
T.13.4		<b>Soft Starter</b>				
		a) 1,5 kW	sum	1		
		b) 2,2 kW	sum	1		
		c) 3 kW	sum	1		
		d) 3,7 kW	sum	1		
		e) 4 kW	sum	1		
		f) 5,5 kW	sum	1		
		g) 7,5 kW	sum	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
T.13.5		<b>Variable Speed Drives (VSDs)</b>				
		a) 1,5 kW	sum	1		
		b) 2,2 kW	sum	1		
		c) 3 kW	sum	1		
		d) 3,7 kW	sum	1		
		e) 4 kW	sum	1		
		f) 5,5 kW	sum	1		
<b>T</b>		<b>Carried forward</b>				
<b>T</b>		<b>Brought forward</b>				
		g) 7,5 kW	sum	1		
T.13.6		<b>Solar-Powered Variable Speed Drives (VSDs)</b>				
		a) 1,5 kW	sum	1		
		b) 2,2 kW	sum	1		
		c) 3 kW	sum	1		
		d) 3,7 kW	sum	1		
		e) 4 kW	sum	1		
		f) 5,5 kW	sum	1		
		g) 7,5 kW	sum	1		
T.13.7		<b>Other Electrical Motor Control and Starters</b>				
T.13.7.1		Mark up on other Electrical motor Control and Starters as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1		
T.13.7.2		Mark up on other Electrical motor Control and Starters.	%			
T.13.7.3		Extra over Item T.13.7.2: Deliver, Install, Testing and Commission a complete Electrical motor Control and Starter.	set	1		
		<b>Three Core Cable</b>				
		Supply, deliver, install and test three core SABS approved copper cables. Inclusive of all terminations and glands.				
T.14.3		<b>Three Core Submersible pump cable (SANS 1574)</b>				

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
		a) 1.5 mm <sup>2</sup>	m	1		
		b) 2.5 mm <sup>2</sup>	m	1		
		c) 4 mm <sup>2</sup>	m	1		
		d) 6 mm <sup>2</sup>	m	1		
		e) 10 mm <sup>2</sup>	m	1		
		f) 16 mm <sup>2</sup>	m	1		
		g) 25 mm <sup>2</sup>	m	1		
		h) 35 mm <sup>2</sup>	m	1		
		l) 50 mm <sup>2</sup>	m	1		
<b>T</b>		<b>Carried forward</b>				
<b>T</b>		<b>Brought forward</b>				
T.14.4		<b>Three Core Armoured copper cable (SANS 1507)</b>				
		a) 1.5 mm <sup>2</sup>	m	1		
		b) 2.5 mm <sup>2</sup>	m	1		
		c) 4 mm <sup>2</sup>	m	1		
		d) 6 mm <sup>2</sup>	m	1		
		e) 10 mm <sup>2</sup>	m	1		
		f) 16 mm <sup>2</sup>	m	1		
		g) 25 mm <sup>2</sup>	m	1		
		h) 35 mm <sup>2</sup>	m	1		
		l) 50 mm <sup>2</sup>	m	1		
T.14.5		<b>Three Core Armoured copper cable with Earth continuity Conductor in the armour. (SANS 1507)</b>				
		a) 1.5 mm <sup>2</sup>	m	1		
		b) 2.5 mm <sup>2</sup>	m	1		
		c) 4 mm <sup>2</sup>	m	1		
		d) 6 mm <sup>2</sup>	m	1		
		e) 10 mm <sup>2</sup>	m	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
		f) 16 mm <sup>2</sup>	m	1		
		g) 25 mm <sup>2</sup>	m	1		
		h) 35 mm <sup>2</sup>	m	1		
		l) 50 mm <sup>2</sup>	m	1		
		<b>Four Core Cable</b>				
		<b>Supply, deliver, install and test four core SABS approved copper cables. Inclusive of all terminations and glands.</b>				
T.14.6		<b>Four Core Submersible pump cable (SANS 1574)</b>				
		a) 1.5 mm <sup>2</sup>	m	1		
<b>T</b>		<b>Carried forward</b>				
<b>T</b>		<b>Brought forward</b>				
		b) 2.5 mm <sup>2</sup>	m	1		
		c) 4 mm <sup>2</sup>	m	1		
		d) 6 mm <sup>2</sup>	m	1		
		e) 10 mm <sup>2</sup>	m	1		
		f) 16 mm <sup>2</sup>	m	1		
		g) 25 mm <sup>2</sup>	m	1		
		h) 35 mm <sup>2</sup>	m	1		
		l) 50 mm <sup>2</sup>	m	1		
T.14.7		<b>Four Core Armoured copper cable (SANS 1507)</b>				
		a) 1.5 mm <sup>2</sup>	m	1		
		b) 2.5 mm <sup>2</sup>	m	1		
		c) 4 mm <sup>2</sup>	m	1		
		d) 6 mm <sup>2</sup>	m	1		
		e) 10 mm <sup>2</sup>	m	1		
		f) 16 mm <sup>2</sup>	m	1		
		g) 25 mm <sup>2</sup>	m	1		
		h) 35 mm <sup>2</sup>	m	1		
		l) 50 mm <sup>2</sup>	m	1		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
T.14.8		<b>Four Core Armoured copper cable with Earth continuity Conductor in the armour. (SANS 1507)</b>				
		a) 1.5 mm <sup>2</sup>	m	1		
		b) 2.5 mm <sup>2</sup>	m	1		
		c) 4 mm <sup>2</sup>	m	1		
		d) 6 mm <sup>2</sup>	m	1		
		e) 10 mm <sup>2</sup>	m	1		
		f) 16 mm <sup>2</sup>	m	1		
		g) 25 mm <sup>2</sup>	m	1		
<b>T</b>		<b>Carried forward</b>				
<b>T</b>		<b>Brought forward</b>				
		h) 35 mm <sup>2</sup>	m	1		
		l) 50 mm <sup>2</sup>	m	1		
		<b>Supply, deliver, install and test SABS approved copper cables. Inclusive of all terminations and glands.</b>				
T.14.9		<b>Bare copper Earth wire (SANS 1411)</b>				
		a) 1.5 mm <sup>2</sup>	m	1		
		b) 2.5 mm <sup>2</sup>	m	1		
		c) 4 mm <sup>2</sup>	m	1		
		d) 6 mm <sup>2</sup>	m	1		
		e) 10 mm <sup>2</sup>	m	1		
		f) 16 mm <sup>2</sup>	m	1		
		g) 25 mm <sup>2</sup>	m	1		
		h) 35 mm <sup>2</sup>	m	1		
		l) 50 mm <sup>2</sup>	m	1		
T.14.10		<b>Other Electrical Cables</b>				
T.14.10.1		Mark up on other Electrical Cables, terminations, and glands as specified by the Engineer (3 Quotations from reputable suppliers)	PC Sum	1	20000	rate only
T.14.10.2		Mark up on other Electrical Cables.	%	20000		

No.	Clause	DESCRIPTION	Unit	Qty	Rate	Amount
T.14.10.3		Extra over Item T.14.10.2: Deliver, install and test other cables.	set	1		
		<b>TOTAL SECTION "T" CARRIED FORWARD TO SUMMARY</b>				

## **PART C3: SCOPE OF WORK**

### **C3.1: STANDARD SPECIFICATIONS**

### **C3.2: PROJECT SPECIFICATIONS**

### **C3.3: PARTICULAR SPECIFICATIONS**

## **LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT**

### **A 3-YEAR FRAMEWORK AGREEMENT FOR THE DEVELOPMENT AND MAINTENANCE OF IRRIGATION AND CIVIL WORKS FOR INDIVIDUAL, SCHEMES AND GOVERNMENT FACILITIES PROJECTS FOR THE LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT**

#### **C3: SCOPE OF WORK**

##### **C3.1 STANDARD SPECIFICATIONS**

##### **C3.2 PROJECT SPECIFICATIONS**

###### **PART A: GENERAL**

PS-1	Project Description
PS-2	Description of the Site and Access
PS-3	Details of the Works
PS-4	Construction Programme
PS-5	Site Facilities Available
PS-6	Facilities Required on site
PS-7	Management and Disposal of Water
PS-8	Rainfall Figures
PS-9	Security Clearance of Personnel
PS-10	Health and Safety
PS-11	Subcontractors
PS-12	Deviation from Construction Programme
PS-13	Delay in Completion
PS-14	Supply of Materials
PS-15	Execution of Works
PS-16	Existing Services
PS-17	Labour Intensive Specification

###### **PART B: AMENDMENTS TO THE STANDARD SPECIFICATIONS**

##### **C3.3 PARTICULAR SPECIFICATIONS**

###### **PART D: ENVIRONMENTAL MANAGEMENT SPECIFICATION**

###### **PART E: OHSA 1993 HEALTH AND SAFETY**

**LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT****A 3-YEAR FRAMEWORK AGREEMENT FOR THE DEVELOPMENT AND MAINTENANCE OF IRRIGATION AND CIVIL WORKS FOR INDIVIDUAL, SCHEMES AND GOVERNMENT FACILITIES PROJECTS FOR THE LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT****C3.1 STANDARD SPECIFICATIONS**

The standard specifications on which this contract is based are the SANS Standardised Specifications for Civil Engineering Works.

The following SANS specifications are also referred to in this document and the Contractor is advised to obtain them from Standards South Africa (a division of SABS) in Pretoria.

SABS 1200 A	-	General
SABS 1200 C	-	Site Clearance (amended 1982)
SABS 1200 DA	-	Earthworks (Small Works)
SABS 1200 GA	-	Concrete (Small Works)
SABS 1200 HA	-	Structural Steelwork

The following SANS specifications are also referred to in this document and the Contractor is advised to obtain them from Standards South Africa (a division of SABS) in Pretoria.

SANS 10396: 2003:	Implementing Preferential Construction Procurement Policies using Targeted Procurement Procedures
SANS 1914-1 to 6 (2002):	Targeted Construction Procurement
SANS 1921 – 1 (2004):	Construction and Management Requirements for Works Contracts Part 1: General Engineering and Construction Works

and where accommodation of traffic is involved:

SANS 1921-2 (2004):	Construction and Management Requirements for Works Contracts Part 2: Accommodation of Traffic on Public Roads Occupied by the Contractor.
---------------------	--

## **LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT**

### **A 3-YEAR FRAMEWORK AGREEMENT FOR THE DEVELOPMENT AND MAINTENANCE OF IRRIGATION AND CIVIL WORKS FOR INDIVIDUAL, SCHEMES AND GOVERNMENT FACILITIES PROJECTS FOR THE LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT**

#### **C3.2: PROJECT SPECIFICATIONS**

##### **STATUS**

The Project Specification, consisting of two parts, forms an integral part of the contract and supplements the Standard Specifications.

Part A contains a general description of the works, the site and the requirements to be met.

Part B contains variations, amendments and additions to the Standardized Specifications and, if applicable, the Particular Specifications.

In the event of any discrepancy between a part or parts of the Standardized or Particular Specifications and the Project Specification, the Project Specification shall take precedence. In the event of a discrepancy between the Specifications, (including the Project Specifications) and the drawings and / or the Bill of Quantities, the discrepancy shall be resolved by the Engineer before the execution of the work under the relevant item.

The standard specifications which form part of this contract have been written to cover all phases of work normally required for road contracts, and they may therefore cover items not applicable to this particular contract.

## **PART A: GENERAL**

### **PS 1 PROJECT DESCRIPTION**

As per the Task Order.

### **PS 2 DESCRIPTIONS OF THE SITE AND ACCESS**

#### **PS 2.1 Location of site**

#### **PS 2.2 Access to site**

### **PS 3 DETAILS OF THE WORKS**

#### **PS 3.1 Brief description of works**

The brief description of the works to be carried out on this project are as discussed below:

#### **PS 3.3 Labour recruitment conditions**

A Project Steering Committee (PSC) will be established and is a vital means of communication between all parties involved with the project. The composition of the PSC comprises representation by the Employer, the Engineer and formal structures within the community.

The contractor shall make use of these communication channels and shall appoint from amongst his site personnel a responsible person to participate in the affairs of the PSC, and this representative may be also required to attend the monthly PSC meetings.

It is mandatory that the Contractor shall interact with the community via proactive project liaison and project participation by its leaders and constituted organisations and forums, as well as through the employment of its people, and these activities shall constitute essential facets of the project.

Local labour is to be used and the employment of such labour is to be done in conjunction with the PSC.

PSC shall, if necessary, appoint a Community liaison officer (CLO). The duties of the CLO shall consist of inter alias of the following:

- To be available on site daily between the hour of 07:00 and 17:00 and at other times as the need arises. His normal working day will extend from 07:00 in the morning until 17:00 in the afternoon.
- To communicate daily with regard to number and skills, to facilitate in labour disputes and to assist in their resolution.
- To attend all meetings in which the community and/or labour are present or are required to be represented.
- To attend all PSC meeting to report on labour.
- To assist in the identification and screening of labourers from the community in accordance with the contractor's requirements.
- To advise and inform temporary labourers of their conditions of employment and to inform temporary labourers as early as possible when their period of employment will be terminated.
- To attend disciplinary proceedings to ensure that hearings are fair and reasonable.
- To keep a daily written record of his interviews and community liaison, labour force etc.
- To attend monthly site meetings and report in writing on labour and contract matters.
- Keeping a data base of available labour.
- All such other duties as agreed upon between all parties concerned.
- Compile a list of available skills in the area (skills audit).

## PS 4 CONSTRUCTION PROGRAMME

### PS 4.1 General

The submission of a construction programme as stated per Clause 12 of the General Conditions of Contract is compulsory.

Before any work is to be commenced on the site (within a period as stated in Clause 12.2 of the General Conditions of Contract), the Contractor must submit a detailed project programme for the construction of the Works to the Engineer for his approval.

In preparation of the construction programme the Contractor must liaise with the Engineer and the programme must take into account the coordination of all activities. The programme must consist of a detailed schedule or block diagram covering all aspects of the Works and the planned time thereof must, with the Contract Period as time basis, be shown.

Rainfall conditions will be taken as abnormal when the average rainfall, as shown in Clause PS 8, is exceeded and the contractor must then apply in writing for extension of the contract period using Clause 48 of the Conditions of Contract.

The service provider is required to state in the Appendix to the Form of Tender the time in which he is prepared to undertake and complete the works.

The Contractor shall submit to the Engineer a realistic, detailed programme not later than 14 days after receipt of the Letter of Acceptance. The programme shall be in bar-chart format showing in detail how the Contractor proposes to complete the work covered by this contract by the Due Completion Date.

The following details must be stated:

- I. The quantity of work applicable to each bar item as well as the rate at which the work will be completed.
- II. A budget of the value of completed work, month by month, for the full contract period.
- III. The Contractor's plant commitment on the contract for every fortnight.
- IV. The critical path.

The programme shall be kept up to date. If a Contractor fails to maintain progress in terms of the programme, he shall produce a revised programme showing the modifications to the original programme necessary to ensure completion of the Works before the Due Completion Date.

The approval of any programme by the Engineer shall have no contractual significance, other than satisfying the Engineer that the Work is carried out according to such programme and that the Contractor undertakes to carry out the work in accordance with the programme. The Engineer will have the right to instruct the Contractor to revise the programme if necessitated by circumstances.

### PS 4.2 Time for Completion

The maximum time allowed for the completion of the contract is **as per task order** (excluding special non-working days and the yearend break) from the date of Letter of Acceptance / or Site Handover.

## PS 5 SITE FACILITIES AVAILABLE

### PS 5.1 Water Supply

The Contractor must make his own arrangements for provision of fresh water on site for domestic and construction purposes.

The rates Tendered for the relevant items in the Preliminary and General Section of the schedule shall include all costs for the establishment and maintenance of water supply to the works and the Contractor shall make his own arrangements for the possible conveyance and storage of water if necessary.

## **PS 5.2 Power Supply**

The Contractor must make his own arrangements for the provision of electricity on site. The rates Tendered for the relevant items in the Preliminary and General Section of the schedule shall include all costs for the establishment and maintenance of a power supply to the works.

## **PS 6 FACILITIES REQUIRED ON SITE**

### **PS 6.1 Facilities for the Engineer**

A site office for the Engineer is not required.

### **PS 6.2 Facilities for the Contractor**

#### **Site Establishment**

The Contractor is responsible to provide a suitable site for his camp and to provide accommodation for his personnel and labourers. If the Employer can make any specific site available to the Contractor, such site will be pointed out to the Contractor. The site office should be user friendly, cleaned at all times and be equipped with office furniture such as printer, desk and chairs. As the area is hot during summer, a fan will be necessary for the site office.

The chosen site shall be subject to the approval of the beneficiary/Engineer and the Project Steering Committee (if available). Possible locations for a campsite shall be pointed out at the Site inspection. The Contractor shall conform to all beneficiary, local authority, environmental and industrial regulations.

The Contractor shall make his own arrangements concerning the supply of electrical power and all other services. No direct payment shall be made for the provision of electrical and other services. The cost thereof shall be deemed to be included in the rates and amounts Tendered for the various items of work for which these services are required.

The Contractor shall provide security watchmen for the contract as he deems fit at no extra cost for the Employer. The Contractor must ensure that all his employees as well as the employees of his subcontractors are able to identify themselves as members of the construction team.

#### **Ablution and Sanitary Facilities:**

The Contractor shall erect and maintain on the site proper ablution facilities. The Contractor shall service and maintain the facilities in a clean and hygienic state for the duration of the contract period and on completion of the works remove it from the site to the satisfaction of the Employer/beneficiary.

### **PS 6.3 Laboratory Facilities**

The contractor shall provide laboratory facilities at an SABS accredited laboratory to conduct tests as required or as specified/measured in the bills of quantity.

### **PS 6.4 Construction Notice Board (Name Board)**

1 Official Name Board per site (if necessary), as per C4.2 Site Information: Construction Notice Board, is required for this contract.

**PS 6.5 Housing for the Engineer and/or his Representative**

No housing is required for the Engineer or his Representative.

**PS 6.6 Telephone Facilities**

Items have been provided in the Bill of Quantities to cover for communication costs for the Engineer.

**PS 7 MANAGEMENT AND DISPOSAL OF WATER**

The Contractor shall pay special attention to the management and disposal of water and stormwater on the site. It is essential that all completed works or parts thereof are kept dry and properly drained. Claims for delay and for repair of damage caused to the works as a result of the Contractor's failure to properly manage rain and surface water, will not be considered.

**PS 8 RAINFALL FIGURES**

Rainfall data to be used as per project should be supported by WRC Report 1994 or the latest, for the calculation of the extension of time. The following figures are an example of data to be used and are applicable for Clause 50(5) of the Special Conditions of Contract.

INFORMATION SOURCE: WRC Report 1994

Rainfall station: Messina					
Rainfall station:					
Period:					
Month	N <sub>n</sub>	R <sub>n</sub>	Month	N <sub>n</sub>	R <sub>n</sub>
January	11	140	July	1	5
February	13	162	August	1	8
March	7	76	September	1	23
April	4	41	October	2	37
May	2	17	November	5	100
June	1	6	December	11	128

**N<sub>n</sub>** = Average amount of days on which a rainfall of 10 mm or more has been recorded.

**R<sub>n</sub>** = Average monthly rainfall in mm

The contractor will be expected to maintain on site a standard rain gauge for measurement of rainfall on day to day basis during the project implementation period.

Extensions of time in respect of Clause 42 in the General Conditions of Contract for Construction Works (2004) in respect of abnormal rainfall shall be calculated using the following formula for each calendar month or part thereof:

$$V = (N_w - N_n) + \frac{(R_w - R_n)}{X}$$

Where:

V = Extension of time in calendar days in respect of the calendar month under consideration.

N<sub>w</sub> = Actual number of days during the calendar month on which a rainfall of 10 mm or more has been recorded.

N<sub>n</sub> = Average number of days in the relevant calendar month, as derived from existing rainfall records, on which a rainfall of 10mm or more has been recorded for the calendar month.

Rw = Actual average rainfall in mm recorded for the calendar month under consideration.

Rn = Average rainfall in mm for the calendar month as derived from existing rainfall records as stated in the Site Information.

X = 20mm

For purposes of the Contract Nn, Rn and Nn shall have those values assigned to them in the table above based on figures from the WRC report 1994.

If V is negative and its absolute value exceeds Nn, then V shall be taken as equal to minus Nn.

The total extension of time shall be the algebraic sum of all monthly totals for the period under consideration, but if the total is negative the time for completion shall not be reduced due to subnormal rainfall. Extensions of time for part of a month shall be calculated using pro rata values of Nn and Rn.

This formula does not take account flood damage which could cause further or concurrent delays and will be treated separately as far as extension of time is concerned.

The factor (Nw – Nn) shall be considered to represent a fair allowance for variations from the average in the number of days during which rainfall exceeds 10 mm. The factor (Rw-Rn) shall be considered to represent a fair allowance for variations from the average in the number of days during which the rainfall did not exceed 10 mm but wet conditions prevented or disrupted work.

For the purpose of applying the formula, accurate rain gauging shall be taken at a suitable point on the Site and the Contractor shall at his own expense, take all necessary precautions to ensure that rain gauges cannot be interfered with by unauthorized persons.

## **PS 9 SECURITY CLEARANCE OF PERSONNEL**

Service Providers to note that the Limpopo Department of Agriculture may require that Security Clearance investigations be conducted on any number of the service providers personnel.

If so required, by the Limpopo Department of Agriculture, the service provider must remove personnel as indicated immediately and ensure that they have no access to the works or documentation or any other information pertaining the site.

The Employer shall not be liable for any cost concerning the removal of personnel or the effect thereof on the execution of the work.

## **PS 10 HEALTH AND SAFETY**

### **PS 10.1 General statement**

It is a requirement of this contract that the Contractor shall provide a safe and healthy working environment and to direct all his activities in such a manner that his employees and any other persons, who may be directly affected by his activities, are not exposed to hazards to their health and safety. To this end the Contractor shall assume full responsibility to conform to all the provisions of the Occupational Health and Safety Act (OHSA) No 85 and Amendment Act No 181 of 1993, and the OHSA 1993 Construction Regulations 2003 issued on 18 July 2003 by the Department of Labour.

For the purpose of this contract the Contractor is required to confirm his status as mandatory and employer in his own right for the execution of the contract by entering into an agreement with the Employer in terms of the Occupational Health and Safety Act in the form as included in section C1.5.

### **PS 10.2 Health and Safety Specifications and Plans**

#### **(a) Employer's Health and Safety Specification**

The Employer's Health and Safety Specification is included in Section C3.3, Part E of the Tender documents as part of the Particular Specifications.

**(b) Service Providers Health and Safety Plan**

The service provider shall submit with the Tender his own documented Health and Safety Plan he proposes to be implement for the execution of the work under the contract. The Health and Safety Plan must at least cover the following:

- (i) a proper risk assessment of the works, risk items, work methods and procedures in terms of Regulations 7 to 28;
- (ii) pro-active identification of potential hazards and unsafe working conditions;
- (iii) provision of a safe working environment and equipment;
- (iv) statements of methods to ensure the health and safety of subcontractors, employees and visitors to the site, including safety training in hazards and risk areas (*Regulation 5*);
- (v) monitoring health and safety on the site of works on a regular basis, and keeping of records and registers as provided for in the Construction Regulations;
- (vi) details of the Construction Supervisor, the Construction Safety Officers and other competent persons he intends to appoint for the construction works in terms of Regulation 6 and other applicable regulations; and
- (vii) details of methods to ensure that his Health and Safety Plan is carried out effectively in accordance with the Construction Regulations 2003.

The Contractor's Health and Safety Plan will be subject to approval by the Employer, or amendment if necessary, before commencement of construction work. The Contractor will not be allowed to commence work, or his work will be suspended if he had already commenced work, before he has obtained the Employer's written approval of his Health and Safety Plan.

Time lost due to delayed commencement or suspension of the work as a result of the Contractor's failure to obtain approval for his safety plan, shall not be used as a reason to claim for extension of time or standing time and related costs

**PS 10.3 Cost of compliance with the OHS Act Construction Regulations**

The rates and prices Tendered by the Contractor shall be deemed to include all costs for conforming to the requirements of the Act, the Construction Regulations and the Employer's Health and Safety Specification as applicable to this contract.

Should the Contractor fail to comply with the provisions of the Construction Regulations, he will be liable for penalties as provided in the Construction Regulations and in the Employer's Health and Safety Specification.

**PS 11 SUB-CONTRACTORS**

The Contractor shall have the right to cede any sub-contract under this contract to a subcontractor of his/her choice.

**PS 12 DEVIATION FROM CONSTRUCTION PROGRAMME**

The programme of work as required in terms of the "General Conditions of Contract 2nd edition (2010)" shall be submitted to the Engineer not later than fourteen days after the Commencement Date.

The Contractor shall take into account the requirements of the Occupational Health and Safety Act, as well as the Construction Regulations in the drafting of the programme.

The format shall not be in the form of a bar chart only, but shall also clearly indicate the anticipated quantity of work to be executed each month. The construction programme shall also clearly indicate the local and foreign labour to be utilised for the duration of the Contract.

If during the progress of the work, the quantities of the work performed per month fall below the expected indicated in the Construction programme, or if the sequence of operation is altered, or if the programme is deviated from in any other way, the Contractor shall, within one week after being notified by the Engineer, submit a revised construction programme.

Such a revised construction programme shall be based on the tempo of work achieved by the Contractor up to the date of revision. Any proposal to increase the tempo of work must be accompanied by positive steps to increase production by providing more labour and plant on site or by using the available labour and plant in a more efficient manner.

Failure on the part of the Contractor to work according to the programme or revised programmes shall be sufficient reason for the Engineer to take steps as provided for in the "General Conditions of Contract – 2nd edition (2010)"

### **PS 13 DELAY IN COMPLETION**

The Contractor shall organise the Works in such a manner that no delays occur. Delay due to faulty organisation or lack or shortage of materials or labour or co-operation with other parties or to any other cause within the control of the Contractor will not be countenanced and full power is reserved by the Engineer to order the Contractor to expedite the work should the work, in the opinion of the Engineer, not progress in a satisfactory way.

### **PS 14 SUPPLY OF MATERIALS**

All material to be used in the Works is to be supplied by the Contractor.

The Contractor shall ensure that the work is not delayed due to the lack of materials on Site, by placing orders for material required under this Contract as soon as possible. No extension of time will be allowed for any delay due to the supply of materials.

Although the quantities have been carefully calculated, it must be considered as approximate only and the Contractor, before ordering any materials, should check the quantities required. The bill of quantities is provisional.

### **PS 15 EXECUTION OF THE WORKS**

#### **PS 15.1 Inspection by the Engineer**

No portion of the work shall be proceeded with until the Engineer or his representative has examined and approved the previous stage. If any work is covered or hidden from view before the Engineer or his representative has inspected the work, the Contractor shall at his own cost expose the covered or hidden work for inspection. The Contractor shall also be responsible for making good any work damaged during the uncovering.

#### **PS 15.2 Certificate of Completion**

When all the work under the Contract have been completed to the entire satisfaction of the Engineer, he will issue a certificate of completion to the Contractor informing the Contractor of the date the date at which the works are deemed to be completed and accepted by the Employer.

The sureties provided by the Contractor for the fulfilment and completion of the Contract in terms of the Form of Agreement will be released upon the issue of the Certificate of Completion.

### **PS 16 EXISTING SERVICES**

The Contractor shall make himself acquainted with the position of all existing services before any excavation or other work likely to affect the existing services is commenced.

The Contractor will be held responsible for any damage to known existing services caused by or arising out of his operations and any damage shall be made good at his own expense. Damage to unknown services shall be repaired as soon as possible and liability shall be determined on site when such damage should occur.

A provisional amount is included in the bill of quantities for the protection and/or shifting of services.

Two weeks prior to commencing construction activities in a particular area, the Contractor shall also diligently enquire of local landowners as to whether there are any other known services which have not been shown on the drawings but which may be affected by the construction activities in that area, and any such services shall be brought to the attention of the Engineer immediately. The contractor shall make provision in his programme for the location and/or shifting of services.

The Contractor shall take note of the requirements of the standard specifications with regard to services.

## PS 17 LABOUR INTENSIVE SPECIFICATION

### PS 17.1 Labour intensive competencies of supervisory and management staff

Contractors having a CIDB contractor grading designation of 2CE and higher shall only engage supervisory and management staff in labour intensive works who have either completed, or for the period 1 April 2004 to 30 June 2006, are registered for training towards, the skills programme outlined in Table 1.

The managing principal of the contractor, namely, a sole proprietor, the senior partner, the managing director or managing member of a close corporation, as relevant, having a contractor grading designation of 1CE and 2CE, shall have personally completed, or for the period 1 April 2004 to 30 June 2006 be registered on a skills programme for the NQF level 2. All other site supervisory staff in the employ of such contractors must have completed, or for the period 1 April 2004 to 30 June 2006 be registered on a skills programme for, the NQF level 2 unit standards or NQF level 4 unit standards.

**Table 1: Skills programme for supervisory and management staff**

Personnel	NQF level	Unit standard titles	Skills programme description
Team leader / supervisor	2	Apply Labour Intensive Construction Systems and Techniques to Work Activities	This unit standard must be completed, <b>and</b> any one of these 3 unit standards
		Use Labour Intensive Construction Methods to Construct and Maintain Roads and Stormwater Drainage	
		Use Labour Intensive Construction Methods to Construct and Maintain Water and Sanitation Services	
		Use Labour Intensive Construction Methods to Construct, Repair and Maintain Structures	
Foreman/ supervisor	4	Implement labour Intensive Construction Systems and Techniques	This unit standard must be completed, <b>and</b> any one of these 3 unit standards
		Use Labour Intensive Construction Methods to Construct and Maintain Roads and Stormwater Drainage	
		Use Labour Intensive Construction Methods to Construct and Maintain Water and Sanitation Services	
		Use Labour Intensive Construction Methods to Construct, Repair and Maintain Structures	
Site Agent / Manager (i.e. the contractor's most senior representative that is resident on the site)	5	Manage Labour Intensive Construction Processes	Skills Programme against this single unit standard

### PS 17.2 Employment of unskilled and semi-skilled workers in labour-intensive works

#### PS 17.2.1 Requirements for the sourcing and engagement of labour.

Unskilled and semi-skilled labour required for the execution of all labour intensive works shall be engaged

strictly in accordance with prevailing legislation and SANS 1914-5, Participation of Targeted Labour.

The rate of pay set for a day task is 90% of the statutory daily wage applicable for the areas.

Tasks established by the contractor must be such that:

- a) the average worker completes 5 tasks per week in 40 hours or less; and
- b) the weakest worker completes 5 tasks per week in 55 hours or less.

The contractor must revise the time taken to complete a task whenever it is established that the time taken to complete a weekly task is not within the requirements of 5.2.1.3.

The Contractor shall, through all available community structures, inform the local community of the labour intensive works and the employment opportunities presented thereby. Preference must be given to people with previous practical experience in construction and / or who come from households:

- a) where the head of the household has less than a primary school education.
- b) that has less than one full time person earning an income.
- c) where subsistence agriculture is the source of income.
- d) those who are not in receipt of any social security pension income

The Contractor shall endeavour to ensure that the expenditure on the employment of temporary workers is in the following proportions:

- a) 60 % women;
- b) 20% youth who are between the ages of 18 and 25; and
- c) 2% on persons with disabilities.

## **PS 17.2.2 Specific provisions pertaining to SANS 1914-5**

### **Training of targeted labour**

- a) The contractor shall provide all the necessary on-the-job training to targeted labour to enable such labour to master the basic work techniques required to undertake the work in accordance with the requirements of the contract in a manner that does not compromise worker health and safety.
- b) The cost of the formal training of targeted labour will be funded by the provincial office of the Department of Labour. This training should take place as close to the project site as practically possible. The contractor must access this training by informing the relevant provincial office of the Department of Labour in writing, within 14 days of being awarded the contract, of the likely number of persons that will undergo training and when such training is required. The employer must be furnished with a copy of this request.
- c) The contractor shall be responsible for scheduling the training of workers and shall take all reasonable steps to ensure that each beneficiary is provided with a minimum of six (6) days of formal training if he/she is employed for 3 months or less and a minimum of ten (10) days if he/she is employed for 4 months or more.
- d) The contractor shall do nothing to dissuade targeted labour from participating in training programmes.
- e) An allowance equal to 100% of the task rate or daily rate shall be paid by the contractor to workers who attend formal training, in terms of d above.
- f) Proof of compliance with the requirements of b to e must be provided by the Contractor to the Employer prior to submission of the final payment certificate.

## **PART B: AMENDMENTS TO THE STANDARD SPECIFICATIONS**

### **B1 PROJECT SPECIFICATIONS RELATING TO THE STANDARD SPECIFICATIONS AND OTHER**

## ADDITIONAL SPECIFICATIONS

In certain clauses in the standard, standardised and particular specifications, allowance is made for a choice to be specified in the project specifications between alternative materials or methods of construction, and for additional requirements to be specified to suit a particular contract. Details of such alternative or additional requirements applicable to this contract are contained in this part of the project specifications. It also contains the necessary additional specifications required for this particular contract.

## VARIATIONS TO REQUIREMENTS OF SPECIFICATIONS LISTED IN C3.1

### PSAA            **SABS 1200 A: GENERAL (SMALL WORKS)**

#### PSA 4.2:        Contractor's Camp

No housing is available for the Contractor's employees and the Contractor shall make his own arrangements to house his employees and transport them to site.

#### PSA 6.2        Degree of Accuracy

A Degree of Accuracy II shall be applicable for the construction of the various portions of the Works.

### PSC            **SABC 1200 C: SITE CLEARANCE**

#### PSC 3.1        Disposal of Material

Disposal areas are not available on site. The Contractor shall locate his own disposal areas and shall remove and cart away any accumulation of material generated by his construction activities and not required for further use in the Works. The cost of loading, carting away and disposing of material shall be deemed to have been included in the excavation rates.

Care should be taken during clearing that no significant amounts of topsoil are being removed and pushed into windrows. Should that be found, contractor will move such topsoil back at his own cost.

### PSDA:        **SABS 1200 DA: EARTHWORKS (SMALL WORKS)**

#### PSD 3        Classification for Excavation Purposes

Delete Sub-Clause 3.1 and substitute the following:

Excavation shall mean excavating in all kinds of material met with the exception only of "Rock" as hereinafter defined and shall include for the grubbing up and clearing away of all old foundations, footings, manholes, drains, paving, etc, that may be encountered; and not claim by the Contractor in respect of such items will be allowed unless specified in the Schedules of Quantities.

#### PSD 3.1.3    Rock

"Rock" shall mean hard un-decomposed boulders exceeding one cubic meter each in volume and such hard stone occurring in bulk, banks or ledges, that practical excavation would require the use of explosives or drilling, wedging and splitting. Explosives may only be used if written permission has been obtained from the Engineer and there is no guarantee given or implied that this permission will be given.

Should the Contractor consider that any excavations encountered are in "rock" he shall immediately notify the Engineer in writing. Failing such notification, the excavations will be assumed to be in accordance with Clause PSD3 and will be measured and paid for accordingly.

The Engineer shall be the sole judge as to the classification of materials encountered in the excavations.

**PSGA: SABS 1200 GA: CONCRETE (SMALL WORKS)**

PSGA 5.1.2: Welding

Welding of reinforcement and steel pipes is permitted.

PSGA 5.4.1.6 Ready mixed concrete

Use of ready-mixed concrete is permitted, and the manufacturer's quality control system will be acceptable.

PSGA 5.4.7 Concrete Curing

Where suitable water for curing of the concrete is not readily available, the contractor is to allow for the use of an approved curing compound.

**PSH SABS 1200 H: STRUCTURAL STEELWORKS**

PSH 3.1 Materials: Structural Steel

The various grades of steel to be used in the works are shown on the drawings.

PSH 5.1.2 Drawings and Shop Details

The Contractor shall be responsible to prepare shop drawings which will be issued to the Engineer for approval.

## **C3.3 PARTICULAR SPECIFICATIONS**

**PART D: Environmental Management**

**PART E: OHSA 1993 Health & Safety**

## **LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT**

### **A 3-YEAR FRAMEWORK AGREEMENT FOR THE DEVELOPMENT AND MAINTENANCE OF IRRIGATION AND CIVIL WORKS FOR INDIVIDUAL, SCHEMES AND GOVERNMENT FACILITIES PROJECTS FOR THE LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT**

#### **C3.3 PARTICULAR SPECIFICATIONS**

In addition to the Standardised and Project Specifications the following Particular Specifications shall apply to this contract and are bound in hereafter.

**PART D: Environmental Management**

**PART E: OHS 1993 Health & Safety**

**C5. OPERATION AND MAINTENANCE MANUALS**

The contractor prior to commissioning shall provide three copies of the Operation and Maintenance Manual. These manuals shall be of a standard acceptable to the Engineer and shall be subject to his approval. At least one set of manuals shall contain original copies.

Manuals shall be in English, shall be easy to use, practically and neatly presented, bound between plastic protected covers, clearly titled, well indexed and sectionalised and specifically applicable to the equipment supplied. Where standard manuals are used these shall be marked up to be unambiguously applicable to the equipment supplied. Drawings shall be held in plastic envelopes in the manual.

The manuals must contain the following:

- a) A description of the equipment supplied giving full details of name, manufacturer, model number, size design duty and design and performance data. This shall, inter alia, include the information called for in the Pump and Motor Data Forms – part of the bill of quantities.
- b) Descriptive and technical literature including clear and comprehensive performance curves specifically applicable to the equipment supplied. (Re Pump curves and test certificates)
- c) Operating instructions supported by drawings, flow diagrams, explanatory sketches etc as may be necessary and including details of control and protection systems incorporated, and safety precautions which must be observed.
- d) Dimensional arrangement and layout drawings.
- e) A comprehensive lubricating schedule covering all equipment supplied with full details of recommended lubricants, initial fill lubricants used, capacities and lubrication periods.
- f) A comprehensive schedule of routine maintenance with timelines, for all equipment supplied.
- g) Assembly and disassembly instructions, supported by clear assembly and/or exploded view drawings.
- h) A comprehensive spare list for the equipment, complete referenced cross sectional drawings and indicating recommended spares. All information required for the ordering of spares to be given including manufacturer's part numbers, supplier's name and all identification information.
- i) Electrical circuit drawings.
- j) Copies of all Test Certificates.
- k) Documents, information and charts providing a full record of the results of the Tests on Completion.

**C6. INSPECTION AND TESTING****C6.1 GENERAL**

- a) The equipment supplied under this Contract shall be subject to inspection by the Engineer or his Nominated Agent at all stages of manufacture.
- b) The tests and commissioning procedure laid down below and such additional tests as the Engineer may reasonably require to prove compliance with the Specification shall be carried out at the Contractor's Works and at Site.

- c) The Contractor shall give reasonable notice of time and place in writing to enable the Engineer to inspect and witness tests of materials and equipment. He shall provide the Engineer with facilities for witnessing these tests and for any additional tests or inspection of any portion of the Works as required by the Engineer.
- d) The Contractor shall at his own cost render all assistance and supply all labour appliance and any other materials as the Engineer may require to check the setting out, measure up and inspect any portions of the Works at any stage during fabrication, construction, erection or painting. During such operations the Contractor shall if required suspend any or all of the Works without having claim for loss or damage as a result thereof.
- e) The testing of the plant (or a part thereof) supplied under this Contract shall be carried out through its full operating range (or part thereof) as required by the Engineer. All such tests and inspections and the necessary inspection facilities shall be provided at the Contractor's expense.
- f) At the commencement of and during the whole of Commissioning and Testing Periods, the Contractor shall have available on site all essential spares and tools considered necessary to enable repair work of defective parts to be carried out immediately in the event of a breakdown.
- g) The Contractor shall be responsible for the proper operation and maintenance of the plant throughout the period of the tests.
- h) Acceptance by the Engineer of any plant item, following such inspection or tests, shall not relieve the Contractor of any obligations under this Contract.

## **C6.2 TESTING BEFORE DELIVERY**

- a) All items of plant are subject to inspection at the manufacturer's works before despatch.
- b) Materials, components and electric motors shall be tested for compliance with relevant British or South African standards and certificates submitted in triplicate.

## **C6.3 TESTING AT SITE**

- a) Welds

Welds shall be tested as required by the relevant Code of Practice.

Where the test pressure specified for individual items of equipment is less than the test pressure specified for the connecting pipe line the equipment shall be disconnected for the test and suitable make-up lengths of pipe work or plugged connections shall be installed to enable the pipe line tests to be carried out.

- b) Draining and cleaning

Upon completion of the pressure test on a section of pipe work the water used for testing shall be drained away as quickly as possible to remove as much dirt and dross. After completion of a pipe work circuit the circuit shall be flushed through to remove all pipe scale, dross and similar material.

The Contractor shall provide all necessary connections, by-pass pipes, temporary strainers, temporary make-up pieces, to enable the systems to be drained and cleaned.

- d. Alignment

Alignment checks of all driven machinery are required and shall be witnessed by the Engineer and the results recorded.

e. Controls

All automatic control functions, alarm and safety cut-out devices shall be tested by operational or simulated tests and set-points and calibrations set and their settings recorded, all in the presence of the Engineer.

f. Performance Tests

Tests shall be carried out on all plant items to check that they are capable of their rated performance.

Each test shall be witnessed by the Engineer and a signed certificate of approval shall be issued by the Engineer upon completion of the tests to his satisfaction.

#### **C6.4 TESTS ON COMPLETION**

During completion of the balancing and commissioning of equipment the plant shall be brought into normal operation and the final adjustments of the equipment shall be made.

Thereafter the Tests on Completion in terms of the Conditions of Contract shall be carried out to ensure that the plant will fulfil the functions for which it has been designed.

Such tests shall include the following:

- a) Simulated tests for all alarm and safety cut out equipment to prove the operation of the equipment.
- b) Simulation tests on automatic controls to prove the ability of the controls to correct the conditions outside the required design parameters needs to be done by the Contractor. The tests shall be carried out by manually changing the desired values to produce an incorrect condition and then re-setting the controls to the design conditions and checking the operation of valves, etc, to restore the design conditions.

The Contractor shall provide all necessary temporary measuring and recording equipment. The equipment shall be of a type generally used for this type of testing and shall be to the approval of the Engineer. All instruments shall be accurately calibrated before the tests begin.

On completion of the whole of the tests and when the Contractor is satisfied that the entire plant is operating satisfactorily and will fulfil the function for which it has been supplied, he shall submit to the Engineer triplicate copies of all test records and charts together with reports on all the tests called for in this Specification.

The Engineer shall reserve the right to ask for any reasonable additional tests or for the repetition of previous tests in order to prove that the operation of the plant is satisfactory and in accordance with the Specification and Drawings.

#### **C6.5 TEST CERTIFICATES**

The Contractor shall provide three copies of test certificates for the installed pumps and materials and equipment specified for testing. Further copies are to be bound into the manuals to be supplied.

---

## **PART D: ENVIRONMENTAL MANAGEMENT SPECIFICATION**

### **D.1 General**

In order to ensure that the construction works is carried out in an environmentally sensitive matter, strict compliance to the Environmental Management Plan (EMP) guidelines is required. The purpose of the EMP is to:

- Encourage good management practices through planning and commitment to environmental issues,
- Provide rational and practical environmental guidelines to:
  - i. Minimise disturbance of the natural environment,
  - ii. Prevent pollution of land, air and water,
  - iii. Prevent soil erosion and facilitate re-vegetation.
- Adopt the best practicable means available to prevent or minimise adverse environmental impact,
- Develop waste management practices based on prevention, minimisation, recycling, treatment or disposal of wastes,
- Train employees and contractors with regard to environmental obligations.

### **D.2 Training and Induction of Employees**

- The Contractor has a responsibility to ensure that all those people involved in the project are aware of and familiar with the environmental requirements for the project (this includes sub-contractors, casual labour, etc.). The EMP shall be part of the terms of reference for all contractors, sub-contractors and suppliers.

### **D.3 Complaints Register and Environmental Incident Book**

Any complaints received by the project team from the public will be recorded. The complaint should be brought to the attention of the site manager, who will respond.

The following information must be recorded:

- Time, date and nature of the complaint,
- Type of communication (telephone, letter etc),
- Name, contact address and telephone number of the complainant,
- Response and investigation undertaken and
- Actions taken and by whom.

All complaints received will be investigated and a response give to the complainant within 14 days.

All environmental incidents occurring on the site will be recorded. The following information will be provided:

- Time, date, location and nature of the incident,
- Actions taken and by whom.

### **D.4 Site Cleanliness and Neatness**

- Location of a construction camp is to be approved by the Engineer and is to be restored to its previous condition after completion of construction.
- The construction camp should preferably be fenced with a 1.8m bonnox fence or similar approved.
- All materials, equipment, plant and vehicles must be stored within the construction camp.
- A dedicated area must be made available for construction staff to change and store their personal belongings.

---

**D.5 Access**

- Access to existing roads, schools, buildings, shop and residential properties must not be impeded during construction.
- Access roads utilised by the Contractor must be maintained in good condition.

**D.6 Borrow Pits**

- Mining authorisations (permits) for borrow pits must be obtained from the Department of Minerals and Energy (DME) in consultation with the Department of Water Affairs and Forestry (DWAF).
- Spoil dumps resulting from borrow pits must not interfere with any natural surface drainage.
- Borrow pits must be rehabilitated after use in accordance with the requirements of DME and DWAF.

**D.7 Dust Control / Air Quality**

- Dust suppression measures must be implemented during construction by ensuring that all surfaces prone to dust generation are kept damp (e.g. use of water tanker).
- Ensure that vehicles and equipment are in good working conditions and that emissions are not excessive.
- Ensure that vehicles and equipment are in good working conditions and that emissions are not excessive.
- Special care must be taken in areas where the route passes close to schools and residential areas.
- The speed of construction vehicles must be reduced.

**D.8 Fauna**

- Contractor staff may not chase, catch or kill animals encountered during construction.

**D.9 Fire Prevention and Control**

- Smoking is prohibited in the vicinity of flammable substances.
- The contractor must ensure that fire-fighting equipment is available on site, particularly where flammable substances are being stored or used, and that construction staff are aware of where it is kept and how it is operated.
- Fires started for comfort (warmth) are prohibited, due to the risk of veld fires and risk to adjacent property owner's lands.

**D.10 Grave sites**

- Gravesites in close proximity to the road must not be disturbed during construction.

**D.11 Materials Handling and Spills Management**

- Any hazardous materials to be used during construction (e.g. lime, fuel, paint, etc) are to be stored in a designated area at the campsite.
- The storage containers/facilities (including any diesel/petrol tanks) must be placed on an impermeable surface and surrounded by a bund wall, in order to ensure that accidental spillage does not pollute the environment.
- Workers must at all times be made aware of the health and safety risks associated with any hazardous substances used (e.g. smoking near fuel tanks), and must be provided with appropriate protective clothing/equipment in case of spillages or accidents.
- Ensure all staff and contractors undergo relevant training in the maintenance of equipment to prevent the accidental discharge or spill of fuel, oil, lubricants and other chemicals.
- Any spill of potentially hazardous materials must be cleaned up immediately (Potentially hazardous materials on site include paint, oil, grease, fuel, turpentine, etc).
- The area of contaminated soil or spill must be deposited into the hazardous waste

---

container(s).

- The contractor should keep Peat Sorb or a similar absorbent on site to clean up any spills.
- The absorbent must be stored in a designated area and be available for inspection.
- All spills are to be recorded in the environmental incident book.

#### **D.12 Noise**

- Noise generating activities must be restricted to between 07h00 and 17h00 Monday to Friday, unless otherwise approved by the appropriate competent person in consultation with adjacent landowners/affected persons.
- All equipment, vehicles and machinery must be in good working conditions and be equipped with sound mufflers if necessary.
- Construction staff must be trained and made aware of not creating unnecessary noise such as hooting and shouting.

#### **D.13 Pollution Control**

- Soil and water pollution through usage of fuel, oil, paint, bitumen or other hazardous substances must be avoided.
- All construction vehicles are to be maintained in good working order so as to prevent soil or water pollution from oil, fuel or other leaks, and to reduce noise pollution.

#### **D.14 Rivers and Streams**

- During construction of bridge structures, there must be no obstruction of the water flow of rivers and streams.
- Excavated material must not be stockpiled on or near riverbanks, in order to prevent sedimentation occurring.
- Erosion control measures must be employed both during and after construction.
- No impediments to natural surface water flow, other than approved erosion control measures, must occur.

#### **D.15 Safety**

- Safety measures, such as detour signs, must be implemented during construction to ensure the safety of workers, pedestrians and drivers/passengers in vehicles in the vicinity of construction work.
- Special care must be taken in the vicinity of schools to ensure the safety of children wishing to cross the road under construction.
- The relevant signage (e.g. speed control signs) must be erected alongside the road during the operation phase in order to control traffic.
- Accommodation must be made for pedestrian pathways alongside the road during the construction and operation phases.

#### **D.16 Soil Management**

- Storm water drainage pipes must be installed alongside the road in all areas susceptible to soil erosion.
- Erosion should be minimised by the construction of meadow drains and the planting of indigenous vegetation on the side slopes and drains to reduce flow velocity of stormwater.
- Spoil from cuts may be used in existing erosion galleys.
- Stone pitching and gabions should be constructed at pipe culvert outlets.
- Accidental spills of contaminants onto the ground e.g. oil, concrete, fuel and chemicals should be removed together with the contaminated soil.
- If necessary an absorbent such as Peat Sorb should be used the aid in cleaning up the spill. The contaminated soil should be disposed of in an appropriate container, depending on its classification.
- Servicing and re-fuelling of vehicles must only be carried out at construction camp.

**D.17 Worker Conduct**

Code of Conduct for Construction Personnel:

- Do not leave the construction site untidy and strewn with rubbish which will attract animal pests.
- Do not set fires.
- Do not cause any unnecessary, disturbing noise at the construction camp/site or at any designated worker collection/drop off points.
- Do not drive a construction-related vehicle under the influence of alcohol.
- Do not exceed the national speed limits on public roads or exceed the recommended speed limits on the site.
- Do not drive a vehicle which is generating excessive noise or gaseous pollution (noisy vehicles must be reported and repaired as soon as possible).
- Do not litter along the roadsides, including both the public and private roads.
- Do not pollute any water bodies (whether flowing or not).
- No member of the construction team is allowed to enter the areas outside the construction site.

**D.18 Traffic Disturbances and Diversions**

- Any traffic diversions must be undertaken with the approval of all relevant authorities and in accordance with all relevant legislation.
- Wherever possible, traffic diversion must only take place on existing disturbed areas and remain within the existing road reserve.
- Traffic diversion routes must be rehabilitated after use.

**D.19 Vegetation**

- Only vegetation falling directly on the route must be removed where necessary.
- Alien vegetation within the road reserve must be eradicated, and management measures must be implemented for future control of these species.
- Vegetation that has been removed from large areas (e.g. on traffic diversion routes) during construction must be replaced with indigenous vegetation after construction has been completed.

**D.20 Waste Management**

- All general, non-hazardous waste must be placed in a skip container and disposed of at a registered waste disposal site.
- The container is to ensure that the portable toilet facilities at the campsite are properly maintained and in working order.
- No disposal, or leakage, of sewage must occur on or near the site.
- All hazardous waste (e.g. oil, plant empty lime bags, contaminated wash water, etc) must be stored in leakproof containers and disposed of a registered hazardous waste disposal site.
- The contents of waste storage containers must, under no circumstances, be emptied to the surrounding area. In general, littering, discarding or burying of any materials is not allowed on site or along the route.
- Adequate waste receptacles must be available at strategic points around the construction camp and site for all domestic refuse and to minimise the occurrence of littering.
- Concrete rubble must be collected and disposed of as directed by the Project Manager.
- Each working area must be cleared of litter and building waste (e.g. rubble, wood, concrete packets etc) on completion of the day's work.
- Any spill around the container(s) should be treated as per Section C11 and C16.



---

**PART E: OHSA 1993 HEALTH AND SAFETY SPECIFICATION****E1 SCOPE**

This specification covers the health and safety requirements to be met by the Contractor to ensure a continued safe and healthy environment for all workers, employees and subcontractors under his control and for all other persons entering the site of works.

This specification shall be read with the Occupational Health and Safety Act (Act No 85 and amendment Act No 181) 1993, and the corresponding Construction Regulations 2003, and all other safety codes and specifications referred to in the said Construction Regulations.

In terms of the OHSA Agreement in Section C1.2.4 of the Contract document, the status of the Contractor as mandatory to the Employer (client) is that of an employer in his own right, responsible to comply with all provisions of OHSA 1993 and the Construction Regulations 2003.

This safety specification and the Contractor's own Safety Plan as well as the Construction Regulations 2003, shall be displayed on site or made available for inspection by all workers, employees, inspectors and any other persons entering the site of works.

The following are possible risks associated with this project:

- Working with electrically powered equipment in the pump stations, with potential for electrical shock and fire.
- Working on the side of the tar road with the necessity of persons and equipment having to cross the road in face of oncoming traffic.
- Erection of travelling gun, with potential of electrical shock due to faulty electrical installations etc.
- Dusty conditions resulting from land clearing and preparation activities.
- Possibility of lightning strikes when electrical storms are prevalent during the summer months.
- Possibility of runaway veld fires resulting from burning of de-bushed vegetation.
- Potentially dangerous existing services, i.e. gas lines, water and sewage mains, electrical high voltage cables, buried and overhead
- Deep excavations in soils requiring shoring or reducing of slopes
- Blasting of hard rock or demolition of concrete
- High pressure during testing of the pipe lines, which could result in potentially dangerous situations in the event of the pipeline or fittings failing
- Movement of construction vehicles on site, taking into consideration steep slopes, other traffic and existing services
- Exposure to possible injuries due to mishandling or failure of power and hand tools
- Non-conformance to specifications with regards to fasteners and materials
- Risks related to general safety and security on site

Additional risks may arise from specific methods of construction selected by the Contractor which are not necessary covered in the above.

**E2 DEFINITIONS**

For the purpose of this contract the following shall apply:

- (a) **Employer** where used in the contract documents and in this specification, means the Employer as defined in the General Conditions of Contract and it shall have the exact same meaning as **client** as defined in the Construction Regulations 2003. **Employer** and **client** is therefore interchangeable and shall be read in the context of the relevant document.
- (b) **Contractor** wherever used in the contract documents and in this specification, shall have the same meaning as **Contractor** as defined in the General Conditions of Contract.

---

In this specification the terms “**principal contractor**” and “**contractor**” are replaced with “**Contractor**” and “**subcontractor**” respectively.

For the purpose of this contract the **Contractor** will, in terms of OHS Act 1993, be the mandatory, without derogating from his status as an employer in his own right.

- (c) “**Engineer**” where used in this specification, means the Engineer as defined in the General Conditions of Contract. In terms of the Construction Regulations the Engineer may act as agent on behalf of the Employer (the client as defined in the Construction Regulations).

### **E3 TENDERS**

The Contractor shall submit the following with his tender:

- (a) a documented Health and Safety Plan as stipulated in Regulation 5 of the Construction Regulations. The Safety Plan must be based on the Construction Regulations 2003 and will be subject to approval by the Employer;
- (b) a declaration to the effect that he has the competence and necessary resources to carry out the work safely in compliance with the Construction Regulations 2003;
- (c) a declaration to the effect that he made provision in his tender for the cost of the health and safety measures envisaged in the Construction Regulations.
- (d) Failure to submit the foregoing with his tender, will lead to the conclusion that the Contractor will not be able to carry out the work under the contract safely in accordance with the Construction Regulations.

### **E4 NOTIFICATION OF COMMENCEMENT OF CONSTRUCTION WORK**

After award of the contract, but before commencement of construction work, the Contractor shall, in terms of Regulation 3, notify the Provincial Director of the Department of Labour in writing if the following work is involved:

- (a) the demolition of structures and dismantling of fixed plant of height of 3,0m or more;
- (b) the use of explosives;
- (c) construction work that will exceed 30 days or 300 person-days;
- (e) excavation work deeper than 1,0m; or
- (f) working at a height greater than 3,0m above ground or landings.

The notification must be done in the form of the pro forma included under Section 9 (Forms to be completed by Successful Tenderer) of the tender document.

A copy of the notification form must be kept on site, available for inspection by inspectors, Employer, Engineer, employees and persons on site.

### **E5 RISK ASSESSMENT**

Before commencement of any construction work during the construction period, the Contractor shall have a risk assessment performed and recorded in writing by a competent person. (Refer Regulation 7 of the Construction Regulations 2003).

The risk assessment shall identify and evaluate the risks and hazards that may be expected during the execution of the work under the contract, and it shall include a documented plan of safe work procedures to mitigate, reduce or control the risks and hazards identified.

The risk assessment shall be available on site for inspection by inspectors, Employer, Engineer, subcontractors, employees, trade unions and health and safety committee members, and must be

---

monitored and reviewed periodically by the Contractor.

## **E6 APPOINTMENT OF EMPLOYEES AND SUBCONTRACTORS**

### **E6.1 Health and Safety plan**

The Contractor shall appoint his employees and any subcontractors to be employed on the contract, in writing, and he shall provide them with a copy of his documented Health and Safety Plan, or relevant sections thereof. The Contractor shall ensure that all subcontractors and employees are committed to the implementation of his Safety Plan.

### **E6.2 Health and safety induction training**

The Contractor shall ensure that all employees under his control, including subcontractors and their employees, undergo a health and safety induction training course by a competent person before commencement of construction work. No visitor or other person shall be allowed or permitted to enter the site of the works unless such person has undergone health and safety training pertaining to hazards prevalent on site.

The Contractor shall ensure that every employee on site shall at all times be in possession of proof of the health and safety induction training issued by a competent person prior to commencement of construction work.

## **E7. APPOINTMENT OF SAFETY PERSONNEL**

### **E7.1 Construction Supervisor**

The Contractor shall appoint a full-time **Construction Supervisor** with the duty of supervising the performance of the construction work.

He may also have to appoint one or more competent employees to assist the construction supervisor where justified by the scope and complexity of the works.

### **E7.2 Construction safety officer**

Taking into consideration the size of the project and the hazards or dangers that can be expected, the Contractor shall appoint in writing a full-time or part-time **Construction Safety Officer** if so decided by the Inspector of the Department of Labour. The Safety Officer shall have the necessary competence and resources to perform his duties diligently.

Provision shall be made by the Contractor in his rates, to cover the cost of this dedicated construction safety officer appointed after award of the contract.

### **E7.3 Health and safety representatives**

In terms of **Section 17 and 18 of the Act (OHS Act 1993)** the Contractor, being the employer in terms of the Act for the execution of the contract, shall appoint a **health and safety representative** whenever he has more than 20 employees in his employment on the site of the works. The health and safety representative must be selected from employees who are employed in a full-time capacity at a specific workplace.

The number of health and safety representatives for a workplace shall be at least one for every 100 employees.

The function of health and safety representative(s) will be to review the effectiveness of health and safety measures, to identify potential hazards and major incidents, to examine causes of incidents (in collaboration with his employer, the Contractor), to investigate complaints by employees relating to health and safety at work, to make representations to the employer (Contractor) or inspector on general matters affecting the health and safety of employees, to inspect the workplace, plant, machinery etc. on a regular base, to participate in consultations with inspectors and to attend meetings of the health and safety

---

committee.

#### **E7.4 Health and safety committee**

In terms of Sections **17 and 18 of the Act (OHSA 1993)** the Contractor (as employer), shall establish one or more **health and safety committee(s)** where there are two or more health and safety representatives at a workplace. The persons selected by the Contractor to serve on the committee shall be designated in writing.

The function of the health and safety committee shall be to hold meetings at regular intervals, but at least once every three months, to review the health and safety measures on the contract, to discuss incidents related to health and safety with the Contractor and the inspector, and to make recommendations regarding health and safety to the Contractor and to keep record of recommendations and reports made by the committee.

#### **E7.5 Competent persons**

In accordance with the Construction Regulations the Contractor has to appoint in writing **competent persons** responsible for supervising construction work on each of the following work situations that may be expected on the site of the works.

- (a) Risk assessment and induction training as described in Regulation 7 of the Construction Regulations;
- (b) Fall protection as described in Regulation 8;
- (c) Formwork and support work as described in Regulation 10;
- (f) Excavation work as described in Regulation 11;
- (g) Demolition work as described in Regulation 12;
- (h) Scaffolding work as described in Regulation 14;
- (i) Suspended platform operations as described in Regulation 15;
- (j) Material hoists as described in Regulation 17;
- (k) Batch plant operations as described in Regulation 18;
- (l) Explosive powered tools as described in Regulation 19;
- (m) Cranes as described in Regulation 20;
- (n) Construction vehicle and mobile plant inspections on a daily basis by a competent person as described in Regulation 21(1);
- (o) Control of all temporary electrical installation on the construction site as described in Regulation 22;
- (p) Stacking and storage on construction sites as described in Regulation 26; and
- (q) Inspections of fire equipment as described in Regulation 27.

A competent person may be appointed for more than one part of the construction work with the understanding that the person must be suitably qualified and able to supervise at the same time the construction work on all the work situations for which he has been appointed.

The appointment of competent persons to supervise parts of the construction work does not relieve the Contractor from any of his responsibilities to comply with **all** requirements of the Construction Regulations.

### **E8. RECORDS AND REGISTERS**

In accordance with the Construction Regulations the Contractor is bound to keep records and registers related to health and safety on site for periodic inspection by inspectors, the Engineer, the Employer, trade union officials and subcontractors and employees. The following records and registers must be kept on site and shall be available for inspection at all times.

- (a) A copy of the OHSA 1993 Construction Regulations 2003;
- (b) A copy of this Health and Safety Specification;
- (c) A copy of the Contractor's Health and Safety Plan (Regulation 4);
- (d) A copy of the Notification of Construction Work (Regulation 3);
- (e) A health and safety file in terms of Regulation 5(7) with inputs by the Construction Safety Officer (Regulation 6(7));
- (f) A copy of the risk assessment described in Regulation 7;

- (g) A full protection plan and the corresponding records of evaluation and training of employees working from elevated positions as described in Regulation 8;
- (h) Drawings pertaining to the design of structures (Regulation 9(3)) and formwork and support work structures (Regulation 10(d)) must be kept on site;
- (i) Pronouncement of the safety of excavations must be recorded in a register to be kept on site (Regulation 11(3)(h));
- (j) A copy of the certificate of the system design for suspended platforms (Regulation 15(3));
- (k) A notice must be affixed around the base towers of material hoists to indicate the maximum mass load, which may be carried at any one time by material hoists (Regulation 7(5));
- (l) Maintenance records of material hoists and inspection results must be kept in a record book to be kept on site (Regulation 17(8));
- (m) A record of any repairs to or maintenance of a batch plant must be kept on site (Regulations 18(9));
- (n) A warning notice must be displayed in a conspicuous manner when and wherever an explosive powered tool is used (Regulation 19(2));
- (o) A register for recording of findings by the competent person appointed to inspect construction vehicles and mobile plant (Regulation 21(1)(j)).

## E9. CONTRACTORS RESPONSIBILITIES

For this contract the Contractor will be the mandatory of the Employer (Client), as defined in the Act (OHS Act 1993), which means that the Contractor has the status of employer in his own right in respect of the contract. The Contractor is therefore responsible for all the duties and obligations of an employer as set out in the Act (OHS Act 1993) and the Construction Regulations 2003.

Before commencement of work under the contract, the Contractor shall enter into an agreement with the Employer (Client) to confirm his status as mandatory (employer) for the contract under consideration.

The Contractor's duties and responsibilities are clearly set out in the Construction Regulations 2003, and are not repeated in detail but some important aspects are highlighted hereafter, without relieving the Contractor of any of his duties and responsibilities in terms of the Construction Regulations.

### (a) Contractor's position in relation to the Employer (Client) (Regulation 4)

In accordance with Section 4 of the Regulations, the Contractor shall liaise closely with the Employer or the Engineer on behalf of the Employer, to ensure that all requirements of the Act and the Regulations are met and complied with.

### (b) The Principal Contractor and Contractor (Regulation 5)

The Contractor is in terms of the definition in Regulation 2(b) the equivalent of Principle Contractor as defined in the Construction Regulations, and he shall comply with all the provisions of Regulation 5.

Any subcontractors employed by the Contractor must be appointed in writing, setting out the terms of the appointment in respect of health and safety. An independent subcontractor shall however provide and demonstrate to the Contractor a suitable, acceptable and sufficiently documented health and safety plan before commencement of the subcontract. In the absence of such a health and safety plan the subcontractor shall undertake in writing that he will comply with the Contractor's safety plan, the health and safety specifications of the Employer and the Construction Regulations 2003.

### (c) Supervision of construction work (Regulation 6)

The Contractor shall appoint the safety and other personnel and employees as required in terms of Regulation 6 and as set out in paragraph 7 above. Appointment of those personnel and employees does not relieve the Contractor from any of the obligations under Regulation 6.

---

(d) Risk assessment (Regulation 7)

The Contractor shall have the risk assessment made as set out in paragraph 7 above before commencement of the work and it must be available on site for inspection at all times. The Contractor shall consult with the health and safety committee or health and safety representative(s) etc. on a regular basis to ensure that all employees, including subcontractors under his control, are informed and trained by a competent person regarding health hazards and related work procedures.

No subcontractor, employee or visitor shall be allowed to enter the site of works without prior health and safety induction training, all as specified in Regulation 7.

(e) Fall protection (Regulation 8)

Fall protection, if applicable to this contract shall comply in all respects with Regulation 8 of the Construction Regulations.

(f) Structures (Regulation 9)

The Contractor will be liable for all claims arising from collapse or failure of structures if he failed to comply with all the specifications, project specifications and drawings related to the structures, unless it can be proved that such collapse or failure can be attributed to faulty design or insufficient design standards on which the specifications and the drawings are based.

In addition the Contractor shall comply with all aspects of Regulation 9 of the Construction Regulations.

(g) Formwork and support work (Regulation 10)

The Contractor will be responsible for the adequate design of all formwork and support structures by a competent person.

All drawings pertaining to formwork shall be kept on site and all equipment and materials used in formwork, shall be carefully examined and checked for suitability by a competent person.

The provisions of Regulation 10 of the Construction Regulations shall be followed in every detail.

(h) Excavation work (Regulation 11)

It is essential that the Contractor shall follow the instructions and precautions in the Standard Specifications and Project Specifications as well as the provisions of the Construction Regulations to the letter as unsafe excavations can be a major hazard on any construction site. The Contractor shall therefore ensure that all excavation work is carried out under the supervision of a competent person, that inspections are carried out by a Professional Engineer or Technologist, and that all work is done in such a manner that no hazards are created by unsafe excavations and working conditions.

Supervision by a competent person will not relieve the Contractor from any of his duties and responsibilities under Regulation 11 of the Construction Regulations.

(i) Demolition work (Regulation 12)

Whenever demolition work is included in a contract, the Contractor shall comply with all the requirements of Regulation 12 of the Construction Regulations. The fact that a competent person has to be appointed by the Contractor does not relieve the Contractor from any of his responsibilities in respect of safety of demolition work.

---

(j) Tunnelling (Regulation 13)

The Contractor shall comply with Regulation 13 wherever tunnelling of any kind is involved.

(k) Scaffolding (Regulation 14)

The Contractor shall ensure that all the provisions of Regulation 14 of the Construction Regulations are complied with. [Note: Reference in the Regulations to "Section 44 of the Act" should read "Section 43 of the Act"].

(l) Suspended platforms (Regulation 15)

Wherever suspended platforms will be necessary on any contract, the Contractor shall ensure that copies of the system design issued by a Professional Engineer are submitted to the Engineer for inspection and approval. The Contractor shall appoint competent persons as supervisors and competent scaffold erectors, operators and inspectors and ensure that all work related to suspended platforms are done in accordance with Regulation 15 of the Construction Regulations.

(m) Boatswain's chains (Regulation 16)

Where boatswain's chains are required on the construction site, the Contractor shall comply with Regulation 16.

(n) Material Hoists (Regulation 17)

Wherever applicable, the Contractor shall comply with the provisions of Regulation 17 to the letter.

(o) Batch plants (Regulation 18)

Wherever applicable, the Contractor shall ensure that all lifting machines, lifting tackle, conveyors, etc. used in the operation of a batch plant shall comply with, and that all operators, supervisors and employees are strictly held to the provisions of Regulation 18. The Contractor shall ensure that the General Safety Regulations (Government Notice R1031 of 30 May 1986), the Driven Machinery Regulations (Government Notice R295 of 26/2/1988) and the Electrical Installation Regulations (Government Notice R2271 of 11/10/1995) are adhered to by all involved.

In terms of the Regulations, records of repairs and maintenance shall be kept on site.

(p) Explosive powered tools (Regulation 19)

The Contractor shall ensure that, wherever explosive-powered tools are required to be used, all safety provisions of Regulation 19 are complied with.

It is especially important that warning notices are displayed and that the issue and return of cartridges and spent cartridges be recorded in a register to be kept on site.

(q) Cranes (Regulation 20)

Wherever the use of tower cranes becomes necessary, the provisions of Regulation 20 shall be complied with.

(r) Construction vehicles And mobile plant (Regulation 21)

The Contractor shall ensure that all construction vehicles and plant are in good working condition and safe for use, and that they are used in accordance with their design and intended use. The vehicles and plant shall only be operated by workers or operators who have received appropriate training, all in accordance with all the requirements of Regulation 21.

All vehicles and plant must be inspected on a daily basis, prior to use, by a competent person and the findings must be recorded in a register to be kept on site.

---

(s) Electrical installation and machinery on construction sites (Regulation 22)

The Contractor shall comply with the Electrical Installation Regulations (Government Notice R2920 of 23 October 1992) and the Electrical Machinery Regulations (Government Notice R1953 of 12 August 1993). Before commencement of construction, the Contractor shall take adequate steps to ascertain the presence of, and guard against dangers and hazards due to electrical cables and apparatus under, over or on the site.

All temporary electrical installations on the site shall be under the control of a competent person, without relieving the Contractor of his responsibility for the health and safety of all workers and persons on site in terms of Regulation 22.

(t) Use of temporary storage of flammable liquids on construction sites (Regulation 23)

The Contractor shall comply with the provisions of the General Safety Regulations (Government Notice R1031 of 30 May 1986) and all the provisions of Regulation 23 of the Construction Regulations to ensure a safe and hazard-free environment to all workers and other persons on site.

(u) Water environments (Regulation 24)

Where construction work is done over or in close proximity to water, the provisions of Regulation 24 shall apply.

(v) Housekeeping on Construction sites (Regulation 25)

Housekeeping on all construction sites shall be in accordance with the provisions of the environment Regulations for workplaces (Government Notice R2281 of 16 October 1987) and all the provisions of Regulation 25 of the Construction Regulations.

(w) Stacking and storage on construction sites (Regulation 26)

The provisions for the stacking of articles contained in the General Safety Regulations (Government Notice R1031 of 30 May 1986) as well as all the provisions Regulation 26 of the Construction Regulations shall apply.

(x) Fire precautions on construction sites (Regulation 27)

The provisions of the Environmental Regulations for Workplaces (Government Notice R2281 of 16 October 1987) shall apply.

In addition the necessary precautions shall be taken to prevent the incidence of fires, to provide adequate and sufficient fire protection equipment, sirens, escape routes etc. all in accordance with Regulation 27 of the Construction Regulations.

(y) Construction welfare facilities (Regulation 28)

The Contractor shall comply with the construction site provisions as in the Facilities Regulations (Government Notice R1593 of 12 August 1988) and the provisions of Regulation 28 of the Construction Regulations.

(z) Non-compliance with the Construction Regulations 2003

The foregoing is a summary of parts of the Construction Regulations applicable to all construction projects.

The Contractor, as employer for the execution of the contract, shall ensure that all provisions of the Construction Regulations applicable to the contract under consideration are complied with to the letter.

Should the Contractor fail to comply with the provisions of the Regulations 3 to 28 as listed in Regulation 30, he will be guilty of an offence and will be liable, upon conviction, to the fines or

imprisonment as set out in Regulation 30.

***The Contractor is advised in his own interest to make a careful study of the Act and the Construction Regulations as ignorance of the Act and the Regulations will not be accepted in any proceedings related to non-conformance to the Act and the Regulations.***

## **E10. MEASUREMENT AND PAYMENT**

### **E10.1 Principles**

It is a condition of this contract that Contractors, who submit tenders for this contract, shall make provision in their tenders for the cost of all health and safety measures during the construction process. All associated activities and expenditure are deemed to be included in the Contractor's tendered rates and prices.

#### **(a) Safety personnel**

The Construction Supervisor, the Construction Safety Officer, Health and Safety Representatives, Health and Safety Committee and Competent Persons referred to in clauses 7.1 to 7.5 shall be members of the Contractor's personnel, and no additional payment will be made for the appointment of such safety personnel.

#### **(b) Records and Registers**

The keeping of health and safety-related records and registers as described in 8 is regarded as a normal duty of the Contractor for which no additional payment will be considered, and which is deemed to be included in the Contractor's tendered rates and prices.

## **PART C 4: SITE INFORMATION**

### **C4.1: LOCALITY PLAN**