

SPECIFICATIONS

SECURITY FENCE – CANNABIS REFERENCE BLOCKS at Addo.

1. Installation of fence around 1 ha cannabis fields

- Fence about 400m long.
- Fence of Razor wire mesh
 - Non-climbable with a sharp blade profile
 - Robust welded structure with high-strength steel core wire is very difficult to cut.
 - Zinc coating for improved corrosive resistance.
 - 2.1m high
 - Attach 7 horizontal wires 30cm apart



-
- Double Leaf Gates 3m x 2.1m covered in razor wire fence.
- Gate posts 100 TO 150mm diameter, 2.5mm wall thickness set in concrete.
 - Post Holes 600mm deep x 400mm square
 - concrete 15 Mpa
 - Gate posts anchored in concrete with box anchors.
- 4 Corner Posts: 100 TO 150mm diameter, 2.5mm wall thickness set in concrete.
 - Post Holes 600mm deep x 400mm square
 - concrete 15 Mpa
 - Corner posts anchored in concrete with box anchors.
- Fence posts: 100 TO 150mm diameter, 2.5mm wall thickness set in concrete.
 - Maximum 4m apart
 - Post Holes 600mm deep x 400mm square
 - concrete 15 Mpa
 - Must the fence posts be anchored?

2. Design/Sketch must be supplied with the cote

3. Site visit is compulsory

4. Local service provider will be used (Addo, Gqeberha or surrounds)
5. Project plan must be supplied
6. Penalty of R500/day will be paid for late delivery
7. CIDB – SQ minimum level one (1) or higher