

MANDATORY REQUIREMENTS			
Bid submission not meeting the mandatory requirements will result in the bid being disqualified.			
No.	Mandatory Requirement	Comments	
1	Registered Professional Engineer (ECSA) to sign off drawings.	Registration certificates to	
2	Should be CIDB compliant , with grade of at least 4ME	Registration certificates to	
TECHNICAL REQUIREMENTS			
	Evaluation Criteria (Technical)		
TENDER TITLE: DESIGN AND SUPPLY OF THE LIME DOSING SYSTEM			
No.	Technical Criteria Description	% Contribution	Proof/Documents to be submitted
1	Detailed Work Breakdown Structure (WBS)		
a)	Supplier to provide a detailed work breakdown structure (WBS),in line with the provided scope of work. This should include Gannt chart and breakdown of resources. Gannt chart and breakdown of resources provided- 30% Gannt chart and breakdown of resources NOT provided- 0%	30%	Submit clear Gannt chart and breakdown of resources
2	Technical Specification Compliance to Technical specification -		
a)	Technical Specification must supply detailed Technical data as per technical requirements on the Scope of Work Technical Data not provided -0% All bidders Technical data provided -30%	30%	Bidder to submit detailed Technical data - Refer to Section C.6. of the scope of work
3	Competence - Supplier experience & team competence		
a)	Supplier previous experience in similar work, environment and magnitude No previous experience-0% More than five (5) years experience in a similar field -30% Less than five (5) years experience in a similar field -15%	30%	Bidder to submit signed and contactable reference letter on the referring company's letter head.
b)	OEM service center: Turnaround on equipment repairs. Service centre available in: Kwazulu Natal- 10% Republic of South Africa- 7.5 % International- 5 %	10%	Proof of physical physical address for the OEM service centre to be provided.
	Total Technical Score:		100%
	NOTE: Minimum score for consideration is 70 out of 100 %		
DISQUALIFICATION CRITERIA **			
1	Mandatory documentation not submitted.		

[illegible]