CTROM AVC Accuracy Details Report

Plaza(s) (Dalpark, Denne Remote Ramps); Date/Hour (01/04/2026 0 - 30/04/2026 23) ,SVC

Data for the selected period is consistent

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Dalpark					
11MW					
Class 1	***27,511***	32	6	0	27,549
Class 1 %	99.67	2.78	1.04	0.00	84.53
Class 2	33	***1,116***	13	4	1,166
Class 2 %	0.12	96.88	2.26	0.12	3.58
Class 3	4	3	***554***	44	605
Class 3 %	0.01	0.26	96.18	1.35	1.86
Class 4	2	1	3	***3,210***	3,216
Class 4 %	0.01	0.09	0.52	98.53	9.87
NC	53	0	0	0	53
NC %	0.19	0.00	0.00	0.00	0.16
Total for 11MW					
Total traffic per SVC class	27,603	1,152	576	3,258	32,589
Total % of total traffic	84.70	3.53	1.77	10.00	100.00
AVC accuracy per Class	99.67	96.88	96.18	98.53	99.39
Adjusted AVC Accuracy	99.74	98.14	97.78	98.87	99.50
Simulated AVC Totals	39	0	1	2	42
12MW					
Class 1	***30,878***	43	3	1	30,925
Class 1 %	99.95	3.47	0.44	0.03	85.60
Class 2	6	***1,186***	12	2	1,206
Class 2 %	0.02	95.72	1.76	0.06	3.34

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 3	5	10	***666***	32	713
Class 3 %	0.02	0.81	97.51	0.97	1.97
Class 4	4	0	2	***3,278***	3,284
Class 4 %	0.01	0.00	0.29	98.94	9.09
Total for 12MW					
Total traffic per SVC class	30,893	1,239	683	3,313	36,128
Total % of total traffic	85.51	3.43	1.89	9.17	100.00
AVC accuracy per Class	99.95	95.72	97.51	98.94	99.67
Adjusted AVC Accuracy	100.00	96.93	98.98	99.28	99.77
Simulated AVC Totals	47	0	2	11	60
13MW					
Class 1	***16,257***	9	4	0	16,270
Class 1 %	99.90	0.55	0.46	0.00	68.94
Class 2	16	***1,631***	4	1	1,652
Class 2 %	0.10	98.85	0.46	0.02	7.00
Class 3	1	10	***855***	4	870
Class 3 %	0.01	0.61	98.62	0.08	3.69
Class 4	0	0	4	***4,803***	4,807
Class 4 %	0.00	0.00	0.46	99.90	20.37
Total for 13MW					
Total traffic per SVC class	16,274	1,650	867	4,808	23,599
Total % of total traffic	68.96	6.99	3.67	20.37	100.00
AVC accuracy per Class	99.90	98.85	98.62	99.90	99.78
Adjusted AVC Accuracy	100.00	99.90	99.92	100.00	99.91
Simulated AVC Totals	0	0	0	0	0
14MW					
Class 1	***54,961***	73	11	0	55,045
Class 1 %	99.91	3.38	1.20	0.00	88.27

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 2	37	***2,079***	20	0	2,136
Class 2 %	0.07	96.21	2.19	0.00	3.43
Class 3	5	9	***879***	47	940
Class 3 %	0.01	0.42	96.07	1.10	1.51
Class 4	5	0	5	***4,232***	4,242
Class 4 %	0.01	0.00	0.55	98.90	6.80
Total for 14MW					
Total traffic per SVC class	55,008	2,161	915	4,279	62,363
Total % of total traffic	88.21	3.47	1.47	6.86	100.00
AVC accuracy per Class	99.91	96.21	96.07	98.90	99.66
Adjusted AVC Accuracy	99.96	97.13	97.34	99.20	99.74
Simulated AVC Totals	94	1	10	10	115
15MW					
Class 1	***53,403***	39	2	0	53,444
Class 1 %	99.78	3.34	0.50	0.00	94.17
Class 2	80	***1,123***	8	0	1,211
Class 2 %	0.15	96.31	1.98	0.00	2.13
Class 3	12	4	***394***	14	424
Class 3 %	0.02	0.34	97.52	0.84	0.75
Class 4	5	0	0	***1,650***	1,655
Class 4 %	0.01	0.00	0.00	99.10	2.92
NC	20	0	0	1	21
NC %	0.04	0.00	0.00	0.06	0.04
Total for 15MW					
Total traffic per SVC class	53,520	1,166	404	1,665	56,755
Total % of total traffic	94.30	2.05	0.71	2.93	100.00
AVC accuracy per Class	99.78	96.31	97.52	99.10	99.67
Adjusted AVC Accuracy	99.83	97.56	99.43	99.58	99.75
Simulated AVC Totals	38	0	4	0	42

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
16MW					
Class 1	***10,560***	7	0	0	10,567
Class 1 %	99.95	2.95	0.00	0.00	95.17
Class 2	3	***227***	0	0	230
Class 2 %	0.03	95.78	0.00	0.00	2.07
Class 3	1	3	***59***	7	70
Class 3 %	0.01	1.27	100.00	2.89	0.63
Class 4	1	0	0	***235***	236
Class 4 %	0.01	0.00	0.00	97.11	2.13
Total for 16MW					
Total traffic per SVC class	10,565	237	59	242	11,103
Total % of total traffic	95.15	2.13	0.53	2.18	100.00
AVC accuracy per Class	99.95	95.78	100.00	97.11	99.80
Adjusted AVC Accuracy	100.00	98.55	100.00	98.36	99.99
Simulated AVC Totals	8	1	1	0	10
17MW					
Class 1	***35,438***	7	1	0	35,446
Class 1 %	99.88	0.54	0.18	0.00	88.61
Class 2	39	***1,288***	4	1	1,332
Class 2 %	0.11	99.31	0.73	0.04	3.33
Class 3	4	2	***545***	3	554
Class 3 %	0.01	0.15	98.91	0.11	1.38
Class 4	0	0	1	***2,668***	2,669
Class 4 %	0.00	0.00	0.18	99.85	6.67

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 17MW					
Total traffic per SVC class	35,481	1,297	551	2,672	40,001
Total % of total traffic	88.70	3.24	1.38	6.68	100.00
AVC accuracy per Class	99.88	99.31	98.91	99.85	99.85
Adjusted AVC Accuracy	99.95	100.00	100.00	100.00	99.95
Simulated AVC Totals	0	0	0	0	0
18MW					
Class 1	***18,589***	43	1	0	18,633
Class 1 %	99.91	11.53	1.02	0.00	96.15
Class 2	7	***329***	5	0	341
Class 2 %	0.04	88.20	5.10	0.00	1.76
Class 3	5	1	***92***	7	105
Class 3 %	0.03	0.27	93.88	2.30	0.54
Class 4	2	0	0	***297***	299
Class 4 %	0.01	0.00	0.00	97.70	1.54
NC	2	0	0	0	2
NC %	0.01	0.00	0.00	0.00	0.01
Total for 18MW					
Total traffic per SVC class	18,605	373	98	304	19,380
Total % of total traffic	96.00	1.92	0.51	1.57	100.00
AVC accuracy per Class	99.91	88.20	93.88	97.70	99.62
Adjusted AVC Accuracy	100.00	90.41	97.76	98.82	99.76
Simulated AVC Totals	44	1	0	2	47
19ME					
Class 1	***58,704***	55	4	1	58,764
Class 1 %	99.92	4.71	1.05	0.07	95.07
Class 2	40	***1,107***	5	0	1,152
Class 2 %	0.07	94.86	1.31	0.00	1.86

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 3	2	5	***370***	20	397
Class 3 %	0.00	0.43	97.11	1.32	0.64
Class 4	5	0	2	***1,492***	1,499
Class 4 %	0.01	0.00	0.52	98.61	2.43
Total for 19ME					
Total traffic per SVC class	58,751	1,167	381	1,513	61,812
Total % of total traffic	95.05	1.89	0.62	2.45	100.00
AVC accuracy per Class	99.92	94.86	97.11	98.61	99.78
Adjusted AVC Accuracy	99.97	96.11	99.08	99.11	99.86
Simulated AVC Totals	76	2	2	2	82
20ME					
Class 1	***37,633***	14	1	1	37,649
Class 1 %	99.94	0.69	0.09	0.02	81.74
Class 2	22	***2,005***	6	2	2,035
Class 2 %	0.06	99.21	0.53	0.04	4.42
Class 3	2	2	***1,107***	11	1,122
Class 3 %	0.01	0.10	98.40	0.21	2.44
Class 4	0	0	11	***5,243***	5,254
Class 4 %	0.00	0.00	0.98	99.73	11.41
Total for 20ME					
Total traffic per SVC class	37,657	2,021	1,125	5,257	46,060
Total % of total traffic	81.76	4.39	2.44	11.41	100.00
AVC accuracy per Class	99.94	99.21	98.40	99.73	99.84
Adjusted AVC Accuracy	100.00	100.00	99.55	100.00	99.93
Simulated AVC Totals	0	0	0	0	0
21ME					
Class 1	***61,726***	137	12	0	61,875
Class 1 %	99.94	5.61	1.11	0.00	88.20

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 2	28	***2,300***	21	0	2,349
Class 2 %	0.05	94.11	1.95	0.00	3.35
Class 3	4	6	***1,036***	49	1,095
Class 3 %	0.01	0.25	96.10	1.01	1.56
Class 4	3	1	9	***4,818***	4,831
Class 4 %	0.00	0.04	0.83	98.99	6.89
NC	5	0	0	0	5
NC %	0.01	0.00	0.00	0.00	0.01
Total for 21ME					
Total traffic per SVC class	61,766	2,444	1,078	4,867	70,155
Total % of total traffic	88.04	3.48	1.54	6.94	100.00
AVC accuracy per Class	99.94	94.11	96.10	98.99	99.61
Adjusted AVC Accuracy	99.99	94.97	97.27	99.27	99.68
Simulated AVC Totals	51	1	8	6	66
22ME					
Class 1	***58,593***	137	10	0	58,740
Class 1 %	99.94	5.54	0.79	0.00	84.88
Class 2	16	***2,320***	22	0	2,358
Class 2 %	0.03	93.85	1.74	0.00	3.41
Class 3	3	14	***1,222***	68	1,307
Class 3 %	0.01	0.57	96.60	0.99	1.89
Class 4	15	1	11	***6,770***	6,797
Class 4 %	0.03	0.04	0.87	99.01	9.82
NC	1	0	0	0	1
NC %	0.00	0.00	0.00	0.00	0.00

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 22ME					
Total traffic per SVC class	58,628	2,472	1,265	6,838	69,203
Total % of total traffic	84.72	3.57	1.83	9.88	100.00
AVC accuracy per Class	99.94	93.85	96.60	99.01	99.57
Adjusted AVC Accuracy	99.99	94.71	97.68	99.25	99.64
Simulated AVC Totals	46	2	2	7	57
23ME					
Class 1	***13,286***	19	9	26	13,340
Class 1 %	99.72	2.06	1.80	1.01	76.97
Class 2	17	***896***	1	2	916
Class 2 %	0.13	97.07	0.20	0.08	5.29
Class 3	5	7	***489***	4	505
Class 3 %	0.04	0.76	98.00	0.15	2.91
Class 4	15	1	0	***2,555***	2,571
Class 4 %	0.11	0.11	0.00	98.76	14.83
Total for 23ME					
Total traffic per SVC class	13,323	923	499	2,587	17,332
Total % of total traffic	76.87	5.33	2.88	14.93	100.00
AVC accuracy per Class	99.72	97.07	98.00	98.76	99.39
Adjusted AVC Accuracy	99.83	98.48	99.72	99.14	99.54
Simulated AVC Totals	0	0	0	0	0
25ME					
Class 4	0	0	0	***1***	1
Class 4 %	0.00	0.00	0.00	100.00	100.00
Total for 25ME					
Total traffic per SVC class	0	0	0	1	1
Total % of total traffic	0.00	0.00	0.00	100.00	100.00
AVC accuracy per Class	0.00	0.00	0.00	100.00	100.00
Adjusted AVC Accuracy	0.00	0.00	0.00	100.00	100.00
Simulated AVC Totals	0	0	0	0	0

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for Dalpark					
Total traffic per SVC class	478,074	18,302	8,501	41,604	546,481
Total % of total traffic	87.48	3.35	1.56	7.61	100.00
AVC accuracy per Class	99.89	96.20	97.26	99.15	99.67
Adjusted AVC Accuracy	99.89	96.20	97.26	99.15	99.67
Simulated AVC Totals	443	8	30	40	521
Denne Remote Ramps					
03RE					
Class 1	***16,876***	19	0	0	16,895
Class 1 %	99.83	4.09	0.00	0.00	89.38
Class 2	21	***444***	2	1	468
Class 2 %	0.12	95.48	0.65	0.08	2.48
Class 3	6	2	***307***	38	353
Class 3 %	0.04	0.43	99.35	3.10	1.87
Class 4	1	0	0	***1,185***	1,186
Class 4 %	0.01	0.00	0.00	96.81	6.27
Total for 03RE					
Total traffic per SVC class	16,904	465	309	1,224	18,902
Total % of total traffic	89.43	2.46	1.63	6.48	100.00
AVC accuracy per Class	99.83	95.48	99.35	96.81	99.52
Adjusted AVC Accuracy	99.93	97.46	100.00	97.37	99.66
Simulated AVC Totals	20	1	0	0	21
03RW					
Class 1	***13,537***	16	3	0	13,556
Class 1 %	99.90	4.22	2.26	0.00	91.23
Class 2	9	***362***	1	0	372
Class 2 %	0.07	95.51	0.75	0.00	2.50
Class 3	5	1	***129***	12	147
Class 3 %	0.04	0.26	96.99	1.51	0.99

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 4	0	0	0	***784***	784
Class 4 %	0.00	0.00	0.00	98.49	5.28
Total for 03RW					
Total traffic per SVC class	13,551	379	133	796	14,859
Total % of total traffic	91.20	2.55	0.90	5.36	100.00
AVC accuracy per Class	99.90	95.51	96.99	98.49	99.68
Adjusted AVC Accuracy	100.00	97.70	100.00	99.18	99.84
Simulated AVC Totals	11	1	0	0	12
04RE					
Class 1	***1,073***	0	6	0	1,079
Class 1 %	56.95	0.00	24.00	0.00	51.23
Class 2	808	***61***	1	0	870
Class 2 %	42.89	100.00	4.00	0.00	41.31
Class 3	0	0	***18***	2	20
Class 3 %	0.00	0.00	72.00	1.47	0.95
Class 4	0	0	0	***133***	133
Class 4 %	0.00	0.00	0.00	97.79	6.32
NC	3	0	0	1	4
NC %	0.16	0.00	0.00	0.74	0.19
Total for 04RE					
Total traffic per SVC class	1,884	61	25	136	2,106
Total % of total traffic	89.46	2.90	1.19	6.46	100.00
AVC accuracy per Class	56.95	100.00	72.00	97.79	61.02
Adjusted AVC Accuracy	57.24	100.00	79.68	99.46	61.44
Simulated AVC Totals	2	0	0	0	2
04RW					
Class 1	***4,208***	4	2	0	4,214
Class 1 %	99.76	3.74	6.67	0.00	92.88

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 2	5	***103***	2	1	111
Class 2 %	0.12	96.26	6.67	0.55	2.45
Class 3	1	0	***26***	5	32
Class 3 %	0.02	0.00	86.67	2.75	0.71
Class 4	0	0	0	***176***	176
Class 4 %	0.00	0.00	0.00	96.70	3.88
NC	4	0	0	0	4
NC %	0.09	0.00	0.00	0.00	0.09
Total for 04RW					
Total traffic per SVC class	4,218	107	30	182	4,537
Total % of total traffic	92.97	2.36	0.66	4.01	100.00
AVC accuracy per Class	99.76	96.26	86.67	96.70	99.47
Adjusted AVC Accuracy	99.95	100.00	93.68	98.15	99.76
Simulated AVC Totals	3	0	0	0	3
Total for Denne Remote Ramps					
Total traffic per SVC class	36,557	1,012	497	2,338	40,404
Total % of total traffic	90.48	2.50	1.23	5.79	100.00
AVC accuracy per Class	97.64	95.85	96.58	97.43	97.57
Adjusted AVC Accuracy	97.64	95.86	96.60	97.43	97.57
Simulated AVC Totals	36	2	0	0	38
Grand Total:					
Total traffic per SVC class	514,631	19,314	8,998	43,942	586,885
Total % of total traffic	87.69	3.29	1.53	7.49	100.00
AVC accuracy per Class	99.73	96.18	97.22	99.06	99.52
Adjusted AVC Accuracy	99.73	96.18	97.22	99.06	99.52
Simulated AVC Totals	39	47	1	2	559

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC			*SVC*		
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
- Axle	0	0	0	0	0
- Axle %	0.00	0.00	0.00	0.00	0.00
+Axle	0	0	0	0	0
+Axle %	0.00	0.00	0.00	0.00	0.00
- Mass	0	0	0	0	0
- Mass %	0.00	0.00	0.00	0.00	0.00
+Mass	0	0	0	0	0
+Mass %	0.00	0.00	0.00	0.00	0.00
Total AVC Error	0	0	0	0	0
Total AVC Error %	0.00	0.00	0.00	0.00	0.00

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals