CTROM AVC Accuracy Details Report

Plaza(s) (Dalpark, Denne Remote Ramps); Date/Hour (01/02/2026 0 - 28/02/2026 23) ,SVC

Data for the selected period is consistent

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Dalpark					
11MW					
Class 1	***3,947***	9	89	0	4,045
Class 1 %	77.12	4.64	92.71	0.00	68.01
Class 2	1,158	***185***	3	0	1,346
Class 2 %	22.63	95.36	3.13	0.00	22.63
Class 3	7	0	***4***	0	11
Class 3 %	0.14	0.00	4.17	0.00	0.18
Class 4	5	0	0	***540***	545
Class 4 %	0.10	0.00	0.00	100.00	9.16
NC	1	0	0	0	1
NC %	0.02	0.00	0.00	0.00	0.02
Total for 11MW					
Total traffic per SVC class	5,118	194	96	540	5,948
Total % of total traffic	86.05	3.26	1.61	9.08	100.00
AVC accuracy per Class	77.12	95.36	4.17	100.00	78.61
Adjusted AVC Accuracy	77.29	98.43	8.09	100.00	78.86
Simulated AVC Totals	2	0	0	1	3
12MW					
Class 1	***10,239***	14	2	0	10,255
Class 1 %	99.95	3.38	0.83	0.00	84.66
Class 2	3	***399***	11	0	413
Class 2 %	0.03	96.38	4.58	0.00	3.41

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 3	0	1	***226***	8	235
Class 3 %	0.00	0.24	94.17	0.66	1.94
Class 4	0	0	1	***1,207***	1,208
Class 4 %	0.00	0.00	0.42	99.34	9.97
NC	2	0	0	0	2
NC %	0.02	0.00	0.00	0.00	0.02
Total for 12MW					
Total traffic per SVC class	10,244	414	240	1,215	12,113
Total % of total traffic	84.57	3.42	1.98	10.03	100.00
AVC accuracy per Class	99.95	96.38	94.17	99.34	99.65
Adjusted AVC Accuracy	100.00	98.48	96.65	99.90	99.83
Simulated AVC Totals	27	1	2	1	31
13MW					
Class 1	***19,483***	54	77	0	19,614
Class 1 %	99.40	3.47	7.96	0.00	73.52
Class 2	91	***1,482***	30	2	1,605
Class 2 %	0.46	95.37	3.10	0.04	6.02
Class 3	13	18	***853***	17	901
Class 3 %	0.07	1.16	88.21	0.37	3.38
Class 4	13	0	7	***4,539***	4,559
Class 4 %	0.07	0.00	0.72	99.58	17.09
NC	1	0	0	0	1
NC %	0.01	0.00	0.00	0.00	0.00
Total for 13MW					
Total traffic per SVC class	19,601	1,554	967	4,558	26,680
Total % of total traffic	73.47	5.82	3.62	17.08	100.00
AVC accuracy per Class	99.40	95.37	88.21	99.58	98.79
Adjusted AVC Accuracy	99.49	96.45	89.45	99.87	98.91
Simulated AVC Totals	0	0	0	0	0

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
14MW					
Class 1	***61,379***	81	18	0	61,478
Class 1 %	99.97	2.83	1.18	0.00	83.84
Class 2	14	***2,770***	37	1	2,822
Class 2 %	0.02	96.82	2.42	0.01	3.85
Class 3	1	10	***1,468***	74	1,553
Class 3 %	0.00	0.35	95.89	0.98	2.12
Class 4	2	0	8	***7,464***	7,474
Class 4 %	0.00	0.00	0.52	99.01	10.19
Total for 14MW					
Total traffic per SVC class	61,396	2,861	1,531	7,539	73,327
Total % of total traffic	83.73	3.90	2.09	10.28	100.00
AVC accuracy per Class	99.97	96.82	95.89	99.01	99.66
Adjusted AVC Accuracy	100.00	97.62	96.87	99.23	99.73
Simulated AVC Totals	179	3	15	11	208
15MW					
Class 1	***69,252***	50	2	0	69,304
Class 1 %	99.95	2.38	0.26	0.00	91.69
Class 2	11	***2,043***	15	0	2,069
Class 2 %	0.02	97.10	1.94	0.00	2.74
Class 3	6	10	***752***	33	801
Class 3 %	0.01	0.48	97.41	0.96	1.06
Class 4	1	0	3	***3,387***	3,391
Class 4 %	0.00	0.00	0.39	99.01	4.49
NC	19	1	0	1	21
NC %	0.03	0.05	0.00	0.03	0.03

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 15MW					
Total traffic per SVC class	69,289	2,104	772	3,421	75,586
Total % of total traffic	91.67	2.78	1.02	4.53	100.00
AVC accuracy per Class	99.95	97.10	97.41	99.01	99.80
Adjusted AVC Accuracy	100.00	98.03	98.79	99.34	99.87
Simulated AVC Totals	39	2	4	1	46
16MW					
Class 1	***36,647***	11	237	0	36,895
Class 1 %	86.56	1.21	92.94	0.00	83.12
Class 2	5,672	***896***	7	0	6,575
Class 2 %	13.40	98.68	2.75	0.00	14.81
Class 3	19	0	***10***	0	29
Class 3 %	0.04	0.00	3.92	0.00	0.07
Class 4	0	1	1	***883***	885
Class 4 %	0.00	0.11	0.39	100.00	1.99
NC	1	0	0	0	1
NC %	0.00	0.00	0.00	0.00	0.00
Total for 16MW					
Total traffic per SVC class	42,339	908	255	883	44,385
Total % of total traffic	95.39	2.05	0.57	1.99	100.00
AVC accuracy per Class	86.56	98.68	3.92	100.00	86.60
Adjusted AVC Accuracy	86.62	100.00	6.33	100.00	86.69
Simulated AVC Totals	25	2	0	1	28
17MW					
Class 1	***27,379***	14	11	0	27,404
Class 1 %	99.83	1.36	2.00	0.00	86.54
Class 2	42	***1,010***	16	1	1,069
Class 2 %	0.15	98.25	2.91	0.04	3.38

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 3	0	4	***521***	12	537
Class 3 %	0.00	0.39	94.73	0.45	1.70
Class 4	4	0	2	***2,651***	2,657
Class 4 %	0.01	0.00	0.36	99.51	8.39
Total for 17MW					
Total traffic per SVC class	27,425	1,028	550	2,664	31,667
Total % of total traffic	86.60	3.25	1.74	8.41	100.00
AVC accuracy per Class	99.83	98.25	94.73	99.51	99.67
Adjusted AVC Accuracy	99.90	99.58	96.37	99.89	99.78
Simulated AVC Totals	0	0	0	0	0
18MW					
Class 1	***7,780***	10	22	0	7,812
Class 1 %	57.45	3.13	29.73	0.00	55.16
Class 2	5,754	***309***	4	1	6,068
Class 2 %	42.49	96.87	5.41	0.44	42.84
Class 3	6	0	***48***	2	56
Class 3 %	0.04	0.00	64.86	0.88	0.40
Class 4	0	0	0	***225***	225
Class 4 %	0.00	0.00	0.00	98.68	1.59
NC	2	0	0	0	2
NC %	0.01	0.00	0.00	0.00	0.01
Total for 18MW					
Total traffic per SVC class	13,542	319	74	228	14,163
Total % of total traffic	95.62	2.25	0.52	1.61	100.00
AVC accuracy per Class	57.45	96.87	64.86	98.68	59.04
Adjusted AVC Accuracy	57.56	99.26	69.32	99.97	59.20
Simulated AVC Totals	59	0	2	0	61
19ME					

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 1	***58,683***	40	5	0	58,728
Class 1 %	99.97	2.78	0.80	0.00	93.15
Class 2	10	***1,396***	4	0	1,410
Class 2 %	0.02	96.94	0.64	0.00	2.24
Class 3	4	4	***616***	28	652
Class 3 %	0.01	0.28	98.25	1.23	1.03
Class 4	1	0	2	***2,254***	2,257
Class 4 %	0.00	0.00	0.32	98.77	3.58
NC	1	0	0	0	1
NC %	0.00	0.00	0.00	0.00	0.00
Total for 19ME					
Total traffic per SVC class	58,699	1,440	627	2,282	63,048
Total % of total traffic	93.10	2.28	0.99	3.62	100.00
AVC accuracy per Class	99.97	96.94	98.25	98.77	99.84
Adjusted AVC Accuracy	100.00	98.07	99.78	99.18	99.92
Simulated AVC Totals	167	0	14	4	185
20ME					
Class 1	***36,246***	25	15	0	36,286
Class 1 %	99.76	1.37	1.18	0.00	80.96
Class 2	69	***1,794***	17	1	1,881
Class 2 %	0.19	98.03	1.34	0.02	4.20
Class 3	2	11	***1,227***	33	1,273
Class 3 %	0.01	0.60	96.54	0.61	2.84
Class 4	17	0	12	***5,348***	5,377
Class 4 %	0.05	0.00	0.94	99.37	12.00

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 20ME					
Total traffic per SVC class	36,334	1,830	1,271	5,382	44,817
Total % of total traffic	81.07	4.08	2.84	12.01	100.00
AVC accuracy per Class	99.76	98.03	96.54	99.37	99.55
Adjusted AVC Accuracy	99.82	99.03	97.62	99.64	99.64
Simulated AVC Totals	0	0	0	0	0
21ME					
Class 1	***29,529***	107	344	0	29,980
Class 1 %	91.94	8.09	58.11	0.00	81.47
Class 2	2,538	***1,211***	16	3	3,768
Class 2 %	7.90	91.60	2.70	0.11	10.24
Class 3	8	3	***230***	13	254
Class 3 %	0.02	0.23	38.85	0.47	0.69
Class 4	39	1	2	***2,753***	2,795
Class 4 %	0.12	0.08	0.34	99.39	7.60
NC	2	0	0	1	3
NC %	0.01	0.00	0.00	0.04	0.01
Total for 21ME					
Total traffic per SVC class	32,116	1,322	592	2,770	36,800
Total % of total traffic	87.27	3.59	1.61	7.53	100.00
AVC accuracy per Class	91.94	91.60	38.85	99.39	91.64
Adjusted AVC Accuracy	92.01	92.77	40.43	99.76	91.74
Simulated AVC Totals	36	2	2	1	41
22ME					
Class 1	***16,497***	34	1	0	16,532
Class 1 %	99.96	4.40	0.24	0.00	84.56
Class 2	2	***736***	5	0	743
Class 2 %	0.01	95.34	1.20	0.00	3.80

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 3	2	2	***407***	20	431
Class 3 %	0.01	0.26	97.60	1.08	2.20
Class 4	0	0	4	***1,839***	1,843
Class 4 %	0.00	0.00	0.96	98.92	9.43
NC	2	0	0	0	2
NC %	0.01	0.00	0.00	0.00	0.01
Total for 22ME					
Total traffic per SVC class	16,503	772	417	1,859	19,551
Total % of total traffic	84.41	3.95	2.13	9.51	100.00
AVC accuracy per Class	99.96	95.34	97.60	98.92	99.63
Adjusted AVC Accuracy	100.00	96.88	99.48	99.37	99.77
Simulated AVC Totals	7	0	1	3	11
23ME					
Class 1	***5,077***	49	84	1	5,211
Class 1 %	98.95	15.03	40.98	0.15	82.13
Class 2	41	***277***	5	2	325
Class 2 %	0.80	84.97	2.44	0.29	5.12
Class 3	11	0	***116***	0	127
Class 3 %	0.21	0.00	56.59	0.00	2.00
Class 4	0	0	0	***680***	680
Class 4 %	0.00	0.00	0.00	99.56	10.72
NC	2	0	0	0	2
NC %	0.04	0.00	0.00	0.00	0.03
Total for 23ME					
Total traffic per SVC class	5,131	326	205	683	6,345
Total % of total traffic	80.87	5.14	3.23	10.76	100.00
AVC accuracy per Class	98.95	84.97	56.59	99.56	96.93
Adjusted AVC Accuracy	99.12	87.34	59.27	100.00	97.17
Simulated AVC Totals	0	0	0	0	0

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
24ME					
Class 1	***35,190***	92	13	0	35,295
Class 1 %	99.95	7.73	2.48	0.00	90.03
Class 2	10	***1,095***	10	3	1,118
Class 2 %	0.03	92.02	1.90	0.13	2.85
Class 3	4	3	***501***	28	536
Class 3 %	0.01	0.25	95.43	1.23	1.37
Class 4	4	0	1	***2,249***	2,254
Class 4 %	0.01	0.00	0.19	98.64	5.75
Total for 24ME					
Total traffic per SVC class	35,208	1,190	525	2,280	39,203
Total % of total traffic	89.81	3.04	1.34	5.82	100.00
AVC accuracy per Class	99.95	92.02	95.43	98.64	99.57
Adjusted AVC Accuracy	100.00	93.26	97.11	99.05	99.67
Simulated AVC Totals	82	0	5	0	87
25ME					
Class 1	***49,573***	81	5	0	49,659
Class 1 %	99.92	3.38	0.43	0.00	84.04
Class 2	30	***2,310***	97	6	2,443
Class 2 %	0.06	96.37	8.41	0.10	4.13
Class 3	3	6	***1,051***	105	1,165
Class 3 %	0.01	0.25	91.15	1.77	1.97
Class 4	2	0	0	***5,817***	5,819
Class 4 %	0.00	0.00	0.00	98.13	9.85
NC	6	0	0	0	6
NC %	0.01	0.00	0.00	0.00	0.01

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 25ME					
Total traffic per SVC class	49,614	2,397	1,153	5,928	59,092
Total % of total traffic	83.96	4.06	1.95	10.03	100.00
AVC accuracy per Class	99.92	96.37	91.15	98.13	99.42
Adjusted AVC Accuracy	99.98	97.24	92.28	98.38	99.50
Simulated AVC Totals	44	6	4	4	58
Total for Dalpark					
Total traffic per SVC class	482,559	18,659	9,275	42,232	552,725
Total % of total traffic	87.31	3.38	1.68	7.64	100.00
AVC accuracy per Class	96.76	96.00	86.58	99.06	96.74
Adjusted AVC Accuracy	96.76	96.00	86.58	99.06	96.74
Simulated AVC Totals	667	16	49	27	759
Denne Remote Ramps					
03RE					
Class 1	***13,926***	9	1	0	13,936
Class 1 %	99.90	2.32	0.68	0.00	90.11
Class 2	4	***379***	2	0	385
Class 2 %	0.03	97.68	1.36	0.00	2.49
Class 3	1	0	***144***	17	162
Class 3 %	0.01	0.00	97.96	1.72	1.05
Class 4	1	0	0	***974***	975
Class 4 %	0.01	0.00	0.00	98.28	6.30
NC	8	0	0	0	8
NC %	0.06	0.00	0.00	0.00	0.05
Total for 03RE					
Total traffic per SVC class	13,940	388	147	991	15,466
Total % of total traffic	90.13	2.51	0.95	6.41	100.00
AVC accuracy per Class	99.90	97.68	97.96	98.28	99.72
Adjusted AVC Accuracy	100.00	99.85	100.00	98.90	99.88
Simulated AVC Totals	22	1	0	0	23

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
03RW					
Class 1	***14,574***	10	5	1	14,590
Class 1 %	99.92	2.58	3.50	0.12	91.62
Class 2	4	***376***	5	1	386
Class 2 %	0.03	96.91	3.50	0.12	2.42
Class 3	1	2	***132***	18	153
Class 3 %	0.01	0.52	92.31	2.22	0.96
Class 4	1	0	1	***789***	791
Class 4 %	0.01	0.00	0.70	97.53	4.97
NC	5	0	0	0	5
NC %	0.03	0.00	0.00	0.00	0.03
Total for 03RW					
Total traffic per SVC class	14,585	388	143	809	15,925
Total % of total traffic	91.59	2.44	0.90	5.08	100.00
AVC accuracy per Class	99.92	96.91	92.31	97.53	99.66
Adjusted AVC Accuracy	100.00	99.08	95.52	98.22	99.81
Simulated AVC Totals	16	0	0	0	16
04RE					
Class 1	***3,730***	1	13	0	3,744
Class 1 %	94.00	1.25	92.86	0.00	88.47
Class 2	236	***79***	0	0	315
Class 2 %	5.95	98.75	0.00	0.00	7.44
Class 3	0	0	***1***	0	1
Class 3 %	0.00	0.00	7.14	0.00	0.02
Class 4	0	0	0	***170***	170
Class 4 %	0.00	0.00	0.00	100.00	4.02
NC	2	0	0	0	2
NC %	0.05	0.00	0.00	0.00	0.05

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 04RE					
Total traffic per SVC class	3,968	80	14	170	4,232
Total % of total traffic	93.76	1.89	0.33	4.02	100.00
AVC accuracy per Class	94.00	98.75	7.14	100.00	94.05
Adjusted AVC Accuracy	94.20	100.00	17.40	100.00	94.35
Simulated AVC Totals	4	0	1	0	5
04RW					
Class 1	***2,972***	1	0	0	2,973
Class 1 %	99.93	1.72	0.00	0.00	94.32
Class 2	2	***57***	0	0	59
Class 2 %	0.07	98.28	0.00	0.00	1.87
Class 3	0	0	***20***	0	20
Class 3 %	0.00	0.00	100.00	0.00	0.63
Class 4	0	0	0	***100***	100
Class 4 %	0.00	0.00	0.00	100.00	3.17
Total for 04RW					
Total traffic per SVC class	2,974	58	20	100	3,152
Total % of total traffic	94.35	1.84	0.63	3.17	100.00
AVC accuracy per Class	99.93	98.28	100.00	100.00	99.90
Adjusted AVC Accuracy	100.00	100.00	100.00	100.00	100.00
Simulated AVC Totals	1	0	0	0	1
Total for Denne Remote Ramps					
Total traffic per SVC class	35,467	914	324	2,070	38,775
Total % of total traffic	91.47	2.36	0.84	5.34	100.00
AVC accuracy per Class	99.25	97.48	91.67	98.21	99.09
Adjusted AVC Accuracy	99.25	97.49	91.69	98.21	99.09
Simulated AVC Totals	43	1	1	0	45

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Grand Total:					
Total traffic per SVC class	518,026	19,573	9,599	44,302	591,500
Total % of total traffic	87.58	3.31	1.62	7.49	100.00
AVC accuracy per Class	96.93	96.07	86.75	99.02	96.89
Adjusted AVC Accuracy	96.93	96.07	86.75	99.02	96.89
Simulated AVC Totals	2	27	31	1	804

	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
- Axle	0	0	0	0	0
- Axle %	0.00	0.00	0.00	0.00	0.00
+Axle	0	0	0	0	0
+Axle %	0.00	0.00	0.00	0.00	0.00
- Mass	0	0	0	0	0
- Mass %	0.00	0.00	0.00	0.00	0.00
+Mass	0	0	0	0	0
+Mass %	0.00	0.00	0.00	0.00	0.00
Total AVC Error	0	0	0	0	0
Total AVC Error %	0.00	0.00	0.00	0.00	0.00

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals