CTROM AVC Accuracy Details Report

Plaza(s) (Dalpark, Denne Remote Ramps); Date/Hour (01/06/2026 0 - 30/06/2026 23) ,SVC

Data for the selected period is consistent

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Dalpark					
11MW					
Class 1	***43,823***	53	14	0	43,890
Class 1 %	99.83	2.59	1.30	0.00	82.83
Class 2	56	***1,980***	26	6	2,068
Class 2 %	0.13	96.63	2.41	0.10	3.90
Class 3	18	16	***1,027***	75	1,136
Class 3 %	0.04	0.78	95.00	1.26	2.14
Class 4	1	0	14	***5,877***	5,892
Class 4 %	0.00	0.00	1.30	98.64	11.12
Total for 11MW					
Total traffic per SVC class	43,898	2,049	1,081	5,958	52,986
Total % of total traffic	82.85	3.87	2.04	11.24	100.00
AVC accuracy per Class	99.83	96.63	95.00	98.64	99.47
Adjusted AVC Accuracy	99.89	97.57	96.17	98.89	99.55
Simulated AVC Totals	59	1	6	7	73
12MW					
Class 1	***29***	0	0	0	29
Class 1 %	100.00	0.00	0.00	0.00	96.67
Class 4	0	0	0	***1***	1
Class 4 %	0.00	0.00	0.00	100.00	3.33

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 12MW					
Total traffic per SVC class	29	0	0	1	30
Total % of total traffic	96.67	0.00	0.00	3.33	100.00
AVC accuracy per Class	100.00	0.00	0.00	100.00	100.00
Adjusted AVC Accuracy	100.00	0.00	0.00	100.00	100.00
Simulated AVC Totals	0	0	0	0	0
13MW					
Class 1	***20,832***	34	14	25	20,905
Class 1 %	99.86	1.73	1.33	0.45	71.01
Class 2	23	***1,919***	12	6	1,960
Class 2 %	0.11	97.61	1.14	0.11	6.66
Class 3	1	13	***1,009***	12	1,035
Class 3 %	0.00	0.66	96.19	0.22	3.52
Class 4	6	0	14	***5,519***	5,539
Class 4 %	0.03	0.00	1.33	99.23	18.82
Total for 13MW					
Total traffic per SVC class	20,862	1,966	1,049	5,562	29,439
Total % of total traffic	70.87	6.68	3.56	18.89	100.00
AVC accuracy per Class	99.86	97.61	96.19	99.23	99.46
Adjusted AVC Accuracy	99.95	98.57	97.38	99.49	99.57
Simulated AVC Totals	0	0	0	0	0
14MW					
Class 1	***55,065***	67	8	0	55,140
Class 1 %	99.94	3.18	0.74	0.00	87.00
Class 2	24	***2,031***	14	0	2,069
Class 2 %	0.04	96.44	1.29	0.00	3.26
Class 3	4	8	***1,060***	31	1,103
Class 3 %	0.01	0.38	97.70	0.61	1.74

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 4	2	0	3	***5,062***	5,067
Class 4 %	0.00	0.00	0.28	99.39	7.99
NC	3	0	0	0	3
NC %	0.01	0.00	0.00	0.00	0.00
Total for 14MW					
Total traffic per SVC class	55,098	2,106	1,085	5,093	63,382
Total % of total traffic	86.93	3.32	1.71	8.04	100.00
AVC accuracy per Class	99.94	96.44	97.70	99.39	99.74
Adjusted AVC Accuracy	99.99	97.37	98.87	99.66	99.82
Simulated AVC Totals	130	3	16	11	160
15MW					
Class 1	***50,230***	42	0	0	50,272
Class 1 %	99.86	3.49	0.00	0.00	93.31
Class 2	54	***1,158***	6	0	1,218
Class 2 %	0.11	96.18	1.33	0.00	2.26
Class 3	5	4	***443***	10	462
Class 3 %	0.01	0.33	98.01	0.52	0.86
Class 4	0	0	3	***1,910***	1,913
Class 4 %	0.00	0.00	0.66	99.48	3.55
NC	13	0	0	0	13
NC %	0.03	0.00	0.00	0.00	0.02
Total for 15MW					
Total traffic per SVC class	50,302	1,204	452	1,920	53,878
Total % of total traffic	93.36	2.23	0.84	3.56	100.00
AVC accuracy per Class	99.86	96.18	98.01	99.48	99.75
Adjusted AVC Accuracy	99.92	97.41	99.82	99.93	99.83
Simulated AVC Totals	38	0	5	2	45
16MW					

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 1	***20,892***	15	3	0	20,910
Class 1 %	99.96	4.02	2.31	0.00	95.72
Class 2	7	***356***	2	0	365
Class 2 %	0.03	95.44	1.54	0.00	1.67
Class 3	1	2	***123***	3	129
Class 3 %	0.00	0.54	94.62	0.68	0.59
Class 4	0	0	2	***440***	442
Class 4 %	0.00	0.00	1.54	99.32	2.02
Total for 16MW					
Total traffic per SVC class	20,900	373	130	443	21,846
Total % of total traffic	95.67	1.71	0.60	2.03	100.00
AVC accuracy per Class	99.96	95.44	94.62	99.32	99.84
Adjusted AVC Accuracy	100.00	97.65	97.99	100.00	99.97
Simulated AVC Totals	15	0	0	0	15
17MW					
Class 1	***32,238***	17	4	6	32,265
Class 1 %	99.91	1.46	0.85	0.30	89.93
Class 2	24	***1,147***	6	0	1,177
Class 2 %	0.07	98.54	1.28	0.00	3.28
Class 3	3	0	***457***	6	466
Class 3 %	0.01	0.00	97.44	0.30	1.30
Class 4	3	0	2	***1,963***	1,968
Class 4 %	0.01	0.00	0.43	99.39	5.49
Total for 17MW					
Total traffic per SVC class	32,268	1,164	469	1,975	35,876
Total % of total traffic	89.94	3.24	1.31	5.51	100.00
AVC accuracy per Class	99.91	98.54	97.44	99.39	99.80
Adjusted AVC Accuracy	99.98	99.79	99.21	99.83	99.90
Simulated AVC Totals	0	0	0	0	0

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
18MW					
Class 1	***12,080***	30	2	0	12,112
Class 1 %	99.92	10.38	2.38	0.00	95.60
Class 2	3	***259***	5	0	267
Class 2 %	0.02	89.62	5.95	0.00	2.11
Class 3	4	0	***76***	1	81
Class 3 %	0.03	0.00	90.48	0.48	0.64
Class 4	1	0	1	***206***	208
Class 4 %	0.01	0.00	1.19	99.52	1.64
NC	2	0	0	0	2
NC %	0.02	0.00	0.00	0.00	0.02
Total for 18MW					
Total traffic per SVC class	12,090	289	84	207	12,670
Total % of total traffic	95.42	2.28	0.66	1.63	100.00
AVC accuracy per Class	99.92	89.62	90.48	99.52	99.61
Adjusted AVC Accuracy	100.00	92.13	94.67	100.00	99.78
Simulated AVC Totals	39	1	1	1	42
19ME					
Class 1	***51,740***	48	6	1	51,795
Class 1 %	99.92	4.87	1.69	0.08	95.31
Class 2	30	***936***	3	0	969
Class 2 %	0.06	94.93	0.85	0.00	1.78
Class 3	9	2	***342***	14	367
Class 3 %	0.02	0.20	96.61	1.14	0.68
Class 4	0	0	3	***1,209***	1,212
Class 4 %	0.00	0.00	0.85	98.77	2.23

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 19ME					
Total traffic per SVC class	51,779	986	354	1,224	54,343
Total % of total traffic	95.28	1.81	0.65	2.25	100.00
AVC accuracy per Class	99.92	94.93	96.61	98.77	99.79
Adjusted AVC Accuracy	99.97	96.29	98.65	99.33	99.87
Simulated AVC Totals	71	2	2	3	78
20ME					
Class 1	***40,391***	45	13	8	40,457
Class 1 %	99.94	2.15	1.27	0.16	83.25
Class 2	21	***2,043***	6	6	2,076
Class 2 %	0.05	97.70	0.59	0.12	4.27
Class 3	2	3	***981***	9	995
Class 3 %	0.00	0.14	95.99	0.18	2.05
Class 4	3	0	22	***5,046***	5,071
Class 4 %	0.01	0.00	2.15	99.55	10.43
Total for 20ME					
Total traffic per SVC class	40,417	2,091	1,022	5,069	48,599
Total % of total traffic	83.16	4.30	2.10	10.43	100.00
AVC accuracy per Class	99.94	97.70	95.99	99.55	99.72
Adjusted AVC Accuracy	100.00	98.63	97.19	99.82	99.81
Simulated AVC Totals	0	0	0	0	0
21ME					
Class 1	***53,510***	123	6	0	53,639
Class 1 %	99.97	5.55	0.57	0.00	87.14
Class 2	13	***2,084***	9	1	2,107
Class 2 %	0.02	94.00	0.85	0.02	3.42
Class 3	0	10	***1,036***	28	1,074
Class 3 %	0.00	0.45	97.83	0.59	1.74

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 4	0	0	8	***4,723***	4,731
Class 4 %	0.00	0.00	0.76	99.39	7.69
NC	1	0	0	0	1
NC %	0.00	0.00	0.00	0.00	0.00
Total for 21ME					
Total traffic per SVC class	53,524	2,217	1,059	4,752	61,552
Total % of total traffic	86.96	3.60	1.72	7.72	100.00
AVC accuracy per Class	99.97	94.00	97.83	99.39	99.68
Adjusted AVC Accuracy	100.00	94.91	99.01	99.67	99.76
Simulated AVC Totals	58	1	4	5	68
22ME					
Class 1	***37,224***	81	2	1	37,308
Class 1 %	99.99	4.78	0.22	0.02	83.89
Class 2	4	***1,598***	8	1	1,611
Class 2 %	0.01	94.28	0.90	0.02	3.62
Class 3	1	15	***869***	37	922
Class 3 %	0.00	0.88	97.64	0.79	2.07
Class 4	0	1	11	***4,619***	4,631
Class 4 %	0.00	0.06	1.24	99.16	10.41
Total for 22ME					
Total traffic per SVC class	37,229	1,695	890	4,658	44,472
Total % of total traffic	83.71	3.81	2.00	10.47	100.00
AVC accuracy per Class	99.99	94.28	97.64	99.16	99.64
Adjusted AVC Accuracy	100.00	95.32	98.93	99.45	99.73
Simulated AVC Totals	33	1	1	1	36
23ME					
Class 1	***17,912***	29	20	22	17,983
Class 1 %	99.77	2.20	2.98	0.67	77.48

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 2	22	***1,283***	0	4	1,309
Class 2 %	0.12	97.12	0.00	0.12	5.64
Class 3	7	6	***643***	9	665
Class 3 %	0.04	0.45	95.83	0.28	2.87
Class 4	12	3	8	***3,229***	3,252
Class 4 %	0.07	0.23	1.19	98.93	14.01
Total for 23ME					
Total traffic per SVC class	17,953	1,321	671	3,264	23,209
Total % of total traffic	77.35	5.69	2.89	14.06	100.00
AVC accuracy per Class	99.77	97.12	95.83	98.93	99.39
Adjusted AVC Accuracy	99.86	98.30	97.31	99.27	99.52
Simulated AVC Totals	0	0	0	0	0
24ME					
Class 1	***26,090***	91	5	0	26,186
Class 1 %	99.99	9.55	1.14	0.00	87.51
Class 2	1	***859***	14	3	877
Class 2 %	0.00	90.14	3.20	0.12	2.93
Class 3	0	3	***415***	16	434
Class 3 %	0.00	0.31	94.75	0.66	1.45
Class 4	1	0	4	***2,421***	2,426
Class 4 %	0.00	0.00	0.91	99.22	8.11
Total for 24ME					
Total traffic per SVC class	26,092	953	438	2,440	29,923
Total % of total traffic	87.20	3.18	1.46	8.15	100.00
AVC accuracy per Class	99.99	90.14	94.75	99.22	99.54
Adjusted AVC Accuracy	100.00	91.52	96.59	99.61	99.65
Simulated AVC Totals	10	0	1	0	11
25ME					

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 1	***37***	0	1	1	39
Class 1 %	97.37	0.00	2.44	0.71	17.26
Class 2	0	***6***	0	0	6
Class 2 %	0.00	100.00	0.00	0.00	2.65
Class 3	0	0	***40***	6	46
Class 3 %	0.00	0.00	97.56	4.26	20.35
Class 4	1	0	0	***133***	134
Class 4 %	2.63	0.00	0.00	94.33	59.29
NC	0	0	0	1	1
NC %	0.00	0.00	0.00	0.71	0.44
Total for 25ME					
Total traffic per SVC class	38	6	41	141	226
Total % of total traffic	16.81	2.65	18.14	62.39	100.00
AVC accuracy per Class	97.37	100.00	97.56	94.33	95.58
Adjusted AVC Accuracy	99.38	100.00	100.00	95.97	96.88
Simulated AVC Totals	1	0	0	0	1
Total for Dalpark					
Total traffic per SVC class	462,479	18,420	8,825	42,707	532,431
Total % of total traffic	86.86	3.46	1.66	8.02	100.00
AVC accuracy per Class	99.92	95.87	96.56	99.18	99.66
Adjusted AVC Accuracy	99.92	95.87	96.56	99.18	99.66
Simulated AVC Totals	454	9	36	30	529
Denne Remote Ramps					
03RE					
Class 1	***14,695***	26	5	0	14,726
Class 1 %	99.83	5.87	3.40	0.00	88.09
Class 2	24	***414***	0	1	439
Class 2 %	0.16	93.45	0.00	0.07	2.63

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 3	1	3	***142***	14	160
Class 3 %	0.01	0.68	96.60	1.00	0.96
Class 4	0	0	0	***1,392***	1,392
Class 4 %	0.00	0.00	0.00	98.93	8.33
Total for 03RE					
Total traffic per SVC class	14,720	443	147	1,407	16,717
Total % of total traffic	88.05	2.65	0.88	8.42	100.00
AVC accuracy per Class	99.83	93.45	96.60	98.93	99.56
Adjusted AVC Accuracy	99.93	95.48	99.77	99.45	99.71
Simulated AVC Totals	62	0	0	1	63
03RW					
Class 1	***13,547***	25	6	0	13,578
Class 1 %	99.90	6.60	4.32	0.00	89.43
Class 2	9	***352***	2	3	366
Class 2 %	0.07	92.88	1.44	0.27	2.41
Class 3	2	2	***131***	16	151
Class 3 %	0.01	0.53	94.24	1.45	0.99
Class 4	2	0	0	***1,086***	1,088
Class 4 %	0.01	0.00	0.00	98.28	7.17
Total for 03RW					
Total traffic per SVC class	13,560	379	139	1,105	15,183
Total % of total traffic	89.31	2.50	0.92	7.28	100.00
AVC accuracy per Class	99.90	92.88	94.24	98.28	99.56
Adjusted AVC Accuracy	100.00	95.07	97.50	98.87	99.72
Simulated AVC Totals	3	0	0	0	3
04RE					
Class 1	***2,977***	2	0	0	2,979
Class 1 %	99.90	4.00	0.00	0.00	90.96

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 2	0	***48***	1	0	49
Class 2 %	0.00	96.00	5.00	0.00	1.50
Class 3	0	0	***18***	3	21
Class 3 %	0.00	0.00	90.00	1.33	0.64
Class 4	0	0	1	***221***	222
Class 4 %	0.00	0.00	5.00	98.22	6.78
NC	3	0	0	1	4
NC %	0.10	0.00	0.00	0.44	0.12
Total for 04RE					
Total traffic per SVC class	2,980	50	20	225	3,275
Total % of total traffic	90.99	1.53	0.61	6.87	100.00
AVC accuracy per Class	99.90	96.00	90.00	98.22	99.66
Adjusted AVC Accuracy	100.00	100.00	98.59	99.52	100.00
Simulated AVC Totals	0	0	1	0	1
04RW					
Class 1	***4,480***	6	1	0	4,487
Class 1 %	99.84	6.32	2.86	0.00	91.95
Class 2	3	***89***	0	2	94
Class 2 %	0.07	93.68	0.00	0.76	1.93
Class 3	0	0	***33***	6	39
Class 3 %	0.00	0.00	94.29	2.28	0.80
Class 4	0	0	1	***255***	256
Class 4 %	0.00	0.00	2.86	96.96	5.25
NC	4	0	0	0	4
NC %	0.09	0.00	0.00	0.00	0.08

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 04RW					
Total traffic per SVC class	4,487	95	35	263	4,880
Total % of total traffic	91.95	1.95	0.72	5.39	100.00
AVC accuracy per Class	99.84	93.68	94.29	96.96	99.53
Adjusted AVC Accuracy	100.00	98.06	100.00	98.16	99.81
Simulated AVC Totals	4	0	1	0	5
Total for Denne Remote Ramps					
Total traffic per SVC class	35,747	967	341	3,000	40,055
Total % of total traffic	89.24	2.41	0.85	7.49	100.00
AVC accuracy per Class	99.87	93.38	95.01	98.47	99.56
Adjusted AVC Accuracy	99.87	93.39	95.03	98.47	99.56
Simulated AVC Totals	69	0	2	1	72
Grand Total:					
Total traffic per SVC class	498,226	19,387	9,166	45,707	572,486
Total % of total traffic	87.03	3.39	1.60	7.98	100.00
AVC accuracy per Class	99.91	95.74	96.50	99.14	99.66
Adjusted AVC Accuracy	99.91	95.74	96.50	99.14	99.66
Simulated AVC Totals	59	1	6	7	601

	Class 1	Class 2	Class 3	Class 4	Total
- Axle	0	0	0	0	0
- Axle %	0.00	0.00	0.00	0.00	0.00
+Axle	0	0	0	0	0
+Axle %	0.00	0.00	0.00	0.00	0.00
- Mass	0	0	0	0	0
- Mass %	0.00	0.00	0.00	0.00	0.00
+Mass	0	0	0	0	0
+Mass %	0.00	0.00	0.00	0.00	0.00
Total AVC Error	0	0	0	0	0
Total AVC Error %	0.00	0.00	0.00	0.00	0.00

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals