CTROM AVC Accuracy Details Report

Plaza(s) (Dalpark, Denne Remote Ramps); Date/Hour (01/03/2026 0 - 31/03/2026 23) ,SVC

Data for the selected period is consistent

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Dalpark					
11MW					
Class 1	***39***	0	0	0	39
Class 1 %	97.50	0.00	0.00	0.00	41.05
Class 2	0	***2***	0	0	2
Class 2 %	0.00	50.00	0.00	0.00	2.11
Class 3	0	0	***3***	1	4
Class 3 %	0.00	0.00	60.00	2.17	4.21
Class 4	0	0	0	***33***	33
Class 4 %	0.00	0.00	0.00	71.74	34.74
NC	1	2	2	12	17
NC %	2.50	50.00	40.00	26.09	17.89
Total for 11MW					
Total traffic per SVC class	40	4	5	46	95
Total % of total traffic	42.11	4.21	5.26	48.42	100.00
AVC accuracy per Class	97.50	50.00	60.00	71.74	81.05
Adjusted AVC Accuracy	99.46	71.36	77.18	74.62	83.05
Simulated AVC Totals	0	0	0	1	1
12MW					
Class 1	***41,970***	65	6	0	42,041
Class 1 %	99.95	3.50	0.61	0.00	84.39
Class 2	10	***1,787***	32	0	1,829
Class 2 %	0.02	96.28	3.25	0.00	3.67

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 3	6	4	***940***	40	990
Class 3 %	0.01	0.22	95.43	0.80	1.99
Class 4	3	0	7	***4,947***	4,957
Class 4 %	0.01	0.00	0.71	99.20	9.95
Total for 12MW					
Total traffic per SVC class	41,989	1,856	985	4,987	49,817
Total % of total traffic	84.29	3.73	1.98	10.01	100.00
AVC accuracy per Class	99.95	96.28	95.43	99.20	99.65
Adjusted AVC Accuracy	100.00	97.27	96.65	99.48	99.74
Simulated AVC Totals	70	1	5	7	83
13MW					
Class 1	***17,924***	29	21	1	17,975
Class 1 %	99.71	1.71	2.18	0.02	69.07
Class 2	39	***1,661***	6	2	1,708
Class 2 %	0.22	97.71	0.62	0.04	6.56
Class 3	8	7	***933***	8	956
Class 3 %	0.04	0.41	96.78	0.15	3.67
Class 4	6	3	4	***5,372***	5,385
Class 4 %	0.03	0.18	0.41	99.80	20.69
Total for 13MW					
Total traffic per SVC class	17,977	1,700	964	5,383	26,024
Total % of total traffic	69.08	6.53	3.70	20.68	100.00
AVC accuracy per Class	99.71	97.71	96.78	99.80	99.49
Adjusted AVC Accuracy	99.80	98.75	98.02	100.00	99.61
Simulated AVC Totals	0	0	0	0	0
14MW					
Class 1	***64,339***	74	15	0	64,428
Class 1 %	99.93	2.70	1.10	0.00	86.42

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC		*SVC*			
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 2	28	***2,657***	27	2	2,714
Class 2 %	0.04	96.94	1.98	0.03	3.64
Class 3	7	8	***1,316***	57	1,388
Class 3 %	0.01	0.29	96.55	0.94	1.86
Class 4	6	1	5	***6,008***	6,020
Class 4 %	0.01	0.04	0.37	99.03	8.07
NC	2	1	0	0	3
NC %	0.00	0.04	0.00	0.00	0.00
Total for 14MW					
Total traffic per SVC class	64,382	2,741	1,363	6,067	74,553
Total % of total traffic	86.36	3.68	1.83	8.14	100.00
AVC accuracy per Class	99.93	96.94	96.55	99.03	99.69
Adjusted AVC Accuracy	99.98	97.76	97.59	99.28	99.76
Simulated AVC Totals	165	2	21	9	197
15MW					
Class 1	***68,861***	44	1	0	68,906
Class 1 %	99.82	2.47	0.14	0.00	93.10
Class 2	89	***1,730***	16	1	1,836
Class 2 %	0.13	97.14	2.31	0.04	2.48
Class 3	19	7	***672***	40	738
Class 3 %	0.03	0.39	97.11	1.57	1.00
Class 4	8	0	2	***2,508***	2,518
Class 4 %	0.01	0.00	0.29	98.35	3.40
NC	11	0	1	1	13
NC %	0.02	0.00	0.14	0.04	0.02

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 15MW					
Total traffic per SVC class	68,988	1,781	692	2,550	74,011
Total % of total traffic	93.21	2.41	0.93	3.45	100.00
AVC accuracy per Class	99.82	97.14	97.11	98.35	99.68
Adjusted AVC Accuracy	99.87	98.15	98.57	98.74	99.75
Simulated AVC Totals	63	1	4	0	68
16MW					
Class 1	***6,242***	10	56	0	6,308
Class 1 %	54.81	4.35	93.33	0.00	52.78
Class 2	5,140	***220***	1	0	5,361
Class 2 %	45.13	95.65	1.67	0.00	44.86
Class 3	6	0	***3***	0	9
Class 3 %	0.05	0.00	5.00	0.00	0.08
Class 4	1	0	0	***272***	273
Class 4 %	0.01	0.00	0.00	100.00	2.28
Total for 16MW					
Total traffic per SVC class	11,389	230	60	272	11,951
Total % of total traffic	95.30	1.92	0.50	2.28	100.00
AVC accuracy per Class	54.81	95.65	5.00	100.00	56.37
Adjusted AVC Accuracy	54.93	98.47	9.96	100.00	56.55
Simulated AVC Totals	14	0	0	0	14
17MW					
Class 1	***36,577***	20	12	7	36,616
Class 1 %	99.81	1.56	2.02	0.22	87.84
Class 2	53	***1,254***	14	2	1,323
Class 2 %	0.14	98.05	2.36	0.06	3.17
Class 3	7	5	***566***	10	588
Class 3 %	0.02	0.39	95.29	0.32	1.41

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 4	7	0	2	***3,150***	3,159
Class 4 %	0.02	0.00	0.34	99.40	7.58
NC	1	0	0	0	1
NC %	0.00	0.00	0.00	0.00	0.00
Total for 17MW					
Total traffic per SVC class	36,645	1,279	594	3,169	41,687
Total % of total traffic	87.91	3.07	1.42	7.60	100.00
AVC accuracy per Class	99.81	98.05	95.29	99.40	99.66
Adjusted AVC Accuracy	99.87	99.24	96.87	99.75	99.76
Simulated AVC Totals	0	0	0	0	0
18MW					
Class 1	***30,525***	49	4	0	30,578
Class 1 %	99.89	7.89	2.26	0.00	95.97
Class 2	20	***569***	7	1	597
Class 2 %	0.07	91.63	3.95	0.20	1.87
Class 3	12	3	***165***	6	186
Class 3 %	0.04	0.48	93.22	1.19	0.58
Class 4	1	0	1	***498***	500
Class 4 %	0.00	0.00	0.56	98.61	1.57
NC	2	0	0	0	2
NC %	0.01	0.00	0.00	0.00	0.01
Total for 18MW					
Total traffic per SVC class	30,560	621	177	505	31,863
Total % of total traffic	95.91	1.95	0.56	1.58	100.00
AVC accuracy per Class	99.89	91.63	93.22	98.61	99.67
Adjusted AVC Accuracy	99.96	93.34	96.11	99.48	99.78
Simulated AVC Totals	90	1	3	2	96
19ME					

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 1	***53,828***	34	0	1	53,863
Class 1 %	99.90	2.08	0.00	0.03	90.00
Class 2	44	***1,594***	6	3	1,647
Class 2 %	0.08	97.61	0.76	0.08	2.75
Class 3	6	5	***783***	43	837
Class 3 %	0.01	0.31	98.86	1.22	1.40
Class 4	5	0	3	***3,490***	3,498
Class 4 %	0.01	0.00	0.38	98.67	5.85
Total for 19ME					
Total traffic per SVC class	53,883	1,633	792	3,537	59,845
Total % of total traffic	90.04	2.73	1.32	5.91	100.00
AVC accuracy per Class	99.90	97.61	98.86	98.67	99.75
Adjusted AVC Accuracy	99.95	98.67	100.00	99.00	99.83
Simulated AVC Totals	155	2	12	10	179
20ME					
Class 1	***38,319***	20	5	0	38,344
Class 1 %	99.79	1.00	0.39	0.00	80.02
Class 2	61	***1,974***	15	1	2,051
Class 2 %	0.16	98.55	1.17	0.02	4.28
Class 3	7	9	***1,251***	14	1,281
Class 3 %	0.02	0.45	97.89	0.22	2.67
Class 4	11	0	7	***6,227***	6,245
Class 4 %	0.03	0.00	0.55	99.76	13.03
Total for 20ME					
Total traffic per SVC class	38,398	2,003	1,278	6,242	47,921
Total % of total traffic	80.13	4.18	2.67	13.03	100.00
AVC accuracy per Class	99.79	98.55	97.89	99.76	99.69
Adjusted AVC Accuracy	99.85	99.50	98.96	100.00	99.78
Simulated AVC Totals	0	0	0	0	0

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
21ME					
Class 1	***66,920***	123	7	0	67,050
Class 1 %	99.96	4.74	0.61	0.00	88.33
Class 2	13	***2,449***	15	0	2,477
Class 2 %	0.02	94.45	1.30	0.00	3.26
Class 3	5	21	***1,131***	59	1,216
Class 3 %	0.01	0.81	97.75	1.13	1.60
Class 4	5	0	4	***5,149***	5,158
Class 4 %	0.01	0.00	0.35	98.87	6.80
NC	4	0	0	0	4
NC %	0.01	0.00	0.00	0.00	0.01
Total for 21ME					
Total traffic per SVC class	66,947	2,593	1,157	5,208	75,905
Total % of total traffic	88.20	3.42	1.52	6.86	100.00
AVC accuracy per Class	99.96	94.45	97.75	98.87	99.66
Adjusted AVC Accuracy	100.00	95.29	98.88	99.14	99.73
Simulated AVC Totals	72	1	12	4	89
22ME					
Class 1	***63,227***	80	2	0	63,309
Class 1 %	99.95	3.37	0.19	0.00	88.33
Class 2	28	***2,293***	18	0	2,339
Class 2 %	0.04	96.55	1.69	0.00	3.26
Class 3	1	2	***1,043***	47	1,093
Class 3 %	0.00	0.08	97.66	0.94	1.52
Class 4	0	0	5	***4,929***	4,934
Class 4 %	0.00	0.00	0.47	99.06	6.88

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 22ME					
Total traffic per SVC class	63,256	2,375	1,068	4,976	71,675
Total % of total traffic	88.25	3.31	1.49	6.94	100.00
AVC accuracy per Class	99.95	96.55	97.66	99.06	99.74
Adjusted AVC Accuracy	100.00	97.43	98.84	99.34	99.81
Simulated AVC Totals	43	1	5	1	50
23ME					
Class 1	***11,708***	76	72	4	11,860
Class 1 %	99.17	11.11	17.82	0.21	79.90
Class 2	81	***606***	6	5	698
Class 2 %	0.69	88.60	1.49	0.26	4.70
Class 3	12	2	***325***	4	343
Class 3 %	0.10	0.29	80.45	0.21	2.31
Class 4	4	0	1	***1,937***	1,942
Class 4 %	0.03	0.00	0.25	99.33	13.08
NC	1	0	0	0	1
NC %	0.01	0.00	0.00	0.00	0.01
Total for 23ME					
Total traffic per SVC class	11,806	684	404	1,950	14,844
Total % of total traffic	79.53	4.61	2.72	13.14	100.00
AVC accuracy per Class	99.17	88.60	80.45	99.33	98.19
Adjusted AVC Accuracy	99.28	90.23	82.36	99.77	98.35
Simulated AVC Totals	0	0	0	0	0
24ME					
NC	1	0	0	0	1
NC %	100.00	0.00	0.00	0.00	100.00

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 24ME					
Total traffic per SVC class	1	0	0	0	1
Total % of total traffic	100.00	0.00	0.00	0.00	100.00
AVC accuracy per Class	0	0.00	0.00	0.00	0.00
Adjusted AVC Accuracy	12.37	0.00	0.00	0.00	19.50
Simulated AVC Totals	0	0	0	0	0
25ME					
Class 1	***19,344***	21	2	0	19,367
Class 1 %	99.89	2.70	0.56	0.00	87.63
Class 2	13	***755***	9	0	777
Class 2 %	0.07	97.17	2.50	0.00	3.52
Class 3	6	0	***346***	11	363
Class 3 %	0.03	0.00	96.11	0.69	1.64
Class 4	2	1	3	***1,589***	1,595
Class 4 %	0.01	0.13	0.83	99.31	7.22
Total for 25ME					
Total traffic per SVC class	19,365	777	360	1,600	22,102
Total % of total traffic	87.62	3.52	1.63	7.24	100.00
AVC accuracy per Class	99.89	97.17	96.11	99.31	99.69
Adjusted AVC Accuracy	99.98	98.70	98.13	99.80	99.82
Simulated AVC Totals	15	0	0	1	16
Total for Dalpark					
Total traffic per SVC class	525,626	20,277	9,899	46,492	602,294
Total % of total traffic	87.27	3.37	1.64	7.72	100.00
AVC accuracy per Class	98.90	96.42	95.74	99.18	98.78
Adjusted AVC Accuracy	98.90	96.42	95.74	99.18	98.78
Simulated AVC Totals	687	9	62	35	793
Denne Remote Ramps					
03RE					

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 1	***17,693***	6	1	0	17,700
Class 1 %	99.85	1.36	0.51	0.00	89.32
Class 2	24	***434***	5	0	463
Class 2 %	0.14	98.19	2.56	0.00	2.34
Class 3	1	1	***189***	36	227
Class 3 %	0.01	0.23	96.92	2.47	1.15
Class 4	1	1	0	***1,424***	1,426
Class 4 %	0.01	0.23	0.00	97.53	7.20
NC	1	0	0	0	1
NC %	0.01	0.00	0.00	0.00	0.01
Total for 03RE					
Total traffic per SVC class	17,720	442	195	1,460	19,817
Total % of total traffic	89.42	2.23	0.98	7.37	100.00
AVC accuracy per Class	99.85	98.19	96.92	97.53	99.61
Adjusted AVC Accuracy	99.94	100.00	99.67	98.04	99.75
Simulated AVC Totals	37	0	0	0	37
03RW					
Class 1	***14,979***	7	7	0	14,993
Class 1 %	99.81	1.81	4.22	0.00	91.10
Class 2	24	***377***	2	0	403
Class 2 %	0.16	97.67	1.20	0.00	2.45
Class 3	3	2	***157***	15	177
Class 3 %	0.02	0.52	94.58	1.67	1.08
Class 4	0	0	0	***883***	883
Class 4 %	0.00	0.00	0.00	98.33	5.37
NC	1	0	0	0	1
NC %	0.01	0.00	0.00	0.00	0.01

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 03RW					
Total traffic per SVC class	15,007	386	166	898	16,457
Total % of total traffic	91.19	2.35	1.01	5.46	100.00
AVC accuracy per Class	99.81	97.67	94.58	98.33	99.63
Adjusted AVC Accuracy	99.91	99.84	97.56	98.98	99.78
Simulated AVC Totals	13	0	0	0	13
04RE					
Class 1	***363***	0	9	0	372
Class 1 %	16.47	0.00	90.00	0.00	15.62
Class 2	1,841	***57***	0	1	1,899
Class 2 %	83.53	100.00	0.00	0.91	79.76
Class 3	0	0	***1***	0	1
Class 3 %	0.00	0.00	10.00	0.00	0.04
Class 4	0	0	0	***109***	109
Class 4 %	0.00	0.00	0.00	99.09	4.58
Total for 04RE					
Total traffic per SVC class	2,204	57	10	110	2,381
Total % of total traffic	92.57	2.39	0.42	4.62	100.00
AVC accuracy per Class	16.47	100.00	10.00	99.09	22.26
Adjusted AVC Accuracy	16.73	100.00	22.15	100.00	22.66
Simulated AVC Totals	0	0	0	0	0
04RW					
Class 1	***4,252***	1	0	0	4,253
Class 1 %	99.88	1.15	0.00	0.00	93.70
Class 2	3	***86***	0	0	89
Class 2 %	0.07	98.85	0.00	0.00	1.96
Class 3	2	0	***30***	3	35
Class 3 %	0.05	0.00	93.75	1.84	0.77

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC			*SVC*		
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 4	0	0	2	***160***	162
Class 4 %	0.00	0.00	6.25	98.16	3.57
Total for 04RW					
Total traffic per SVC class	4,257	87	32	163	4,539
Total % of total traffic	93.79	1.92	0.71	3.59	100.00
AVC accuracy per Class	99.88	98.85	93.75	98.16	99.76
Adjusted AVC Accuracy	100.00	100.00	100.00	99.69	100.00
Simulated AVC Totals	1	0	0	0	1
Total for Denne Remote Ramps					
Total traffic per SVC class	39,188	972	403	2,631	43,194
Total % of total traffic	90.73	2.25	0.93	6.09	100.00
AVC accuracy per Class	95.15	98.15	93.55	97.91	95.37
Adjusted AVC Accuracy	95.15	98.16	93.57	97.91	95.37
Simulated AVC Totals	51	0	0	0	51
Grand Total:					
Total traffic per SVC class	564,814	21,249	10,302	49,123	645,488
Total % of total traffic	87.50	3.29	1.60	7.61	100.00
AVC accuracy per Class	98.64	96.50	95.65	99.11	98.55
Adjusted AVC Accuracy	98.64	96.50	95.65	99.11	98.55
Simulated AVC Totals	70	83	1	1	844

	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
- Axle	0	0	0	0	0
- Axle %	0.00	0.00	0.00	0.00	0.00
+Axle	0	0	0	0	0
+Axle %	0.00	0.00	0.00	0.00	0.00
- Mass	0	0	0	0	0
- Mass %	0.00	0.00	0.00	0.00	0.00
+Mass	0	0	0	0	0
+Mass %	0.00	0.00	0.00	0.00	0.00

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC			*SVC*		
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Total AVC Error	0	0	0	0	0
Total AVC Error %	0.00	0.00	0.00	0.00	0.00

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals