CTROM AVC Accuracy Details Report

Plaza(s) (Dalpark, Denne Remote Ramps); Date/Hour (01/05/2026 0 - 31/05/2026 23) ,SVC

Data for the selected period is consistent

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Dalpark					
11MW					
Class 1	***51,297***	84	25	0	51,406
Class 1 %	99.81	3.94	2.05	0.00	84.15
Class 2	78	***2,036***	31	2	2,147
Class 2 %	0.15	95.41	2.55	0.03	3.51
Class 3	11	13	***1,150***	71	1,245
Class 3 %	0.02	0.61	94.49	1.12	2.04
Class 4	10	1	11	***6,268***	6,290
Class 4 %	0.02	0.05	0.90	98.83	10.30
NC	1	0	0	1	2
NC %	0.00	0.00	0.00	0.02	0.00
Total for 11MW					
Total traffic per SVC class	51,397	2,134	1,217	6,342	61,090
Total % of total traffic	84.13	3.49	1.99	10.38	100.00
AVC accuracy per Class	99.81	95.41	94.49	98.83	99.45
Adjusted AVC Accuracy	99.86	96.33	95.59	99.07	99.53
Simulated AVC Totals	87	2	10	9	108
12MW					
Class 1	***34***	0	0	0	34
Class 1 %	100.00	0.00	0.00	0.00	91.89
Class 4	0	0	0	***3***	3
Class 4 %	0.00	0.00	0.00	100.00	8.11

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 12MW					
Total traffic per SVC class	34	0	0	3	37
Total % of total traffic	91.89	0.00	0.00	8.11	100.00
AVC accuracy per Class	100.00	0.00	0.00	100.00	100.00
Adjusted AVC Accuracy	100.00	0.00	0.00	100.00	100.00
Simulated AVC Totals	0	0	0	0	0
13MW					
Class 1	***19,100***	8	8	4	19,120
Class 1 %	99.81	0.44	0.81	0.07	69.84
Class 2	25	***1,801***	5	2	1,833
Class 2 %	0.13	99.23	0.50	0.04	6.70
Class 3	3	6	***965***	7	981
Class 3 %	0.02	0.33	97.38	0.13	3.58
Class 4	8	0	13	***5,422***	5,443
Class 4 %	0.04	0.00	1.31	99.76	19.88
Total for 13MW					
Total traffic per SVC class	19,136	1,815	991	5,435	27,377
Total % of total traffic	69.90	6.63	3.62	19.85	100.00
AVC accuracy per Class	99.81	99.23	97.38	99.76	99.67
Adjusted AVC Accuracy	99.90	100.00	98.60	100.00	99.79
Simulated AVC Totals	0	0	0	0	0
14MW					
Class 1	***59,972***	78	9	0	60,059
Class 1 %	99.93	3.52	0.87	0.00	88.05
Class 2	36	***2,128***	12	1	2,177
Class 2 %	0.06	96.16	1.17	0.02	3.19
Class 3	1	7	***1,005***	63	1,076
Class 3 %	0.00	0.32	97.57	1.27	1.58

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 4	6	0	4	***4,890***	4,900
Class 4 %	0.01	0.00	0.39	98.71	7.18
Total for 14MW					
Total traffic per SVC class	60,015	2,213	1,030	4,954	68,212
Total % of total traffic	87.98	3.24	1.51	7.26	100.00
AVC accuracy per Class	99.93	96.16	97.57	98.71	99.68
Adjusted AVC Accuracy	99.98	97.07	98.77	98.99	99.75
Simulated AVC Totals	214	2	17	10	243
15MW					
Class 1	***52,963***	39	6	0	53,008
Class 1 %	99.71	2.97	1.17	0.00	93.11
Class 2	131	***1,269***	3	1	1,404
Class 2 %	0.25	96.80	0.58	0.05	2.47
Class 3	9	2	***503***	31	545
Class 3 %	0.02	0.15	98.05	1.56	0.96
Class 4	3	0	1	***1,957***	1,961
Class 4 %	0.01	0.00	0.19	98.39	3.44
NC	13	1	0	0	14
NC %	0.02	0.08	0.00	0.00	0.02
Total for 15MW					
Total traffic per SVC class	53,119	1,311	513	1,989	56,932
Total % of total traffic	93.30	2.30	0.90	3.49	100.00
AVC accuracy per Class	99.71	96.80	98.05	98.39	99.58
Adjusted AVC Accuracy	99.76	97.98	99.75	98.83	99.66
Simulated AVC Totals	36	2	1	6	45
16MW					
Class 1	***20,535***	18	4	0	20,557
Class 1 %	99.93	4.36	2.86	0.00	95.08

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 2	13	***392***	5	0	410
Class 2 %	0.06	94.92	3.57	0.00	1.90
Class 3	1	2	***130***	11	144
Class 3 %	0.00	0.48	92.86	2.12	0.67
Class 4	0	1	1	***508***	510
Class 4 %	0.00	0.24	0.71	97.88	2.36
Total for 16MW					
Total traffic per SVC class	20,549	413	140	519	21,621
Total % of total traffic	95.04	1.91	0.65	2.40	100.00
AVC accuracy per Class	99.93	94.92	92.86	97.88	99.74
Adjusted AVC Accuracy	100.00	97.02	96.11	98.74	99.87
Simulated AVC Totals	31	1	1	0	33
17MW					
Class 1	***34,075***	6	3	0	34,084
Class 1 %	99.90	0.47	0.65	0.00	90.51
Class 2	30	***1,275***	2	0	1,307
Class 2 %	0.09	99.45	0.43	0.00	3.47
Class 3	4	0	***456***	6	466
Class 3 %	0.01	0.00	98.70	0.33	1.24
Class 4	0	1	1	***1,800***	1,802
Class 4 %	0.00	0.08	0.22	99.67	4.79
Total for 17MW					
Total traffic per SVC class	34,109	1,282	462	1,806	37,659
Total % of total traffic	90.57	3.40	1.23	4.80	100.00
AVC accuracy per Class	99.90	99.45	98.70	99.67	99.86
Adjusted AVC Accuracy	99.97	100.00	100.00	100.00	99.96
Simulated AVC Totals	0	0	0	0	0
18MW					

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 1	***15,254***	54	7	0	15,315
Class 1 %	99.88	14.59	7.61	0.00	95.66
Class 2	2	***316***	4	0	322
Class 2 %	0.01	85.41	4.35	0.00	2.01
Class 3	2	0	***81***	3	86
Class 3 %	0.01	0.00	88.04	1.09	0.54
Class 4	2	0	0	***270***	272
Class 4 %	0.01	0.00	0.00	98.54	1.70
NC	13	0	0	1	14
NC %	0.09	0.00	0.00	0.36	0.09
Total for 18MW					
Total traffic per SVC class	15,273	370	92	274	16,009
Total % of total traffic	95.40	2.31	0.57	1.71	100.00
AVC accuracy per Class	99.88	85.41	88.04	98.54	99.45
Adjusted AVC Accuracy	99.98	87.63	92.04	99.72	99.60
Simulated AVC Totals	52	0	1	2	55
19ME					
Class 1	***51,308***	93	7	0	51,408
Class 1 %	99.92	8.36	1.64	0.00	94.62
Class 2	36	***1,013***	5	0	1,054
Class 2 %	0.07	91.10	1.17	0.00	1.94
Class 3	3	6	***415***	12	436
Class 3 %	0.01	0.54	96.96	0.83	0.80
Class 4	3	0	1	***1,428***	1,432
Class 4 %	0.01	0.00	0.23	99.17	2.64

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 19ME					
Total traffic per SVC class	51,350	1,112	428	1,440	54,330
Total % of total traffic	94.52	2.05	0.79	2.65	100.00
AVC accuracy per Class	99.92	91.10	96.96	99.17	99.69
Adjusted AVC Accuracy	99.97	92.38	98.82	99.68	99.77
Simulated AVC Totals	97	0	7	4	108
20ME					
Class 1	***42,984***	12	6	2	43,004
Class 1 %	99.96	0.52	0.53	0.04	82.89
Class 2	17	***2,310***	3	1	2,331
Class 2 %	0.04	99.44	0.26	0.02	4.49
Class 3	0	1	***1,113***	4	1,118
Class 3 %	0.00	0.04	98.23	0.07	2.15
Class 4	1	0	11	***5,418***	5,430
Class 4 %	0.00	0.00	0.97	99.87	10.47
Total for 20ME					
Total traffic per SVC class	43,002	2,323	1,133	5,425	51,883
Total % of total traffic	82.88	4.48	2.18	10.46	100.00
AVC accuracy per Class	99.96	99.44	98.23	99.87	99.89
Adjusted AVC Accuracy	100.00	100.00	99.37	100.00	99.98
Simulated AVC Totals	0	0	0	0	0
21ME					
Class 1	***62,282***	133	8	0	62,423
Class 1 %	99.90	5.99	0.76	0.00	88.53
Class 2	36	***2,073***	14	0	2,123
Class 2 %	0.06	93.38	1.33	0.00	3.01
Class 3	15	14	***1,023***	43	1,095
Class 3 %	0.02	0.63	97.34	0.88	1.55

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 4	9	0	6	***4,851***	4,866
Class 4 %	0.01	0.00	0.57	99.12	6.90
Total for 21ME					
Total traffic per SVC class	62,342	2,220	1,051	4,894	70,507
Total % of total traffic	88.42	3.15	1.49	6.94	100.00
AVC accuracy per Class	99.90	93.38	97.34	99.12	99.61
Adjusted AVC Accuracy	99.95	94.29	98.52	99.40	99.68
Simulated AVC Totals	58	2	4	9	73
22ME					
Class 1	***58,972***	151	4	1	59,128
Class 1 %	99.95	5.80	0.32	0.01	84.32
Class 2	19	***2,446***	29	2	2,496
Class 2 %	0.03	93.90	2.32	0.03	3.56
Class 3	2	7	***1,209***	55	1,273
Class 3 %	0.00	0.27	96.80	0.76	1.82
Class 4	10	1	7	***7,209***	7,227
Class 4 %	0.02	0.04	0.56	99.20	10.31
Total for 22ME					
Total traffic per SVC class	59,003	2,605	1,249	7,267	70,124
Total % of total traffic	84.14	3.71	1.78	10.36	100.00
AVC accuracy per Class	99.95	93.90	96.80	99.20	99.59
Adjusted AVC Accuracy	100.00	94.74	97.89	99.43	99.66
Simulated AVC Totals	52	1	6	3	62
23ME					
Class 1	***12,568***	19	25	7	12,619
Class 1 %	99.66	2.32	5.41	0.28	77.01
Class 2	35	***800***	4	2	841
Class 2 %	0.28	97.56	0.87	0.08	5.13

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 3	1	1	***431***	5	438
Class 3 %	0.01	0.12	93.29	0.20	2.67
Class 4	7	0	2	***2,479***	2,488
Class 4 %	0.06	0.00	0.43	99.44	15.18
Total for 23ME					
Total traffic per SVC class	12,611	820	462	2,493	16,386
Total % of total traffic	76.96	5.00	2.82	15.21	100.00
AVC accuracy per Class	99.66	97.56	93.29	99.44	99.34
Adjusted AVC Accuracy	99.77	99.05	95.08	99.83	99.49
Simulated AVC Totals	0	0	0	0	0
24ME					
Class 1	***7,600***	32	2	0	7,634
Class 1 %	99.88	11.00	1.18	0.00	86.93
Class 2	6	***259***	1	3	269
Class 2 %	0.08	89.00	0.59	0.42	3.06
Class 3	0	0	***166***	22	188
Class 3 %	0.00	0.00	97.65	3.09	2.14
Class 4	2	0	1	***687***	690
Class 4 %	0.03	0.00	0.59	96.49	7.86
NC	1	0	0	0	1
NC %	0.01	0.00	0.00	0.00	0.01
Total for 24ME					
Total traffic per SVC class	7,609	291	170	712	8,782
Total % of total traffic	86.64	3.31	1.94	8.11	100.00
AVC accuracy per Class	99.88	89.00	97.65	96.49	99.20
Adjusted AVC Accuracy	100.00	91.50	100.00	97.22	99.41
Simulated AVC Totals	24	1	2	0	27
25ME					

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 1	***72***	0	1	0	73
Class 1 %	98.63	0.00	16.67	0.00	41.01
Class 2	1	***6***	0	1	8
Class 2 %	1.37	100.00	0.00	1.08	4.49
Class 3	0	0	***5***	0	5
Class 3 %	0.00	0.00	83.33	0.00	2.81
Class 4	0	0	0	***92***	92
Class 4 %	0.00	0.00	0.00	98.92	51.69
Total for 25ME					
Total traffic per SVC class	73	6	6	93	178
Total % of total traffic	41.01	3.37	3.37	52.25	100.00
AVC accuracy per Class	98.63	100.00	83.33	98.92	98.31
Adjusted AVC Accuracy	100.00	100.00	99.01	100.00	99.77
Simulated AVC Totals	3	0	0	0	3
Total for Dalpark					
Total traffic per SVC class	489,622	18,915	8,944	43,646	561,127
Total % of total traffic	87.26	3.37	1.59	7.78	100.00
AVC accuracy per Class	99.88	95.82	96.74	99.17	99.63
Adjusted AVC Accuracy	99.88	95.82	96.74	99.17	99.63
Simulated AVC Totals	654	11	49	43	757
Denne Remote Ramps					
03RE					
Class 1	***19,021***	33	6	0	19,060
Class 1 %	99.89	6.36	1.96	0.00	89.98
Class 2	10	***483***	3	1	497
Class 2 %	0.05	93.06	0.98	0.08	2.35
Class 3	3	2	***297***	17	319
Class 3 %	0.02	0.39	97.06	1.29	1.51

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 4	4	0	0	***1,299***	1,303
Class 4 %	0.02	0.00	0.00	98.63	6.15
NC	3	1	0	0	4
NC %	0.02	0.19	0.00	0.00	0.02
Total for 03RE					
Total traffic per SVC class	19,041	519	306	1,317	21,183
Total % of total traffic	89.89	2.45	1.44	6.22	100.00
AVC accuracy per Class	99.89	93.06	97.06	98.63	99.61
Adjusted AVC Accuracy	99.98	94.94	99.26	99.17	99.74
Simulated AVC Totals	64	1	1	1	67
03RW					
Class 1	***15,371***	37	5	0	15,413
Class 1 %	99.91	9.49	3.40	0.00	91.62
Class 2	8	***351***	1	1	361
Class 2 %	0.05	90.00	0.68	0.11	2.15
Class 3	4	2	***141***	6	153
Class 3 %	0.03	0.51	95.92	0.67	0.91
Class 4	2	0	0	***893***	895
Class 4 %	0.01	0.00	0.00	99.22	5.32
Total for 03RW					
Total traffic per SVC class	15,385	390	147	900	16,822
Total % of total traffic	91.46	2.32	0.87	5.35	100.00
AVC accuracy per Class	99.91	90.00	95.92	99.22	99.61
Adjusted AVC Accuracy	100.00	92.16	99.09	99.87	99.76
Simulated AVC Totals	16	0	0	0	16
04RE					
Class 1	***36***	0	0	0	36
Class 1 %	100.00	0.00	0.00	0.00	81.82

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 2	0	***1***	0	0	1
Class 2 %	0.00	100.00	0.00	0.00	2.27
Class 3	0	0	***1***	0	1
Class 3 %	0.00	0.00	100.00	0.00	2.27
Class 4	0	0	0	***6***	6
Class 4 %	0.00	0.00	0.00	100.00	13.64

Total for 04RE

Total traffic per SVC class	36	1	1	6	44
Total % of total traffic	81.82	2.27	2.27	13.64	100.00
AVC accuracy per Class	100.00	100.00	100.00	100.00	100.00
Adjusted AVC Accuracy	100.00	100.00	100.00	100.00	100.00
Simulated AVC Totals	0	0	0	0	0

04RW

Class 1	***4,064***	5	1	0	4,070
Class 1 %	99.85	5.81	5.00	0.00	94.23
Class 2	4	***81***	3	0	88
Class 2 %	0.10	94.19	15.00	0.00	2.04
Class 3	0	0	***16***	1	17
Class 3 %	0.00	0.00	80.00	0.70	0.39
Class 4	0	0	0	***142***	142
Class 4 %	0.00	0.00	0.00	99.30	3.29
NC	2	0	0	0	2
NC %	0.05	0.00	0.00	0.00	0.05

Total for 04RW

Total traffic per SVC class	4,070	86	20	143	4,319
Total % of total traffic	94.23	1.99	0.46	3.31	100.00
AVC accuracy per Class	99.85	94.19	80.00	99.30	99.63
Adjusted AVC Accuracy	100.00	98.80	88.59	100.00	99.93
Simulated AVC Totals	4	0	0	0	4

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for Denne Remote Ramps					
Total traffic per SVC class	38,532	996	474	2,366	42,368
Total % of total traffic	90.95	2.35	1.12	5.58	100.00
AVC accuracy per Class	99.90	91.97	95.99	98.90	99.61
Adjusted AVC Accuracy	99.90	91.98	96.01	98.90	99.61
Simulated AVC Totals	84	1	1	1	87
Grand Total:					
Total traffic per SVC class	528,154	19,911	9,418	46,012	603,495
Total % of total traffic	87.52	3.30	1.56	7.62	100.00
AVC accuracy per Class	99.88	95.63	96.70	99.15	99.63
Adjusted AVC Accuracy	99.88	95.63	96.70	99.15	99.63
Simulated AVC Totals	87	2	10	9	844

	Class 1	Class 2	Class 3	Class 4	Total
- Axle	0	0	0	0	0
- Axle %	0.00	0.00	0.00	0.00	0.00
+Axle	0	0	0	0	0
+Axle %	0.00	0.00	0.00	0.00	0.00
- Mass	0	0	0	0	0
- Mass %	0.00	0.00	0.00	0.00	0.00
+Mass	0	0	0	0	0
+Mass %	0.00	0.00	0.00	0.00	0.00
Total AVC Error	0	0	0	0	0
Total AVC Error %	0.00	0.00	0.00	0.00	0.00

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals