CTROM AVC Accuracy Details Report

Plaza(s) (Ermelo); Date/Hour (01/03/2026 0 - 31/03/2026 23) ,SVC

Data for the selected period is consistent

AVC	*SVC*					
	Class 1	**Class 2**	**Class 3**	**Class 4**	**NC**	**Total**
Ermelo						
01ME						
Class 1	***296***	2	9	19	0	326
Class 1 %	76.29	5.26	34.62	7.72	0.00	46.70
Class 2	90	***35***	2	1	0	128
Class 2 %	23.20	92.11	7.69	0.41	0.00	18.34
Class 3	0	1	***14***	4	0	19
Class 3 %	0.00	2.63	53.85	1.63	0.00	2.72
Class 4	2	0	1	***222***	0	225
Class 4 %	0.52	0.00	3.85	90.24	0.00	32.23
Total for 01ME						
Total traffic per SVC class	388	38	26	246	0	698
Total % of total traffic	55.59	5.44	3.72	35.24	0.00	100.00
AVC accuracy per Class	76.29	92.11	53.85	90.24	0.00	81.23
Adjusted AVC Accuracy	76.92	99.04	61.38	91.48		81.97
Simulated AVC Totals	0	0	0	1	0	1
02ME						
Class 1	***8,366***	6	1	0	0	8,373
Class 1 %	99.80	0.94	0.33	0.00	0.00	67.03
Class 2	8	***621***	11	3	0	643
Class 2 %	0.10	97.34	3.59	0.09	0.00	5.15
Class 3	1	10	***273***	8	0	292
Class 3 %	0.01	1.57	89.22	0.25	0.00	2.34

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC					
	Class 1	Class 2	Class 3	Class 4	NC	Total
Class 4	8	1	21	***3,151***	0	3,181
Class 4 %	0.10	0.16	6.86	99.62	0.00	25.47
NC	0	0	0	1	***1***	1
NC %	0.00	0.00	0.00	0.03	100.00	0.01
Total for 02ME						
Total traffic per SVC class	8,383	638	306	3,163	1	12,490
Total % of total traffic	67.11	5.11	2.45	25.32	0.01	99.99
AVC accuracy per Class	99.80	97.34	89.22	99.62	100.00	99.37
Adjusted AVC Accuracy	99.94	99.03	91.42	99.97		99.54
Simulated AVC Totals	0	0	0	0	0	0
03ME						
Class 1	***20,340***	11	1	1	0	20,353
Class 1 %	98.65	0.76	0.14	0.02	0.00	70.14
Class 2	198	***1,360***	15	0	0	1,573
Class 2 %	0.96	93.99	2.10	0.00	0.00	5.42
Class 3	49	71	***651***	25	0	796
Class 3 %	0.24	4.91	91.18	0.40	0.00	2.74
Class 4	31	5	47	***6,212***	0	6,295
Class 4 %	0.15	0.35	6.58	99.58	0.00	21.69
Total for 03ME						
Total traffic per SVC class	20,618	1,447	714	6,238	1	29,017
Total % of total traffic	71.05	4.99	2.46	21.50	0.00	100.00
AVC accuracy per Class	98.65	93.99	91.18	99.58	0.00	98.44
Adjusted AVC Accuracy	98.74	95.11	92.62	99.83		98.55
Simulated AVC Totals	3	0	0	1	0	4
04ME						
Class 1	***24,702***	31	3	0	0	24,736
Class 1 %	99.81	3.95	1.00	0.00	0.00	89.41
Class 2	11	***724***	9	0	0	744
Class 2 %	0.04	92.23	2.99	0.00	0.00	2.69

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC					
	Class 1	Class 2	Class 3	Class 4	NC	Total
Class 3	7	27	***276***	7	0	317
Class 3 %	0.03	3.44	91.69	0.38	0.00	1.15
Class 4	29	3	13	***1,823***	0	1,868
Class 4 %	0.12	0.38	4.32	99.62	0.00	6.75
Total for 04ME						
Total traffic per SVC class	24,749	785	301	1,830	1	27,665
Total % of total traffic	89.46	2.84	1.09	6.61	0.00	100.00
AVC accuracy per Class	99.81	92.23	91.69	99.62	0.00	99.49
Adjusted AVC Accuracy	99.89	93.75	93.90	100.00		99.61
Simulated AVC Totals	2	0	0	0	0	2
05MW						
Class 1	***26,310***	34	10	21	0	26,375
Class 1 %	99.46	4.99	5.78	1.93	0.00	92.88
Class 2	59	***616***	4	0	0	679
Class 2 %	0.22	90.32	2.31	0.00	0.00	2.39
Class 3	25	31	***152***	3	0	211
Class 3 %	0.09	4.55	87.86	0.28	0.00	0.74
Class 4	31	1	7	***1,066***	0	1,105
Class 4 %	0.12	0.15	4.05	97.80	0.00	3.89
NC	28	0	0	0	***0***	28
NC %	0.11	0.00	0.00	0.00	0.00	0.10
Total for 05MW						
Total traffic per SVC class	26,453	682	173	1,090	1	28,398
Total % of total traffic	93.15	2.40	0.61	3.84	0.00	100.00
AVC accuracy per Class	99.46	90.32	87.86	97.80	0.00	99.11
Adjusted AVC Accuracy	99.54	91.96	90.78	98.39		99.23
Simulated AVC Totals	6	0	0	0	0	6
06MW						
Class 1	***9,042***	6	1	2	0	9,051
Class 1 %	99.92	1.12	0.44	0.10	0.00	76.08

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC					
	Class 1	Class 2	Class 3	Class 4	NC	Total
Class 2	5	***517***	10	1	0	533
Class 2 %	0.06	96.46	4.42	0.05	0.00	4.48
Class 3	1	13	***200***	1	0	215
Class 3 %	0.01	2.43	88.50	0.05	0.00	1.81
Class 4	0	0	15	***2,081***	0	2,096
Class 4 %	0.00	0.00	6.64	99.81	0.00	17.62
NC	1	0	0	0	***0***	1
NC %	0.01	0.00	0.00	0.00	0.00	0.01
Total for 06MW						
Total traffic per SVC class	9,049	536	226	2,085	1	11,896
Total % of total traffic	76.07	4.51	1.90	17.53	0.01	100.00
AVC accuracy per Class	99.92	96.46	88.50	99.81	0.00	99.53
Adjusted AVC Accuracy	100.00	98.31	91.05	100.00		99.71
Simulated AVC Totals	0	0	0	0	0	0
07MW						
Class 1	***17,393***	124	49	33	0	17,599
Class 1 %	99.42	7.55	6.11	0.38	0.00	61.67
Class 2	64	***1,452***	141	0	0	1,657
Class 2 %	0.37	88.43	17.58	0.00	0.00	5.81
Class 3	25	62	***578***	1,021	0	1,686
Class 3 %	0.14	3.78	72.07	11.87	0.00	5.91
Class 4	11	4	34	***7,545***	0	7,594
Class 4 %	0.06	0.24	4.24	87.74	0.00	26.61
NC	2	0	0	0	***0***	2
NC %	0.01	0.00	0.00	0.00	0.00	0.01
Total for 07MW						
Total traffic per SVC class	17,495	1,642	802	8,599	1	28,538
Total % of total traffic	61.30	5.75	2.81	30.13	0.00	100.00
AVC accuracy per Class	99.42	88.43	72.07	87.74	0.00	94.50
Adjusted AVC Accuracy	99.51	89.48	73.43	87.95		94.62
Simulated AVC Totals	1	0	0	0	0	1

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC			SVC			
	Class 1	Class 2	Class 3	Class 4	NC	Total
Total for Ermelo						
Total traffic per SVC class	107,135	5,768	2,548	23,251	1	138,702
Total % of total traffic	77.24	4.16	1.84	16.76	0.00	100.00
AVC accuracy per Class	99.36	92.32	84.14	95.05	0.00	98.06
Adjusted AVC Accuracy	99.36	92.33	84.15	95.05		98.07
Simulated AVC Totals	12	0	0	2	0	14

	Class 1	Class 2	Class 3	Class 4	Total
- Axle	0	0	266	1150	1,416
- Axle %	0.00	0.00	0.19	0.83	1.02
+Axle	0	229	138	0	367
+Axle %	0.00	0.17	0.10	0.00	0.26
- Mass	0	214	74	76	364
- Mass %	0.00	0.15	0.05	0.05	0.26
+Mass	655	0	0	0	655
+Mass %	0.47	0.00	0.00	0.00	0.47
Total AVC Error	655	443	478	1226	2,802
Total AVC Error %	0.47	0.32	0.34	0.88	2.02

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals