CTROM AVC Accuracy Details Report

Plaza(s) (Gosforth East Ramps, Gosforth Mainline Plaza, Gosforth West Ramps); Date/Hour (01/04/2026 0 - 30/04/2026 23) ,SVC

Data for the selected period is consistent

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Gosforth East Ramps					
08RE					
Class 1	***12,557***	37	7	0	12,601
Class 1 %	99.80	9.56	3.66	0.00	89.23
Class 2	23	***350***	4	0	377
Class 2 %	0.18	90.44	2.09	0.00	2.67
Class 3	1	0	***180***	11	192
Class 3 %	0.01	0.00	94.24	1.14	1.36
Class 4	1	0	0	***950***	951
Class 4 %	0.01	0.00	0.00	98.75	6.73
NC	0	0	0	1	1
NC %	0.00	0.00	0.00	0.10	0.01
Total for 08RE					
Total traffic per SVC class	12,582	387	191	962	14,122
Total % of total traffic	89.10	2.74	1.35	6.81	100.00
AVC accuracy per Class	99.80	90.44	94.24	98.75	99.40
Adjusted AVC Accuracy	99.91	92.61	97.02	99.38	99.56
Simulated AVC Totals	4	0	0	0	4
09RE					
Class 1	***80,599***	525	261	1	81,386
Class 1 %	99.37	25.90	26.77	0.02	91.06
Class 2	464	***1,501***	7	0	1,972
Class 2 %	0.57	74.05	0.72	0.00	2.21

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 3	40	1	***705***	26	772
Class 3 %	0.05	0.05	72.31	0.49	0.86
Class 4	6	0	2	***5,243***	5,251
Class 4 %	0.01	0.00	0.21	99.49	5.87
Total for 09RE					
Total traffic per SVC class	81,109	2,027	975	5,270	89,381
Total % of total traffic	90.75	2.27	1.09	5.90	100.00
AVC accuracy per Class	99.37	74.05	72.31	99.49	98.51
Adjusted AVC Accuracy	99.41	75.00	73.54	99.76	98.58
Simulated AVC Totals	12	0	0	0	12
10RE					
Class 1	***94,258***	55	3	0	94,316
Class 1 %	99.81	3.63	0.54	0.00	95.54
Class 2	142	***1,460***	15	0	1,617
Class 2 %	0.15	96.31	2.68	0.00	1.64
Class 3	29	1	***539***	16	585
Class 3 %	0.03	0.07	96.42	0.72	0.59
Class 4	3	0	2	***2,191***	2,196
Class 4 %	0.00	0.00	0.36	99.28	2.22
NC	1	0	0	0	1
NC %	0.00	0.00	0.00	0.00	0.00
Total for 10RE					
Total traffic per SVC class	94,433	1,516	559	2,207	98,715
Total % of total traffic	95.66	1.54	0.57	2.24	100.00
AVC accuracy per Class	99.81	96.31	96.42	99.28	99.73
Adjusted AVC Accuracy	99.85	97.41	98.04	99.70	99.79
Simulated AVC Totals	4	0	0	0	4
11RE					

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 1	***24,511***	16	7	0	24,534
Class 1 %	99.39	1.68	1.08	0.00	84.31
Class 2	129	***932***	12	1	1,074
Class 2 %	0.52	97.59	1.86	0.04	3.69
Class 3	12	5	***613***	3	633
Class 3 %	0.05	0.52	94.89	0.11	2.18
Class 4	10	2	14	***2,833***	2,859
Class 4 %	0.04	0.21	2.17	99.86	9.82
Total for 11RE					
Total traffic per SVC class	24,662	955	646	2,837	29,100
Total % of total traffic	84.75	3.28	2.22	9.75	100.00
AVC accuracy per Class	99.39	97.59	94.89	99.86	99.27
Adjusted AVC Accuracy	99.47	98.97	96.40	100.00	99.38
Simulated AVC Totals	0	0	0	0	0
12RE					
Class 1	***33,053***	12	5	0	33,070
Class 1 %	99.86	1.24	0.97	0.00	89.87
Class 2	31	***944***	13	0	988
Class 2 %	0.09	97.93	2.53	0.00	2.69
Class 3	6	5	***486***	4	501
Class 3 %	0.02	0.52	94.55	0.18	1.36
Class 4	10	3	10	***2,215***	2,238
Class 4 %	0.03	0.31	1.95	99.82	6.08
Total for 12RE					
Total traffic per SVC class	33,100	964	514	2,219	36,797
Total % of total traffic	89.95	2.62	1.40	6.03	100.00
AVC accuracy per Class	99.86	97.93	94.55	99.82	99.73
Adjusted AVC Accuracy	99.93	99.31	96.24	100.00	99.83
Simulated AVC Totals	0	0	0	0	0

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
25RW					
Class 1	***11,596***	6	15	0	11,617
Class 1 %	78.96	1.27	6.73	0.00	70.59
Class 2	3,068	***466***	3	2	3,539
Class 2 %	20.89	98.73	1.35	0.19	21.51
Class 3	3	0	***204***	1	208
Class 3 %	0.02	0.00	91.48	0.09	1.26
Class 4	18	0	1	***1,073***	1,092
Class 4 %	0.12	0.00	0.45	99.72	6.64
Total for 25RW					
Total traffic per SVC class	14,685	472	223	1,076	16,456
Total % of total traffic	89.24	2.87	1.36	6.54	100.00
AVC accuracy per Class	78.96	98.73	91.48	99.72	81.06
Adjusted AVC Accuracy	79.06	100.00	94.05	100.00	81.21
Simulated AVC Totals	0	0	0	0	0
26RW					
Class 1	***25,630***	16	8	1	25,655
Class 1 %	99.82	1.60	1.36	0.04	85.50
Class 2	32	***984***	9	0	1,025
Class 2 %	0.12	98.40	1.53	0.00	3.42
Class 3	6	0	***556***	3	565
Class 3 %	0.02	0.00	94.40	0.11	1.88
Class 4	7	0	16	***2,738***	2,761
Class 4 %	0.03	0.00	2.72	99.85	9.20

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 26RW					
Total traffic per SVC class	25,675	1,000	589	2,742	30,006
Total % of total traffic	85.57	3.33	1.96	9.14	100.00
AVC accuracy per Class	99.82	98.40	94.40	99.85	99.67
Adjusted AVC Accuracy	99.90	99.75	95.98	100.00	99.78
Simulated AVC Totals	0	0	0	0	0
27RW					
Class 1	***61,293***	42	4	0	61,339
Class 1 %	99.14	3.99	1.02	0.00	94.38
Class 2	522	***1,008***	9	0	1,539
Class 2 %	0.84	95.73	2.30	0.00	2.37
Class 3	5	3	***376***	3	387
Class 3 %	0.01	0.28	96.16	0.17	0.60
Class 4	4	0	2	***1,718***	1,724
Class 4 %	0.01	0.00	0.51	99.83	2.65
Total for 27RW					
Total traffic per SVC class	61,824	1,053	391	1,721	64,989
Total % of total traffic	95.13	1.62	0.60	2.65	100.00
AVC accuracy per Class	99.14	95.73	96.16	99.83	99.09
Adjusted AVC Accuracy	99.19	97.05	98.10	100.00	99.17
Simulated AVC Totals	2	0	0	0	2
28RW					
Class 1	***82,640***	72	5	0	82,717
Class 1 %	99.92	4.47	0.70	0.00	93.29
Class 2	52	***1,537***	16	0	1,605
Class 2 %	0.06	95.41	2.25	0.00	1.81
Class 3	7	2	***688***	21	718
Class 3 %	0.01	0.12	96.90	0.58	0.81

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 4	3	0	1	***3,617***	3,621
Class 4 %	0.00	0.00	0.14	99.42	4.08
NC	1	0	0	0	1
NC %	0.00	0.00	0.00	0.00	0.00
Total for 28RW					
Total traffic per SVC class	82,703	1,611	710	3,638	88,662
Total % of total traffic	93.28	1.82	0.80	4.10	100.00
AVC accuracy per Class	99.92	95.41	96.90	99.42	99.80
Adjusted AVC Accuracy	99.96	96.47	98.34	99.74	99.87
Simulated AVC Totals	5	0	0	0	5
29RW					
Class 1	***26,816***	35	3	0	26,854
Class 1 %	99.90	4.62	0.88	0.00	90.23
Class 2	17	***720***	7	1	745
Class 2 %	0.06	95.11	2.05	0.05	2.50
Class 3	4	2	***330***	11	347
Class 3 %	0.01	0.26	96.49	0.60	1.17
Class 4	5	0	2	***1,810***	1,817
Class 4 %	0.02	0.00	0.58	99.34	6.10
Total for 29RW					
Total traffic per SVC class	26,842	757	342	1,822	29,763
Total % of total traffic	90.19	2.54	1.15	6.12	100.00
AVC accuracy per Class	99.90	95.11	96.49	99.34	99.71
Adjusted AVC Accuracy	99.98	96.66	98.57	99.80	99.82
Simulated AVC Totals	0	0	0	0	0

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for Gosforth East Ramps					
Total traffic per SVC class	457,615	10,742	5,140	24,494	497,991
Total % of total traffic	91.89	2.16	1.03	4.92	100.00
AVC accuracy per Class	98.98	92.18	90.99	99.57	98.78
Adjusted AVC Accuracy	98.98	92.18	91.00	99.57	98.78
Simulated AVC Totals	27	0	0	0	27
Gosforth Mainline Plaza					
13ME					
Class 1	***3,880***	7	0	0	3,887
Class 1 %	99.77	4.55	0.00	0.00	88.14
Class 2	8	***147***	0	0	155
Class 2 %	0.21	95.45	0.00	0.00	3.51
Class 3	1	0	***72***	3	76
Class 3 %	0.03	0.00	100.00	1.02	1.72
Class 4	0	0	0	***292***	292
Class 4 %	0.00	0.00	0.00	98.98	6.62
Total for 13ME					
Total traffic per SVC class	3,889	154	72	295	4,410
Total % of total traffic	88.19	3.49	1.63	6.69	100.00
AVC accuracy per Class	99.77	95.45	100.00	98.98	99.57
Adjusted AVC Accuracy	99.97	98.89	100.00	100.00	99.86
Simulated AVC Totals	3	0	0	0	3
14ME					
Class 1	***49,327***	50	3	0	49,380
Class 1 %	99.72	2.62	0.28	0.00	86.96
Class 2	104	***1,858***	26	0	1,988
Class 2 %	0.21	97.18	2.44	0.00	3.50
Class 3	25	4	***1,031***	28	1,088
Class 3 %	0.05	0.21	96.90	0.64	1.92

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 4	8	0	4	***4,318***	4,330
Class 4 %	0.02	0.00	0.38	99.36	7.62
NC	1	0	0	0	1
NC %	0.00	0.00	0.00	0.00	0.00
Total for 14ME					
Total traffic per SVC class	49,465	1,912	1,064	4,346	56,787
Total % of total traffic	87.11	3.37	1.87	7.65	100.00
AVC accuracy per Class	99.72	97.18	96.90	99.36	99.55
Adjusted AVC Accuracy	99.78	98.16	98.08	99.66	99.63
Simulated AVC Totals	1	0	0	0	1
15ME					
Class 1	***45,954***	27	0	0	45,981
Class 1 %	99.84	1.98	0.00	0.00	91.42
Class 2	59	***1,339***	12	0	1,410
Class 2 %	0.13	98.02	2.13	0.00	2.80
Class 3	14	0	***549***	17	580
Class 3 %	0.03	0.00	97.34	0.73	1.15
Class 4	0	0	3	***2,323***	2,326
Class 4 %	0.00	0.00	0.53	99.27	4.62
Total for 15ME					
Total traffic per SVC class	46,027	1,366	564	2,340	50,297
Total % of total traffic	91.51	2.72	1.12	4.65	100.00
AVC accuracy per Class	99.84	98.02	97.34	99.27	99.74
Adjusted AVC Accuracy	99.90	99.18	98.96	99.67	99.83
Simulated AVC Totals	27	0	0	0	27
16ME					
Class 1	***54,350***	47	2	0	54,399
Class 1 %	99.93	4.07	0.46	0.00	94.46

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 2	23	***1,105***	14	0	1,142
Class 2 %	0.04	95.59	3.20	0.00	1.98
Class 3	4	3	***420***	19	446
Class 3 %	0.01	0.26	96.11	1.18	0.77
Class 4	9	1	1	***1,591***	1,602
Class 4 %	0.02	0.09	0.23	98.82	2.78
NC	3	0	0	0	3
NC %	0.01	0.00	0.00	0.00	0.01
Total for 16ME					
Total traffic per SVC class	54,389	1,156	437	1,610	57,592
Total % of total traffic	94.44	2.01	0.76	2.80	100.00
AVC accuracy per Class	99.93	95.59	96.11	98.82	99.78
Adjusted AVC Accuracy	99.98	96.85	97.95	99.31	99.86
Simulated AVC Totals	0	0	0	0	0
17ME					
Class 1	***23,647***	71	7	2	23,727
Class 1 %	99.68	5.83	1.01	0.09	84.85
Class 2	54	***1,144***	50	1	1,249
Class 2 %	0.23	94.00	7.18	0.04	4.47
Class 3	11	1	***634***	11	657
Class 3 %	0.05	0.08	91.09	0.47	2.35
Class 4	10	1	5	***2,313***	2,329
Class 4 %	0.04	0.08	0.72	99.40	8.33
Total for 17ME					
Total traffic per SVC class	23,722	1,217	696	2,327	27,962
Total % of total traffic	84.84	4.35	2.49	8.32	100.00
AVC accuracy per Class	99.68	94.00	91.09	99.40	99.20
Adjusted AVC Accuracy	99.76	95.22	92.55	99.80	99.32
Simulated AVC Totals	0	0	0	0	0

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
18MW					
Class 1	***36,012***	30	8	0	36,050
Class 1 %	99.77	2.10	0.96	0.00	86.64
Class 2	69	***1,396***	20	2	1,487
Class 2 %	0.19	97.76	2.40	0.06	3.57
Class 3	8	2	***782***	0	792
Class 3 %	0.02	0.14	93.99	0.00	1.90
Class 4	6	0	22	***3,252***	3,280
Class 4 %	0.02	0.00	2.64	99.94	7.88
Total for 18MW					
Total traffic per SVC class	36,095	1,428	832	3,254	41,609
Total % of total traffic	86.75	3.43	2.00	7.82	100.00
AVC accuracy per Class	99.77	97.76	93.99	99.94	99.60
Adjusted AVC Accuracy	99.84	98.89	95.32	100.00	99.70
Simulated AVC Totals	0	0	0	0	0
19MW					
Class 1	***65,416***	148	51	0	65,615
Class 1 %	99.86	13.32	12.11	0.00	95.34
Class 2	52	***963***	8	0	1,023
Class 2 %	0.08	86.68	1.90	0.00	1.49
Class 3	39	0	***361***	15	415
Class 3 %	0.06	0.00	85.75	0.84	0.60
Class 4	2	0	1	***1,762***	1,765
Class 4 %	0.00	0.00	0.24	99.16	2.56
NC	1	0	0	0	1
NC %	0.00	0.00	0.00	0.00	0.00

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 19MW					
Total traffic per SVC class	65,510	1,111	421	1,777	68,819
Total % of total traffic	95.19	1.61	0.61	2.58	100.00
AVC accuracy per Class	99.86	86.68	85.75	99.16	99.54
Adjusted AVC Accuracy	99.91	87.96	87.62	99.62	99.61
Simulated AVC Totals	0	0	0	0	0
20MW					
Class 1	***59,432***	35	4	0	59,471
Class 1 %	99.92	2.64	0.61	0.00	92.15
Class 2	37	***1,286***	34	1	1,358
Class 2 %	0.06	97.06	5.21	0.03	2.10
Class 3	4	4	***613***	32	653
Class 3 %	0.01	0.30	94.02	1.04	1.01
Class 4	8	0	1	***3,047***	3,056
Class 4 %	0.01	0.00	0.15	98.93	4.74
Total for 20MW					
Total traffic per SVC class	59,481	1,325	652	3,080	64,538
Total % of total traffic	92.16	2.05	1.01	4.77	100.00
AVC accuracy per Class	99.92	97.06	94.02	98.93	99.75
Adjusted AVC Accuracy	99.97	98.23	95.52	99.28	99.83
Simulated AVC Totals	12	0	0	0	12
21MW					
Class 1	***30,816***	74	4	0	30,894
Class 1 %	99.85	7.07	0.75	0.00	89.04
Class 2	37	***969***	22	0	1,028
Class 2 %	0.12	92.55	4.12	0.00	2.96
Class 3	9	4	***507***	17	537
Class 3 %	0.03	0.38	94.94	0.75	1.55

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 4	0	0	1	***2,236***	2,237
Class 4 %	0.00	0.00	0.19	99.25	6.45
Total for 21MW					
Total traffic per SVC class	30,862	1,047	534	2,253	34,696
Total % of total traffic	88.95	3.02	1.54	6.49	100.00
AVC accuracy per Class	99.85	92.55	94.94	99.25	99.52
Adjusted AVC Accuracy	99.92	93.87	96.60	99.66	99.62
Simulated AVC Totals	12	0	0	0	12
22MW					
Class 1	***24,587***	32	3	0	24,622
Class 1 %	99.80	3.35	0.59	0.00	87.45
Class 2	48	***920***	17	0	985
Class 2 %	0.19	96.44	3.33	0.00	3.50
Class 3	2	1	***489***	11	503
Class 3 %	0.01	0.10	95.88	0.54	1.79
Class 4	0	1	1	***2,045***	2,047
Class 4 %	0.00	0.10	0.20	99.46	7.27
Total for 22MW					
Total traffic per SVC class	24,637	954	510	2,056	28,157
Total % of total traffic	87.50	3.39	1.81	7.30	100.00
AVC accuracy per Class	99.80	96.44	95.88	99.46	99.59
Adjusted AVC Accuracy	99.88	97.82	97.58	99.89	99.71
Simulated AVC Totals	2	0	0	0	2
23MW					
Class 1	***15,294***	7	0	0	15,301
Class 1 %	99.91	1.23	0.00	0.00	88.60
Class 2	11	***560***	11	1	583
Class 2 %	0.07	98.25	4.18	0.09	3.38

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 3	2	2	***251***	6	261
Class 3 %	0.01	0.35	95.44	0.53	1.51
Class 4	0	1	1	***1,121***	1,123
Class 4 %	0.00	0.18	0.38	99.38	6.50
NC	1	0	0	0	1
NC %	0.01	0.00	0.00	0.00	0.01
Total for 23MW					
Total traffic per SVC class	15,308	570	263	1,128	17,269
Total % of total traffic	88.64	3.30	1.52	6.53	100.00
AVC accuracy per Class	99.91	98.25	95.44	99.38	99.75
Adjusted AVC Accuracy	100.00	100.00	97.81	99.96	99.90
Simulated AVC Totals	2	0	0	0	2
Total for Gosforth Mainline Plaza					
Total traffic per SVC class	409,385	12,240	6,045	24,466	452,136
Total % of total traffic	90.54	2.71	1.34	5.41	100.00
AVC accuracy per Class	99.84	95.48	94.44	99.32	99.62
Adjusted AVC Accuracy	99.84	95.48	94.45	99.32	99.62
Simulated AVC Totals	59	0	0	0	59
Gosforth West Ramps					
71RW					
Class 1	***12,402***	2	0	0	12,404
Class 1 %	99.92	1.71	0.00	0.00	97.12
Class 2	9	***115***	1	0	125
Class 2 %	0.07	98.29	1.85	0.00	0.98
Class 3	1	0	***53***	4	58
Class 3 %	0.01	0.00	98.15	2.12	0.45
Class 4	0	0	0	***185***	185
Class 4 %	0.00	0.00	0.00	97.88	1.45

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 71RW					
Total traffic per SVC class	12,412	117	54	189	12,772
Total % of total traffic	97.18	0.92	0.42	1.48	100.00
AVC accuracy per Class	99.92	98.29	98.15	97.88	99.87
Adjusted AVC Accuracy	100.00	100.00	100.00	99.30	100.00
Simulated AVC Totals	1	0	0	0	1
73RW					
Class 1	***22,272***	22	4	0	22,298
Class 1 %	99.83	4.77	1.58	0.00	91.70
Class 2	20	***437***	4	0	461
Class 2 %	0.09	94.79	1.58	0.00	1.90
Class 3	2	0	***244***	17	263
Class 3 %	0.01	0.00	96.44	1.31	1.08
Class 4	0	0	1	***1,274***	1,275
Class 4 %	0.00	0.00	0.40	98.53	5.24
NC	15	2	0	2	19
NC %	0.07	0.43	0.00	0.15	0.08
Total for 73RW					
Total traffic per SVC class	22,309	461	253	1,293	24,316
Total % of total traffic	91.75	1.90	1.04	5.32	100.00
AVC accuracy per Class	99.83	94.79	96.44	98.53	99.63
Adjusted AVC Accuracy	99.91	96.78	98.85	99.07	99.76
Simulated AVC Totals	0	0	0	0	0
74RW					
Class 1	***18,643***	25	1	0	18,669
Class 1 %	99.96	5.34	0.37	0.00	90.36
Class 2	4	***442***	3	0	449
Class 2 %	0.02	94.44	1.12	0.00	2.17

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 3	1	1	***261***	11	274
Class 3 %	0.01	0.21	97.75	0.86	1.33
Class 4	2	0	2	***1,264***	1,268
Class 4 %	0.01	0.00	0.75	99.14	6.14
Total for 74RW					
Total traffic per SVC class	18,650	468	267	1,275	20,660
Total % of total traffic	90.27	2.27	1.29	6.17	100.00
AVC accuracy per Class	99.96	94.44	97.75	99.14	99.76
Adjusted AVC Accuracy	100.00	96.41	100.00	99.69	99.90
Simulated AVC Totals	1	0	0	0	1
81RE					
Class 1	***1,271***	0	0	0	1,271
Class 1 %	93.80	0.00	0.00	0.00	84.62
Class 2	83	***25***	1	0	109
Class 2 %	6.13	100.00	6.25	0.00	7.26
Class 3	1	0	***15***	0	16
Class 3 %	0.07	0.00	93.75	0.00	1.07
Class 4	0	0	0	***106***	106
Class 4 %	0.00	0.00	0.00	100.00	7.06
Total for 81RE					
Total traffic per SVC class	1,355	25	16	106	1,502
Total % of total traffic	90.21	1.66	1.07	7.06	100.00
AVC accuracy per Class	93.80	100.00	93.75	100.00	94.34
Adjusted AVC Accuracy	94.14	100.00	100.00	100.00	94.84
Simulated AVC Totals	0	0	0	0	0
82RE					
Class 1	***12,867***	8	2	0	12,877
Class 1 %	99.41	3.64	1.27	0.00	88.90

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 2	44	***212***	7	1	264
Class 2 %	0.34	96.36	4.46	0.09	1.82
Class 3	30	0	***148***	15	193
Class 3 %	0.23	0.00	94.27	1.29	1.33
Class 4	2	0	0	***1,148***	1,150
Class 4 %	0.02	0.00	0.00	98.63	7.94
Total for 82RE					
Total traffic per SVC class	12,943	220	157	1,164	14,484
Total % of total traffic	89.36	1.52	1.08	8.04	100.00
AVC accuracy per Class	99.41	96.36	94.27	98.63	99.25
Adjusted AVC Accuracy	99.52	99.24	97.34	99.20	99.41
Simulated AVC Totals	0	0	0	0	0
83RE					
Class 1	***19,820***	27	0	0	19,847
Class 1 %	99.63	6.55	0.00	0.00	88.48
Class 2	22	***384***	6	2	414
Class 2 %	0.11	93.20	2.34	0.11	1.85
Class 3	9	0	***250***	45	304
Class 3 %	0.05	0.00	97.66	2.41	1.36
Class 4	2	0	0	***1,799***	1,801
Class 4 %	0.01	0.00	0.00	96.25	8.03
NC	40	1	0	23	64
NC %	0.20	0.24	0.00	1.23	0.29
Total for 83RE					
Total traffic per SVC class	19,893	412	256	1,869	22,430
Total % of total traffic	88.69	1.84	1.14	8.33	100.00
AVC accuracy per Class	99.63	93.20	97.66	96.25	99.21
Adjusted AVC Accuracy	99.72	95.30	100.00	96.70	99.34
Simulated AVC Totals	0	0	0	0	0

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Total for Gosforth West Ramps					
Total traffic per SVC class	87,562	1,703	1,003	5,896	96,164
Total % of total traffic	91.05	1.77	1.04	6.13	100.00
AVC accuracy per Class	99.67	94.83	96.81	97.96	99.45
Adjusted AVC Accuracy	99.67	94.84	96.82	97.96	99.45
Simulated AVC Totals	2	0	0	0	2
Grand Total:					
Total traffic per SVC class	954,562	24,685	12,188	54,856	1,046,291
Total % of total traffic	91.23	2.36	1.16	5.24	100.00
AVC accuracy per Class	99.41	94.00	93.18	99.29	99.20
Adjusted AVC Accuracy	99.41	94.00	93.18	99.29	99.20
Simulated AVC Totals	4	0	0	0	88

	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
- Axle	0	0	738	366	1,104
- Axle %	0.00	0.00	0.07	0.03	0.11
+Axle	0	50	93	0	143
+Axle %	0.00	0.00	0.01	0.00	0.01
- Mass	0	1428	407	4	1,839
- Mass %	0.00	0.14	0.04	0.00	0.18
+Mass	5556	0	0	0	5,556
+Mass %	0.53	0.00	0.00	0.00	0.53
Total AVC Error	5556	1478	1238	370	8,642
Total AVC Error %	0.53	0.14	0.12	0.04	0.83

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals