CTROM AVC Accuracy Details Report

Plaza(s) (Gosforth East Ramps, Gosforth Mainline Plaza, Gosforth West Ramps); Date/Hour (01/06/2026 0 - 30/06/2026 23) ,SVC

Data for the selected period is consistent

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Gosforth East Ramps					
08RE					
Class 1	***51,887***	98	14	0	51,999
Class 1 %	99.95	5.03	1.31	0.00	86.88
Class 2	24	***1,850***	17	11	1,902
Class 2 %	0.05	94.87	1.59	0.22	3.18
Class 3	3	2	***1,035***	63	1,103
Class 3 %	0.01	0.10	96.82	1.28	1.84
Class 4	0	0	3	***4,846***	4,849
Class 4 %	0.00	0.00	0.28	98.50	8.10
NC	1	0	0	0	1
NC %	0.00	0.00	0.00	0.00	0.00
Total for 08RE					
Total traffic per SVC class	51,915	1,950	1,069	4,920	59,854
Total % of total traffic	86.74	3.26	1.79	8.22	100.00
AVC accuracy per Class	99.95	94.87	96.82	98.50	99.61
Adjusted AVC Accuracy	100.00	95.84	97.99	98.78	99.69
Simulated AVC Totals	11	0	0	0	11
09RE					
Class 1	***67,621***	322	135	0	68,078
Class 1 %	99.98	26.35	26.47	0.00	94.64
Class 2	13	***898***	5	0	916
Class 2 %	0.02	73.49	0.98	0.00	1.27

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 3	1	1	***368***	17	387
Class 3 %	0.00	0.08	72.16	0.66	0.54
Class 4	0	0	2	***2,552***	2,554
Class 4 %	0.00	0.00	0.39	99.34	3.55
NC	1	1	0	0	2
NC %	0.00	0.08	0.00	0.00	0.00
Total for 09RE					
Total traffic per SVC class	67,636	1,222	510	2,569	71,937
Total % of total traffic	94.02	1.70	0.71	3.57	100.00
AVC accuracy per Class	99.98	73.49	72.16	99.34	99.31
Adjusted AVC Accuracy	100.00	74.71	73.86	99.72	99.38
Simulated AVC Totals	21	0	0	0	21
10RE					
Class 1	***83,037***	58	5	0	83,100
Class 1 %	99.89	5.23	1.34	0.00	96.43
Class 2	82	***1,049***	7	0	1,138
Class 2 %	0.10	94.50	1.87	0.00	1.32
Class 3	8	3	***361***	10	382
Class 3 %	0.01	0.27	96.52	0.64	0.44
Class 4	0	0	1	***1,559***	1,560
Class 4 %	0.00	0.00	0.27	99.36	1.81
Total for 10RE					
Total traffic per SVC class	83,127	1,110	374	1,569	86,180
Total % of total traffic	96.46	1.29	0.43	1.82	100.00
AVC accuracy per Class	99.89	94.50	96.52	99.36	99.80
Adjusted AVC Accuracy	99.93	95.78	98.51	99.85	99.87
Simulated AVC Totals	8	0	0	0	8
11RE					

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 1	***30,500***	45	32	2	30,579
Class 1 %	98.86	3.60	4.16	0.06	84.50
Class 2	257	***1,195***	12	2	1,466
Class 2 %	0.83	95.68	1.56	0.06	4.05
Class 3	42	4	***700***	2	748
Class 3 %	0.14	0.32	90.91	0.06	2.07
Class 4	52	5	26	***3,311***	3,394
Class 4 %	0.17	0.40	3.38	99.82	9.38
Total for 11RE					
Total traffic per SVC class	30,851	1,249	770	3,317	36,187
Total % of total traffic	85.25	3.45	2.13	9.17	100.00
AVC accuracy per Class	98.86	95.68	90.91	99.82	98.67
Adjusted AVC Accuracy	98.93	96.89	92.29	100.00	98.77
Simulated AVC Totals	0	0	0	0	0
12RE					
Class 1	***35,079***	52	34	8	35,173
Class 1 %	99.61	6.19	6.92	0.51	92.24
Class 2	76	***782***	11	0	869
Class 2 %	0.22	93.10	2.24	0.00	2.28
Class 3	18	4	***378***	3	403
Class 3 %	0.05	0.48	76.99	0.19	1.06
Class 4	44	2	68	***1,573***	1,687
Class 4 %	0.12	0.24	13.85	99.31	4.42
Total for 12RE					
Total traffic per SVC class	35,217	840	491	1,584	38,132
Total % of total traffic	92.36	2.20	1.29	4.15	100.00
AVC accuracy per Class	99.61	93.10	76.99	99.31	99.16
Adjusted AVC Accuracy	99.68	94.57	78.72	99.80	99.26
Simulated AVC Totals	0	0	0	0	0

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
25RW					
Class 1	***15,676***	24	34	4	15,738
Class 1 %	99.33	5.32	12.59	0.40	89.97
Class 2	51	***423***	9	1	484
Class 2 %	0.32	93.79	3.33	0.10	2.77
Class 3	13	0	***227***	5	245
Class 3 %	0.08	0.00	84.07	0.51	1.40
Class 4	41	4	0	***980***	1,025
Class 4 %	0.26	0.89	0.00	98.99	5.86
Total for 25RW					
Total traffic per SVC class	15,781	451	270	990	17,492
Total % of total traffic	90.22	2.58	1.54	5.66	100.00
AVC accuracy per Class	99.33	93.79	84.07	98.99	98.94
Adjusted AVC Accuracy	99.43	95.80	86.41	99.61	99.09
Simulated AVC Totals	0	0	0	0	0
26RW					
Class 1	***27,816***	37	12	12	27,877
Class 1 %	99.70	3.63	1.90	0.42	85.98
Class 2	46	***975***	7	0	1,028
Class 2 %	0.16	95.59	1.11	0.00	3.17
Class 3	10	5	***583***	1	599
Class 3 %	0.04	0.49	92.39	0.03	1.85
Class 4	28	3	29	***2,859***	2,919
Class 4 %	0.10	0.29	4.60	99.55	9.00

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 26RW					
Total traffic per SVC class	27,900	1,020	631	2,872	32,423
Total % of total traffic	86.05	3.15	1.95	8.86	100.00
AVC accuracy per Class	99.70	95.59	92.39	99.55	99.41
Adjusted AVC Accuracy	99.77	96.93	93.92	99.91	99.52
Simulated AVC Totals	0	0	0	0	0
27RW					
Class 1	***70,203***	50	2	0	70,255
Class 1 %	99.94	5.06	0.60	0.00	95.92
Class 2	36	***939***	15	0	990
Class 2 %	0.05	94.94	4.48	0.00	1.35
Class 3	2	0	***318***	19	339
Class 3 %	0.00	0.00	94.93	1.14	0.46
Class 4	0	0	0	***1,652***	1,652
Class 4 %	0.00	0.00	0.00	98.86	2.26
NC	4	0	0	0	4
NC %	0.01	0.00	0.00	0.00	0.01
Total for 27RW					
Total traffic per SVC class	70,245	989	335	1,671	73,240
Total % of total traffic	95.91	1.35	0.46	2.28	100.00
AVC accuracy per Class	99.94	94.94	94.93	98.86	99.83
Adjusted AVC Accuracy	99.99	96.30	97.03	99.34	99.90
Simulated AVC Totals	21	0	0	1	22
28RW					
Class 1	***54,691***	69	3	0	54,763
Class 1 %	99.96	6.16	0.67	0.00	93.56
Class 2	16	***1,049***	11	0	1,076
Class 2 %	0.03	93.66	2.47	0.00	1.84

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 3	4	2	***430***	18	454
Class 3 %	0.01	0.18	96.63	0.80	0.78
Class 4	0	0	1	***2,235***	2,236
Class 4 %	0.00	0.00	0.22	99.20	3.82
NC	1	0	0	0	1
NC %	0.00	0.00	0.00	0.00	0.00
Total for 28RW					
Total traffic per SVC class	54,712	1,120	445	2,253	58,530
Total % of total traffic	93.48	1.91	0.76	3.85	100.00
AVC accuracy per Class	99.96	93.66	96.63	99.20	99.79
Adjusted AVC Accuracy	100.00	94.94	98.45	99.61	99.87
Simulated AVC Totals	4	0	0	0	4
29RW					
Class 1	***43,366***	52	5	0	43,423
Class 1 %	99.98	3.94	0.68	0.00	88.85
Class 2	10	***1,268***	7	1	1,286
Class 2 %	0.02	95.99	0.95	0.03	2.63
Class 3	0	1	***722***	20	743
Class 3 %	0.00	0.08	98.23	0.58	1.52
Class 4	0	0	1	***3,421***	3,422
Class 4 %	0.00	0.00	0.14	99.39	7.00
Total for 29RW					
Total traffic per SVC class	43,376	1,321	735	3,442	48,874
Total % of total traffic	88.75	2.70	1.50	7.04	100.00
AVC accuracy per Class	99.98	95.99	98.23	99.39	99.80
Adjusted AVC Accuracy	100.00	97.17	99.65	99.72	99.89
Simulated AVC Totals	0	0	0	0	0

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for Gosforth East Ramps					
Total traffic per SVC class	480,760	11,272	5,630	25,187	522,849
Total % of total traffic	91.95	2.16	1.08	4.82	100.00
AVC accuracy per Class	99.82	92.51	90.98	99.21	99.53
Adjusted AVC Accuracy	99.82	92.51	90.99	99.21	99.53
Simulated AVC Totals	65	0	0	1	66
Gosforth Mainline Plaza					
13ME					
Class 1	***5,051***	3	0	0	5,054
Class 1 %	99.90	1.85	0.00	0.00	89.10
Class 2	5	***159***	4	0	168
Class 2 %	0.10	98.15	5.63	0.00	2.96
Class 3	0	0	***67***	2	69
Class 3 %	0.00	0.00	94.37	0.52	1.22
Class 4	0	0	0	***381***	381
Class 4 %	0.00	0.00	0.00	99.48	6.72
Total for 13ME					
Total traffic per SVC class	5,056	162	71	383	5,672
Total % of total traffic	89.14	2.86	1.25	6.75	100.00
AVC accuracy per Class	99.90	98.15	94.37	99.48	99.75
Adjusted AVC Accuracy	100.00	100.00	98.93	100.00	100.00
Simulated AVC Totals	24	0	0	0	24
14ME					
Class 1	***23,923***	1,084	593	2,563	28,163
Class 1 %	99.99	100.00	100.00	99.96	99.99
NC	2	0	0	1	3
NC %	0.01	0.00	0.00	0.04	0.01

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 14ME					
Total traffic per SVC class	23,925	1,084	593	2,564	28,166
Total % of total traffic	84.94	3.85	2.11	9.10	100.00
AVC accuracy per Class	99.99	0	0	0	84.94
Adjusted AVC Accuracy	100.00	1.30	1.58	0.39	85.06
Simulated AVC Totals	3	0	0	0	3
15ME					
Class 1	***49,161***	1,458	689	0	51,308
Class 1 %	100.00	100.00	100.00	0.00	93.84
Class 4	0	0	0	***3,370***	3,370
Class 4 %	0.00	0.00	0.00	100.00	6.16
Total for 15ME					
Total traffic per SVC class	49,161	1,458	689	3,370	54,678
Total % of total traffic	89.91	2.67	1.26	6.16	100.00
AVC accuracy per Class	100.00	0	0	100.00	96.07
Adjusted AVC Accuracy	100.00	1.12	1.46	100.00	96.15
Simulated AVC Totals	14	1	0	1	16
16ME					
Class 1	***51,907***	62	8	1	51,978
Class 1 %	99.94	5.87	2.26	0.07	94.72
Class 2	19	***992***	6	0	1,017
Class 2 %	0.04	93.85	1.69	0.00	1.85
Class 3	6	3	***338***	20	367
Class 3 %	0.01	0.28	95.48	1.31	0.67
Class 4	1	0	2	***1,507***	1,510
Class 4 %	0.00	0.00	0.56	98.63	2.75
NC	4	0	0	0	4
NC %	0.01	0.00	0.00	0.00	0.01

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 16ME					
Total traffic per SVC class	51,937	1,057	354	1,528	54,876
Total % of total traffic	94.64	1.93	0.65	2.78	100.00
AVC accuracy per Class	99.94	93.85	95.48	98.63	99.76
Adjusted AVC Accuracy	99.99	95.16	97.52	99.13	99.84
Simulated AVC Totals	3	0	0	0	3
17ME					
Class 1	***31,908***	85	74	8	32,075
Class 1 %	99.27	4.88	6.61	0.24	83.58
Class 2	112	***1,640***	52	8	1,812
Class 2 %	0.35	94.14	4.65	0.24	4.72
Class 3	38	9	***977***	56	1,080
Class 3 %	0.12	0.52	87.31	1.66	2.81
Class 4	86	8	16	***3,300***	3,410
Class 4 %	0.27	0.46	1.43	97.86	8.89
Total for 17ME					
Total traffic per SVC class	32,144	1,742	1,119	3,372	38,377
Total % of total traffic	83.76	4.54	2.92	8.79	100.00
AVC accuracy per Class	99.27	94.14	87.31	97.86	98.56
Adjusted AVC Accuracy	99.34	95.16	88.46	98.20	98.66
Simulated AVC Totals	0	0	0	0	0
18MW					
Class 1	***41,499***	48	31	3	41,581
Class 1 %	99.81	2.74	3.04	0.08	86.33
Class 2	42	***1,702***	17	2	1,763
Class 2 %	0.10	97.15	1.67	0.05	3.66
Class 3	9	2	***929***	8	948
Class 3 %	0.02	0.11	91.08	0.21	1.97

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 4	29	0	43	***3,801***	3,873
Class 4 %	0.07	0.00	4.22	99.66	8.04
Total for 18MW					
Total traffic per SVC class	41,579	1,752	1,020	3,814	48,165
Total % of total traffic	86.33	3.64	2.12	7.92	100.00
AVC accuracy per Class	99.81	97.15	91.08	99.66	99.51
Adjusted AVC Accuracy	99.87	98.17	92.28	99.98	99.60
Simulated AVC Totals	0	0	0	0	0
19MW					
Class 1	***68,845***	287	82	1	69,215
Class 1 %	99.97	24.12	19.07	0.05	95.71
Class 2	14	***900***	10	0	924
Class 2 %	0.02	75.63	2.33	0.00	1.28
Class 3	5	3	***337***	11	356
Class 3 %	0.01	0.25	78.37	0.60	0.49
Class 4	0	0	1	***1,817***	1,818
Class 4 %	0.00	0.00	0.23	99.34	2.51
NC	1	0	0	0	1
NC %	0.00	0.00	0.00	0.00	0.00
Total for 19MW					
Total traffic per SVC class	68,865	1,190	430	1,829	72,314
Total % of total traffic	95.23	1.65	0.59	2.53	100.00
AVC accuracy per Class	99.97	75.63	78.37	99.34	99.43
Adjusted AVC Accuracy	100.00	76.87	80.22	99.80	99.50
Simulated AVC Totals	4	0	0	0	4
20MW					
Class 1	***57,796***	86	7	0	57,889
Class 1 %	99.97	5.66	0.95	0.00	90.91

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 2	15	***1,429***	48	2	1,494
Class 2 %	0.03	94.01	6.51	0.06	2.35
Class 3	3	5	***677***	54	739
Class 3 %	0.01	0.33	91.86	1.50	1.16
Class 4	0	0	5	***3,549***	3,554
Class 4 %	0.00	0.00	0.68	98.45	5.58
Total for 20MW					
Total traffic per SVC class	57,814	1,520	737	3,605	63,676
Total % of total traffic	90.79	2.39	1.16	5.66	100.00
AVC accuracy per Class	99.97	94.01	91.86	98.45	99.65
Adjusted AVC Accuracy	100.00	95.11	93.27	98.77	99.73
Simulated AVC Totals	3	0	0	0	3
21MW					
Class 1	***28,113***	68	8	0	28,189
Class 1 %	99.95	6.52	1.37	0.00	86.85
Class 2	11	***971***	20	0	1,002
Class 2 %	0.04	93.10	3.41	0.00	3.09
Class 3	1	4	***556***	16	577
Class 3 %	0.00	0.38	94.88	0.59	1.78
Class 4	1	0	2	***2,685***	2,688
Class 4 %	0.00	0.00	0.34	99.41	8.28
Total for 21MW					
Total traffic per SVC class	28,126	1,043	586	2,701	32,456
Total % of total traffic	86.66	3.21	1.81	8.32	100.00
AVC accuracy per Class	99.95	93.10	94.88	99.41	99.60
Adjusted AVC Accuracy	100.00	94.42	96.47	99.79	99.71
Simulated AVC Totals	6	0	0	0	6
22MW					

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 1	***126***	0	0	0	126
Class 1 %	100.00	0.00	0.00	0.00	88.11
Class 2	0	***5***	0	0	5
Class 2 %	0.00	100.00	0.00	0.00	3.50
Class 4	0	0	0	***12***	12
Class 4 %	0.00	0.00	0.00	100.00	8.39

Total for 22MW

Total traffic per SVC class	126	5	0	12	143
Total % of total traffic	88.11	3.50	0.00	8.39	100.00
AVC accuracy per Class	100.00	100.00	0.00	100.00	100.00
Adjusted AVC Accuracy	100.00	100.00	0.00	100.00	100.00
Simulated AVC Totals	0	0	0	0	0

23MW

Class 1	***16,478***	67	2	0	16,547
Class 1 %	99.93	9.88	0.57	0.00	87.34
Class 2	8	***610***	10	1	629
Class 2 %	0.05	89.97	2.83	0.07	3.32
Class 3	3	1	***339***	9	352
Class 3 %	0.02	0.15	96.03	0.63	1.86
Class 4	0	0	2	***1,414***	1,416
Class 4 %	0.00	0.00	0.57	99.30	7.47
NC	1	0	0	0	1
NC %	0.01	0.00	0.00	0.00	0.01

Total for 23MW

Total traffic per SVC class	16,490	678	353	1,424	18,945
Total % of total traffic	87.04	3.58	1.86	7.52	100.00
AVC accuracy per Class	99.93	89.97	96.03	99.30	99.45
Adjusted AVC Accuracy	100.00	91.61	98.07	99.82	99.59
Simulated AVC Totals	3	0	0	0	3

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for Gosforth Mainline Plaza					
Total traffic per SVC class	375,223	11,691	5,952	24,602	417,468
Total % of total traffic	89.88	2.80	1.43	5.89	100.00
AVC accuracy per Class	99.89	71.92	70.90	88.76	98.04
Adjusted AVC Accuracy	99.89	71.92	70.91	88.76	98.04
Simulated AVC Totals	60	1	0	1	62
Gosforth West Ramps					
71RW					
Class 1	***13,745***	12	0	0	13,757
Class 1 %	99.96	8.82	0.00	0.00	97.29
Class 2	4	***124***	4	1	133
Class 2 %	0.03	91.18	6.78	0.51	0.94
Class 3	0	0	***55***	2	57
Class 3 %	0.00	0.00	93.22	1.03	0.40
Class 4	1	0	0	***192***	193
Class 4 %	0.01	0.00	0.00	98.46	1.36
Total for 71RW					
Total traffic per SVC class	13,750	136	59	195	14,140
Total % of total traffic	97.24	0.96	0.42	1.38	100.00
AVC accuracy per Class	99.96	91.18	93.22	98.46	99.83
Adjusted AVC Accuracy	100.00	94.84	98.22	99.86	99.99
Simulated AVC Totals	0	0	0	0	0
72RW					
Class 1	***1***	0	0	0	1
Class 1 %	100.00	0.00	0.00	0.00	100.00

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 72RW					
Total traffic per SVC class	1	0	0	0	1
Total % of total traffic	100.00	0.00	0.00	0.00	100.00
AVC accuracy per Class	100.00	0.00	0.00	0.00	100.00
Adjusted AVC Accuracy	100.00	0.00	0.00	0.00	100.00
Simulated AVC Totals	0	0	0	0	0
73RW					
Class 1	***22,298***	32	5	0	22,335
Class 1 %	99.95	6.21	1.75	0.00	90.96
Class 2	11	***480***	3	0	494
Class 2 %	0.05	93.20	1.05	0.00	2.01
Class 3	0	3	***277***	17	297
Class 3 %	0.00	0.58	97.19	1.18	1.21
Class 4	0	0	0	***1,429***	1,429
Class 4 %	0.00	0.00	0.00	98.82	5.82
NC	1	0	0	0	1
NC %	0.00	0.00	0.00	0.00	0.00
Total for 73RW					
Total traffic per SVC class	22,310	515	285	1,446	24,556
Total % of total traffic	90.85	2.10	1.16	5.89	100.00
AVC accuracy per Class	99.95	93.20	97.19	98.82	99.71
Adjusted AVC Accuracy	100.00	95.08	99.47	99.33	99.83
Simulated AVC Totals	3	0	0	0	3
74RW					
Class 1	***13,529***	50	1	0	13,580
Class 1 %	99.93	15.15	0.45	0.00	89.91
Class 2	1	***280***	31	1	313
Class 2 %	0.01	84.85	14.09	0.10	2.07

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 3	0	0	***187***	21	208
Class 3 %	0.00	0.00	85.00	2.07	1.38
Class 4	2	0	1	***994***	997
Class 4 %	0.01	0.00	0.45	97.83	6.60
NC	6	0	0	0	6
NC %	0.04	0.00	0.00	0.00	0.04
Total for 74RW					
Total traffic per SVC class	13,538	330	220	1,016	15,104
Total % of total traffic	89.63	2.18	1.46	6.73	100.00
AVC accuracy per Class	99.93	84.85	85.00	97.83	99.25
Adjusted AVC Accuracy	100.00	87.20	87.59	98.44	99.41
Simulated AVC Totals	2	0	0	0	2
81RE					
Class 1	***169***	0	0	0	169
Class 1 %	87.56	0.00	0.00	0.00	87.11
Class 2	24	***0***	0	0	24
Class 2 %	12.44	0.00	0.00	0.00	12.37
Class 4	0	0	0	***1***	1
Class 4 %	0.00	0.00	0.00	100.00	0.52
Total for 81RE					
Total traffic per SVC class	193	0	0	1	194
Total % of total traffic	99.48	0.00	0.00	0.52	100.00
AVC accuracy per Class	87.56	0.00	0.00	100.00	87.63
Adjusted AVC Accuracy	88.45	0.00	0.00	100.00	89.03
Simulated AVC Totals	0	0	0	0	0
82RE					
Class 1	***12,196***	18	4	0	12,218
Class 1 %	99.58	10.06	2.60	0.00	90.43

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 2	17	***159***	3	1	180
Class 2 %	0.14	88.83	1.95	0.11	1.33
Class 3	10	0	***146***	36	192
Class 3 %	0.08	0.00	94.81	3.87	1.42
Class 4	0	0	0	***891***	891
Class 4 %	0.00	0.00	0.00	95.70	6.59
NC	24	2	1	3	30
NC %	0.20	1.12	0.65	0.32	0.22
Total for 82RE					
Total traffic per SVC class	12,247	179	154	931	13,511
Total % of total traffic	90.64	1.32	1.14	6.89	100.00
AVC accuracy per Class	99.58	88.83	94.81	95.70	99.12
Adjusted AVC Accuracy	99.69	92.02	97.91	96.34	99.29
Simulated AVC Totals	0	0	0	0	0
83RE					
Class 1	***19,980***	26	2	0	20,008
Class 1 %	99.53	6.44	0.60	0.00	87.88
Class 2	29	***374***	2	0	405
Class 2 %	0.14	92.57	0.60	0.00	1.78
Class 3	20	1	***330***	69	420
Class 3 %	0.10	0.25	98.80	3.53	1.84
Class 4	1	1	0	***1,864***	1,866
Class 4 %	0.00	0.25	0.00	95.30	8.20
NC	44	2	0	23	69
NC %	0.22	0.50	0.00	1.18	0.30

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Total for 83RE					
Total traffic per SVC class	20,074	404	334	1,956	22,768
Total % of total traffic	88.17	1.77	1.47	8.59	100.00
AVC accuracy per Class	99.53	92.57	98.80	95.30	99.03
Adjusted AVC Accuracy	99.62	94.70	100.00	95.74	99.16
Simulated AVC Totals	3	0	0	0	3
Total for Gosforth West Ramps					
Total traffic per SVC class	82,113	1,564	1,052	5,545	90,274
Total % of total traffic	90.96	1.73	1.17	6.14	100.00
AVC accuracy per Class	99.76	90.60	94.58	96.86	99.37
Adjusted AVC Accuracy	99.76	90.61	94.59	96.86	99.37
Simulated AVC Totals	8	0	0	0	8
Grand Total:					
Total traffic per SVC class	938,096	24,527	12,634	55,334	1,030,591
Total % of total traffic	91.03	2.38	1.23	5.37	100.00
AVC accuracy per Class	99.84	82.57	81.82	94.33	98.91
Adjusted AVC Accuracy	99.84	82.57	81.82	94.33	98.91
Simulated AVC Totals	11	21	0	21	136

	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
- Axle	0	0	2093	3112	5,205
- Axle %	0.00	0.00	0.20	0.30	0.51
+Axle	0	76	203	0	279
+Axle %	0.00	0.01	0.02	0.00	0.03
- Mass	0	4193	1782	2602	8,577
- Mass %	0.00	0.41	0.17	0.25	0.83
+Mass	1405	0	0	0	1,405
+Mass %	0.14	0.00	0.00	0.00	0.14
Total AVC Error	1405	4269	4078	5714	15,466
Total AVC Error %	0.14	0.41	0.40	0.55	1.50

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals