CTROM AVC Accuracy Details Report

Plaza(s) (Gosforth East Ramps, Gosforth Mainline Plaza, Gosforth West Ramps); Date/Hour (01/03/2026 0 - 31/03/2026 23) ,SVC

Data for the selected period is consistent

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Gosforth East Ramps					
08RE					
Class 1	***5,748***	0	73	0	5,821
Class 1 %	93.33	0.00	93.59	0.00	86.35
Class 2	408	***135***	2	0	545
Class 2 %	6.62	99.26	2.56	0.00	8.08
Class 3	0	1	***2***	0	3
Class 3 %	0.00	0.74	2.56	0.00	0.04
Class 4	3	0	1	***368***	372
Class 4 %	0.05	0.00	1.28	100.00	5.52
Total for 08RE					
Total traffic per SVC class	6,159	136	78	368	6,741
Total % of total traffic	91.37	2.02	1.16	5.46	100.00
AVC accuracy per Class	93.33	99.26	2.56	100.00	92.76
Adjusted AVC Accuracy	93.49	100.00	6.91	100.00	93.00
Simulated AVC Totals	0	0	0	0	0
09RE					
Class 1	***100,599***	95	7	0	100,701
Class 1 %	99.16	3.50	0.46	0.00	89.93
Class 2	785	***2,615***	621	43	4,064
Class 2 %	0.77	96.39	41.13	0.68	3.63
Class 3	59	3	***879***	362	1,303
Class 3 %	0.06	0.11	58.21	5.74	1.16

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 4	6	0	3	***5,897***	5,906
Class 4 %	0.01	0.00	0.20	93.57	5.27
NC	1	0	0	0	1
NC %	0.00	0.00	0.00	0.00	0.00
Total for 09RE					
Total traffic per SVC class	101,450	2,713	1,510	6,302	111,975
Total % of total traffic	90.60	2.42	1.35	5.63	100.00
AVC accuracy per Class	99.16	96.39	58.21	93.57	98.23
Adjusted AVC Accuracy	99.20	97.21	59.20	93.82	98.29
Simulated AVC Totals	30	1	0	1	32
10RE					
Class 1	***99,157***	52	4	0	99,213
Class 1 %	99.82	3.15	0.76	0.00	95.32
Class 2	154	***1,593***	14	0	1,761
Class 2 %	0.16	96.60	2.67	0.00	1.69
Class 3	17	4	***506***	16	543
Class 3 %	0.02	0.24	96.56	0.62	0.52
Class 4	7	0	0	***2,556***	2,563
Class 4 %	0.01	0.00	0.00	99.38	2.46
NC	1	0	0	0	1
NC %	0.00	0.00	0.00	0.00	0.00
Total for 10RE					
Total traffic per SVC class	99,336	1,649	524	2,572	104,081
Total % of total traffic	95.44	1.58	0.50	2.47	100.00
AVC accuracy per Class	99.82	96.60	96.56	99.38	99.74
Adjusted AVC Accuracy	99.86	97.65	98.24	99.76	99.80
Simulated AVC Totals	10	0	0	1	11
11RE					

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 1	***23,468***	14	6	0	23,488
Class 1 %	99.56	1.38	0.96	0.00	83.94
Class 2	87	***994***	16	0	1,097
Class 2 %	0.37	98.12	2.57	0.00	3.92
Class 3	10	5	***581***	2	598
Class 3 %	0.04	0.49	93.26	0.07	2.14
Class 4	6	0	20	***2,773***	2,799
Class 4 %	0.03	0.00	3.21	99.93	10.00
Total for 11RE					
Total traffic per SVC class	23,571	1,013	623	2,775	27,982
Total % of total traffic	84.24	3.62	2.23	9.92	100.00
AVC accuracy per Class	99.56	98.12	93.26	99.93	99.41
Adjusted AVC Accuracy	99.64	99.46	94.80	100.00	99.53
Simulated AVC Totals	0	0	0	0	0
12RE					
Class 1	***37,214***	36	7	2	37,259
Class 1 %	99.78	3.34	1.15	0.08	89.87
Class 2	52	***1,036***	13	0	1,101
Class 2 %	0.14	96.10	2.14	0.00	2.66
Class 3	16	5	***563***	4	588
Class 3 %	0.04	0.46	92.60	0.16	1.42
Class 4	13	1	25	***2,473***	2,512
Class 4 %	0.03	0.09	4.11	99.76	6.06
Total for 12RE					
Total traffic per SVC class	37,295	1,078	608	2,479	41,460
Total % of total traffic	89.95	2.60	1.47	5.98	100.00
AVC accuracy per Class	99.78	96.10	92.60	99.76	99.58
Adjusted AVC Accuracy	99.84	97.40	94.16	100.00	99.68
Simulated AVC Totals	0	0	0	0	0

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
25RW					
Class 1	***1,806***	3	55	5	1,869
Class 1 %	21.66	0.27	77.46	1.00	18.68
Class 2	6,517	***1,096***	3	3	7,619
Class 2 %	78.15	99.73	4.23	0.60	76.13
Class 3	0	0	***13***	0	13
Class 3 %	0.00	0.00	18.31	0.00	0.13
Class 4	13	0	0	***491***	504
Class 4 %	0.16	0.00	0.00	98.40	5.04
NC	3	0	0	0	3
NC %	0.04	0.00	0.00	0.00	0.03
Total for 25RW					
Total traffic per SVC class	8,339	1,099	71	499	10,008
Total % of total traffic	83.32	10.98	0.71	4.99	100.00
AVC accuracy per Class	21.66	99.73	18.31	98.40	34.03
Adjusted AVC Accuracy	21.80	100.00	22.87	99.27	34.22
Simulated AVC Totals	0	0	0	0	0
26RW					
Class 1	***34,082***	39	37	12	34,170
Class 1 %	99.75	3.23	4.76	0.39	87.02
Class 2	74	***1,165***	17	1	1,257
Class 2 %	0.22	96.52	2.19	0.03	3.20
Class 3	7	3	***704***	9	723
Class 3 %	0.02	0.25	90.60	0.29	1.84
Class 4	6	0	19	***3,092***	3,117
Class 4 %	0.02	0.00	2.45	99.29	7.94

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 26RW					
Total traffic per SVC class	34,169	1,207	777	3,114	39,267
Total % of total traffic	87.02	3.07	1.98	7.93	100.00
AVC accuracy per Class	99.75	96.52	90.60	99.29	99.43
Adjusted AVC Accuracy	99.82	97.75	91.98	99.64	99.53
Simulated AVC Totals	0	0	0	0	0
27RW					
Class 1	***7,431***	3	67	0	7,501
Class 1 %	43.91	1.25	93.06	0.00	42.74
Class 2	9,487	***237***	1	0	9,725
Class 2 %	56.06	98.75	1.39	0.00	55.42
Class 3	3	0	***4***	0	7
Class 3 %	0.02	0.00	5.56	0.00	0.04
Class 4	1	0	0	***315***	316
Class 4 %	0.01	0.00	0.00	100.00	1.80
Total for 27RW					
Total traffic per SVC class	16,922	240	72	315	17,549
Total % of total traffic	96.43	1.37	0.41	1.79	100.00
AVC accuracy per Class	43.91	98.75	5.56	100.00	45.51
Adjusted AVC Accuracy	44.01	100.00	10.09	100.00	45.66
Simulated AVC Totals	1	0	0	0	1
28RW					
Class 1	***90,962***	76	11	0	91,049
Class 1 %	99.92	5.07	1.93	0.00	95.28
Class 2	65	***1,420***	17	0	1,502
Class 2 %	0.07	94.67	2.98	0.00	1.57
Class 3	4	3	***542***	30	579
Class 3 %	0.00	0.20	94.92	1.23	0.61

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 4	6	1	1	***2,416***	2,424
Class 4 %	0.01	0.07	0.18	98.77	2.54
NC	1	0	0	0	1
NC %	0.00	0.00	0.00	0.00	0.00
Total for 28RW					
Total traffic per SVC class	91,038	1,500	571	2,446	95,555
Total % of total traffic	95.27	1.57	0.60	2.56	100.00
AVC accuracy per Class	99.92	94.67	94.92	98.77	99.77
Adjusted AVC Accuracy	99.96	95.77	96.53	99.16	99.83
Simulated AVC Totals	3	0	0	0	3
29RW					
Class 1	***87,209***	404	5	0	87,618
Class 1 %	99.83	16.07	0.38	0.00	90.20
Class 2	127	***2,109***	417	7	2,660
Class 2 %	0.15	83.89	31.83	0.12	2.74
Class 3	14	1	***887***	241	1,143
Class 3 %	0.02	0.04	67.71	4.05	1.18
Class 4	3	0	1	***5,707***	5,711
Class 4 %	0.00	0.00	0.08	95.84	5.88
NC	3	0	0	0	3
NC %	0.00	0.00	0.00	0.00	0.00
Total for 29RW					
Total traffic per SVC class	87,356	2,514	1,310	5,955	97,135
Total % of total traffic	89.93	2.59	1.35	6.13	100.00
AVC accuracy per Class	99.83	83.89	67.71	95.84	98.74
Adjusted AVC Accuracy	99.87	84.74	68.77	96.09	98.80
Simulated AVC Totals	6	0	0	0	6

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for Gosforth East Ramps					
Total traffic per SVC class	505,635	13,149	6,144	26,825	551,753
Total % of total traffic	91.64	2.38	1.11	4.86	100.00
AVC accuracy per Class	96.45	94.30	76.19	97.25	96.21
Adjusted AVC Accuracy	96.45	94.30	76.20	97.25	96.21
Simulated AVC Totals	50	1	0	2	53
Gosforth Mainline Plaza					
13ME					
Class 1	***25,117***	17	0	0	25,134
Class 1 %	99.86	2.13	0.00	0.00	91.39
Class 2	25	***781***	7	0	813
Class 2 %	0.10	97.87	2.01	0.00	2.96
Class 3	9	0	***342***	5	356
Class 3 %	0.04	0.00	97.99	0.42	1.29
Class 4	2	0	0	***1,197***	1,199
Class 4 %	0.01	0.00	0.00	99.58	4.36
Total for 13ME					
Total traffic per SVC class	25,153	798	349	1,202	27,502
Total % of total traffic	91.46	2.90	1.27	4.37	100.00
AVC accuracy per Class	99.86	97.87	97.99	99.58	99.76
Adjusted AVC Accuracy	99.94	99.38	100.00	100.00	99.88
Simulated AVC Totals	12	0	0	0	12
14ME					
Class 1	***53,886***	50	6	1	53,943
Class 1 %	99.80	2.53	0.61	0.03	89.02
Class 2	78	***1,919***	19	0	2,016
Class 2 %	0.14	97.16	1.94	0.00	3.33
Class 3	20	6	***953***	44	1,023
Class 3 %	0.04	0.30	97.15	1.21	1.69

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 4	5	0	3	***3,599***	3,607
Class 4 %	0.01	0.00	0.31	98.77	5.95
NC	5	0	0	0	5
NC %	0.01	0.00	0.00	0.00	0.01
Total for 14ME					
Total traffic per SVC class	53,994	1,975	981	3,644	60,594
Total % of total traffic	89.11	3.26	1.62	6.01	100.00
AVC accuracy per Class	99.80	97.16	97.15	98.77	99.61
Adjusted AVC Accuracy	99.85	98.12	98.38	99.09	99.69
Simulated AVC Totals	4	1	0	0	5
15ME					
Class 1	***26,121***	16	3	0	26,140
Class 1 %	99.85	1.74	0.72	0.00	89.90
Class 2	33	***900***	6	1	940
Class 2 %	0.13	97.93	1.45	0.06	3.23
Class 3	3	3	***404***	18	428
Class 3 %	0.01	0.33	97.35	1.14	1.47
Class 4	3	0	2	***1,564***	1,569
Class 4 %	0.01	0.00	0.48	98.80	5.40
Total for 15ME					
Total traffic per SVC class	26,160	919	415	1,583	29,077
Total % of total traffic	89.97	3.16	1.43	5.44	100.00
AVC accuracy per Class	99.85	97.93	97.35	98.80	99.70
Adjusted AVC Accuracy	99.93	99.34	99.24	99.29	99.81
Simulated AVC Totals	16	0	0	0	16
16ME					
Class 1	***63,946***	77	8	0	64,031
Class 1 %	99.94	5.13	1.16	0.00	92.66

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 2	25	***1,419***	15	0	1,459
Class 2 %	0.04	94.60	2.17	0.00	2.11
Class 3	5	4	***666***	31	706
Class 3 %	0.01	0.27	96.38	1.06	1.02
Class 4	3	0	2	***2,893***	2,898
Class 4 %	0.00	0.00	0.29	98.94	4.19
NC	6	0	0	0	6
NC %	0.01	0.00	0.00	0.00	0.01
Total for 16ME					
Total traffic per SVC class	63,985	1,500	691	2,924	69,100
Total % of total traffic	92.60	2.17	1.00	4.23	100.00
AVC accuracy per Class	99.94	94.60	96.38	98.94	99.75
Adjusted AVC Accuracy	99.99	95.70	97.84	99.30	99.82
Simulated AVC Totals	7	0	0	0	7
17ME					
Class 1	***25,734***	103	23	0	25,860
Class 1 %	99.52	8.38	2.73	0.00	84.64
Class 2	89	***1,122***	93	4	1,308
Class 2 %	0.34	91.29	11.03	0.15	4.28
Class 3	13	4	***718***	26	761
Class 3 %	0.05	0.33	85.17	0.99	2.49
Class 4	22	0	9	***2,594***	2,625
Class 4 %	0.09	0.00	1.07	98.86	8.59
Total for 17ME					
Total traffic per SVC class	25,858	1,229	843	2,624	30,554
Total % of total traffic	84.63	4.02	2.76	8.59	100.00
AVC accuracy per Class	99.52	91.29	85.17	98.86	98.74
Adjusted AVC Accuracy	99.60	92.51	86.49	99.24	98.85
Simulated AVC Totals	0	0	0	0	0

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
18MW					
Class 1	***32,853***	47	10	1	32,911
Class 1 %	99.78	3.49	1.27	0.03	85.85
Class 2	60	***1,293***	22	1	1,376
Class 2 %	0.18	95.99	2.79	0.03	3.59
Class 3	8	7	***736***	6	757
Class 3 %	0.02	0.52	93.28	0.18	1.97
Class 4	3	0	21	***3,266***	3,290
Class 4 %	0.01	0.00	2.66	99.76	8.58
NC	1	0	0	0	1
NC %	0.00	0.00	0.00	0.00	0.00
Total for 18MW					
Total traffic per SVC class	32,925	1,347	789	3,274	38,335
Total % of total traffic	85.89	3.51	2.06	8.54	100.00
AVC accuracy per Class	99.78	95.99	93.28	99.76	99.51
Adjusted AVC Accuracy	99.85	97.15	94.65	100.00	99.61
Simulated AVC Totals	0	0	0	0	0
19MW					
Class 1	***66,516***	146	56	0	66,718
Class 1 %	99.82	11.87	11.11	0.00	94.50
Class 2	21	***1,081***	10	1	1,113
Class 2 %	0.03	87.89	1.98	0.04	1.58
Class 3	24	2	***437***	13	476
Class 3 %	0.04	0.16	86.71	0.58	0.67
Class 4	2	0	1	***2,219***	2,222
Class 4 %	0.00	0.00	0.20	99.37	3.15
NC	73	1	0	0	74
NC %	0.11	0.08	0.00	0.00	0.10

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 19MW					
Total traffic per SVC class	66,636	1,230	504	2,233	70,603
Total % of total traffic	94.38	1.74	0.71	3.16	100.00
AVC accuracy per Class	99.82	87.89	86.71	99.37	99.50
Adjusted AVC Accuracy	99.87	89.11	88.42	99.78	99.57
Simulated AVC Totals	3	0	0	0	3
20MW					
Class 1	***40,178***	28	2	0	40,208
Class 1 %	99.95	2.90	0.51	0.00	92.73
Class 2	16	***936***	19	0	971
Class 2 %	0.04	96.79	4.83	0.00	2.24
Class 3	1	3	***370***	24	398
Class 3 %	0.00	0.31	94.15	1.33	0.92
Class 4	5	0	2	***1,776***	1,783
Class 4 %	0.01	0.00	0.51	98.67	4.11
Total for 20MW					
Total traffic per SVC class	40,200	967	393	1,800	43,360
Total % of total traffic	92.71	2.23	0.91	4.15	100.00
AVC accuracy per Class	99.95	96.79	94.15	98.67	99.77
Adjusted AVC Accuracy	100.00	98.16	96.09	99.13	99.86
Simulated AVC Totals	8	0	0	0	8
21MW					
Class 1	***27,420***	81	7	0	27,508
Class 1 %	99.84	8.12	1.45	0.00	88.85
Class 2	42	***914***	15	0	971
Class 2 %	0.15	91.68	3.11	0.00	3.14
Class 3	1	2	***461***	6	470
Class 3 %	0.00	0.20	95.45	0.30	1.52

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC			*SVC*		
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 4	0	0	0	***2,012***	2,012
Class 4 %	0.00	0.00	0.00	99.70	6.50
Total for 21MW					
Total traffic per SVC class	27,463	997	483	2,018	30,961
Total % of total traffic	88.70	3.22	1.56	6.52	100.00
AVC accuracy per Class	99.84	91.68	95.45	99.70	99.50
Adjusted AVC Accuracy	99.91	93.03	97.20	100.00	99.61
Simulated AVC Totals	6	0	0	0	6
22MW					
Class 1	***50,219***	48	8	0	50,275
Class 1 %	99.86	3.34	1.08	0.00	90.29
Class 2	59	***1,388***	20	0	1,467
Class 2 %	0.12	96.46	2.70	0.00	2.63
Class 3	5	3	***709***	12	729
Class 3 %	0.01	0.21	95.81	0.37	1.31
Class 4	4	0	3	***3,203***	3,210
Class 4 %	0.01	0.00	0.41	99.63	5.76
NC	1	0	0	0	1
NC %	0.00	0.00	0.00	0.00	0.00
Total for 22MW					
Total traffic per SVC class	50,288	1,439	740	3,215	55,682
Total % of total traffic	90.31	2.58	1.33	5.77	100.00
AVC accuracy per Class	99.86	96.46	95.81	99.63	99.71
Adjusted AVC Accuracy	99.92	97.59	97.22	99.97	99.79
Simulated AVC Totals	2	0	0	0	2
23MW					
Class 1	***35,856***	24	1	0	35,881
Class 1 %	99.92	1.83	0.15	0.00	88.06

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 2	24	***1,288***	32	0	1,344
Class 2 %	0.07	98.10	4.65	0.00	3.30
Class 3	1	1	***652***	23	677
Class 3 %	0.00	0.08	94.77	0.80	1.66
Class 4	3	0	3	***2,836***	2,842
Class 4 %	0.01	0.00	0.44	99.20	6.98
Total for 23MW					
Total traffic per SVC class	35,884	1,313	688	2,859	40,744
Total % of total traffic	88.07	3.22	1.69	7.02	100.00
AVC accuracy per Class	99.92	98.10	94.77	99.20	99.73
Adjusted AVC Accuracy	99.99	99.28	96.23	99.56	99.83
Simulated AVC Totals	2	0	0	0	2
Total for Gosforth Mainline Plaza					
Total traffic per SVC class	448,546	13,714	6,876	27,376	496,512
Total % of total traffic	90.34	2.76	1.38	5.51	100.00
AVC accuracy per Class	99.84	95.09	93.78	99.21	99.59
Adjusted AVC Accuracy	99.84	95.09	93.78	99.21	99.59
Simulated AVC Totals	60	1	0	0	61
Gosforth West Ramps					
71RW					
Class 1	***15,407***	11	1	0	15,419
Class 1 %	99.97	5.91	1.85	0.00	96.99
Class 2	4	***175***	1	0	180
Class 2 %	0.03	94.09	1.85	0.00	1.13
Class 3	0	0	***52***	2	54
Class 3 %	0.00	0.00	96.30	0.81	0.34
Class 4	0	0	0	***245***	245
Class 4 %	0.00	0.00	0.00	99.19	1.54

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 71RW					
Total traffic per SVC class	15,411	186	54	247	15,898
Total % of total traffic	96.94	1.17	0.34	1.55	100.00
AVC accuracy per Class	99.97	94.09	96.30	99.19	99.88
Adjusted AVC Accuracy	100.00	97.22	100.00	100.00	100.00
Simulated AVC Totals	0	0	0	0	0
73RW					
Class 1	***22,440***	103	2	0	22,545
Class 1 %	99.27	22.15	0.80	0.00	92.12
Class 2	111	***362***	69	4	546
Class 2 %	0.49	77.85	27.49	0.35	2.23
Class 3	42	0	***180***	64	286
Class 3 %	0.19	0.00	71.71	5.55	1.17
Class 4	2	0	0	***1,084***	1,086
Class 4 %	0.01	0.00	0.00	94.02	4.44
NC	9	0	0	1	10
NC %	0.04	0.00	0.00	0.09	0.04
Total for 73RW					
Total traffic per SVC class	22,604	465	251	1,153	24,473
Total % of total traffic	92.36	1.90	1.03	4.71	100.00
AVC accuracy per Class	99.27	77.85	71.71	94.02	98.34
Adjusted AVC Accuracy	99.35	79.83	74.13	94.59	98.46
Simulated AVC Totals	5	0	0	0	5
74RW					
Class 1	***25,963***	34	3	0	26,000
Class 1 %	99.94	5.36	0.83	0.00	90.14
Class 2	10	***600***	10	0	620
Class 2 %	0.04	94.64	2.78	0.00	2.15

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 3	2	0	***347***	15	364
Class 3 %	0.01	0.00	96.39	0.80	1.26
Class 4	2	0	0	***1,857***	1,859
Class 4 %	0.01	0.00	0.00	99.20	6.45
NC	1	0	0	0	1
NC %	0.00	0.00	0.00	0.00	0.00
Total for 74RW					
Total traffic per SVC class	25,978	634	360	1,872	28,844
Total % of total traffic	90.06	2.20	1.25	6.49	100.00
AVC accuracy per Class	99.94	94.64	96.39	99.20	99.73
Adjusted AVC Accuracy	100.00	96.34	98.41	99.65	99.84
Simulated AVC Totals	4	0	0	0	4
82RE					
Class 1	***16,496***	8	2	0	16,506
Class 1 %	99.75	2.73	0.94	0.00	89.39
Class 2	29	***285***	8	0	322
Class 2 %	0.18	97.27	3.76	0.00	1.74
Class 3	11	0	***203***	30	244
Class 3 %	0.07	0.00	95.31	2.11	1.32
Class 4	1	0	0	***1,392***	1,393
Class 4 %	0.01	0.00	0.00	97.89	7.54
Total for 82RE					
Total traffic per SVC class	16,537	293	213	1,422	18,465
Total % of total traffic	89.56	1.59	1.15	7.70	100.00
AVC accuracy per Class	99.75	97.27	95.31	97.89	99.52
Adjusted AVC Accuracy	99.85	99.77	97.94	98.41	99.66
Simulated AVC Totals	0	0	0	0	0
83RE					

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 1	***25,232***	25	1	0	25,258
Class 1 %	99.75	4.58	0.31	0.00	88.04
Class 2	13	***520***	13	0	546
Class 2 %	0.05	95.24	4.06	0.00	1.90
Class 3	11	0	***301***	54	366
Class 3 %	0.04	0.00	94.06	2.14	1.28
Class 4	3	0	3	***2,436***	2,442
Class 4 %	0.01	0.00	0.94	96.40	8.51
NC	37	1	2	37	77
NC %	0.15	0.18	0.63	1.46	0.27
Total for 83RE					
Total traffic per SVC class	25,296	546	320	2,527	28,689
Total % of total traffic	88.17	1.90	1.12	8.81	100.00
AVC accuracy per Class	99.75	95.24	94.06	96.40	99.30
Adjusted AVC Accuracy	99.83	97.07	96.21	96.79	99.42
Simulated AVC Totals	1	0	0	0	1
Total for Gosforth West Ramps					
Total traffic per SVC class	105,826	2,124	1,198	7,221	116,369
Total % of total traffic	90.94	1.83	1.03	6.21	100.00
AVC accuracy per Class	99.73	91.43	90.40	97.13	99.32
Adjusted AVC Accuracy	99.73	91.44	90.41	97.13	99.32
Simulated AVC Totals	10	0	0	0	10
Grand Total:					
Total traffic per SVC class	1,060,007	28,987	14,218	61,422	1,164,634
Total % of total traffic	91.02	2.49	1.22	5.27	100.00
AVC accuracy per Class	98.21	94.47	85.89	98.11	97.96
Adjusted AVC Accuracy	98.21	94.47	85.89	98.11	97.96
Simulated AVC Totals	30	1	0	1	124

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC			*SVC*		
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
- Axle	0	0	1885	1123	3,008
- Axle %	0.00	0.00	0.16	0.10	0.26
+Axle	0	62	119	0	181
+Axle %	0.00	0.01	0.01	0.00	0.02
- Mass	0	1540	405	21	1,966
- Mass %	0.00	0.13	0.03	0.00	0.17
+Mass	18805	0	0	0	18,805
+Mass %	1.61	0.00	0.00	0.00	1.61
Total AVC Error	18805	1602	2409	1144	23,960
Total AVC Error %	1.61	0.14	0.21	0.10	2.06

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals