CTROM AVC Accuracy Details Report

Plaza(s) (Gosforth East Ramps, Gosforth Mainline Plaza, Gosforth West Ramps); Date/Hour (01/05/2026 0 - 31/05/2026 23) ,SVC

Data for the selected period is consistent

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Gosforth East Ramps					
08RE					
Class 1	***55,833***	159	69	0	56,061
Class 1 %	99.90	7.80	6.52	0.00	87.37
Class 2	30	***1,867***	122	674	2,693
Class 2 %	0.05	91.61	11.53	13.01	4.20
Class 3	4	12	***863***	203	1,082
Class 3 %	0.01	0.59	81.57	3.92	1.69
Class 4	18	0	4	***4,304***	4,326
Class 4 %	0.03	0.00	0.38	83.06	6.74
NC	3	0	0	1	4
NC %	0.01	0.00	0.00	0.02	0.01
Total for 08RE					
Total traffic per SVC class	55,888	2,038	1,058	5,182	64,166
Total % of total traffic	87.10	3.18	1.65	8.08	100.00
AVC accuracy per Class	99.90	91.61	81.57	83.06	97.98
Adjusted AVC Accuracy	99.95	92.56	82.75	83.33	98.06
Simulated AVC Totals	23	0	0	1	24
09RE					
Class 1	***79,205***	1,447	569	0	81,221
Class 1 %	100.00	100.00	99.82	0.00	96.56
Class 4	2	0	1	***2,894***	2,897
Class 4 %	0.00	0.00	0.18	100.00	3.44

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 09RE					
Total traffic per SVC class	79,207	1,447	570	2,894	84,118
Total % of total traffic	94.16	1.72	0.68	3.44	100.00
AVC accuracy per Class	100.00	0	0	100.00	97.60
Adjusted AVC Accuracy	100.00	1.12	1.61	100.00	97.67
Simulated AVC Totals	60	0	0	0	60
10RE					
Class 1	***76,794***	74	2	0	76,870
Class 1 %	99.85	7.09	0.56	0.00	96.30
Class 2	99	***968***	5	0	1,072
Class 2 %	0.13	92.72	1.39	0.00	1.34
Class 3	11	2	***351***	11	375
Class 3 %	0.01	0.19	97.77	0.73	0.47
Class 4	8	0	1	***1,497***	1,506
Class 4 %	0.01	0.00	0.28	99.27	1.89
NC	1	0	0	0	1
NC %	0.00	0.00	0.00	0.00	0.00
Total for 10RE					
Total traffic per SVC class	76,913	1,044	359	1,508	79,824
Total % of total traffic	96.35	1.31	0.45	1.89	100.00
AVC accuracy per Class	99.85	92.72	97.77	99.27	99.73
Adjusted AVC Accuracy	99.89	94.04	99.80	99.77	99.80
Simulated AVC Totals	5	0	0	0	5
11RE					
Class 1	***29,882***	30	15	0	29,927
Class 1 %	99.17	2.53	1.99	0.00	84.27
Class 2	222	***1,153***	15	3	1,393
Class 2 %	0.74	97.05	1.99	0.09	3.92
Class 3	13	3	***690***	5	711
Class 3 %	0.04	0.25	91.76	0.15	2.00

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 4	14	2	32	***3,434***	3,482
Class 4 %	0.05	0.17	4.26	99.77	9.80
Total for 11RE					
Total traffic per SVC class	30,131	1,188	752	3,442	35,513
Total % of total traffic	84.84	3.35	2.12	9.69	100.00
AVC accuracy per Class	99.17	97.05	91.76	99.77	99.00
Adjusted AVC Accuracy	99.24	98.29	93.16	100.00	99.10
Simulated AVC Totals	0	0	0	0	0
12RE					
Class 1	***35,605***	34	25	0	35,664
Class 1 %	99.74	4.16	5.23	0.00	92.60
Class 2	68	***777***	16	0	861
Class 2 %	0.19	94.99	3.35	0.00	2.24
Class 3	12	5	***382***	2	401
Class 3 %	0.03	0.61	79.92	0.13	1.04
Class 4	12	2	55	***1,520***	1,589
Class 4 %	0.03	0.24	11.51	99.87	4.13
Total for 12RE					
Total traffic per SVC class	35,697	818	478	1,522	38,515
Total % of total traffic	92.68	2.12	1.24	3.95	100.00
AVC accuracy per Class	99.74	94.99	79.92	99.87	99.40
Adjusted AVC Accuracy	99.81	96.48	81.68	100.00	99.50
Simulated AVC Totals	0	0	0	0	0
25RW					
Class 1	***15,074***	11	6	0	15,091
Class 1 %	99.67	2.72	2.59	0.00	90.73
Class 2	45	***393***	9	0	447
Class 2 %	0.30	97.04	3.88	0.00	2.69
Class 3	5	0	***216***	3	224
Class 3 %	0.03	0.00	93.10	0.34	1.35

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 4	0	1	1	***868***	870
Class 4 %	0.00	0.25	0.43	99.66	5.23
Total for 25RW					
Total traffic per SVC class	15,124	405	232	871	16,632
Total % of total traffic	90.93	2.44	1.39	5.24	100.00
AVC accuracy per Class	99.67	97.04	93.10	99.66	99.51
Adjusted AVC Accuracy	99.77	99.16	95.62	100.00	99.66
Simulated AVC Totals	0	0	0	0	0
26RW					
Class 1	***33,543***	26	7	4	33,580
Class 1 %	99.84	2.21	1.00	0.13	87.11
Class 2	49	***1,146***	23	0	1,218
Class 2 %	0.15	97.37	3.28	0.00	3.16
Class 3	4	5	***655***	8	672
Class 3 %	0.01	0.42	93.44	0.26	1.74
Class 4	2	0	16	***3,061***	3,079
Class 4 %	0.01	0.00	2.28	99.61	7.99
Total for 26RW					
Total traffic per SVC class	33,598	1,177	701	3,073	38,549
Total % of total traffic	87.16	3.05	1.82	7.97	100.00
AVC accuracy per Class	99.84	97.37	93.44	99.61	99.63
Adjusted AVC Accuracy	99.91	98.62	94.89	99.96	99.73
Simulated AVC Totals	0	0	0	0	0
27RW					
Class 1	***55,647***	30	3	0	55,680
Class 1 %	99.45	4.39	1.20	0.00	95.99
Class 2	301	***653***	6	0	960
Class 2 %	0.54	95.47	2.40	0.00	1.66
Class 3	4	1	***238***	3	246
Class 3 %	0.01	0.15	95.20	0.27	0.42

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 4	1	0	3	***1,111***	1,115
Class 4 %	0.00	0.00	1.20	99.73	1.92
NC	4	0	0	0	4
NC %	0.01	0.00	0.00	0.00	0.01
Total for 27RW					
Total traffic per SVC class	55,957	684	250	1,114	58,005
Total % of total traffic	96.47	1.18	0.43	1.92	100.00
AVC accuracy per Class	99.45	95.47	95.20	99.73	99.39
Adjusted AVC Accuracy	99.50	97.10	97.63	100.00	99.47
Simulated AVC Totals	4	0	0	0	4
28RW					
Class 1	***80,801***	77	8	0	80,886
Class 1 %	99.96	5.47	1.44	0.00	94.45
Class 2	31	***1,327***	9	0	1,367
Class 2 %	0.04	94.31	1.62	0.00	1.60
Class 3	2	3	***535***	20	560
Class 3 %	0.00	0.21	96.40	0.70	0.65
Class 4	1	0	3	***2,818***	2,822
Class 4 %	0.00	0.00	0.54	99.30	3.30
Total for 28RW					
Total traffic per SVC class	80,835	1,407	555	2,838	85,635
Total % of total traffic	94.39	1.64	0.65	3.31	100.00
AVC accuracy per Class	99.96	94.31	96.40	99.30	99.82
Adjusted AVC Accuracy	100.00	95.45	98.03	99.67	99.89
Simulated AVC Totals	2	0	0	0	2
29RW					
Class 1	***48,733***	78	5	0	48,816
Class 1 %	99.94	4.76	0.57	0.00	88.45
Class 2	24	***1,556***	13	1	1,594
Class 2 %	0.05	95.05	1.48	0.03	2.89

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 3	4	3	***858***	28	893
Class 3 %	0.01	0.18	97.95	0.72	1.62
Class 4	2	0	0	***3,884***	3,886
Class 4 %	0.00	0.00	0.00	99.26	7.04
Total for 29RW					
Total traffic per SVC class	48,763	1,637	876	3,913	55,189
Total % of total traffic	88.36	2.97	1.59	7.09	100.00
AVC accuracy per Class	99.94	95.05	97.95	99.26	99.71
Adjusted AVC Accuracy	100.00	96.11	99.25	99.57	99.79
Simulated AVC Totals	2	0	0	0	2
Total for Gosforth East Ramps					
Total traffic per SVC class	512,113	11,845	5,831	26,357	556,146
Total % of total traffic	92.08	2.13	1.05	4.74	100.00
AVC accuracy per Class	99.81	83.07	82.11	96.33	99.10
Adjusted AVC Accuracy	99.81	83.07	82.12	96.33	99.10
Simulated AVC Totals	96	0	0	1	97
Gosforth Mainline Plaza					
13ME					
Class 1	***8,638***	13	0	0	8,651
Class 1 %	99.86	4.25	0.00	0.00	90.57
Class 2	12	***293***	6	0	311
Class 2 %	0.14	95.75	4.29	0.00	3.26
Class 3	0	0	***134***	0	134
Class 3 %	0.00	0.00	95.71	0.00	1.40
Class 4	0	0	0	***456***	456
Class 4 %	0.00	0.00	0.00	100.00	4.77
Total for 13ME					
Total traffic per SVC class	8,650	306	140	456	9,552
Total % of total traffic	90.56	3.20	1.47	4.77	100.00
AVC accuracy per Class	99.86	95.75	95.71	100.00	99.68
Adjusted AVC Accuracy	99.99	98.19	98.96	100.00	99.88
Simulated AVC Totals	17	0	0	0	17

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
14ME					
Class 1	***32,816***	532	284	368	34,000
Class 1 %	99.90	45.90	40.00	13.41	90.76
Class 2	23	***622***	14	0	659
Class 2 %	0.07	53.67	1.97	0.00	1.76
Class 3	5	4	***408***	9	426
Class 3 %	0.02	0.35	57.46	0.33	1.14
Class 4	4	1	4	***2,368***	2,377
Class 4 %	0.01	0.09	0.56	86.27	6.35
Total for 14ME					
Total traffic per SVC class	32,848	1,159	710	2,745	37,462
Total % of total traffic	87.68	3.09	1.90	7.33	100.00
AVC accuracy per Class	99.90	53.67	57.46	86.27	96.67
Adjusted AVC Accuracy	99.97	54.92	58.90	86.64	96.77
Simulated AVC Totals	6	0	0	0	6
15ME					
Class 1	***49,198***	1,015	522	1	50,736
Class 1 %	99.96	70.19	68.87	0.03	93.18
Class 2	11	***430***	4	0	445
Class 2 %	0.02	29.74	0.53	0.00	0.82
Class 3	1	1	***227***	7	236
Class 3 %	0.00	0.07	29.95	0.23	0.43
Class 4	6	0	5	***3,020***	3,031
Class 4 %	0.01	0.00	0.66	99.74	5.57
NC	2	0	0	0	2
NC %	0.00	0.00	0.00	0.00	0.00

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 15ME					
Total traffic per SVC class	49,218	1,446	758	3,028	54,450
Total % of total traffic	90.39	2.66	1.39	5.56	100.00
AVC accuracy per Class	99.96	29.74	29.95	99.74	97.11
Adjusted AVC Accuracy	100.00	30.86	31.35	100.00	97.19
Simulated AVC Totals	22	0	0	0	22
16ME					
Class 1	***51,473***	57	3	1	51,534
Class 1 %	99.90	4.83	0.71	0.06	94.10
Class 2	31	***1,118***	15	0	1,164
Class 2 %	0.06	94.67	3.55	0.00	2.13
Class 3	6	5	***403***	17	431
Class 3 %	0.01	0.42	95.50	1.04	0.79
Class 4	8	1	1	***1,621***	1,631
Class 4 %	0.02	0.08	0.24	98.90	2.98
NC	5	0	0	0	5
NC %	0.01	0.00	0.00	0.00	0.01
Total for 16ME					
Total traffic per SVC class	51,523	1,181	422	1,639	54,765
Total % of total traffic	94.08	2.16	0.77	2.99	100.00
AVC accuracy per Class	99.90	94.67	95.50	98.90	99.73
Adjusted AVC Accuracy	99.95	95.91	97.37	99.38	99.81
Simulated AVC Totals	0	0	0	0	0
17ME					
Class 1	***32,449***	92	30	2	32,573
Class 1 %	99.65	5.44	3.45	0.07	85.37
Class 2	89	***1,597***	68	2	1,756
Class 2 %	0.27	94.39	7.83	0.07	4.60
Class 3	14	2	***761***	14	791
Class 3 %	0.04	0.12	87.57	0.46	2.07

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 4	11	1	10	***3,014***	3,036
Class 4 %	0.03	0.06	1.15	99.41	7.96
Total for 17ME					
Total traffic per SVC class	32,563	1,692	869	3,032	38,156
Total % of total traffic	85.34	4.43	2.28	7.95	100.00
AVC accuracy per Class	99.65	94.39	87.57	99.41	99.12
Adjusted AVC Accuracy	99.72	95.43	88.87	99.76	99.22
Simulated AVC Totals	0	0	0	0	0
18MW					
Class 1	***35,270***	38	20	1	35,329
Class 1 %	99.82	2.60	2.56	0.03	86.85
Class 2	50	***1,420***	17	0	1,487
Class 2 %	0.14	97.19	2.18	0.00	3.66
Class 3	8	3	***719***	6	736
Class 3 %	0.02	0.21	92.18	0.19	1.81
Class 4	5	0	24	***3,098***	3,127
Class 4 %	0.01	0.00	3.08	99.77	7.69
Total for 18MW					
Total traffic per SVC class	35,333	1,461	780	3,105	40,679
Total % of total traffic	86.86	3.59	1.92	7.63	100.00
AVC accuracy per Class	99.82	97.19	92.18	99.77	99.58
Adjusted AVC Accuracy	99.89	98.31	93.56	100.00	99.68
Simulated AVC Totals	0	0	0	0	0
19MW					
Class 1	***67,830***	203	66	0	68,099
Class 1 %	99.87	18.32	16.46	0.00	95.64
Class 2	34	***905***	15	0	954
Class 2 %	0.05	81.68	3.74	0.00	1.34
Class 3	52	0	***317***	11	380
Class 3 %	0.08	0.00	79.05	0.62	0.53

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC		SVC			
	Class 1	Class 2	Class 3	Class 4	Total
Class 4	2	0	3	***1,766***	1,771
Class 4 %	0.00	0.00	0.75	99.38	2.49
Total for 19MW					
Total traffic per SVC class	67,918	1,108	401	1,777	71,204
Total % of total traffic	95.39	1.56	0.56	2.50	100.00
AVC accuracy per Class	99.87	81.68	79.05	99.38	99.46
Adjusted AVC Accuracy	99.92	82.96	80.97	99.84	99.53
Simulated AVC Totals	1	0	0	0	1
20MW					
Class 1	***55,446***	83	6	0	55,535
Class 1 %	99.95	5.84	0.92	0.00	91.79
Class 2	17	***1,334***	69	0	1,420
Class 2 %	0.03	93.81	10.57	0.00	2.35
Class 3	3	5	***576***	79	663
Class 3 %	0.01	0.35	88.21	2.67	1.10
Class 4	6	0	2	***2,874***	2,882
Class 4 %	0.01	0.00	0.31	97.29	4.76
NC	4	0	0	1	5
NC %	0.01	0.00	0.00	0.03	0.01
Total for 20MW					
Total traffic per SVC class	55,476	1,422	653	2,954	60,505
Total % of total traffic	91.69	2.35	1.08	4.88	100.00
AVC accuracy per Class	99.95	93.81	88.21	97.29	99.55
Adjusted AVC Accuracy	100.00	94.94	89.71	97.65	99.63
Simulated AVC Totals	2	0	1	0	3
21MW					
Class 1	***40,044***	96	8	0	40,148
Class 1 %	99.89	7.47	1.19	0.00	89.13
Class 2	32	***1,186***	30	0	1,248
Class 2 %	0.08	92.22	4.47	0.00	2.77

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 3	5	4	***630***	28	667
Class 3 %	0.01	0.31	93.89	0.93	1.48
Class 4	9	0	3	***2,971***	2,983
Class 4 %	0.02	0.00	0.45	99.07	6.62
Total for 21MW					
Total traffic per SVC class	40,090	1,286	671	2,999	45,046
Total % of total traffic	89.00	2.85	1.49	6.66	100.00
AVC accuracy per Class	99.89	92.22	93.89	99.07	99.52
Adjusted AVC Accuracy	99.95	93.41	95.37	99.43	99.61
Simulated AVC Totals	31	0	0	0	31
22MW					
Class 1	***20,710***	57	7	0	20,774
Class 1 %	99.87	6.81	1.49	0.00	86.26
Class 2	24	***779***	15	1	819
Class 2 %	0.12	93.07	3.20	0.05	3.40
Class 3	2	1	***445***	20	468
Class 3 %	0.01	0.12	94.88	0.98	1.94
Class 4	1	0	2	***2,018***	2,021
Class 4 %	0.00	0.00	0.43	98.97	8.39
Total for 22MW					
Total traffic per SVC class	20,737	837	469	2,039	24,082
Total % of total traffic	86.11	3.48	1.95	8.47	100.00
AVC accuracy per Class	99.87	93.07	94.88	98.97	99.46
Adjusted AVC Accuracy	99.96	94.55	96.65	99.40	99.59
Simulated AVC Totals	2	0	0	0	2
23MW					
Class 1	***8,296***	25	1	0	8,322
Class 1 %	100.00	9.96	0.73	0.00	89.97
Class 2	0	***225***	1	1	227
Class 2 %	0.00	89.64	0.73	0.18	2.45

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 3	0	1	***134***	4	139
Class 3 %	0.00	0.40	97.81	0.71	1.50
Class 4	0	0	1	***561***	562
Class 4 %	0.00	0.00	0.73	99.12	6.08
Total for 23MW					
Total traffic per SVC class	8,296	251	137	566	9,250
Total % of total traffic	89.69	2.71	1.48	6.12	100.00
AVC accuracy per Class	100.00	89.64	97.81	99.12	99.63
Adjusted AVC Accuracy	100.00	92.34	100.00	99.94	99.83
Simulated AVC Totals	5	0	0	0	5
Total for Gosforth Mainline Plaza					
Total traffic per SVC class	402,652	12,149	6,010	24,340	445,151
Total % of total traffic	90.45	2.73	1.35	5.47	100.00
AVC accuracy per Class	99.88	81.56	79.10	97.65	98.98
Adjusted AVC Accuracy	99.88	81.56	79.11	97.65	98.98
Simulated AVC Totals	86	0	1	0	87
Gosforth West Ramps					
71RW					
Class 1	***14,057***	12	2	0	14,071
Class 1 %	99.92	7.41	3.23	0.00	96.56
Class 2	8	***149***	1	0	158
Class 2 %	0.06	91.98	1.61	0.00	1.08
Class 3	2	1	***59***	5	67
Class 3 %	0.01	0.62	95.16	1.78	0.46
Class 4	1	0	0	***276***	277
Class 4 %	0.01	0.00	0.00	98.22	1.90
Total for 71RW					
Total traffic per SVC class	14,068	162	62	281	14,573
Total % of total traffic	96.53	1.11	0.43	1.93	100.00
AVC accuracy per Class	99.92	91.98	95.16	98.22	99.78
Adjusted AVC Accuracy	100.00	95.34	100.00	99.38	99.94
Simulated AVC Totals	0	0	0	0	0

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
72RW					
Class 1	***1***	0	0	0	1
Class 1 %	100.00	0.00	0.00	0.00	100.00
Total for 72RW					
Total traffic per SVC class	1	0	0	0	1
Total % of total traffic	100.00	0.00	0.00	0.00	100.00
AVC accuracy per Class	100.00	0.00	0.00	0.00	100.00
Adjusted AVC Accuracy	100.00	0.00	0.00	0.00	100.00
Simulated AVC Totals	0	0	0	0	0
73RW					
Class 1	***20,441***	20	4	0	20,465
Class 1 %	99.70	5.85	2.13	0.00	93.13
Class 2	22	***321***	4	1	348
Class 2 %	0.11	93.86	2.13	0.11	1.58
Class 3	1	1	***180***	10	192
Class 3 %	0.00	0.29	95.74	1.06	0.87
Class 4	0	0	0	***931***	931
Class 4 %	0.00	0.00	0.00	98.83	4.24
NC	39	0	0	0	39
NC %	0.19	0.00	0.00	0.00	0.18
Total for 73RW					
Total traffic per SVC class	20,503	342	188	942	21,975
Total % of total traffic	93.30	1.56	0.86	4.29	100.00
AVC accuracy per Class	99.70	93.86	95.74	98.83	99.54
Adjusted AVC Accuracy	99.79	96.17	98.54	99.47	99.67
Simulated AVC Totals	2	0	0	0	2
74RW					
Class 1	***20,791***	41	2	0	20,834
Class 1 %	99.92	8.09	0.62	0.00	90.30
Class 2	11	***464***	20	1	496
Class 2 %	0.05	91.52	6.15	0.07	2.15

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 3	2	2	***301***	14	319
Class 3 %	0.01	0.39	92.62	0.98	1.38
Class 4	1	0	2	***1,416***	1,419
Class 4 %	0.00	0.00	0.62	98.95	6.15
NC	3	0	0	0	3
NC %	0.01	0.00	0.00	0.00	0.01
Total for 74RW					
Total traffic per SVC class	20,808	507	325	1,431	23,071
Total % of total traffic	90.19	2.20	1.41	6.20	100.00
AVC accuracy per Class	99.92	91.52	92.62	98.95	99.57
Adjusted AVC Accuracy	100.00	93.42	94.75	99.47	99.70
Simulated AVC Totals	7	0	0	0	7
81RE					
Class 1	***10***	0	0	0	10
Class 1 %	100.00	0.00	0.00	0.00	90.91
Class 4	0	0	0	***1***	1
Class 4 %	0.00	0.00	0.00	100.00	9.09
Total for 81RE					
Total traffic per SVC class	10	0	0	1	11
Total % of total traffic	90.91	0.00	0.00	9.09	100.00
AVC accuracy per Class	100.00	0.00	0.00	100.00	100.00
Adjusted AVC Accuracy	100.00	0.00	0.00	100.00	100.00
Simulated AVC Totals	0	0	0	0	0
82RE					
Class 1	***11,778***	17	0	0	11,795
Class 1 %	99.86	8.67	0.00	0.00	89.94
Class 2	9	***179***	3	0	191
Class 2 %	0.08	91.33	2.07	0.00	1.46
Class 3	7	0	***142***	24	173
Class 3 %	0.06	0.00	97.93	2.45	1.32

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 4	1	0	0	***955***	956
Class 4 %	0.01	0.00	0.00	97.55	7.29
Total for 82RE					
Total traffic per SVC class	11,795	196	145	979	13,115
Total % of total traffic	89.94	1.49	1.11	7.46	100.00
AVC accuracy per Class	99.86	91.33	97.93	97.55	99.53
Adjusted AVC Accuracy	99.97	94.38	100.00	98.17	99.70
Simulated AVC Totals	3	0	0	0	3
83RE					
Class 1	***22,402***	37	4	0	22,443
Class 1 %	99.53	8.31	1.11	0.00	88.50
Class 2	39	***407***	9	10	465
Class 2 %	0.17	91.46	2.50	0.49	1.83
Class 3	21	0	***347***	69	437
Class 3 %	0.09	0.00	96.39	3.37	1.72
Class 4	3	0	0	***1,940***	1,943
Class 4 %	0.01	0.00	0.00	94.77	7.66
NC	43	1	0	28	72
NC %	0.19	0.22	0.00	1.37	0.28
Total for 83RE					
Total traffic per SVC class	22,508	445	360	2,047	25,360
Total % of total traffic	88.75	1.75	1.42	8.07	100.00
AVC accuracy per Class	99.53	91.46	96.39	94.77	98.96
Adjusted AVC Accuracy	99.61	93.48	98.41	95.20	99.08
Simulated AVC Totals	0	0	0	0	0
Total for Gosforth West Ramps					
Total traffic per SVC class	89,693	1,652	1,080	5,681	98,106
Total % of total traffic	91.42	1.68	1.10	5.79	100.00
AVC accuracy per Class	99.76	92.01	95.28	97.15	99.43
Adjusted AVC Accuracy	99.76	92.02	95.29	97.15	99.43
Simulated AVC Totals	12	0	0	0	12

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC			*SVC*		
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Grand Total:					
Total traffic per SVC class	1,004,458	25,646	12,921	56,378	1,099,403
Total % of total traffic	91.36	2.33	1.18	5.13	100.00
AVC accuracy per Class	99.83	82.93	81.81	96.98	99.08
Adjusted AVC Accuracy	99.83	82.93	81.81	96.98	99.08
Simulated AVC Totals	23	0	60	1	196

	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
- Axle	0	0	2177	1671	3,848
- Axle %	0.00	0.00	0.20	0.15	0.35
+Axle	0	72	173	0	245
+Axle %	0.00	0.01	0.02	0.00	0.02
- Mass	0	4304	1668	377	6,349
- Mass %	0.00	0.39	0.15	0.03	0.58
+Mass	1587	0	0	0	1,587
+Mass %	0.14	0.00	0.00	0.00	0.14
Total AVC Error	1587	4376	4018	2048	12,029
Total AVC Error %	0.14	0.40	0.37	0.19	1.09

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals