CTROM AVC Accuracy Details Report

Plaza(s) (Leandra, Leandra Remote Ramps); Date/Hour (01/04/2026 0 - 30/04/2026 23) ,SVC

Data for the selected period is consistent

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Leandra					
01ME					
Class 1	***23,298***	169	48	40	23,555
Class 1 %	99.26	7.75	3.55	0.35	61.26
Class 2	80	***1,992***	25	7	2,104
Class 2 %	0.34	91.38	1.85	0.06	5.47
Class 3	57	15	***1,250***	121	1,443
Class 3 %	0.24	0.69	92.32	1.06	3.75
Class 4	31	4	31	***11,275***	11,341
Class 4 %	0.13	0.18	2.29	98.50	29.49
NC	5	0	0	4	9
NC %	0.02	0.00	0.00	0.03	0.02
Total for 01ME					
Total traffic per SVC class	23,471	2,180	1,354	11,447	38,452
Total % of total traffic	61.04	5.67	3.52	29.77	100.00
AVC accuracy per Class	99.26	91.38	92.32	98.50	98.34
Adjusted AVC Accuracy	99.34	92.29	93.36	98.68	98.44
Simulated AVC Totals	29	0	0	1	30
02ME					
Class 1	***10,651***	44	10	12	10,717
Class 1 %	99.36	5.90	2.28	0.72	79.02
Class 2	41	***676***	20	1	738
Class 2 %	0.38	90.62	4.57	0.06	5.44

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 3	12	22	***254***	8	296
Class 3 %	0.11	2.95	57.99	0.48	2.18
Class 4	16	4	154	***1,637***	1,811
Class 4 %	0.15	0.54	35.16	98.73	13.35
Total for 02ME					
Total traffic per SVC class	10,720	746	438	1,658	13,562
Total % of total traffic	79.04	5.50	3.23	12.23	100.00
AVC accuracy per Class	99.36	90.62	57.99	98.73	97.46
Adjusted AVC Accuracy	99.48	92.18	59.83	99.21	97.63
Simulated AVC Totals	0	0	0	0	0
03ME					
Class 1	***35,374***	75	11	2	35,462
Class 1 %	99.79	7.40	3.34	0.12	92.20
Class 2	37	***926***	4	0	967
Class 2 %	0.10	91.41	1.22	0.00	2.51
Class 3	11	12	***310***	15	348
Class 3 %	0.03	1.18	94.22	0.90	0.90
Class 4	25	0	4	***1,654***	1,683
Class 4 %	0.07	0.00	1.22	98.98	4.38
Total for 03ME					
Total traffic per SVC class	35,447	1,013	329	1,671	38,460
Total % of total traffic	92.17	2.63	0.86	4.34	100.00
AVC accuracy per Class	99.79	91.41	94.22	98.98	99.49
Adjusted AVC Accuracy	99.86	92.75	96.34	99.46	99.59
Simulated AVC Totals	4	0	0	0	4
04ME					
Class 1	***28,924***	24	3	1	28,952
Class 1 %	99.74	4.47	2.38	0.20	95.96
Class 2	45	***510***	2	3	560
Class 2 %	0.16	94.97	1.59	0.59	1.86

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 3	6	3	***119***	1	129
Class 3 %	0.02	0.56	94.44	0.20	0.43
Class 4	20	0	2	***504***	526
Class 4 %	0.07	0.00	1.59	99.02	1.74
NC	4	0	0	0	4
NC %	0.01	0.00	0.00	0.00	0.01
Total for 04ME					
Total traffic per SVC class	28,999	537	126	509	30,171
Total % of total traffic	96.12	1.78	0.42	1.69	100.00
AVC accuracy per Class	99.74	94.97	94.44	99.02	99.62
Adjusted AVC Accuracy	99.81	96.81	97.86	99.88	99.73
Simulated AVC Totals	3	0	0	0	3
05MW					
Class 1	***47,185***	28	5	3	47,221
Class 1 %	99.61	2.67	2.17	0.24	94.59
Class 2	111	***1,013***	8	0	1,132
Class 2 %	0.23	96.57	3.48	0.00	2.27
Class 3	31	7	***210***	8	256
Class 3 %	0.07	0.67	91.30	0.63	0.51
Class 4	30	1	7	***1,261***	1,299
Class 4 %	0.06	0.10	3.04	99.14	2.60
NC	14	0	0	0	14
NC %	0.03	0.00	0.00	0.00	0.03
Total for 05MW					
Total traffic per SVC class	47,371	1,049	230	1,272	49,922
Total % of total traffic	94.89	2.10	0.46	2.55	100.00
AVC accuracy per Class	99.61	96.57	91.30	99.14	99.49
Adjusted AVC Accuracy	99.67	97.89	93.83	99.69	99.58
Simulated AVC Totals	10	0	0	0	10
06MW					

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 1	***22,433***	182	191	97	22,903
Class 1 %	93.91	17.74	32.21	3.85	81.71
Class 2	1,220	***815***	38	8	2,081
Class 2 %	5.11	79.43	6.41	0.32	7.42
Class 3	112	18	***292***	13	435
Class 3 %	0.47	1.75	49.24	0.52	1.55
Class 4	107	10	71	***2,404***	2,592
Class 4 %	0.45	0.97	11.97	95.32	9.25
NC	15	1	1	0	17
NC %	0.06	0.10	0.17	0.00	0.06
Total for 06MW					
Total traffic per SVC class	23,887	1,026	593	2,522	28,028
Total % of total traffic	85.23	3.66	2.12	9.00	100.00
AVC accuracy per Class	93.91	79.43	49.24	95.32	92.56
Adjusted AVC Accuracy	93.99	80.76	50.82	95.71	92.68
Simulated AVC Totals	5	0	0	0	5
07MW					
Class 1	***24,618***	57	10	12	24,697
Class 1 %	99.54	2.48	0.74	0.11	62.46
Class 2	58	***2,209***	58	9	2,334
Class 2 %	0.23	96.21	4.27	0.08	5.90
Class 3	31	25	***1,271***	90	1,417
Class 3 %	0.13	1.09	93.52	0.81	3.58
Class 4	21	5	20	***11,044***	11,090
Class 4 %	0.08	0.22	1.47	99.00	28.05
NC	3	0	0	0	3
NC %	0.01	0.00	0.00	0.00	0.01

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 07MW					
Total traffic per SVC class	24,731	2,296	1,359	11,155	39,541
Total % of total traffic	62.55	5.81	3.44	28.21	100.00
AVC accuracy per Class	99.54	96.21	93.52	99.00	98.99
Adjusted AVC Accuracy	99.62	97.10	94.56	99.18	99.09
Simulated AVC Totals	7	0	0	0	7
Total for Leandra					
Total traffic per SVC class	194,626	8,847	4,429	30,234	238,136
Total % of total traffic	81.73	3.72	1.86	12.70	100.00
AVC accuracy per Class	98.90	92.02	83.68	98.50	98.31
Adjusted AVC Accuracy	98.90	92.02	83.69	98.50	98.31
Simulated AVC Totals	58	0	0	1	59
Leandra Remote Ramps					
71RE					
Class 1	***4,978***	65	108	6	5,157
Class 1 %	53.05	11.75	29.92	0.44	44.19
Class 2	4,377	***485***	19	1	4,882
Class 2 %	46.64	87.70	5.26	0.07	41.83
Class 3	17	3	***225***	10	255
Class 3 %	0.18	0.54	62.33	0.73	2.18
Class 4	6	0	9	***1,356***	1,371
Class 4 %	0.06	0.00	2.49	98.76	11.75
NC	6	0	0	0	6
NC %	0.06	0.00	0.00	0.00	0.05
Total for 71RE					
Total traffic per SVC class	9,384	553	361	1,373	11,671
Total % of total traffic	80.40	4.74	3.09	11.76	100.00
AVC accuracy per Class	53.05	87.70	62.33	98.76	60.35
Adjusted AVC Accuracy	53.18	89.52	64.35	99.29	60.53
Simulated AVC Totals	2	0	0	0	2
71RW					

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 1	***9,685***	61	12	4	9,762
Class 1 %	97.73	12.79	2.99	0.25	78.99
Class 2	207	***414***	25	5	651
Class 2 %	2.09	86.79	6.23	0.32	5.27
Class 3	16	2	***355***	12	385
Class 3 %	0.16	0.42	88.53	0.76	3.12
Class 4	1	0	9	***1,550***	1,560
Class 4 %	0.01	0.00	2.24	98.66	12.62
NC	1	0	0	0	1
NC %	0.01	0.00	0.00	0.00	0.01
Total for 71RW					
Total traffic per SVC class	9,910	477	401	1,571	12,359
Total % of total traffic	80.18	3.86	3.24	12.71	100.00
AVC accuracy per Class	97.73	86.79	88.53	98.66	97.13
Adjusted AVC Accuracy	97.85	88.75	90.45	99.15	97.31
Simulated AVC Totals	2	0	0	0	2
72RE					
Class 1	***422***	20	13	4	459
Class 1 %	64.62	39.22	86.67	5.19	57.66
Class 2	228	***30***	0	0	258
Class 2 %	34.92	58.82	0.00	0.00	32.41
Class 3	0	1	***1***	0	2
Class 3 %	0.00	1.96	6.67	0.00	0.25
Class 4	2	0	1	***72***	75
Class 4 %	0.31	0.00	6.67	93.51	9.42
NC	1	0	0	1	2
NC %	0.15	0.00	0.00	1.30	0.25

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 72RE					
Total traffic per SVC class	653	51	15	77	796
Total % of total traffic	82.04	6.41	1.88	9.67	100.00
AVC accuracy per Class	64.62	58.82	6.67	93.51	65.95
Adjusted AVC Accuracy	65.10	64.80	16.59	95.73	66.64
Simulated AVC Totals	2	0	0	0	2
72RW					
Class 1	***428***	0	0	0	428
Class 1 %	95.96	0.00	0.00	0.00	73.67
Class 2	17	***28***	0	0	45
Class 2 %	3.81	100.00	0.00	0.00	7.75
Class 3	1	0	***26***	0	27
Class 3 %	0.22	0.00	96.30	0.00	4.65
Class 4	0	0	1	***80***	81
Class 4 %	0.00	0.00	3.70	100.00	13.94
Total for 72RW					
Total traffic per SVC class	446	28	27	80	581
Total % of total traffic	76.76	4.82	4.65	13.77	100.00
AVC accuracy per Class	95.96	100.00	96.30	100.00	96.73
Adjusted AVC Accuracy	96.55	100.00	100.00	100.00	97.54
Simulated AVC Totals	0	0	0	0	0
Total for Leandra Remote Ramps					
Total traffic per SVC class	20,393	1,109	804	3,101	25,407
Total % of total traffic	80.27	4.36	3.16	12.21	100.00
AVC accuracy per Class	76.07	86.29	75.50	98.61	79.25
Adjusted AVC Accuracy	76.07	86.30	75.52	98.61	79.25
Simulated AVC Totals	6	0	0	0	6

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Grand Total:					
Total traffic per SVC class	215,019	9,956	5,233	33,335	263,543
Total % of total traffic	81.59	3.78	1.99	12.65	100.00
AVC accuracy per Class	96.73	91.38	82.42	98.51	96.47
Adjusted AVC Accuracy	96.73	91.38	82.43	98.51	96.47
Simulated AVC Totals	29	0	0	1	65

	Class 1	Class 2	Class 3	Class 4	Total
- Axle	0	0	610	493	1,103
- Axle %	0.00	0.00	0.23	0.19	0.42
+Axle	0	132	309	0	441
+Axle %	0.00	0.05	0.12	0.00	0.17
- Mass	0	725	411	181	1,317
- Mass %	0.00	0.28	0.16	0.07	0.50
+Mass	6974	0	0	0	6,974
+Mass %	2.65	0.00	0.00	0.00	2.65
Total AVC Error	6974	857	1330	674	9,835
Total AVC Error %	2.65	0.33	0.50	0.26	3.73

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals