CTROM AVC Accuracy Details Report

Plaza(s) (Leandra, Leandra Remote Ramps); Date/Hour (01/02/2026 0 - 28/02/2026 23) ,SVC

Data for the selected period is consistent

AVC	*SVC*					
	Class 1	**Class 2**	**Class 3**	**Class 4**	**NC**	**Total**
Leandra						
01ME						
Class 1	***6,522***	40	6	4	0	6,572
Class 1 %	99.66	5.08	1.31	0.10	0.00	56.27
Class 2	10	***743***	13	0	0	766
Class 2 %	0.15	94.29	2.84	0.00	0.00	6.56
Class 3	2	3	***432***	42	0	479
Class 3 %	0.03	0.38	94.32	1.08	0.00	4.10
Class 4	9	1	7	***3,843***	0	3,860
Class 4 %	0.14	0.13	1.53	98.82	0.00	33.05
NC	1	1	0	0	***1***	2
NC %	0.02	0.13	0.00	0.00	100.00	0.02
Total for 01ME						
Total traffic per SVC class	6,544	788	458	3,889	1	11,679
Total % of total traffic	56.03	6.75	3.92	33.30	0.01	99.99
AVC accuracy per Class	99.66	94.29	94.32	98.82	100.00	98.81
Adjusted AVC Accuracy	99.81	95.81	96.11	99.13		98.99
Simulated AVC Totals	13	0	0	0	0	13
02ME						
Class 1	***11,940***	19	23	27	0	12,009
Class 1 %	99.19	2.18	4.01	0.66	0.00	68.34
Class 2	57	***835***	34	1	0	927
Class 2 %	0.47	95.65	5.93	0.02	0.00	5.28

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC					
	Class 1	Class 2	Class 3	Class 4	NC	Total
Class 3	11	15	***425***	15	0	466
Class 3 %	0.09	1.72	74.17	0.37	0.00	2.65
Class 4	28	4	90	***4,047***	0	4,169
Class 4 %	0.23	0.46	15.71	98.95	0.00	23.72
NC	1	0	1	0	***0***	2
NC %	0.01	0.00	0.17	0.00	0.00	0.01
Total for 02ME						
Total traffic per SVC class	12,037	873	573	4,090	1	17,573
Total % of total traffic	68.50	4.97	3.26	23.27	0.01	100.00
AVC accuracy per Class	99.19	95.65	74.17	98.95	0.00	98.14
Adjusted AVC Accuracy	99.30	97.10	75.77	99.25		98.29
Simulated AVC Totals	2	0	0	0	0	2
03ME						
Class 1	***34,363***	183	3	4	0	34,553
Class 1 %	99.84	9.33	0.36	0.07	0.00	80.01
Class 2	16	***1,747***	19	1	0	1,783
Class 2 %	0.05	89.04	2.27	0.02	0.00	4.13
Class 3	1	28	***798***	93	0	920
Class 3 %	0.00	1.43	95.34	1.56	0.00	2.13
Class 4	12	2	16	***5,871***	0	5,901
Class 4 %	0.03	0.10	1.91	98.36	0.00	13.66
NC	27	2	1	0	***0***	30
NC %	0.08	0.10	0.12	0.00	0.00	0.07
Total for 03ME						
Total traffic per SVC class	34,419	1,962	837	5,969	1	43,187
Total % of total traffic	79.70	4.54	1.94	13.82	0.00	100.00
AVC accuracy per Class	99.84	89.04	95.34	98.36	0.00	99.06
Adjusted AVC Accuracy	99.91	90.00	96.67	98.61		99.15
Simulated AVC Totals	5	0	1	0	0	6
04ME						

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*					
	Class 1	**Class 2**	**Class 3**	**Class 4**	**NC**	**Total**
Class 1	***34,226***	23	1	0	0	34,250
Class 1 %	99.92	2.43	0.40	0.00	0.00	93.68
Class 2	16	***909***	13	1	0	939
Class 2 %	0.05	95.99	5.18	0.09	0.00	2.57
Class 3	0	15	***234***	10	0	259
Class 3 %	0.00	1.58	93.23	0.90	0.00	0.71
Class 4	4	0	3	***1,101***	0	1,108
Class 4 %	0.01	0.00	1.20	99.01	0.00	3.03
NC	6	0	0	0	***0***	6
NC %	0.02	0.00	0.00	0.00	0.00	0.02
Total for 04ME						
Total traffic per SVC class	34,252	947	251	1,112	1	36,562
Total % of total traffic	93.68	2.59	0.69	3.04	0.00	100.00
AVC accuracy per Class	99.92	95.99	93.23	99.01	0.00	99.75
Adjusted AVC Accuracy	99.99	97.38	95.65	99.59		99.85
Simulated AVC Totals	3	0	0	0	0	3
05MW						
Class 1	***41,064***	29	1	1	0	41,095
Class 1 %	99.91	3.08	0.44	0.10	0.00	95.05
Class 2	24	***909***	15	1	0	949
Class 2 %	0.06	96.39	6.64	0.10	0.00	2.19
Class 3	11	5	***208***	9	0	233
Class 3 %	0.03	0.53	92.04	0.93	0.00	0.54
Class 4	3	0	2	***953***	0	958
Class 4 %	0.01	0.00	0.88	98.86	0.00	2.22
Total for 05MW						
Total traffic per SVC class	41,102	943	226	964	1	43,235
Total % of total traffic	95.07	2.18	0.52	2.23	0.00	100.00
AVC accuracy per Class	99.91	96.39	92.04	98.86	0.00	99.77
Adjusted AVC Accuracy	99.97	97.78	94.59	99.49		99.86
Simulated AVC Totals	4	0	0	0	0	4

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC					
	Class 1	Class 2	Class 3	Class 4	NC	Total
06MW						
Class 1	***23,714***	52	50	21	0	23,837
Class 1 %	99.60	4.89	10.99	0.96	0.00	86.64
Class 2	64	***1,000***	31	3	0	1,098
Class 2 %	0.27	94.07	6.81	0.14	0.00	3.99
Class 3	15	11	***356***	18	0	400
Class 3 %	0.06	1.03	78.24	0.82	0.00	1.45
Class 4	8	0	18	***2,143***	0	2,169
Class 4 %	0.03	0.00	3.96	98.08	0.00	7.88
NC	8	0	0	0	***0***	8
NC %	0.03	0.00	0.00	0.00	0.00	0.03
Total for 06MW						
Total traffic per SVC class	23,809	1,063	455	2,185	1	27,512
Total % of total traffic	86.54	3.86	1.65	7.94	0.00	100.00
AVC accuracy per Class	99.60	94.07	78.24	98.08	0.00	98.91
Adjusted AVC Accuracy	99.68	95.38	80.04	98.50		99.03
Simulated AVC Totals	0	0	1	0	0	1
07MW						
Class 1	***18,709***	38	1,140	115	0	20,002
Class 1 %	88.98	1.52	87.96	0.99	0.00	54.91
Class 2	2,282	***2,463***	51	5	0	4,801
Class 2 %	10.85	98.36	3.94	0.04	0.00	13.18
Class 3	26	1	***87***	1	0	115
Class 3 %	0.12	0.04	6.71	0.01	0.00	0.32
Class 4	5	1	18	***11,478***	0	11,502
Class 4 %	0.02	0.04	1.39	98.94	0.00	31.57
NC	5	1	0	2	***0***	8
NC %	0.02	0.04	0.00	0.02	0.00	0.02

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC					
	Class 1	Class 2	Class 3	Class 4	NC	Total
Total for 07MW						
Total traffic per SVC class	21,027	2,504	1,296	11,601	1	36,428
Total % of total traffic	57.72	6.87	3.56	31.85	0.00	100.00
AVC accuracy per Class	88.98	98.36	6.71	98.94	0.00	89.87
Adjusted AVC Accuracy	89.07	99.21	7.78	99.12		89.97
Simulated AVC Totals	9	0	0	0	0	9
Total for Leandra						
Total traffic per SVC class	173,190	9,080	4,096	29,810	1	216,176
Total % of total traffic	80.11	4.20	1.89	13.79	0.00	100.00
AVC accuracy per Class	98.47	94.78	62.01	98.75	0.00	97.66
Adjusted AVC Accuracy	98.47	94.78	62.02	98.75		97.66
Simulated AVC Totals	36	0	2	0	0	38
Leandra Remote Ramps						
71RE						
Class 1	***7,443***	0	214	10	0	7,667
Class 1 %	88.50	0.00	65.05	0.69	0.00	71.23
Class 2	952	***582***	23	1	0	1,558
Class 2 %	11.32	100.00	6.99	0.07	0.00	14.47
Class 3	3	0	***88***	0	0	91
Class 3 %	0.04	0.00	26.75	0.00	0.00	0.85
Class 4	1	0	4	***1,432***	0	1,437
Class 4 %	0.01	0.00	1.22	99.24	0.00	13.35
NC	11	0	0	0	***0***	11
NC %	0.13	0.00	0.00	0.00	0.00	0.10
Total for 71RE						
Total traffic per SVC class	8,410	582	329	1,443	1	10,764
Total % of total traffic	78.13	5.41	3.06	13.41	0.01	100.00
AVC accuracy per Class	88.50	100.00	26.75	99.24	0.00	88.68
Adjusted AVC Accuracy	88.63	100.00	28.87	99.75		88.87
Simulated AVC Totals	3	1	0	0	0	4
71RW						

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC					
	Class 1	Class 2	Class 3	Class 4	NC	Total
Class 1	***8,650***	24	15	4	0	8,693
Class 1 %	99.67	5.21	3.81	0.26	0.00	78.43
Class 2	14	***435***	21	1	0	471
Class 2 %	0.16	94.36	5.33	0.06	0.00	4.25
Class 3	11	2	***354***	8	0	375
Class 3 %	0.13	0.43	89.85	0.52	0.00	3.38
Class 4	1	0	4	***1,537***	0	1,542
Class 4 %	0.01	0.00	1.02	99.16	0.00	13.91
NC	3	0	0	0	***0***	3
NC %	0.03	0.00	0.00	0.00	0.00	0.03
Total for 71RW						
Total traffic per SVC class	8,679	461	394	1,550	1	11,084
Total % of total traffic	78.30	4.16	3.55	13.98	0.01	100.00
AVC accuracy per Class	99.67	94.36	89.85	99.16	0.00	99.03
Adjusted AVC Accuracy	99.80	96.35	91.78	99.66		99.22
Simulated AVC Totals	0	0	0	0	0	0
72RE						
Class 1	***557***	2	9	2	0	570
Class 1 %	92.68	7.41	64.29	4.26	0.00	82.73
Class 2	35	***25***	1	0	0	61
Class 2 %	5.82	92.59	7.14	0.00	0.00	8.85
Class 3	0	0	***4***	0	0	4
Class 3 %	0.00	0.00	28.57	0.00	0.00	0.58
Class 4	1	0	0	***45***	0	46
Class 4 %	0.17	0.00	0.00	95.74	0.00	6.68
NC	8	0	0	0	***0***	8
NC %	1.33	0.00	0.00	0.00	0.00	1.16

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC					
	Class 1	Class 2	Class 3	Class 4	NC	Total
Total for 72RE						
Total traffic per SVC class	601	27	14	47	1	689
Total % of total traffic	87.23	3.92	2.03	6.82	0.15	100.00
AVC accuracy per Class	92.68	92.59	28.57	95.74	0.00	91.58
Adjusted AVC Accuracy	93.18	100.00	38.83	98.58		92.32
Simulated AVC Totals	0	0	0	0	0	0
72RW						
Class 1	***742***	2	0	1	0	745
Class 1 %	99.60	7.14	0.00	2.13	0.00	88.17
Class 2	1	***26***	3	0	0	30
Class 2 %	0.13	92.86	12.00	0.00	0.00	3.55
Class 3	0	0	***22***	0	0	22
Class 3 %	0.00	0.00	88.00	0.00	0.00	2.60
Class 4	0	0	0	***46***	0	46
Class 4 %	0.00	0.00	0.00	97.87	0.00	5.44
NC	2	0	0	0	***0***	2
NC %	0.27	0.00	0.00	0.00	0.00	0.24
Total for 72RW						
Total traffic per SVC class	745	28	25	47	1	845
Total % of total traffic	88.17	3.31	2.96	5.56	0.12	100.00
AVC accuracy per Class	99.60	92.86	88.00	97.87	0.00	98.93
Adjusted AVC Accuracy	100.00	100.00	95.68	100.00		99.60
Simulated AVC Totals	3	0	0	0	0	3
Total for Leandra Remote Ramps						
Total traffic per SVC class	18,435	1,098	762	3,087	1	23,382
Total % of total traffic	78.84	4.70	3.26	13.20	0.00	100.00
AVC accuracy per Class	94.34	97.27	61.42	99.13	0.00	94.04
Adjusted AVC Accuracy	94.34	97.28	61.44	99.13		94.04
Simulated AVC Totals	6	1	0	0	0	7

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC			*SVC*			
	Class 1	**Class 2**	**Class 3**	**Class 4**	**NC**	**Total**
Grand Total:						
Total traffic per SVC class	191,625	10,178	4,858	32,897	1	239,558
Total % of total traffic	79.99	4.25	2.03	13.73	0.00	100.00
AVC accuracy per Class	98.07	95.05	61.92	98.78	1.00	97.31
Adjusted AVC Accuracy	98.07	95.05	61.93	98.78		97.31
Simulated AVC Totals	13	2	2	0	0	45

	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
- Axle	0	0	1686	399	2,085
- Axle %	0.00	0.00	0.70	0.17	0.87
+Axle	0	88	162	0	250
+Axle %	0.00	0.04	0.07	0.00	0.10
- Mass	0	412	1462	189	2,063
- Mass %	0.00	0.17	0.61	0.08	0.86
+Mass	3623	0	0	0	3,623
+Mass %	1.51	0.00	0.00	0.00	1.51
Total AVC Error	3623	500	3310	588	8,021
Total AVC Error %	1.51	0.21	1.38	0.25	3.35

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals