CTROM AVC Accuracy Details Report

Plaza(s) (Leandra, Leandra Remote Ramps); Date/Hour (01/01/2026 0 - 31/01/2026 23) ,SVC

Data for the selected period is consistent

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Leandra					
01ME					
Class 1	***20,201***	113	29	9	20,352
Class 1 %	99.79	5.36	2.45	0.08	58.63
Class 2	22	***1,968***	26	6	2,022
Class 2 %	0.11	93.36	2.19	0.05	5.83
Class 3	8	22	***1,115***	111	1,256
Class 3 %	0.04	1.04	94.01	0.99	3.62
Class 4	11	5	16	***11,043***	11,075
Class 4 %	0.05	0.24	1.35	98.84	31.91
NC	1	0	0	4	5
NC %	0.00	0.00	0.00	0.04	0.01
Total for 01ME					
Total traffic per SVC class	20,243	2,108	1,186	11,173	34,710
Total % of total traffic	58.32	6.07	3.42	32.19	100.00
AVC accuracy per Class	99.79	93.36	94.01	98.84	98.90
Adjusted AVC Accuracy	99.88	94.29	95.13	99.02	99.00
Simulated AVC Totals	29	0	0	0	29
02ME					
Class 1	***9,848***	18	20	12	9,898
Class 1 %	99.43	2.95	7.17	0.69	78.92
Class 2	46	***583***	21	3	653
Class 2 %	0.46	95.57	7.53	0.17	5.21

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 3	3	7	***204***	7	221
Class 3 %	0.03	1.15	73.12	0.40	1.76
Class 4	7	2	34	***1,727***	1,770
Class 4 %	0.07	0.33	12.19	98.74	14.11
Total for 02ME					
Total traffic per SVC class	9,904	610	279	1,749	12,542
Total % of total traffic	78.97	4.86	2.22	13.95	100.00
AVC accuracy per Class	99.43	95.57	73.12	98.74	98.56
Adjusted AVC Accuracy	99.55	97.30	75.42	99.21	98.73
Simulated AVC Totals	4	0	0	0	4
03ME					
Class 1	***31,714***	99	4	2	31,819
Class 1 %	99.91	10.99	1.44	0.12	92.15
Class 2	14	***793***	6	0	813
Class 2 %	0.04	88.01	2.17	0.00	2.35
Class 3	4	6	***257***	13	280
Class 3 %	0.01	0.67	92.78	0.81	0.81
Class 4	11	3	10	***1,595***	1,619
Class 4 %	0.03	0.33	3.61	99.07	4.69
Total for 03ME					
Total traffic per SVC class	31,743	901	277	1,610	34,531
Total % of total traffic	91.93	2.61	0.80	4.66	100.00
AVC accuracy per Class	99.91	88.01	92.78	99.07	99.50
Adjusted AVC Accuracy	99.98	89.43	95.09	99.56	99.60
Simulated AVC Totals	5	1	0	0	6
04ME					
Class 1	***26,036***	11	0	1	26,048
Class 1 %	99.93	2.49	0.00	0.22	96.29
Class 2	8	***427***	3	0	438
Class 2 %	0.03	96.61	3.00	0.00	1.62

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 3	0	4	***97***	4	105
Class 3 %	0.00	0.90	97.00	0.88	0.39
Class 4	10	0	0	***450***	460
Class 4 %	0.04	0.00	0.00	98.90	1.70
Total for 04ME					
Total traffic per SVC class	26,054	442	100	455	27,051
Total % of total traffic	96.31	1.63	0.37	1.68	100.00
AVC accuracy per Class	99.93	96.61	97.00	98.90	99.85
Adjusted AVC Accuracy	100.00	98.64	100.00	99.81	99.97
Simulated AVC Totals	3	0	0	0	3
05MW					
Class 1	***33,364***	22	1	2	33,389
Class 1 %	99.87	3.94	0.72	0.31	96.09
Class 2	24	***534***	6	0	564
Class 2 %	0.07	95.53	4.35	0.00	1.62
Class 3	4	3	***125***	2	134
Class 3 %	0.01	0.54	90.58	0.31	0.39
Class 4	8	0	6	***640***	654
Class 4 %	0.02	0.00	4.35	99.38	1.88
NC	8	0	0	0	8
NC %	0.02	0.00	0.00	0.00	0.02
Total for 05MW					
Total traffic per SVC class	33,408	559	138	644	34,749
Total % of total traffic	96.14	1.61	0.40	1.85	100.00
AVC accuracy per Class	99.87	95.53	90.58	99.38	99.75
Adjusted AVC Accuracy	99.94	97.34	93.85	100.00	99.85
Simulated AVC Totals	15	0	0	0	15
06MW					
Class 1	***35,637***	38	1	3	35,679
Class 1 %	99.88	4.06	0.38	0.19	92.81

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 2	20	***890***	6	0	916
Class 2 %	0.06	95.09	2.31	0.00	2.38
Class 3	9	7	***253***	8	277
Class 3 %	0.03	0.75	97.31	0.51	0.72
Class 4	13	1	0	***1,555***	1,569
Class 4 %	0.04	0.11	0.00	99.30	4.08
Total for 06MW					
Total traffic per SVC class	35,679	936	260	1,566	38,441
Total % of total traffic	92.81	2.43	0.68	4.07	100.00
AVC accuracy per Class	99.88	95.09	97.31	99.30	99.72
Adjusted AVC Accuracy	99.95	96.49	99.69	99.79	99.82
Simulated AVC Totals	7	0	1	0	8
07MW					
Class 1	***24,230***	40	1,148	102	25,520
Class 1 %	89.57	1.58	86.84	0.86	59.63
Class 2	2,760	***2,494***	66	2	5,322
Class 2 %	10.20	98.38	4.99	0.02	12.44
Class 3	43	0	***93***	0	136
Class 3 %	0.16	0.00	7.03	0.00	0.32
Class 4	12	1	14	***11,786***	11,813
Class 4 %	0.04	0.04	1.06	99.13	27.60
NC	5	0	1	0	6
NC %	0.02	0.00	0.08	0.00	0.01
Total for 07MW					
Total traffic per SVC class	27,050	2,535	1,322	11,890	42,797
Total % of total traffic	63.21	5.92	3.09	27.78	100.00
AVC accuracy per Class	89.57	98.38	7.03	99.13	90.20
Adjusted AVC Accuracy	89.65	99.23	8.09	99.31	90.29
Simulated AVC Totals	5	1	0	0	6

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for Leandra					
Total traffic per SVC class	184,081	8,091	3,562	29,087	224,821
Total % of total traffic	81.88	3.60	1.58	12.94	100.00
AVC accuracy per Class	98.34	95.03	60.19	99.00	97.70
Adjusted AVC Accuracy	98.34	95.03	60.20	99.00	97.70
Simulated AVC Totals	68	2	1	0	71
Leandra Remote Ramps					
71RE					
Class 1	***7,455***	1	281	4	7,741
Class 1 %	88.98	0.18	71.14	0.23	69.72
Class 2	908	***567***	32	0	1,507
Class 2 %	10.84	99.47	8.10	0.00	13.57
Class 3	3	1	***76***	0	80
Class 3 %	0.04	0.18	19.24	0.00	0.72
Class 4	1	0	4	***1,754***	1,759
Class 4 %	0.01	0.00	1.01	99.66	15.84
NC	11	1	2	2	16
NC %	0.13	0.18	0.51	0.11	0.14
Total for 71RE					
Total traffic per SVC class	8,378	570	395	1,760	11,103
Total % of total traffic	75.46	5.13	3.56	15.85	100.00
AVC accuracy per Class	88.98	99.47	19.24	99.66	88.73
Adjusted AVC Accuracy	89.12	100.00	21.17	100.00	88.92
Simulated AVC Totals	3	0	0	0	3
71RW					
Class 1	***9,539***	5	1	3	9,548
Class 1 %	99.71	1.00	0.22	0.17	77.55
Class 2	18	***486***	23	1	528
Class 2 %	0.19	97.59	5.13	0.06	4.29
Class 3	3	7	***421***	31	462
Class 3 %	0.03	1.41	93.97	1.72	3.75

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 4	5	0	3	***1,764***	1,772
Class 4 %	0.05	0.00	0.67	98.05	14.39
NC	2	0	0	0	2
NC %	0.02	0.00	0.00	0.00	0.02
Total for 71RW					
Total traffic per SVC class	9,567	498	448	1,799	12,312
Total % of total traffic	77.70	4.04	3.64	14.61	100.00
AVC accuracy per Class	99.71	97.59	93.97	98.05	99.17
Adjusted AVC Accuracy	99.84	99.50	95.78	98.51	99.35
Simulated AVC Totals	2	0	0	0	2
72RE					
Class 1	***541***	1	6	0	548
Class 1 %	92.32	2.63	46.15	0.00	80.83
Class 2	43	***37***	0	0	80
Class 2 %	7.34	97.37	0.00	0.00	11.80
Class 3	0	0	***4***	0	4
Class 3 %	0.00	0.00	30.77	0.00	0.59
Class 4	1	0	3	***41***	45
Class 4 %	0.17	0.00	23.08	100.00	6.64
NC	1	0	0	0	1
NC %	0.17	0.00	0.00	0.00	0.15
Total for 72RE					
Total traffic per SVC class	586	38	13	41	678
Total % of total traffic	86.43	5.60	1.92	6.05	100.00
AVC accuracy per Class	92.32	97.37	30.77	100.00	91.89
Adjusted AVC Accuracy	92.83	100.00	41.42	100.00	92.64
Simulated AVC Totals	0	0	0	0	0
72RW					
NC	2	0	0	1	3
NC %	100.00	0.00	0.00	100.00	100.00

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC		SVC			
	Class 1	Class 2	Class 3	Class 4	Total
Total for 72RW					
Total traffic per SVC class	2	0	0	1	3
Total % of total traffic	66.67	0.00	0.00	33.33	100.00
AVC accuracy per Class	0	0.00	0.00	0	0.00
Adjusted AVC Accuracy	8.75	0.00	0.00	19.50	11.26
Simulated AVC Totals	17	0	0	0	17
Total for Leandra Remote Ramps					
Total traffic per SVC class	18,533	1,106	856	3,601	24,096
Total % of total traffic	76.91	4.59	3.55	14.94	100.00
AVC accuracy per Class	94.62	98.55	58.53	98.83	94.14
Adjusted AVC Accuracy	94.62	98.56	58.55	98.83	94.15
Simulated AVC Totals	22	0	0	0	22
Grand Total:					
Total traffic per SVC class	202,614	9,197	4,418	32,688	248,917
Total % of total traffic	81.40	3.69	1.77	13.13	100.00
AVC accuracy per Class	98.00	95.46	59.87	98.98	97.36
Adjusted AVC Accuracy	98.00	95.46	59.88	98.98	97.36
Simulated AVC Totals	29	4	4	0	93

	Class 1	Class 2	Class 3	Class 4	Total
- Axle	0	0	1680	326	2,006
- Axle %	0.00	0.00	0.67	0.13	0.81
+Axle	0	69	90	0	159
+Axle %	0.00	0.03	0.04	0.00	0.06
- Mass	0	348	1491	138	1,977
- Mass %	0.00	0.14	0.60	0.06	0.79
+Mass	4019	0	0	0	4,019
+Mass %	1.61	0.00	0.00	0.00	1.61
Total AVC Error	4019	417	3261	464	8,161
Total AVC Error %	1.61	0.17	1.31	0.19	3.28

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals