CTROM AVC Accuracy Details Report

Plaza(s) (Leandra, Leandra Remote Ramps); Date/Hour (01/06/2026 0 - 30/06/2026 23) ,SVC

Data for the selected period is consistent

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Leandra					
01ME					
Class 1	***12,228***	199	60	170	12,657
Class 1 %	99.66	14.63	6.82	2.58	60.02
Class 2	29	***1,134***	20	2	1,185
Class 2 %	0.24	83.38	2.27	0.03	5.62
Class 3	11	22	***788***	71	892
Class 3 %	0.09	1.62	89.55	1.08	4.23
Class 4	1	5	12	***6,336***	6,354
Class 4 %	0.01	0.37	1.36	96.31	30.13
NC	1	0	0	0	1
NC %	0.01	0.00	0.00	0.00	0.00
Total for 01ME					
Total traffic per SVC class	12,270	1,360	880	6,579	21,089
Total % of total traffic	58.18	6.45	4.17	31.20	100.00
AVC accuracy per Class	99.66	83.38	89.55	96.31	97.14
Adjusted AVC Accuracy	99.77	84.54	90.84	96.55	97.27
Simulated AVC Totals	28	1	0	3	32
02ME					
Class 1	***13,197***	36	14	13	13,260
Class 1 %	99.69	3.61	2.33	0.39	73.12
Class 2	29	***948***	15	2	994
Class 2 %	0.22	95.18	2.49	0.06	5.48

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC			*SVC*		
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 3	8	10	***407***	9	434
Class 3 %	0.06	1.00	67.61	0.27	2.39
Class 4	4	2	166	***3,275***	3,447
Class 4 %	0.03	0.20	27.57	99.27	19.01
Total for 02ME					
Total traffic per SVC class	13,238	996	602	3,299	18,135
Total % of total traffic	73.00	5.49	3.32	18.19	100.00
AVC accuracy per Class	99.69	95.18	67.61	99.27	98.30
Adjusted AVC Accuracy	99.80	96.53	69.18	99.61	98.44
Simulated AVC Totals	8	0	0	0	8
03ME					
Class 1	***31,395***	101	8	10	31,514
Class 1 %	99.92	7.05	1.21	0.21	82.36
Class 2	20	***1,311***	16	2	1,349
Class 2 %	0.06	91.49	2.42	0.04	3.53
Class 3	3	20	***623***	39	685
Class 3 %	0.01	1.40	94.39	0.82	1.79
Class 4	1	1	13	***4,703***	4,718
Class 4 %	0.00	0.07	1.97	98.93	12.33
Total for 03ME					
Total traffic per SVC class	31,419	1,433	660	4,754	38,266
Total % of total traffic	82.11	3.74	1.72	12.42	100.00
AVC accuracy per Class	99.92	91.49	94.39	98.93	99.39
Adjusted AVC Accuracy	99.99	92.62	95.89	99.21	99.49
Simulated AVC Totals	3	0	0	1	4
04ME					
Class 1	***32,429***	55	4	1	32,489
Class 1 %	99.91	6.86	2.04	0.10	94.16
Class 2	15	***741***	7	1	764
Class 2 %	0.05	92.39	3.57	0.10	2.21

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 3	3	6	***184***	11	204
Class 3 %	0.01	0.75	93.88	1.05	0.59
Class 4	0	0	0	***1,033***	1,033
Class 4 %	0.00	0.00	0.00	98.57	2.99
NC	11	0	1	2	14
NC %	0.03	0.00	0.51	0.19	0.04
Total for 04ME					
Total traffic per SVC class	32,458	802	196	1,048	34,504
Total % of total traffic	94.07	2.32	0.57	3.04	100.00
AVC accuracy per Class	99.91	92.39	93.88	98.57	99.66
Adjusted AVC Accuracy	99.98	93.90	96.62	99.17	99.76
Simulated AVC Totals	4	0	0	0	4
05MW					
Class 1	***42,065***	40	3	2	42,110
Class 1 %	99.83	4.10	1.36	0.21	95.06
Class 2	54	***922***	4	1	981
Class 2 %	0.13	94.47	1.82	0.10	2.21
Class 3	12	13	***210***	13	248
Class 3 %	0.03	1.33	95.45	1.35	0.56
Class 4	1	1	3	***949***	954
Class 4 %	0.00	0.10	1.36	98.34	2.15
NC	6	0	0	0	6
NC %	0.01	0.00	0.00	0.00	0.01
Total for 05MW					
Total traffic per SVC class	42,138	976	220	965	44,299
Total % of total traffic	95.12	2.20	0.50	2.18	100.00
AVC accuracy per Class	99.83	94.47	95.45	98.34	99.65
Adjusted AVC Accuracy	99.89	95.84	98.04	98.97	99.74
Simulated AVC Totals	4	0	1	0	5
06MW					

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 1	***21,569***	125	124	220	22,038
Class 1 %	99.79	10.44	21.05	8.15	84.43
Class 2	23	***1,060***	17	3	1,103
Class 2 %	0.11	88.55	2.89	0.11	4.23
Class 3	8	9	***381***	12	410
Class 3 %	0.04	0.75	64.69	0.44	1.57
Class 4	5	1	67	***2,463***	2,536
Class 4 %	0.02	0.08	11.38	91.22	9.72
NC	10	2	0	2	14
NC %	0.05	0.17	0.00	0.07	0.05
Total for 06MW					
Total traffic per SVC class	21,615	1,197	589	2,700	26,101
Total % of total traffic	82.81	4.59	2.26	10.34	100.00
AVC accuracy per Class	99.79	88.55	64.69	91.22	97.59
Adjusted AVC Accuracy	99.87	89.78	66.27	91.60	97.71
Simulated AVC Totals	0	0	0	0	0
07MW					
Class 1	***22,142***	93	21	36	22,292
Class 1 %	99.85	4.13	1.53	0.31	59.69
Class 2	20	***2,127***	57	1	2,205
Class 2 %	0.09	94.37	4.15	0.01	5.90
Class 3	13	23	***1,253***	89	1,378
Class 3 %	0.06	1.02	91.26	0.77	3.69
Class 4	1	11	42	***11,417***	11,471
Class 4 %	0.00	0.49	3.06	98.91	30.72
Total for 07MW					
Total traffic per SVC class	22,176	2,254	1,373	11,543	37,346
Total % of total traffic	59.38	6.04	3.68	30.91	100.00
AVC accuracy per Class	99.85	94.37	91.26	98.91	98.91
Adjusted AVC Accuracy	99.93	95.27	92.30	99.09	99.01
Simulated AVC Totals	9	0	0	1	10

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for Leandra					
Total traffic per SVC class	175,314	9,018	4,520	30,888	219,740
Total % of total traffic	79.78	4.10	2.06	14.06	100.00
AVC accuracy per Class	99.84	91.41	85.09	97.69	98.89
Adjusted AVC Accuracy	99.84	91.41	85.10	97.69	98.89
Simulated AVC Totals	56	1	1	5	63
Leandra Remote Ramps					
71RE					
Class 1	***8,658***	93	3	5	8,759
Class 1 %	99.75	15.32	0.74	0.31	77.55
Class 2	4	***512***	23	0	539
Class 2 %	0.05	84.35	5.67	0.00	4.77
Class 3	2	0	***377***	8	387
Class 3 %	0.02	0.00	92.86	0.50	3.43
Class 4	0	0	3	***1,586***	1,589
Class 4 %	0.00	0.00	0.74	99.06	14.07
NC	16	2	0	2	20
NC %	0.18	0.33	0.00	0.12	0.18
Total for 71RE					
Total traffic per SVC class	8,680	607	406	1,601	11,294
Total % of total traffic	76.85	5.37	3.59	14.18	100.00
AVC accuracy per Class	99.75	84.35	92.86	99.06	98.57
Adjusted AVC Accuracy	99.88	86.08	94.77	99.55	98.75
Simulated AVC Totals	4	0	0	0	4
71RW					
Class 1	***8,421***	35	6	5	8,467
Class 1 %	99.94	6.86	1.41	0.32	77.47
Class 2	4	***474***	23	0	501
Class 2 %	0.05	92.94	5.39	0.00	4.58
Class 3	0	1	***396***	18	415
Class 3 %	0.00	0.20	92.74	1.15	3.80

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 4	1	0	2	***1,543***	1,546
Class 4 %	0.01	0.00	0.47	98.53	14.15
Total for 71RW					
Total traffic per SVC class	8,426	510	427	1,566	10,929
Total % of total traffic	77.10	4.67	3.91	14.33	100.00
AVC accuracy per Class	99.94	92.94	92.74	98.53	99.13
Adjusted AVC Accuracy	100.00	94.83	94.60	99.02	99.32
Simulated AVC Totals	3	1	0	0	4
72RE					
Class 1	***202***	16	4	35	257
Class 1 %	100.00	100.00	100.00	97.22	99.61
Class 4	0	0	0	***1***	1
Class 4 %	0.00	0.00	0.00	2.78	0.39
Total for 72RE					
Total traffic per SVC class	202	16	4	36	258
Total % of total traffic	78.29	6.20	1.55	13.95	100.00
AVC accuracy per Class	100.00	0	0	2.78	78.68
Adjusted AVC Accuracy	100.00	10.68	19.20	6.03	79.89
Simulated AVC Totals	20	1	0	3	24
72RW					
Class 1	***606***	2	0	0	608
Class 1 %	99.18	4.44	0.00	0.00	74.97
Class 2	5	***42***	4	0	51
Class 2 %	0.82	93.33	10.26	0.00	6.29
Class 3	0	1	***34***	1	36
Class 3 %	0.00	2.22	87.18	0.86	4.44
Class 4	0	0	1	***115***	116
Class 4 %	0.00	0.00	2.56	99.14	14.30

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC		SVC			
	Class 1	Class 2	Class 3	Class 4	Total
Total for 72RW					
Total traffic per SVC class	611	45	39	116	811
Total % of total traffic	75.34	5.55	4.81	14.30	100.00
AVC accuracy per Class	99.18	93.33	87.18	99.14	98.27
Adjusted AVC Accuracy	99.68	99.70	93.33	100.00	98.95
Simulated AVC Totals	2	0	0	0	2
Total for Leandra Remote Ramps					
Total traffic per SVC class	17,919	1,178	876	3,319	23,292
Total % of total traffic	76.93	5.06	3.76	14.25	100.00
AVC accuracy per Class	99.82	87.27	92.12	97.77	98.60
Adjusted AVC Accuracy	99.82	87.28	92.13	97.77	98.61
Simulated AVC Totals	29	2	0	3	34
Grand Total:					
Total traffic per SVC class	193,233	10,196	5,396	34,207	243,032
Total % of total traffic	79.51	4.20	2.22	14.08	100.00
AVC accuracy per Class	99.83	90.93	86.23	97.70	98.86
Adjusted AVC Accuracy	99.83	90.93	86.24	97.70	98.86
Simulated AVC Totals	28	1	8	3	97

	Class 1	Class 2	Class 3	Class 4	Total
- Axle	0	0	433	780	1,213
- Axle %	0.00	0.00	0.18	0.32	0.50
+Axle	0	126	309	0	435
+Axle %	0.00	0.05	0.13	0.00	0.18
- Mass	0	795	247	497	1,539
- Mass %	0.00	0.33	0.10	0.20	0.63
+Mass	277	0	0	0	277
+Mass %	0.11	0.00	0.00	0.00	0.11
Total AVC Error	277	921	989	1277	3,464
Total AVC Error %	0.11	0.38	0.41	0.53	1.43

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals