CTROM AVC Accuracy Details Report

Plaza(s) (Leandra, Leandra Remote Ramps); Date/Hour (01/03/2026 0 - 31/03/2026 23) ,SVC

Data for the selected period is consistent

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Leandra					
01ME					
Class 1	***20,317***	120	28	19	20,484
Class 1 %	99.40	5.61	2.15	0.17	58.32
Class 2	74	***1,985***	35	5	2,099
Class 2 %	0.36	92.80	2.68	0.04	5.98
Class 3	25	29	***1,227***	151	1,432
Class 3 %	0.12	1.36	94.10	1.34	4.08
Class 4	20	3	13	***11,061***	11,097
Class 4 %	0.10	0.14	1.00	98.41	31.60
NC	3	2	1	4	10
NC %	0.01	0.09	0.08	0.04	0.03
Total for 01ME					
Total traffic per SVC class	20,439	2,139	1,304	11,240	35,122
Total % of total traffic	58.19	6.09	3.71	32.00	100.00
AVC accuracy per Class	99.40	92.80	94.10	98.41	98.49
Adjusted AVC Accuracy	99.49	93.72	95.16	98.59	98.59
Simulated AVC Totals	16	0	0	0	16
02ME					
Class 1	***12,605***	23	26	21	12,675
Class 1 %	99.16	2.69	5.01	0.76	75.29
Class 2	60	***816***	21	1	898
Class 2 %	0.47	95.55	4.05	0.04	5.33

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 3	12	13	***331***	10	366
Class 3 %	0.09	1.52	63.78	0.36	2.17
Class 4	35	2	141	***2,718***	2,896
Class 4 %	0.28	0.23	27.17	98.84	17.20
Total for 02ME					
Total traffic per SVC class	12,712	854	519	2,750	16,835
Total % of total traffic	75.51	5.07	3.08	16.34	100.00
AVC accuracy per Class	99.16	95.55	63.78	98.84	97.83
Adjusted AVC Accuracy	99.27	97.01	65.47	99.21	97.98
Simulated AVC Totals	7	0	0	0	7
03ME					
Class 1	***35,175***	129	6	2	35,312
Class 1 %	99.83	9.64	1.21	0.07	88.50
Class 2	28	***1,194***	10	1	1,233
Class 2 %	0.08	89.24	2.02	0.04	3.09
Class 3	8	13	***476***	24	521
Class 3 %	0.02	0.97	96.16	0.85	1.31
Class 4	25	2	3	***2,805***	2,835
Class 4 %	0.07	0.15	0.61	99.05	7.11
Total for 03ME					
Total traffic per SVC class	35,236	1,338	495	2,832	39,901
Total % of total traffic	88.31	3.35	1.24	7.10	100.00
AVC accuracy per Class	99.83	89.24	96.16	99.05	99.37
Adjusted AVC Accuracy	99.90	90.41	97.89	99.42	99.47
Simulated AVC Totals	5	0	0	0	5
04ME					
Class 1	***33,191***	16	1	0	33,208
Class 1 %	99.61	2.16	0.57	0.00	94.97
Class 2	88	***717***	6	1	812
Class 2 %	0.26	96.63	3.43	0.14	2.32

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 3	12	9	***167***	11	199
Class 3 %	0.04	1.21	95.43	1.51	0.57
Class 4	14	0	1	***718***	733
Class 4 %	0.04	0.00	0.57	98.36	2.10
NC	15	0	0	0	15
NC %	0.05	0.00	0.00	0.00	0.04
Total for 04ME					
Total traffic per SVC class	33,320	742	175	730	34,967
Total % of total traffic	95.29	2.12	0.50	2.09	100.00
AVC accuracy per Class	99.61	96.63	95.43	98.36	99.50
Adjusted AVC Accuracy	99.68	98.20	98.33	99.08	99.60
Simulated AVC Totals	5	0	0	0	5
05MW					
Class 1	***50,286***	25	2	2	50,315
Class 1 %	99.56	2.13	0.68	0.16	94.51
Class 2	141	***1,135***	8	1	1,285
Class 2 %	0.28	96.76	2.72	0.08	2.41
Class 3	37	11	***276***	6	330
Class 3 %	0.07	0.94	93.88	0.47	0.62
Class 4	22	2	8	***1,258***	1,290
Class 4 %	0.04	0.17	2.72	99.29	2.42
NC	20	0	0	0	20
NC %	0.04	0.00	0.00	0.00	0.04
Total for 05MW					
Total traffic per SVC class	50,506	1,173	294	1,267	53,240
Total % of total traffic	94.86	2.20	0.55	2.38	100.00
AVC accuracy per Class	99.56	96.76	93.88	99.29	99.46
Adjusted AVC Accuracy	99.62	98.01	96.12	99.84	99.54
Simulated AVC Totals	3	0	0	0	3
06MW					

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 1	***20,523***	212	261	120	21,116
Class 1 %	93.25	18.15	34.34	4.00	78.40
Class 2	1,193	***924***	56	26	2,199
Class 2 %	5.42	79.11	7.37	0.87	8.16
Class 3	111	21	***338***	14	484
Class 3 %	0.50	1.80	44.47	0.47	1.80
Class 4	177	11	105	***2,839***	3,132
Class 4 %	0.80	0.94	13.82	94.66	11.63
NC	4	0	0	0	4
NC %	0.02	0.00	0.00	0.00	0.01
Total for 06MW					
Total traffic per SVC class	22,008	1,168	760	2,999	26,935
Total % of total traffic	81.71	4.34	2.82	11.13	100.00
AVC accuracy per Class	93.25	79.11	44.47	94.66	91.42
Adjusted AVC Accuracy	93.33	80.36	45.86	95.02	91.54
Simulated AVC Totals	2	0	0	0	2
07MW					
Class 1	***3,303***	36	1,234	112	4,685
Class 1 %	12.61	1.37	85.81	0.89	10.94
Class 2	22,672	***2,588***	58	8	25,326
Class 2 %	86.58	98.48	4.03	0.06	59.16
Class 3	185	1	***124***	3	313
Class 3 %	0.71	0.04	8.62	0.02	0.73
Class 4	23	3	22	***12,431***	12,479
Class 4 %	0.09	0.11	1.53	99.02	29.15
NC	3	0	0	0	3
NC %	0.01	0.00	0.00	0.00	0.01

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 07MW					
Total traffic per SVC class	26,186	2,628	1,438	12,554	42,806
Total % of total traffic	61.17	6.14	3.36	29.33	100.00
AVC accuracy per Class	12.61	98.48	8.62	99.02	43.09
Adjusted AVC Accuracy	12.69	99.31	9.63	99.19	43.18
Simulated AVC Totals	2	0	0	0	2
Total for Leandra					
Total traffic per SVC class	200,407	10,042	4,985	34,372	249,806
Total % of total traffic	80.23	4.02	2.00	13.76	100.00
AVC accuracy per Class	87.52	93.20	58.96	98.42	88.68
Adjusted AVC Accuracy	87.52	93.20	58.97	98.42	88.68
Simulated AVC Totals	40	0	0	0	40
Leandra Remote Ramps					
71RE					
Class 1	***1,281***	9	292	14	1,596
Class 1 %	13.83	1.43	62.53	0.91	13.42
Class 2	7,952	***618***	27	0	8,597
Class 2 %	85.84	97.94	5.78	0.00	72.28
Class 3	19	0	***136***	0	155
Class 3 %	0.21	0.00	29.12	0.00	1.30
Class 4	6	0	11	***1,514***	1,531
Class 4 %	0.06	0.00	2.36	98.83	12.87
NC	6	4	1	4	15
NC %	0.06	0.63	0.21	0.26	0.13
Total for 71RE					
Total traffic per SVC class	9,264	631	467	1,532	11,894
Total % of total traffic	77.89	5.31	3.93	12.88	100.00
AVC accuracy per Class	13.83	97.94	29.12	98.83	29.84
Adjusted AVC Accuracy	13.96	99.64	30.90	99.33	30.02
Simulated AVC Totals	4	0	0	0	4
71RW					

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 1	***885***	6	313	19	1,223
Class 1 %	8.71	1.08	68.04	1.09	9.47
Class 2	9,221	***547***	24	3	9,795
Class 2 %	90.78	98.74	5.22	0.17	75.82
Class 3	34	1	***115***	0	150
Class 3 %	0.33	0.18	25.00	0.00	1.16
Class 4	7	0	7	***1,724***	1,738
Class 4 %	0.07	0.00	1.52	98.68	13.45
NC	11	0	1	1	13
NC %	0.11	0.00	0.22	0.06	0.10
Total for 71RW					
Total traffic per SVC class	10,158	554	460	1,747	12,919
Total % of total traffic	78.63	4.29	3.56	13.52	100.00
AVC accuracy per Class	8.71	98.74	25.00	98.68	25.32
Adjusted AVC Accuracy	8.83	100.00	26.79	99.15	25.49
Simulated AVC Totals	5	0	0	0	5
72RE					
Class 1	***162***	2	6	0	170
Class 1 %	16.95	1.17	31.58	0.00	14.20
Class 2	775	***168***	5	0	948
Class 2 %	81.07	98.25	26.32	0.00	79.20
Class 3	0	0	***6***	0	6
Class 3 %	0.00	0.00	31.58	0.00	0.50
Class 4	1	0	1	***51***	53
Class 4 %	0.10	0.00	5.26	100.00	4.43
NC	18	1	1	0	20
NC %	1.88	0.58	5.26	0.00	1.67

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 72RE					
Total traffic per SVC class	956	171	19	51	1,197
Total % of total traffic	79.87	14.29	1.59	4.26	100.00
AVC accuracy per Class	16.95	98.25	31.58	100.00	32.33
Adjusted AVC Accuracy	17.35	100.00	40.39	100.00	32.89
Simulated AVC Totals	0	0	0	0	0
72RW					
Class 1	***550***	1	0	0	551
Class 1 %	98.04	5.26	0.00	0.00	81.87
Class 2	5	***18***	3	0	26
Class 2 %	0.89	94.74	11.11	0.00	3.86
Class 3	1	0	***23***	1	25
Class 3 %	0.18	0.00	85.19	1.52	3.71
Class 4	0	0	0	***65***	65
Class 4 %	0.00	0.00	0.00	98.48	9.66
NC	5	0	1	0	6
NC %	0.89	0.00	3.70	0.00	0.89
Total for 72RW					
Total traffic per SVC class	561	19	27	66	673
Total % of total traffic	83.36	2.82	4.01	9.81	100.00
AVC accuracy per Class	98.04	94.74	85.19	98.48	97.47
Adjusted AVC Accuracy	98.56	100.00	92.58	100.00	98.22
Simulated AVC Totals	3	0	0	0	3
Total for Leandra Remote Ramps					
Total traffic per SVC class	20,939	1,375	973	3,396	26,683
Total % of total traffic	78.47	5.15	3.65	12.73	100.00
AVC accuracy per Class	13.74	98.25	28.78	98.76	29.47
Adjusted AVC Accuracy	13.74	98.26	28.80	98.76	29.47
Simulated AVC Totals	12	0	0	0	12

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC		SVC			
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Grand Total:					
Total traffic per SVC class	221,346	11,417	5,958	37,768	276,489
Total % of total traffic	80.06	4.13	2.15	13.66	100.00
AVC accuracy per Class	80.54	93.81	54.03	98.45	82.97
Adjusted AVC Accuracy	80.54	93.81	54.04	98.45	82.97
Simulated AVC Totals	16	0	0	0	52

	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
- Axle	0	0	2422	575	2,997
- Axle %	0.00	0.00	0.88	0.21	1.08
+Axle	0	121	312	0	433
+Axle %	0.00	0.04	0.11	0.00	0.16
- Mass	0	579	2169	309	3,057
- Mass %	0.00	0.21	0.78	0.11	1.11
+Mass	42983	0	0	0	42,983
+Mass %	15.55	0.00	0.00	0.00	15.55
Total AVC Error	42983	700	4903	884	49,470
Total AVC Error %	15.55	0.25	1.77	0.32	17.89

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals