CTROM AVC Accuracy Details Report

Plaza(s) (Leandra, Leandra Remote Ramps); Date/Hour (01/05/2026 0 - 31/05/2026 23) ,SVC

Data for the selected period is consistent

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Leandra					
01ME					
Class 1	***20,540***	197	46	55	20,838
Class 1 %	99.53	8.41	3.21	0.46	57.29
Class 2	61	***2,116***	36	1	2,214
Class 2 %	0.30	90.31	2.51	0.01	6.09
Class 3	18	25	***1,334***	107	1,484
Class 3 %	0.09	1.07	93.03	0.89	4.08
Class 4	15	5	18	***11,794***	11,832
Class 4 %	0.07	0.21	1.26	98.63	32.53
NC	4	0	0	1	5
NC %	0.02	0.00	0.00	0.01	0.01
Total for 01ME					
Total traffic per SVC class	20,638	2,343	1,434	11,958	36,373
Total % of total traffic	56.74	6.44	3.94	32.88	100.00
AVC accuracy per Class	99.53	90.31	93.03	98.63	98.38
Adjusted AVC Accuracy	99.62	91.19	94.04	98.81	98.48
Simulated AVC Totals	48	0	0	0	48
02ME					
Class 1	***14,390***	58	64	36	14,548
Class 1 %	99.26	6.76	12.98	1.60	80.38
Class 2	65	***781***	26	2	874
Class 2 %	0.45	91.03	5.27	0.09	4.83

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 3	19	12	***307***	5	343
Class 3 %	0.13	1.40	62.27	0.22	1.90
Class 4	23	7	96	***2,207***	2,333
Class 4 %	0.16	0.82	19.47	98.09	12.89
NC	1	0	0	0	1
NC %	0.01	0.00	0.00	0.00	0.01
Total for 02ME					
Total traffic per SVC class	14,498	858	493	2,250	18,099
Total % of total traffic	80.10	4.74	2.72	12.43	100.00
AVC accuracy per Class	99.26	91.03	62.27	98.09	97.71
Adjusted AVC Accuracy	99.36	92.49	64.00	98.50	97.85
Simulated AVC Totals	7	0	0	0	7
03ME					
Class 1	***31,651***	57	4	8	31,720
Class 1 %	99.81	6.22	1.45	0.56	92.41
Class 2	24	***849***	6	0	879
Class 2 %	0.08	92.69	2.17	0.00	2.56
Class 3	5	8	***262***	11	286
Class 3 %	0.02	0.87	94.93	0.77	0.83
Class 4	22	1	4	***1,405***	1,432
Class 4 %	0.07	0.11	1.45	98.67	4.17
NC	8	1	0	0	9
NC %	0.03	0.11	0.00	0.00	0.03
Total for 03ME					
Total traffic per SVC class	31,710	916	276	1,424	34,326
Total % of total traffic	92.38	2.67	0.80	4.15	100.00
AVC accuracy per Class	99.81	92.69	94.93	98.67	99.54
Adjusted AVC Accuracy	99.88	94.10	97.24	99.19	99.65
Simulated AVC Totals	1	0	0	0	1
04ME					

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 1	***26,774***	37	2	0	26,813
Class 1 %	99.81	7.02	2.13	0.00	96.19
Class 2	33	***485***	5	1	524
Class 2 %	0.12	92.03	5.32	0.23	1.88
Class 3	0	4	***87***	4	95
Class 3 %	0.00	0.76	92.55	0.93	0.34
Class 4	12	0	0	***421***	433
Class 4 %	0.04	0.00	0.00	98.36	1.55
NC	6	1	0	2	9
NC %	0.02	0.19	0.00	0.47	0.03
Total for 04ME					
Total traffic per SVC class	26,825	527	94	428	27,874
Total % of total traffic	96.24	1.89	0.34	1.54	100.00
AVC accuracy per Class	99.81	92.03	92.55	98.36	99.62
Adjusted AVC Accuracy	99.89	93.89	96.51	99.30	99.74
Simulated AVC Totals	3	0	0	1	4
05MW					
Class 1	***46,568***	37	6	3	46,614
Class 1 %	99.77	3.82	2.78	0.27	95.21
Class 2	48	***919***	4	0	971
Class 2 %	0.10	94.84	1.85	0.00	1.98
Class 3	26	10	***204***	13	253
Class 3 %	0.06	1.03	94.44	1.18	0.52
Class 4	31	3	2	***1,082***	1,118
Class 4 %	0.07	0.31	0.93	98.36	2.28
NC	3	0	0	2	5
NC %	0.01	0.00	0.00	0.18	0.01

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 05MW					
Total traffic per SVC class	46,676	969	216	1,100	48,961
Total % of total traffic	95.33	1.98	0.44	2.25	100.00
AVC accuracy per Class	99.77	94.84	94.44	98.36	99.62
Adjusted AVC Accuracy	99.83	96.21	97.05	98.95	99.71
Simulated AVC Totals	10	0	0	0	10
06MW					
Class 1	***22,191***	107	71	44	22,413
Class 1 %	99.57	9.39	11.81	1.56	83.48
Class 2	72	***1,016***	23	4	1,115
Class 2 %	0.32	89.20	3.83	0.14	4.15
Class 3	8	15	***415***	15	453
Class 3 %	0.04	1.32	69.05	0.53	1.69
Class 4	13	1	92	***2,759***	2,865
Class 4 %	0.06	0.09	15.31	97.77	10.67
NC	2	0	0	0	2
NC %	0.01	0.00	0.00	0.00	0.01
Total for 06MW					
Total traffic per SVC class	22,286	1,139	601	2,822	26,848
Total % of total traffic	83.01	4.24	2.24	10.51	100.00
AVC accuracy per Class	99.57	89.20	69.05	97.77	98.26
Adjusted AVC Accuracy	99.65	90.47	70.62	98.14	98.38
Simulated AVC Totals	1	0	0	0	1
07MW					
Class 1	***24,072***	91	29	14	24,206
Class 1 %	99.71	3.70	2.02	0.12	61.34
Class 2	36	***2,348***	64	9	2,457
Class 2 %	0.15	95.37	4.45	0.08	6.23
Class 3	12	16	***1,323***	86	1,437
Class 3 %	0.05	0.65	92.00	0.75	3.64

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 4	19	6	22	***11,307***	11,354
Class 4 %	0.08	0.24	1.53	99.03	28.77
NC	3	1	0	2	6
NC %	0.01	0.04	0.00	0.02	0.02

Total for 07MW

Total traffic per SVC class	24,142	2,462	1,438	11,418	39,460
Total % of total traffic	61.18	6.24	3.64	28.94	100.00
AVC accuracy per Class	99.71	95.37	92.00	99.03	98.96
Adjusted AVC Accuracy	99.79	96.23	93.01	99.21	99.06
Simulated AVC Totals	6	0	0	0	6

Total for Leandra

Total traffic per SVC class	186,775	9,214	4,552	31,400	231,941
Total % of total traffic	80.53	3.97	1.96	13.54	100.00
AVC accuracy per Class	99.68	92.40	86.38	98.65	98.99
Adjusted AVC Accuracy	99.68	92.40	86.39	98.65	98.99
Simulated AVC Totals	76	0	0	1	77

Leandra Remote Ramps

71RE

Class 1	***9,401***	94	11	1	9,507
Class 1 %	99.86	16.15	2.77	0.07	79.72
Class 2	9	***485***	27	1	522
Class 2 %	0.10	83.33	6.80	0.07	4.38
Class 3	2	3	***351***	7	363
Class 3 %	0.02	0.52	88.41	0.46	3.04
Class 4	2	0	8	***1,523***	1,533
Class 4 %	0.02	0.00	2.02	99.41	12.86

Total for 71RE

Total traffic per SVC class	9,414	582	397	1,532	11,925
Total % of total traffic	78.94	4.88	3.33	12.85	100.00
AVC accuracy per Class	99.86	83.33	88.41	99.41	98.62
Adjusted AVC Accuracy	99.99	85.10	90.34	99.91	98.80
Simulated AVC Totals	0	0	0	0	0

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
71RW					
Class 1	***8,964***	28	4	8	9,004
Class 1 %	99.27	5.93	1.06	0.54	79.27
Class 2	56	***442***	11	2	511
Class 2 %	0.62	93.64	2.90	0.14	4.50
Class 3	3	1	***359***	8	371
Class 3 %	0.03	0.21	94.72	0.54	3.27
Class 4	2	1	5	***1,458***	1,466
Class 4 %	0.02	0.21	1.32	98.71	12.91
NC	5	0	0	1	6
NC %	0.06	0.00	0.00	0.07	0.05
Total for 71RW					
Total traffic per SVC class	9,030	472	379	1,477	11,358
Total % of total traffic	79.50	4.16	3.34	13.00	100.00
AVC accuracy per Class	99.27	93.64	94.72	98.71	98.81
Adjusted AVC Accuracy	99.40	95.61	96.69	99.22	98.99
Simulated AVC Totals	1	0	0	0	1
72RE					
Class 1	***387***	29	18	4	438
Class 1 %	100.00	100.00	94.74	9.30	91.63
Class 4	0	0	1	***39***	40
Class 4 %	0.00	0.00	5.26	90.70	8.37
Total for 72RE					
Total traffic per SVC class	387	29	19	43	478
Total % of total traffic	80.96	6.07	3.97	9.00	100.00
AVC accuracy per Class	100.00	0	0	90.70	89.12
Adjusted AVC Accuracy	100.00	7.93	8.81	93.67	90.01
Simulated AVC Totals	0	0	0	0	0
72RW					
Class 1	***1,218***	3	3	0	1,224
Class 1 %	99.10	3.95	3.00	0.00	74.95

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 2	7	***71***	5	1	84
Class 2 %	0.57	93.42	5.00	0.44	5.14
Class 3	1	2	***85***	2	90
Class 3 %	0.08	2.63	85.00	0.88	5.51
Class 4	0	0	6	***223***	229
Class 4 %	0.00	0.00	6.00	97.81	14.02
NC	3	0	1	2	6
NC %	0.24	0.00	1.00	0.88	0.37
Total for 72RW					
Total traffic per SVC class	1,229	76	100	228	1,633
Total % of total traffic	75.26	4.65	6.12	13.96	100.00
AVC accuracy per Class	99.10	93.42	85.00	97.81	97.80
Adjusted AVC Accuracy	99.45	98.32	88.84	99.10	98.28
Simulated AVC Totals	0	0	0	0	0
Total for Leandra Remote Ramps					
Total traffic per SVC class	20,060	1,159	895	3,280	25,394
Total % of total traffic	79.00	4.56	3.52	12.92	100.00
AVC accuracy per Class	99.55	86.11	88.83	98.87	98.47
Adjusted AVC Accuracy	99.55	86.12	88.84	98.87	98.47
Simulated AVC Totals	1	0	0	0	1
Grand Total:					
Total traffic per SVC class	206,835	10,373	5,447	34,680	257,335
Total % of total traffic	80.38	4.03	2.12	13.48	100.00
AVC accuracy per Class	99.67	91.70	86.78	98.67	98.94
Adjusted AVC Accuracy	99.67	91.70	86.79	98.67	98.94
Simulated AVC Totals	48	0	0	7	78

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC		*SVC*			
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
- Axle	0	0	465	452	917
- Axle %	0.00	0.00	0.18	0.18	0.36
+Axle	0	120	254	0	374
+Axle %	0.00	0.05	0.10	0.00	0.15
- Mass	0	738	258	173	1,169
- Mass %	0.00	0.29	0.10	0.07	0.45
+Mass	644	0	0	0	644
+Mass %	0.25	0.00	0.00	0.00	0.25
Total AVC Error	644	858	977	625	3,104
Total AVC Error %	0.25	0.33	0.38	0.24	1.21

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals