CTROM AVC Accuracy Details Report

Plaza(s) (Trichardt); Date/Hour (01/03/2026 0 - 31/03/2026 23) ,SVC

Data for the selected period is consistent

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Trichardt					
01ME					
Class 1	***26,008***	56	9	6	26,079
Class 1 %	99.46	2.25	0.51	0.08	68.39
Class 2	62	***2,273***	20	5	2,360
Class 2 %	0.24	91.51	1.14	0.06	6.19
Class 3	27	136	***1,624***	46	1,833
Class 3 %	0.10	5.48	92.80	0.59	4.81
Class 4	25	17	96	***7,683***	7,821
Class 4 %	0.10	0.68	5.49	99.17	20.51
NC	27	2	1	7	37
NC %	0.10	0.08	0.06	0.09	0.10
Total for 01ME					
Total traffic per SVC class	26,149	2,484	1,750	7,747	38,130
Total % of total traffic	68.58	6.51	4.59	20.32	100.00
AVC accuracy per Class	99.46	91.51	92.80	99.17	98.58
Adjusted AVC Accuracy	99.54	92.37	93.72	99.39	98.68
Simulated AVC Totals	28	0	0	0	28
02ME					
Class 1	***25,640***	33	21	19	25,713
Class 1 %	99.51	2.24	3.72	0.68	84.01
Class 2	36	***1,385***	7	2	1,430
Class 2 %	0.14	94.22	1.24	0.07	4.67

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 3	25	39	***494***	9	567
Class 3 %	0.10	2.65	87.43	0.32	1.85
Class 4	45	13	43	***2,775***	2,876
Class 4 %	0.17	0.88	7.61	98.90	9.40
NC	19	0	0	1	20
NC %	0.07	0.00	0.00	0.04	0.07

Total for 02ME

Total traffic per SVC class	25,765	1,470	565	2,806	30,606
Total % of total traffic	84.18	4.80	1.85	9.17	100.00
AVC accuracy per Class	99.51	94.22	87.43	98.90	98.98
Adjusted AVC Accuracy	99.59	95.33	89.05	99.27	99.09
Simulated AVC Totals	190	0	0	0	190

03ME

Class 1	***25,506***	81	6	0	25,593
Class 1 %	99.92	11.19	2.55	0.00	93.34
Class 2	3	***611***	6	0	620
Class 2 %	0.01	84.39	2.55	0.00	2.26
Class 3	4	31	***207***	2	244
Class 3 %	0.02	4.28	88.09	0.21	0.89
Class 4	8	1	16	***932***	957
Class 4 %	0.03	0.14	6.81	99.79	3.49
NC	5	0	0	0	5
NC %	0.02	0.00	0.00	0.00	0.02

Total for 03ME

Total traffic per SVC class	25,526	724	235	934	27,419
Total % of total traffic	93.10	2.64	0.86	3.41	100.00
AVC accuracy per Class	99.92	84.39	88.09	99.79	99.41
Adjusted AVC Accuracy	100.00	85.98	90.60	100.00	99.53
Simulated AVC Totals	22	0	0	0	22

04ME

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 1	***9***	0	0	0	9
Class 1 %	90.00	0.00	0.00	0.00	75.00
Class 2	0	***1***	0	0	1
Class 2 %	0.00	100.00	0.00	0.00	8.33
Class 3	0	0	***1***	0	1
Class 3 %	0.00	0.00	100.00	0.00	8.33
NC	1	0	0	0	1
NC %	10.00	0.00	0.00	0.00	8.33
Total for 04ME					
Total traffic per SVC class	10	1	1	0	12
Total % of total traffic	83.33	8.33	8.33	0.00	100.00
AVC accuracy per Class	90.00	100.00	100.00	0.00	91.67
Adjusted AVC Accuracy	93.91	100.00	100.00	0.00	97.30
Simulated AVC Totals	0	0	0	0	0
05ME					
Class 1	***39,058***	22	2	0	39,082
Class 1 %	99.83	2.93	1.04	0.00	95.85
Class 2	6	***688***	4	0	698
Class 2 %	0.02	91.61	2.07	0.00	1.71
Class 3	12	41	***162***	5	220
Class 3 %	0.03	5.46	83.94	0.71	0.54
Class 4	49	0	25	***700***	774
Class 4 %	0.13	0.00	12.95	99.29	1.90
Total for 05ME					
Total traffic per SVC class	39,125	751	193	705	40,774
Total % of total traffic	95.96	1.84	0.47	1.73	100.00
AVC accuracy per Class	99.83	91.61	83.94	99.29	99.59
Adjusted AVC Accuracy	99.89	93.17	86.70	100.00	99.69
Simulated AVC Totals	7	0	0	0	7
06MW					

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 1	***53,075***	32	4	5	53,116
Class 1 %	99.67	2.75	1.57	0.60	95.70
Class 2	68	***1,085***	5	0	1,158
Class 2 %	0.13	93.21	1.97	0.00	2.09
Class 3	22	45	***233***	8	308
Class 3 %	0.04	3.87	91.73	0.96	0.55
Class 4	84	2	12	***821***	919
Class 4 %	0.16	0.17	4.72	98.44	1.66
NC	1	0	0	0	1
NC %	0.00	0.00	0.00	0.00	0.00
Total for 06MW					
Total traffic per SVC class	53,250	1,164	254	834	55,502
Total % of total traffic	95.94	2.10	0.46	1.50	100.00
AVC accuracy per Class	99.67	93.21	91.73	98.44	99.48
Adjusted AVC Accuracy	99.72	94.46	94.14	99.12	99.56
Simulated AVC Totals	16	0	0	0	16
07MW					
Class 1	***90***	0	0	0	90
Class 1 %	97.83	0.00	0.00	0.00	93.75
Class 2	0	***2***	0	0	2
Class 2 %	0.00	100.00	0.00	0.00	2.08
Class 4	0	0	0	***2***	2
Class 4 %	0.00	0.00	0.00	100.00	2.08
NC	2	0	0	0	2
NC %	2.17	0.00	0.00	0.00	2.08
Total for 07MW					
Total traffic per SVC class	92	2	0	2	96
Total % of total traffic	95.83	2.08	0.00	2.08	100.00
AVC accuracy per Class	97.83	100.00	0.00	100.00	97.92
Adjusted AVC Accuracy	99.12	100.00	0.00	100.00	99.91
Simulated AVC Totals	0	0	0	0	0

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
08MW					
Class 1	***28,187***	25	6	1	28,219
Class 1 %	99.90	1.65	1.20	0.04	86.94
Class 2	12	***1,423***	9	0	1,444
Class 2 %	0.04	93.99	1.80	0.00	4.45
Class 3	5	57	***438***	6	506
Class 3 %	0.02	3.76	87.78	0.27	1.56
Class 4	10	9	46	***2,221***	2,286
Class 4 %	0.04	0.59	9.22	99.69	7.04
NC	2	0	0	0	2
NC %	0.01	0.00	0.00	0.00	0.01
Total for 08MW					
Total traffic per SVC class	28,216	1,514	499	2,228	32,457
Total % of total traffic	86.93	4.66	1.54	6.86	100.00
AVC accuracy per Class	99.90	93.99	87.78	99.69	99.42
Adjusted AVC Accuracy	99.97	95.09	89.50	100.00	99.53
Simulated AVC Totals	48	0	0	0	48
09MW					
Class 1	***34,411***	54	8	2	34,475
Class 1 %	99.77	1.95	0.42	0.02	72.64
Class 2	34	***2,579***	40	1	2,654
Class 2 %	0.10	93.34	2.12	0.01	5.59
Class 3	20	122	***1,728***	60	1,930
Class 3 %	0.06	4.42	91.57	0.72	4.07
Class 4	18	8	111	***8,257***	8,394
Class 4 %	0.05	0.29	5.88	99.24	17.69
NC	6	0	0	0	6
NC %	0.02	0.00	0.00	0.00	0.01

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC			*SVC*		
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Total for 09MW					
Total traffic per SVC class	34,489	2,763	1,887	8,320	47,459
Total % of total traffic	72.67	5.82	3.98	17.53	100.00
AVC accuracy per Class	99.77	93.34	91.57	99.24	98.98
Adjusted AVC Accuracy	99.84	94.15	92.45	99.45	99.07
Simulated AVC Totals	43	0	0	0	43
Total for Trichardt					
Total traffic per SVC class	232,622	10,873	5,384	23,576	272,455
Total % of total traffic	85.38	3.99	1.98	8.65	100.00
AVC accuracy per Class	99.73	92.40	90.77	99.22	99.21
Adjusted AVC Accuracy	99.73	92.40	90.78	99.22	99.21
Simulated AVC Totals	354	0	0	0	354

	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
- Axle	0	0	147	177	324
- Axle %	0.00	0.00	0.05	0.06	0.12
+Axle	0	521	349	0	870
+Axle %	0.00	0.19	0.13	0.00	0.32
- Mass	0	303	56	33	392
- Mass %	0.00	0.11	0.02	0.01	0.14
+Mass	575	0	0	0	575
+Mass %	0.21	0.00	0.00	0.00	0.21
Total AVC Error	575	824	552	210	2,161
Total AVC Error %	0.21	0.30	0.20	0.08	0.79

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals