CTROM AVC Accuracy Details Report

Plaza(s) (Dalpark, Denne Remote Ramps); Date/Hour (01/01/2026 0 - 31/01/2026 23) ,SVC

Data for the selected period is consistent

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Dalpark					
11MW					
Class 1	***17,394***	48	529	1	17,972
Class 1 %	80.66	4.43	92.81	0.03	68.69
Class 2	4,143	***1,034***	27	1	5,205
Class 2 %	19.21	95.39	4.74	0.03	19.89
Class 3	20	2	***13***	0	35
Class 3 %	0.09	0.18	2.28	0.00	0.13
Class 4	3	0	1	***2,943***	2,947
Class 4 %	0.01	0.00	0.18	99.93	11.26
NC	5	0	0	0	5
NC %	0.02	0.00	0.00	0.00	0.02
Total for 11MW					
Total traffic per SVC class	21,565	1,084	570	2,945	26,164
Total % of total traffic	82.42	4.14	2.18	11.26	100.00
AVC accuracy per Class	80.66	95.39	2.28	99.93	81.73
Adjusted AVC Accuracy	80.74	96.69	3.89	100.00	81.85
Simulated AVC Totals	23	2	1	5	31
12MW					
Class 1	***59,193***	100	11	0	59,304
Class 1 %	99.98	4.58	0.97	0.00	86.51
Class 2	5	***2,076***	32	0	2,113
Class 2 %	0.01	95.10	2.83	0.00	3.08

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 3	4	6	***1,088***	55	1,153
Class 3 %	0.01	0.27	96.11	0.91	1.68
Class 4	4	1	1	***5,976***	5,982
Class 4 %	0.01	0.05	0.09	99.09	8.73
NC	1	0	0	0	1
NC %	0.00	0.00	0.00	0.00	0.00
Total for 12MW					
Total traffic per SVC class	59,207	2,183	1,132	6,031	68,553
Total % of total traffic	86.37	3.18	1.65	8.80	100.00
AVC accuracy per Class	99.98	95.10	96.11	99.09	99.68
Adjusted AVC Accuracy	100.00	96.01	97.25	99.34	99.75
Simulated AVC Totals	123	4	17	13	157
13MW					
Class 1	***24,659***	31	46	2	24,738
Class 1 %	99.71	2.05	5.32	0.04	77.42
Class 2	62	***1,465***	22	2	1,551
Class 2 %	0.25	97.02	2.55	0.04	4.85
Class 3	7	14	***792***	21	834
Class 3 %	0.03	0.93	91.67	0.43	2.61
Class 4	3	0	4	***4,821***	4,828
Class 4 %	0.01	0.00	0.46	99.48	15.11
Total for 13MW					
Total traffic per SVC class	24,731	1,510	864	4,846	31,951
Total % of total traffic	77.40	4.73	2.70	15.17	100.00
AVC accuracy per Class	99.71	97.02	91.67	99.48	99.33
Adjusted AVC Accuracy	99.79	98.12	92.98	99.76	99.44
Simulated AVC Totals	0	0	0	0	0
14MW					

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 1	***63,299***	65	19	0	63,383
Class 1 %	99.98	3.46	2.26	0.00	90.82
Class 2	9	***1,799***	25	1	1,834
Class 2 %	0.01	95.74	2.97	0.03	2.63
Class 3	1	15	***795***	44	855
Class 3 %	0.00	0.80	94.42	1.17	1.23
Class 4	5	0	3	***3,711***	3,719
Class 4 %	0.01	0.00	0.36	98.80	5.33
Total for 14MW					
Total traffic per SVC class	63,314	1,879	842	3,756	69,791
Total % of total traffic	90.72	2.69	1.21	5.38	100.00
AVC accuracy per Class	99.98	95.74	94.42	98.80	99.73
Adjusted AVC Accuracy	100.00	96.73	95.74	99.12	99.80
Simulated AVC Totals	165	3	15	7	190
15MW					
Class 1	***64,389***	37	2	0	64,428
Class 1 %	99.93	3.13	0.50	0.00	95.63
Class 2	8	***1,142***	13	0	1,163
Class 2 %	0.01	96.70	3.25	0.00	1.73
Class 3	1	2	***383***	16	402
Class 3 %	0.00	0.17	95.75	1.18	0.60
Class 4	4	0	2	***1,340***	1,346
Class 4 %	0.01	0.00	0.50	98.82	2.00
NC	32	0	0	0	32
NC %	0.05	0.00	0.00	0.00	0.05

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 15MW					
Total traffic per SVC class	64,434	1,181	400	1,356	67,371
Total % of total traffic	95.64	1.75	0.59	2.01	100.00
AVC accuracy per Class	99.93	96.70	95.75	98.82	99.83
Adjusted AVC Accuracy	99.98	97.94	97.67	99.35	99.91
Simulated AVC Totals	63	3	7	0	73
16MW					
Class 1	***741***	0	1	0	742
Class 1 %	88.96	0.00	100.00	0.00	86.58
Class 2	90	***7***	0	0	97
Class 2 %	10.80	100.00	0.00	0.00	11.32
Class 3	1	0	***0***	0	1
Class 3 %	0.12	0.00	0.00	0.00	0.12
Class 4	0	0	0	***16***	16
Class 4 %	0.00	0.00	0.00	100.00	1.87
NC	1	0	0	0	1
NC %	0.12	0.00	0.00	0.00	0.12
Total for 16MW					
Total traffic per SVC class	833	7	1	16	857
Total % of total traffic	97.20	0.82	0.12	1.87	100.00
AVC accuracy per Class	88.96	100.00	0.00	100.00	89.15
Adjusted AVC Accuracy	89.39	100.00	38.41	100.00	89.82
Simulated AVC Totals	1	0	0	0	1
17MW					
Class 1	***16,053***	9	4	0	16,066
Class 1 %	99.79	1.72	1.16	0.00	86.14
Class 2	29	***509***	12	2	552
Class 2 %	0.18	97.32	3.49	0.12	2.96

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 3	3	5	***328***	3	339
Class 3 %	0.02	0.96	95.35	0.18	1.82
Class 4	0	0	0	***1,693***	1,693
Class 4 %	0.00	0.00	0.00	99.71	9.08
NC	1	0	0	0	1
NC %	0.01	0.00	0.00	0.00	0.01
Total for 17MW					
Total traffic per SVC class	16,086	523	344	1,698	18,651
Total % of total traffic	86.25	2.80	1.84	9.10	100.00
AVC accuracy per Class	99.79	97.32	95.35	99.71	99.64
Adjusted AVC Accuracy	99.89	99.19	97.42	100.00	99.78
Simulated AVC Totals	0	0	0	0	0
18MW					
Class 1	***20***	0	2	0	22
Class 1 %	4.01	0.00	100.00	0.00	4.21
Class 2	479	***11***	0	0	490
Class 2 %	95.99	100.00	0.00	0.00	93.87
Class 4	0	0	0	***10***	10
Class 4 %	0.00	0.00	0.00	100.00	1.92
Total for 18MW					
Total traffic per SVC class	499	11	2	10	522
Total % of total traffic	95.59	2.11	0.38	1.92	100.00
AVC accuracy per Class	4.01	100.00	0	100.00	7.85
Adjusted AVC Accuracy	4.56	100.00	27.16	100.00	8.70
Simulated AVC Totals	1	0	0	0	1
19ME					
Class 1	***70,310***	52	8	0	70,370
Class 1 %	99.98	3.37	1.29	0.00	93.97

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 2	8	***1,485***	8	0	1,501
Class 2 %	0.01	96.37	1.29	0.00	2.00
Class 3	1	4	***603***	27	635
Class 3 %	0.00	0.26	97.42	1.12	0.85
Class 4	2	0	0	***2,380***	2,382
Class 4 %	0.00	0.00	0.00	98.88	3.18
Total for 19ME					
Total traffic per SVC class	70,321	1,541	619	2,407	74,888
Total % of total traffic	93.90	2.06	0.83	3.21	100.00
AVC accuracy per Class	99.98	96.37	97.42	98.88	99.85
Adjusted AVC Accuracy	100.00	97.46	98.96	99.28	99.92
Simulated AVC Totals	177	3	11	9	200
20ME					
Class 1	***30,192***	19	10	0	30,221
Class 1 %	99.88	1.45	1.06	0.00	81.51
Class 2	29	***1,280***	27	2	1,338
Class 2 %	0.10	97.78	2.86	0.04	3.61
Class 3	4	10	***892***	12	918
Class 3 %	0.01	0.76	94.59	0.26	2.48
Class 4	2	0	14	***4,583***	4,599
Class 4 %	0.01	0.00	1.48	99.70	12.40
NC	1	0	0	0	1
NC %	0.00	0.00	0.00	0.00	0.00
Total for 20ME					
Total traffic per SVC class	30,228	1,309	943	4,597	37,077
Total % of total traffic	81.53	3.53	2.54	12.40	100.00
AVC accuracy per Class	99.88	97.78	94.59	99.70	99.65
Adjusted AVC Accuracy	99.95	98.96	95.84	99.99	99.75
Simulated AVC Totals	0	0	0	0	0

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
21ME					
Class 1	***5***	0	0	0	5
Class 1 %	100.00	0.00	0.00	0.00	100.00
Total for 21ME					
Total traffic per SVC class	5	0	0	0	5
Total % of total traffic	100.00	0.00	0.00	0.00	100.00
AVC accuracy per Class	100.00	0.00	0.00	0.00	100.00
Adjusted AVC Accuracy	100.00	0.00	0.00	0.00	100.00
Simulated AVC Totals	0	0	0	0	0
22ME					
Class 1	***19,600***	25	3	0	19,628
Class 1 %	99.98	4.38	0.84	0.00	87.84
Class 2	0	***543***	3	0	546
Class 2 %	0.00	95.10	0.84	0.00	2.44
Class 3	1	2	***347***	20	370
Class 3 %	0.01	0.35	97.20	1.10	1.66
Class 4	1	1	4	***1,795***	1,801
Class 4 %	0.01	0.18	1.12	98.90	8.06
NC	1	0	0	0	1
NC %	0.01	0.00	0.00	0.00	0.00
Total for 22ME					
Total traffic per SVC class	19,603	571	357	1,815	22,346
Total % of total traffic	87.72	2.56	1.60	8.12	100.00
AVC accuracy per Class	99.98	95.10	97.20	98.90	99.73
Adjusted AVC Accuracy	100.00	96.89	99.23	99.36	99.86
Simulated AVC Totals	18	0	2	3	23
23ME					
Class 1	***13,183***	84	124	2	13,393
Class 1 %	99.04	9.86	22.46	0.09	78.90

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 2	104	***763***	16	6	889
Class 2 %	0.78	89.55	2.90	0.27	5.24
Class 3	24	5	***410***	10	449
Class 3 %	0.18	0.59	74.28	0.44	2.65
Class 4	0	0	2	***2,242***	2,244
Class 4 %	0.00	0.00	0.36	99.20	13.22
Total for 23ME					
Total traffic per SVC class	13,311	852	552	2,260	16,975
Total % of total traffic	78.42	5.02	3.25	13.31	100.00
AVC accuracy per Class	99.04	89.55	74.28	99.20	97.78
Adjusted AVC Accuracy	99.15	91.01	75.91	99.61	97.93
Simulated AVC Totals	0	0	0	0	0
24ME					
Class 1	***56,443***	130	26	0	56,599
Class 1 %	99.96	6.72	2.91	0.00	88.93
Class 2	13	***1,794***	20	2	1,829
Class 2 %	0.02	92.76	2.24	0.05	2.87
Class 3	3	9	***846***	53	911
Class 3 %	0.01	0.47	94.74	1.22	1.43
Class 4	3	1	1	***4,295***	4,300
Class 4 %	0.01	0.05	0.11	98.74	6.76
NC	4	0	0	0	4
NC %	0.01	0.00	0.00	0.00	0.01
Total for 24ME					
Total traffic per SVC class	56,466	1,934	893	4,350	63,643
Total % of total traffic	88.72	3.04	1.40	6.84	100.00
AVC accuracy per Class	99.96	92.76	94.74	98.74	99.58
Adjusted AVC Accuracy	100.00	93.73	96.03	99.04	99.66
Simulated AVC Totals	114	4	4	4	126

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
25ME					
Class 1	***40,420***	74	2	0	40,496
Class 1 %	99.95	3.64	0.19	0.00	81.81
Class 2	13	***1,952***	101	1	2,067
Class 2 %	0.03	96.02	9.45	0.02	4.18
Class 3	4	7	***964***	114	1,089
Class 3 %	0.01	0.34	90.18	1.91	2.20
Class 4	1	0	2	***5,844***	5,847
Class 4 %	0.00	0.00	0.19	98.05	11.81
NC	3	0	0	1	4
NC %	0.01	0.00	0.00	0.02	0.01
Total for 25ME					
Total traffic per SVC class	40,441	2,033	1,069	5,960	49,503
Total % of total traffic	81.69	4.11	2.16	12.04	100.00
AVC accuracy per Class	99.95	96.02	90.18	98.05	99.35
Adjusted AVC Accuracy	100.00	96.97	91.35	98.30	99.44
Simulated AVC Totals	42	2	5	10	59
Total for Dalpark					
Total traffic per SVC class	481,044	16,618	8,588	42,047	548,297
Total % of total traffic	87.73	3.03	1.57	7.67	100.00
AVC accuracy per Class	98.93	95.44	86.88	99.05	98.65
Adjusted AVC Accuracy	98.93	95.44	86.88	99.05	98.65
Simulated AVC Totals	727	21	62	51	861
Denne Remote Ramps					
03RE					
Class 1	***12,992***	7	1	0	13,000
Class 1 %	99.85	1.87	0.44	0.00	88.68
Class 2	8	***367***	8	0	383
Class 2 %	0.06	97.87	3.54	0.00	2.61

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 3	1	1	***217***	12	231
Class 3 %	0.01	0.27	96.02	1.15	1.58
Class 4	0	0	0	***1,035***	1,035
Class 4 %	0.00	0.00	0.00	98.85	7.06
NC	10	0	0	0	10
NC %	0.08	0.00	0.00	0.00	0.07
Total for 03RE					
Total traffic per SVC class	13,011	375	226	1,047	14,659
Total % of total traffic	88.76	2.56	1.54	7.14	100.00
AVC accuracy per Class	99.85	97.87	96.02	98.85	99.67
Adjusted AVC Accuracy	99.96	100.00	98.57	99.45	99.83
Simulated AVC Totals	22	0	0	0	22
03RW					
Class 1	***14,428***	7	3	0	14,438
Class 1 %	99.93	1.69	1.95	0.00	91.35
Class 2	4	***405***	1	0	410
Class 2 %	0.03	98.06	0.65	0.00	2.59
Class 3	2	1	***150***	25	178
Class 3 %	0.01	0.24	97.40	3.13	1.13
Class 4	0	0	0	***775***	775
Class 4 %	0.00	0.00	0.00	96.88	4.90
NC	4	0	0	0	4
NC %	0.03	0.00	0.00	0.00	0.03
Total for 03RW					
Total traffic per SVC class	14,438	413	154	800	15,805
Total % of total traffic	91.35	2.61	0.97	5.06	100.00
AVC accuracy per Class	99.93	98.06	97.40	96.88	99.70
Adjusted AVC Accuracy	100.00	100.00	100.00	97.57	99.86
Simulated AVC Totals	9	0	0	0	9

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
04RE					
Class 1	***3,576***	3	47	0	3,626
Class 1 %	93.22	3.30	88.68	0.00	86.60
Class 2	247	***88***	0	0	335
Class 2 %	6.44	96.70	0.00	0.00	8.00
Class 3	0	0	***6***	0	6
Class 3 %	0.00	0.00	11.32	0.00	0.14
Class 4	0	0	0	***207***	207
Class 4 %	0.00	0.00	0.00	100.00	4.94
NC	13	0	0	0	13
NC %	0.34	0.00	0.00	0.00	0.31
Total for 04RE					
Total traffic per SVC class	3,836	91	53	207	4,187
Total % of total traffic	91.62	2.17	1.27	4.94	100.00
AVC accuracy per Class	93.22	96.70	11.32	100.00	92.60
Adjusted AVC Accuracy	93.42	100.00	16.60	100.00	92.90
Simulated AVC Totals	3	1	2	0	6
04RW					
Class 1	***2,239***	1	0	0	2,240
Class 1 %	99.87	1.69	0.00	0.00	92.83
Class 2	0	***58***	2	1	61
Class 2 %	0.00	98.31	11.76	1.05	2.53
Class 3	1	0	***15***	2	18
Class 3 %	0.04	0.00	88.24	2.11	0.75
Class 4	0	0	0	***92***	92
Class 4 %	0.00	0.00	0.00	96.84	3.81
NC	2	0	0	0	2
NC %	0.09	0.00	0.00	0.00	0.08

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Total for 04RW					
Total traffic per SVC class	2,242	59	17	95	2,413
Total % of total traffic	92.91	2.45	0.70	3.94	100.00
AVC accuracy per Class	99.87	98.31	88.24	96.84	99.63
Adjusted AVC Accuracy	100.00	100.00	97.56	98.84	100.00
Simulated AVC Totals	1	0	0	0	1
Total for Denne Remote Ramps					
Total traffic per SVC class	33,527	938	450	2,149	37,064
Total % of total traffic	90.46	2.53	1.21	5.80	100.00
AVC accuracy per Class	99.13	97.87	86.22	98.14	98.88
Adjusted AVC Accuracy	99.13	97.88	86.24	98.14	98.88
Simulated AVC Totals	35	1	2	0	38
Grand Total:					
Total traffic per SVC class	514,571	17,556	9,038	44,196	585,361
Total % of total traffic	87.91	3.00	1.54	7.55	100.00
AVC accuracy per Class	98.94	95.57	86.84	99.01	98.66
Adjusted AVC Accuracy	98.94	95.57	86.84	99.01	98.66
Simulated AVC Totals	23	2	1	5	899

	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
- Axle	0	0	0	0	0
- Axle %	0.00	0.00	0.00	0.00	0.00
+Axle	0	0	0	0	0
+Axle %	0.00	0.00	0.00	0.00	0.00
- Mass	0	0	0	0	0
- Mass %	0.00	0.00	0.00	0.00	0.00
+Mass	0	0	0	0	0
+Mass %	0.00	0.00	0.00	0.00	0.00
Total AVC Error	0	0	0	0	0
Total AVC Error %	0.00	0.00	0.00	0.00	0.00

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals