CTROM AVC Accuracy Details Report

Plaza(s) (Gosforth East Ramps, Gosforth Mainline Plaza, Gosforth West Ramps); Date/Hour (01/01/2026 0 - 31/01/2026 23) ,SVC

Data for the selected period is consistent

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Gosforth East Ramps					
08RE					
Class 1	***68,424***	11	1,132	0	69,567
Class 1 %	92.41	0.50	93.17	0.00	82.70
Class 2	5,590	***2,202***	33	1	7,826
Class 2 %	7.55	99.46	2.72	0.02	9.30
Class 3	19	1	***46***	0	66
Class 3 %	0.03	0.05	3.79	0.00	0.08
Class 4	3	0	4	***6,650***	6,657
Class 4 %	0.00	0.00	0.33	99.98	7.91
NC	8	0	0	0	8
NC %	0.01	0.00	0.00	0.00	0.01
Total for 08RE					
Total traffic per SVC class	74,044	2,214	1,215	6,651	84,124
Total % of total traffic	88.02	2.63	1.44	7.91	100.00
AVC accuracy per Class	92.41	99.46	3.79	99.98	91.91
Adjusted AVC Accuracy	92.46	100.00	4.89	100.00	91.98
Simulated AVC Totals	6	0	0	0	6
09RE					
Class 1	***89,462***	256	55	0	89,773
Class 1 %	99.44	20.25	9.60	0.00	95.05
Class 2	228	***1,007***	183	17	1,435
Class 2 %	0.25	79.67	31.94	0.64	1.52

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 3	269	1	***332***	133	735
Class 3 %	0.30	0.08	57.94	5.02	0.78
Class 4	4	0	3	***2,499***	2,506
Class 4 %	0.00	0.00	0.52	94.34	2.65
NC	3	0	0	0	3
NC %	0.00	0.00	0.00	0.00	0.00
Total for 09RE					
Total traffic per SVC class	89,966	1,264	573	2,649	94,452
Total % of total traffic	95.25	1.34	0.61	2.80	100.00
AVC accuracy per Class	99.44	79.67	57.94	94.34	98.78
Adjusted AVC Accuracy	99.48	80.87	59.54	94.72	98.84
Simulated AVC Totals	273	1	0	1	275
10RE					
Class 1	***58,318***	35	2	0	58,355
Class 1 %	99.98	5.45	0.67	0.00	96.64
Class 2	11	***605***	7	0	623
Class 2 %	0.02	94.24	2.36	0.00	1.03
Class 3	1	2	***288***	7	298
Class 3 %	0.00	0.31	96.97	0.63	0.49
Class 4	1	0	0	***1,110***	1,111
Class 4 %	0.00	0.00	0.00	99.37	1.84
Total for 10RE					
Total traffic per SVC class	58,331	642	297	1,117	60,387
Total % of total traffic	96.60	1.06	0.49	1.85	100.00
AVC accuracy per Class	99.98	94.24	96.97	99.37	99.89
Adjusted AVC Accuracy	100.00	95.93	99.20	99.95	99.97
Simulated AVC Totals	7	0	0	0	7
11RE					

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 1	***7,497***	5	3	0	7,505
Class 1 %	99.75	1.92	1.56	0.00	83.03
Class 2	14	***252***	3	0	269
Class 2 %	0.19	96.55	1.56	0.00	2.98
Class 3	3	3	***185***	1	192
Class 3 %	0.04	1.15	96.35	0.09	2.12
Class 4	2	1	1	***1,069***	1,073
Class 4 %	0.03	0.38	0.52	99.91	11.87
Total for 11RE					
Total traffic per SVC class	7,516	261	192	1,070	9,039
Total % of total traffic	83.15	2.89	2.12	11.84	100.00
AVC accuracy per Class	99.75	96.55	96.35	99.91	99.60
Adjusted AVC Accuracy	99.89	99.19	99.12	100.00	99.81
Simulated AVC Totals	0	0	0	0	0
12RE					
Class 1	***23,759***	15	8	1	23,783
Class 1 %	99.81	2.33	1.88	0.06	89.40
Class 2	26	***624***	15	0	665
Class 2 %	0.11	97.05	3.53	0.00	2.50
Class 3	5	3	***387***	2	397
Class 3 %	0.02	0.47	91.06	0.12	1.49
Class 4	10	1	15	***1,729***	1,755
Class 4 %	0.04	0.16	3.53	99.83	6.60
NC	4	0	0	0	4
NC %	0.02	0.00	0.00	0.00	0.02

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 12RE					
Total traffic per SVC class	23,804	643	425	1,732	26,604
Total % of total traffic	89.48	2.42	1.60	6.51	100.00
AVC accuracy per Class	99.81	97.05	91.06	99.83	99.61
Adjusted AVC Accuracy	99.89	98.73	92.92	100.00	99.73
Simulated AVC Totals	1	0	0	0	1
25RW					
Class 1	***4,285***	4	58	0	4,347
Class 1 %	97.61	2.76	95.08	0.00	88.52
Class 2	105	***141***	1	0	247
Class 2 %	2.39	97.24	1.64	0.00	5.03
Class 3	0	0	***1***	0	1
Class 3 %	0.00	0.00	1.64	0.00	0.02
Class 4	0	0	1	***315***	316
Class 4 %	0.00	0.00	1.64	100.00	6.43
Total for 25RW					
Total traffic per SVC class	4,390	145	61	315	4,911
Total % of total traffic	89.39	2.95	1.24	6.41	100.00
AVC accuracy per Class	97.61	97.24	1.64	100.00	96.56
Adjusted AVC Accuracy	97.80	100.00	6.56	100.00	96.84
Simulated AVC Totals	0	0	0	0	0
26RW					
Class 1	***6,023***	7	2	1	6,033
Class 1 %	99.88	4.73	1.53	0.16	86.97
Class 2	6	***141***	1	0	148
Class 2 %	0.10	95.27	0.76	0.00	2.13
Class 3	1	0	***125***	2	128
Class 3 %	0.02	0.00	95.42	0.32	1.85

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 4	0	0	3	***625***	628
Class 4 %	0.00	0.00	2.29	99.52	9.05
Total for 26RW					
Total traffic per SVC class	6,030	148	131	628	6,937
Total % of total traffic	86.93	2.13	1.89	9.05	100.00
AVC accuracy per Class	99.88	95.27	95.42	99.52	99.67
Adjusted AVC Accuracy	100.00	98.78	98.78	100.00	99.90
Simulated AVC Totals	0	0	0	0	0
27RW					
Class 1	***59,380***	874	347	0	60,601
Class 1 %	100.00	100.00	100.00	0.00	97.56
Class 4	2	0	0	***1,511***	1,513
Class 4 %	0.00	0.00	0.00	100.00	2.44
Total for 27RW					
Total traffic per SVC class	59,382	874	347	1,511	62,114
Total % of total traffic	95.60	1.41	0.56	2.43	100.00
AVC accuracy per Class	100.00	0	0	100.00	98.03
Adjusted AVC Accuracy	100.00	1.44	2.06	100.00	98.11
Simulated AVC Totals	3	0	0	0	3
28RW					
Class 1	***89,569***	74	13	0	89,656
Class 1 %	99.97	5.15	2.20	0.00	94.61
Class 2	13	***1,363***	25	1	1,402
Class 2 %	0.01	94.78	4.22	0.03	1.48
Class 3	4	1	***553***	36	594
Class 3 %	0.00	0.07	93.41	1.14	0.63
Class 4	1	0	1	***3,108***	3,110
Class 4 %	0.00	0.00	0.17	98.82	3.28

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
NC	6	0	0	0	6
NC %	0.01	0.00	0.00	0.00	0.01
Total for 28RW					
Total traffic per SVC class	89,593	1,438	592	3,145	94,768
Total % of total traffic	94.54	1.52	0.62	3.32	100.00
AVC accuracy per Class	99.97	94.78	93.41	98.82	99.82
Adjusted AVC Accuracy	100.00	95.91	94.99	99.17	99.88
Simulated AVC Totals	2	0	0	0	2
29RW					
Class 1	***62,049***	53	5	0	62,107
Class 1 %	99.98	2.77	0.48	0.00	88.37
Class 2	6	***1,859***	24	0	1,889
Class 2 %	0.01	97.13	2.32	0.00	2.69
Class 3	1	2	***1,004***	33	1,040
Class 3 %	0.00	0.10	97.10	0.63	1.48
Class 4	1	0	1	***5,233***	5,235
Class 4 %	0.00	0.00	0.10	99.37	7.45
NC	6	0	0	0	6
NC %	0.01	0.00	0.00	0.00	0.01
Total for 29RW					
Total traffic per SVC class	62,063	1,914	1,034	5,266	70,277
Total % of total traffic	88.31	2.72	1.47	7.49	100.00
AVC accuracy per Class	99.98	97.13	97.10	99.37	99.81
Adjusted AVC Accuracy	100.00	98.11	98.29	99.64	99.88
Simulated AVC Totals	48	0	0	1	49

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for Gosforth East Ramps					
Total traffic per SVC class	475,119	9,543	4,867	24,084	513,613
Total % of total traffic	92.51	1.86	0.95	4.69	100.00
AVC accuracy per Class	98.66	85.86	60.02	99.02	98.08
Adjusted AVC Accuracy	98.66	85.86	60.03	99.02	98.08
Simulated AVC Totals	340	1	0	2	343
Gosforth Mainline Plaza					
13ME					
Class 1	***9,349***	3	2	0	9,354
Class 1 %	99.91	0.82	1.23	0.00	89.18
Class 2	4	***361***	10	0	375
Class 2 %	0.04	98.63	6.17	0.00	3.58
Class 3	1	2	***150***	2	155
Class 3 %	0.01	0.55	92.59	0.33	1.48
Class 4	1	0	0	***602***	603
Class 4 %	0.01	0.00	0.00	99.67	5.75
NC	2	0	0	0	2
NC %	0.02	0.00	0.00	0.00	0.02
Total for 13ME					
Total traffic per SVC class	9,357	366	162	604	10,489
Total % of total traffic	89.21	3.49	1.54	5.76	100.00
AVC accuracy per Class	99.91	98.63	92.59	99.67	99.74
Adjusted AVC Accuracy	100.00	100.00	95.61	100.00	99.93
Simulated AVC Totals	3	0	0	0	3
14ME					
Class 1	***37,425***	32	4	0	37,461
Class 1 %	99.94	2.43	0.53	0.00	87.87
Class 2	18	***1,285***	17	0	1,320
Class 2 %	0.05	97.42	2.26	0.00	3.10

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 3	4	2	***726***	15	747
Class 3 %	0.01	0.15	96.67	0.48	1.75
Class 4	2	0	4	***3,098***	3,104
Class 4 %	0.01	0.00	0.53	99.52	7.28
Total for 14ME					
Total traffic per SVC class	37,449	1,319	751	3,113	42,632
Total % of total traffic	87.84	3.09	1.76	7.30	100.00
AVC accuracy per Class	99.94	97.42	96.67	99.52	99.77
Adjusted AVC Accuracy	100.00	98.60	98.07	99.87	99.86
Simulated AVC Totals	1	0	0	0	1
15ME					
Class 1	***50,537***	44	0	0	50,581
Class 1 %	99.96	3.41	0.00	0.00	92.06
Class 2	16	***1,236***	23	0	1,275
Class 2 %	0.03	95.89	3.97	0.00	2.32
Class 3	1	9	***556***	21	587
Class 3 %	0.00	0.70	95.86	0.83	1.07
Class 4	1	0	1	***2,496***	2,498
Class 4 %	0.00	0.00	0.17	99.17	4.55
NC	1	0	0	0	1
NC %	0.00	0.00	0.00	0.00	0.00
Total for 15ME					
Total traffic per SVC class	50,556	1,289	580	2,517	54,942
Total % of total traffic	92.02	2.35	1.06	4.58	100.00
AVC accuracy per Class	99.96	95.89	95.86	99.17	99.79
Adjusted AVC Accuracy	100.00	97.08	97.45	99.56	99.87
Simulated AVC Totals	9	0	0	0	9
16ME					

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 1	***54,401***	57	0	0	54,458
Class 1 %	99.99	5.44	0.00	0.00	94.90
Class 2	1	***990***	29	0	1,020
Class 2 %	0.00	94.56	7.29	0.00	1.78
Class 3	1	0	***367***	20	388
Class 3 %	0.00	0.00	92.21	1.31	0.68
Class 4	2	0	2	***1,512***	1,516
Class 4 %	0.00	0.00	0.50	98.69	2.64
Total for 16ME					
Total traffic per SVC class	54,405	1,047	398	1,532	57,382
Total % of total traffic	94.81	1.82	0.69	2.67	100.00
AVC accuracy per Class	99.99	94.56	92.21	98.69	99.80
Adjusted AVC Accuracy	100.00	95.88	94.14	99.19	99.88
Simulated AVC Totals	2	0	0	0	2
17ME					
Class 1	***32,731***	25	11	0	32,767
Class 1 %	99.83	2.10	1.49	0.00	86.64
Class 2	46	***1,163***	24	1	1,234
Class 2 %	0.14	97.73	3.25	0.03	3.26
Class 3	3	2	***693***	4	702
Class 3 %	0.01	0.17	93.78	0.13	1.86
Class 4	2	0	11	***3,099***	3,112
Class 4 %	0.01	0.00	1.49	99.84	8.23
NC	4	0	0	0	4
NC %	0.01	0.00	0.00	0.00	0.01

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 17ME					
Total traffic per SVC class	32,786	1,190	739	3,104	37,819
Total % of total traffic	86.69	3.15	1.95	8.21	100.00
AVC accuracy per Class	99.83	97.73	93.78	99.84	99.65
Adjusted AVC Accuracy	99.90	98.97	95.19	100.00	99.75
Simulated AVC Totals	0	0	0	0	0
18MW					
Class 1	***39,579***	30	12	0	39,621
Class 1 %	99.80	2.17	1.29	0.00	86.13
Class 2	76	***1,348***	24	1	1,449
Class 2 %	0.19	97.68	2.59	0.02	3.15
Class 3	2	2	***867***	8	879
Class 3 %	0.01	0.14	93.53	0.20	1.91
Class 4	1	0	24	***4,023***	4,048
Class 4 %	0.00	0.00	2.59	99.78	8.80
NC	2	0	0	0	2
NC %	0.01	0.00	0.00	0.00	0.00
Total for 18MW					
Total traffic per SVC class	39,660	1,380	927	4,032	45,999
Total % of total traffic	86.22	3.00	2.02	8.77	100.00
AVC accuracy per Class	99.80	97.68	93.53	99.78	99.60
Adjusted AVC Accuracy	99.86	98.83	94.79	100.00	99.69
Simulated AVC Totals	0	0	0	0	0
19MW					
Class 1	***65,703***	152	36	0	65,891
Class 1 %	99.57	14.26	8.74	0.00	95.38
Class 2	7	***910***	10	0	927
Class 2 %	0.01	85.37	2.43	0.00	1.34

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 3	2	4	***364***	9	379
Class 3 %	0.00	0.38	88.35	0.56	0.55
Class 4	0	0	2	***1,609***	1,611
Class 4 %	0.00	0.00	0.49	99.44	2.33
NC	276	0	0	0	276
NC %	0.42	0.00	0.00	0.00	0.40
Total for 19MW					
Total traffic per SVC class	65,988	1,066	412	1,618	69,084
Total % of total traffic	95.52	1.54	0.60	2.34	100.00
AVC accuracy per Class	99.57	85.37	88.35	99.44	99.28
Adjusted AVC Accuracy	99.62	86.68	90.24	99.92	99.35
Simulated AVC Totals	4	0	0	0	4
20MW					
Class 1	***67,581***	41	11	0	67,633
Class 1 %	99.99	2.86	1.50	0.00	92.81
Class 2	5	***1,387***	32	0	1,424
Class 2 %	0.01	96.86	4.37	0.00	1.95
Class 3	0	4	***686***	17	707
Class 3 %	0.00	0.28	93.72	0.55	0.97
Class 4	2	0	3	***3,102***	3,107
Class 4 %	0.00	0.00	0.41	99.45	4.26
Total for 20MW					
Total traffic per SVC class	67,588	1,432	732	3,119	72,871
Total % of total traffic	92.75	1.97	1.00	4.28	100.00
AVC accuracy per Class	99.99	96.86	93.72	99.45	99.84
Adjusted AVC Accuracy	100.00	97.99	95.14	99.80	99.91
Simulated AVC Totals	1	0	0	0	1
21MW					

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 1	***37,255***	95	5	0	37,355
Class 1 %	98.94	8.40	0.81	0.00	88.38
Class 2	6	***1,035***	22	0	1,063
Class 2 %	0.02	91.51	3.56	0.00	2.52
Class 3	1	1	***589***	20	611
Class 3 %	0.00	0.09	95.31	0.70	1.45
Class 4	4	0	2	***2,843***	2,849
Class 4 %	0.01	0.00	0.32	99.30	6.74
NC	388	0	0	0	388
NC %	1.03	0.00	0.00	0.00	0.92
Total for 21MW					
Total traffic per SVC class	37,654	1,131	618	2,863	42,266
Total % of total traffic	89.09	2.68	1.46	6.77	100.00
AVC accuracy per Class	98.94	91.51	95.31	99.30	98.71
Adjusted AVC Accuracy	99.00	92.78	96.85	99.66	98.80
Simulated AVC Totals	22	0	0	0	22
22MW					
Class 1	***8,901***	9	0	0	8,910
Class 1 %	99.93	2.72	0.00	0.00	87.64
Class 2	5	***321***	7	0	333
Class 2 %	0.06	96.98	3.07	0.00	3.28
Class 3	0	1	***220***	3	224
Class 3 %	0.00	0.30	96.49	0.43	2.20
Class 4	0	0	1	***698***	699
Class 4 %	0.00	0.00	0.44	99.57	6.88
NC	1	0	0	0	1
NC %	0.01	0.00	0.00	0.00	0.01

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Total for 22MW					
Total traffic per SVC class	8,907	331	228	701	10,167
Total % of total traffic	87.61	3.26	2.24	6.89	100.00
AVC accuracy per Class	99.93	96.98	96.49	99.57	99.73
Adjusted AVC Accuracy	100.00	99.33	99.03	100.00	99.92
Simulated AVC Totals	0	0	0	0	0
23MW					
Class 1	***12,556***	10	1	0	12,567
Class 1 %	100.00	2.37	0.40	0.00	88.45
Class 2	0	***409***	6	0	415
Class 2 %	0.00	96.92	2.40	0.00	2.92
Class 3	0	3	***243***	7	253
Class 3 %	0.00	0.71	97.20	0.71	1.78
Class 4	0	0	0	***973***	973
Class 4 %	0.00	0.00	0.00	99.29	6.85
Total for 23MW					
Total traffic per SVC class	12,556	422	250	980	14,208
Total % of total traffic	88.37	2.97	1.76	6.90	100.00
AVC accuracy per Class	100.00	96.92	97.20	99.29	99.81
Adjusted AVC Accuracy	100.00	99.00	99.63	99.91	99.97
Simulated AVC Totals	0	0	0	0	0
Total for Gosforth Mainline Plaza					
Total traffic per SVC class	416,906	10,973	5,797	24,183	457,859
Total % of total traffic	91.06	2.40	1.27	5.28	100.00
AVC accuracy per Class	99.79	95.19	94.20	99.47	99.59
Adjusted AVC Accuracy	99.79	95.19	94.21	99.47	99.59
Simulated AVC Totals	42	0	0	0	42
Gosforth West Ramps					
71RW					

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Class 1	***7,737***	4	0	0	7,741
Class 1 %	100.00	5.56	0.00	0.00	97.47
Class 2	0	***67***	3	0	70
Class 2 %	0.00	93.06	7.89	0.00	0.88
Class 3	0	1	***35***	0	36
Class 3 %	0.00	1.39	92.11	0.00	0.45
Class 4	0	0	0	***95***	95
Class 4 %	0.00	0.00	0.00	100.00	1.20
Total for 71RW					
Total traffic per SVC class	7,737	72	38	95	7,942
Total % of total traffic	97.42	0.91	0.48	1.20	100.00
AVC accuracy per Class	100.00	93.06	92.11	100.00	99.90
Adjusted AVC Accuracy	100.00	98.09	98.34	100.00	100.00
Simulated AVC Totals	0	0	0	0	0
73RW					
Class 1	***21,208***	23	1	0	21,232
Class 1 %	99.95	5.31	0.32	0.00	90.81
Class 2	2	***409***	19	0	430
Class 2 %	0.01	94.46	6.09	0.00	1.84
Class 3	1	1	***292***	22	316
Class 3 %	0.00	0.23	93.59	1.55	1.35
Class 4	0	0	0	***1,393***	1,393
Class 4 %	0.00	0.00	0.00	98.38	5.96
NC	8	0	0	1	9
NC %	0.04	0.00	0.00	0.07	0.04

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	*SVC*				
	Class 1	**Class 2**	**Class 3**	**Class 4**	**Total**
Total for 73RW					
Total traffic per SVC class	21,219	433	312	1,416	23,380
Total % of total traffic	90.76	1.85	1.33	6.06	100.00
AVC accuracy per Class	99.95	94.46	93.59	98.38	99.67
Adjusted AVC Accuracy	100.00	96.51	95.76	98.90	99.80
Simulated AVC Totals	9	0	0	0	9
74RW					
Class 1	***14,196***	18	2	0	14,216
Class 1 %	99.98	5.20	0.85	0.00	90.48
Class 2	1	***327***	7	1	336
Class 2 %	0.01	94.51	2.97	0.11	2.14
Class 3	0	1	***226***	11	238
Class 3 %	0.00	0.29	95.76	1.18	1.51
Class 4	1	0	1	***918***	920
Class 4 %	0.01	0.00	0.42	98.71	5.86
NC	1	0	0	0	1
NC %	0.01	0.00	0.00	0.00	0.01
Total for 74RW					
Total traffic per SVC class	14,199	346	236	930	15,711
Total % of total traffic	90.38	2.20	1.50	5.92	100.00
AVC accuracy per Class	99.98	94.51	95.76	98.71	99.72
Adjusted AVC Accuracy	100.00	96.81	98.26	99.35	99.88
Simulated AVC Totals	0	0	0	0	0
82RE					
Class 1	***11,567***	7	1	0	11,575
Class 1 %	99.97	3.06	0.63	0.00	88.61
Class 2	2	***222***	2	0	226
Class 2 %	0.02	96.94	1.26	0.00	1.73

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals

AVC	SVC				
	Class 1	Class 2	Class 3	Class 4	Total
Class 3	1	0	***156***	14	171
Class 3 %	0.01	0.00	98.11	1.27	1.31
Class 4	0	0	0	***1,090***	1,090
Class 4 %	0.00	0.00	0.00	98.73	8.34
NC	1	0	0	0	1
NC %	0.01	0.00	0.00	0.00	0.01
Total for 82RE					
Total traffic per SVC class	11,571	229	159	1,104	13,063
Total % of total traffic	88.58	1.75	1.22	8.45	100.00
AVC accuracy per Class	99.97	96.94	98.11	98.73	99.79
Adjusted AVC Accuracy	100.00	99.76	100.00	99.32	99.96
Simulated AVC Totals	0	0	0	0	0
83RE					
Class 1	***18,367***	24	0	0	18,391
Class 1 %	99.79	5.48	0.00	0.00	87.17
Class 2	6	***412***	7	0	425
Class 2 %	0.03	94.06	2.66	0.00	2.01
Class 3	1	0	***255***	38	294
Class 3 %	0.01	0.00	96.96	1.91	1.39
Class 4	2	0	0	***1,940***	1,942
Class 4 %	0.01	0.00	0.00	97.34	9.20
NC	29	2	1	15	47
NC %	0.16	0.46	0.38	0.75	0.22
Total for 83RE					
Total traffic per SVC class	18,405	438	263	1,993	21,099
Total % of total traffic	87.23	2.08	1.25	9.45	100.00
AVC accuracy per Class	99.79	94.06	96.96	97.34	99.41
Adjusted AVC Accuracy	99.88	96.10	99.33	97.78	99.54
Simulated AVC Totals	0	0	0	0	0

If both Axle and Mass fault occur in the same transaction, both will be included in the total.Simualted AVC Transactions not included in totals