

ANNEXURE C2.2

PRICING SCHEDULE

Pricing Schedule / Bill of Quantities (BoQ)

	MILESTONES / LINE ITEMS	Estimated delivery period (where applicable)	UNIT PRICE (where applicable)	QUANTITY (where applicable)	COSTING
1.	Full compliance to legislative requirements as well as Rand Water and external standards referred to this contract document, ROD and EMP. (Refer to all other requirements)			Sum	
2.	Site Facilities, Equipment, Project Management, and contractual obligations.			Sum	
3.	GRASS SEEDING OF THE AREA				
3.1	Sloping of the eroded soil and installation of the soil saver blanket or mac mat pegged on the ground with seeds. (20mx4mx1.5m).			120m²	
3.2.	Soil preparations			32 900m²	
3.3.	Supply of Application of Fertilizer @ 5kg/100m ²			32 900m²	
3.4	Supply and Application mulch			32 900m²	
3.5.	Grass Germination			32 900m²	
3.6.	Grass 20 cm			32 900m²	
3.7.	1st Follow-up: Fertilizing			32 900m²	
3.6.	2nd Follow-up: Fertilizing			32 900m²	
4.	Maintenance of the area. (3 times a month for 3 months)				
4.1.	Weeding			32 900m²	
4.2.	Watering of grass until 20cm height.			32 900m²	
5.	SUPPLY AND INSTALLATION OF INSTANT LAWN AREA COSTS				
5.1.	Soil Preparation			2 000m²	
5.2.	Supply and application of Fertilizer @ 5kg/100m ² (50kg of Fertilizer)			2 000m²	
5.3.	Supply, deliver and lay A Grade Kikuyu lawn			2 000m²	
5.4.	1st Follow-up: Fertilizing. (50kg of Fertilizer)			2 000m²	

	MILESTONES / LINE ITEMS	Estimated delivery period (where applicable)	UNIT PRICE (where applicable)	QUANTITY (where applicable)	COSTING
5.5.	<i>Maintenance of the area. (twice a week for 4 months)</i>				
5.5.1.	Weeding			2 000m²	
5.5.2.	Watering (<i>three times a week for 3 month</i>)			2 000m²	
5.5.3.	Lawn mowing (<i>once off prior to handover</i>)			2 000m²	
6.	SUPPLY AND APPLICATION OF TOPSOIL AREA COSTS				
6.1.	Supply and Application of Topsoil.			398m³	
7.	SITE CLEAN AND REMOVAL OF ROCKS AREA COSTS				
7.1	Removal/Dispersal of Rocks and site clean up			6160m²	
TOTAL					
VAT					
TOTAL [VAT INCLUDED]					

Failure to price all items will result to disqualification