



TABLE OF CONTENTS

RETURNABLE DOCUMENTS	
Doc. Number	Document
C1	ADVERT
ANNEXURE 7	INSTRUCTION TO BIDDERS: PURCHASES
SBD 1	INVITATION TO TENDER
SBD 6.1	PREFERENCE POINTS CLAIM FORM I.T.O PPR, 2022:
ANNEXURE C	LOCAL CONTENT DECLARATION
SBD 4	DECLARATION OF INTEREST
SBD 3.1	PRICING SCHEDULE – FIRM PRICES (PURCHASES)
	GENERAL CONDITIONS OF CONTRACT

DOCUMENTS THAT RELATE TO THE CONTRACT	
Doc. Number	Document
	TECHNICAL SPECIFICATION AND BOQ-TO BE COMPLETED IN FULL
	EVALUATION CRITERIA



**DEPARTMENT OF WATER AND SANITATION
REPUBLIC OF SOUTH AFRICA**

DUE AT 11:00 AM ON

 **02 OCTOBER 2024**

WTE-2415ES

**SUPPLY AND DELIVERY OF PLUMBING MATERIAL AND
OTHER BUILDING MATERIAL TO MIDMAR DAM AND
SUPPLY, DELIVERY, AND INSTALLATION OF GRANITE TOP
AND SINK AT 2 BOZAS STREET, ESHOWE**

SUBMIT TENDER DOCUMENT

TO

POSTAL ADDRESS:
SUPPLY CHAIN MANAGEMENT
OFFICE:
WATER AND SANITATION
PRIVATE BAG X 24
HOWICK, 3290
**NB: PLEASE QUOTE TENDER
NUMBER**

TO BE DEPOSITED IN:
THE TENDER BOX AT THE
ENTRANCE
OF MIDMAR DAM GUARDHUT
MIDMAR DAM
NB: PLEASE COMPLETE REGISTER

TENDERER: (Company address and stamp)

COMPILED BY: DEPARTMENT OF WATER AND SANITATION:

DEPARTMENT OF WATER AFFAIRS

INSTRUCTIONS TO BIDDERS: PURCHASES

1. The standard bidding forms should not be retyped or redrafted but photocopies may be prepared and used. Additional offers may be made of any item but only on a photocopy of the page in question or on other forms obtainable from the Head of Procurement: Department of Water Affairs, Private Bag X313, Pretoria, 0001, Attention: Supply Chain Management Office. Additional offers made in any other manner may be disregarded.
2. Should standard bid forms not be filled in by means of mechanical devices, for example typewriters, ink, preferably black, must be used to fill in bids.
3. Bidders shall check the numbers of the pages and satisfy themselves that none are missing or duplicated. No liability shall be accepted in regard to claims arising from the fact that pages are missing or duplicated.
4. Where items are specified in detail, the specifications form an integral part of the bid document and bidders shall indicate in the space provided whether the items offered are to specification or not.
5. In respect of the paragraphs where the items offered are strictly to specification, bidders shall insert the words "as specified".
6. In cases where the items are not to specification, the deviations from the specifications shall be indicated.
7. The bid prices shall be given in the units shown.
8. With the exception of basic prices, where required, all prices shall be quoted in South African currency.
9. Delivery basis:
 - (a) Supplies which are held in stock or are in transit or on order from South African manufacturers at the date of bid, shall be offered on a basis of delivery into consignee's store or on his site within the free delivery area of the bidder's centre, or carriage paid consignee's station if the goods are required elsewhere.
 - (b) Notwithstanding the provisions of paragraph 9(a), bid prices for supplies in respect of which installation/erection/assembly is a requirement, shall include ALL costs on a basis of delivered on site as specified.
10. Unless specifically provided for in the bid document, no bids transmitted by telegram, telex, facsimile, e-mail or similar apparatus shall be considered.

ANNEXURE 7

11. Bids received after the closing date and time are late and will as a rule not be accepted for consideration.
12. Bids will be opened in public, that is, bidders or their representatives may be present. If requested by any bidder, the names of bidders and if practical the total amount of each bid and of any alternative bids, will be read aloud.
13. The period for which offers are to remain valid and binding is indicated in the bid documents and is calculated from the closing date on the understanding that offers are to remain in force and binding until the close of business on the last day of the period calculated and if this day falls on a Saturday, Sunday or public holiday, the bid is to remain valid and binding until the close of business on the following working day.
14. These conditions (Annexure 7) form part of the bid and failure to comply therewith may invalidate a bid.
15. Bidders are requested to promote local content optimally. Bidders who use locally manufactured components, products, equipment and systems, may claim preferences as set out in the Preference Points Claim Form, if attached.
16. After public opening of bids, information relating to the examination, clarification and evaluation of bids and recommendations concerning awards will not be disclosed to bidders or other persons not officially concerned with the process, until the successful bidder is notified of the award. The bid documentation of bidders is considered to be confidential and will under no circumstances be made available to other bidders or other persons.
17. If you are a supplier but not the actual manufacturer and will be sourcing the product(s) from another company, a letter from that company(ies)/supplier(s) confirming firm supply arrangement(s) in this regard, has to accompany your bid and failure to submit the document may invalidate your bid.
- 17.1 The said company/supplier must confirm that it has familiarised itself with the item description, specifications and bid conditions and if the bid consist of more than one item it should be clearly indicated in respect of which item(s) the supportive letter has been issued.
18. The financial standing of bidders and their ability to manufacture or to supply goods or to render a service may be examined before their bids are considered for acceptance.
19. The Department may, where a bid relates to more than one item, accept such bid in respect of any specific item or items and also accept part of the specified quantity of any specific item or items.
20. The Department is not obliged to accept any bid. The evaluation of a bid will be done in accordance with the Preferential Procurement Policy Framework Act, 2000 (Act no. 5 of 2000) and its regulations.

ANNEXURE 7

21. After approval of the bid, both parties must sign a written contract. The Contract Form must be filled in duplicate by both the successful bidder and the purchaser. Both Contract Forms must be signed in the original so that the successful bidder and the purchaser would be in possession of originally signed contracts for their respective records.

21.1 Failure of the successful bidder to sign the Contract Form in ink may result in the invalidation of their bid.

Special Conditions of Bid: Purchases

July 2004



water & sanitation

Department:
Water and Sanitation
REPUBLIC OF SOUTH AFRICA

BRANCH: IM

**CD: WATER RESOURCES INFRASTRUCTURE OPERATION AND
MANAGEMENT**

DIRECTORATE: OPERATIONS EASTERN

TECHNICAL SPECIFICATION

Supply and delivery of plumbing and other civil material to 2 Bozas, Eshowe and
Midmar Dam

Contents

1. INTRODUCTION.....	3
2. BACKGROUND & DISCUSSION.....	3
3. TECHNICAL SPECIFICATION.....	3
4. BILL OF QUANTITIES	15
5. REQUIREMENTS FROM SUPPLIERS.....	21

TECHNICAL SPECIFICATION FOR SUPPLY AND DELIVERY OF PLUMBING MATERIAL AND OTHER BUILDING MATERIAL TO MIDMAR DAM AND SUPPLY, DELIVERY, AND INSTALLATION OF GRANITE TOP AND SINK AT 2 BOZAS STREET, ESHOWE

1. INTRODUCTION

Eastern operation is responsible for maintenance and operation of state assets, located on the eastern part of the country, mostly within the Province of KwaZulu Natal. Other responsibility of the eastern operation cluster is to do garden or yard maintenance.

State dams has buildings that need maintenance and rehabilitation in order to keep them in good conditions. Internal team need building material for these repairs as planned on the 2024/2025 maintenance plan.

2. BACKGROUND & DISCUSSION

2.1 All material to be supplied must be manufactured according to SABS standards. Bidder should adhere to specifications.

2.2 Plumbing materials are detailed in table 1 under specification or below and other material including painting materials are detailed in table 2 under specification.

2.3 Bill of quantities is detailed on table 3 below.


3. TECHNICAL SPECIFICATION

Technical specification for plumbing materials is detailed on table 1 and painting and other material is detailed on table 2 below.

Table 1: Supply and delivery of plumbing and other civil material to 2 Bozas, Eshowe and Midmar Dam

LINE	SERVICE /GOODS DESCRIPTION	QUANTITY	SPECIFICATION
1	Shower mixer	5	Brand: Any or Tovoli or Amalfi or equivalent Type: Diverters Colour: Chrome Length (mm): 104 mm Guarantee/Warranty: 10 Year Guarantee Product Weight: 1.3 kg or more
2	Shower door	2	Type: Shower Enclosures Glass Type: Tempered Colour: Silver Glass Thickness: 5 mm Height (mm): 1850 mm Brand: CrystalTech or equivalent Length (mm): 900 mm Guarantee/Warranty: 2 Year Guarantee On Moving Parts Product Weight: 41 kg
3	Complete toilet set	2	Type: Floor Mount Toilets Flush size: Dual Flush 3 or 6 Litres

LINE	SERVICE /GOODS DESCRIPTION	QUANTITY	SPECIFICATION
4	Floor Standing Cabinet & White Basin	2	Height (mm): 780 mm Brand: CTM South Africa or equivalent Type: Cabinet & Basin Set Colour: Brown Doors: 2 Drawers: 0 Shelves: 2 Height (mm): 840 mm Length (mm): 600 mm Width (mm): 450 mm Product Weight: 34,2 kg
5	Shower door	2	Type: Shower Enclosures Glass Type: Tempered Colour: Silver Glass Thickness: 5 mm Height (mm): 1850 mm Brand: CrystalTech Length (mm): 900 mm Guarantee/Warranty: 2 Year Guarantee On Moving Parts Product Weight: 41 kg
6	Complete toilet set	2	Type: Floor Mount Toilets Flush size: Dual Flush 3 or 6 Litres Height (mm): 780 mm
7	Floor Standing Cabinet & White Basin	2	Brand: CTM South Africa or equivalent Type: Cabinet & Basin Set Colour: Brown Doors: 2 Drawers: 0 Shelves: 2 Height (mm): 840 mm Length (mm): 600 mm Width (mm): 450 mm Product Weight: 34,2 kg
8	Septic tank (2400 l include grey water tank 400l)	2	Septic tank 2500 460 lid max people up to 9 (1630MM H X1340MM W X2350L) Grey water tank LID 460 (1300M H X515MM W1045 L)
9	Quick valve	6	2 x Vacuum Breakers and Multi Pressure Control Valve (600KPA)
10	Vacuum breaker	12	Vacuum breaker
11	Safety valve male	10	Safety valve 400kpa
12	Safety valve female	5	Safety valve 400kpa
13	Pan sealer	30	Brown / white toilet wax pan seal ring
14	Bath mixer	10	Wall type sink mixer chrome
15	Kitchen sink mixer	10	Lusso Roya Bath Mixer Wall Type - Chrome (190 x 213 x 110mm) Brand: CTM South Africa or equivalent

LINE	SERVICE /GOODS DESCRIPTION	QUANTITY	SPECIFICATION
			Type: Sink Mixers Colour: Chrome Height (mm): 320 mm Length (mm): 203 mm
16	Shower rose	10	Square shower rose Colour: Chrome Height (mm): 58 mm Length (mm): 200 mm Width (mm): 200 mm Guarantee/Warranty: 3 Year Guarantee Product Weight: 1 kg
17	Shower rose	10	3-Function Round Shower Head Colour: Chrome Guarantee/Warranty: 3 Year Guarantee Product Weight: 1 kg
18	Waste trap for shower	10	Square Shower Waste With Brushed Stainless Steel Grid Guarantee/Warranty: 5 Years Product Weight: 0.4 kg
19	Waste trap for washing basin chrome	10	Stainless Steel Bath Pop Up Waste For All Standard Baths Color: Stainless Steel Length (mm): 35 mm Width (mm): 68 mm
20	Toilet flush master	10	Cobra toilet flush valve top entry cp complete 32mm Colour: Chrome Brand: Cobra Material: Brass Specific type: Toilet Range: Flush Master Size: 32mm Type: Valve Sub type: Flush
21	Urinal flush master 	10	Cobra or equivalent metering urinal valve CP 15mm Colour: Chrome Brand: Cobra Material: Brass Specific type: Urinal Range: Metering Size: 15mm Type: Valve Sub type: Flush

LINE	SERVICE /GOODS DESCRIPTION	QUANTITY	SPECIFICATION
22	Soap holder	10	Chrome soap basket
23	Waste basin 40mm	10	Basin trap urinal 32 x 40mm
24	Waste basin 50mm	10	Basin waste trap 50mm silver
25	Shower arm	5	Chrome plated arm shower and flange
26	Waste trap for washing basin	10	Click or pop up basin waste trap 50mm
27	S trap	10	Splash works s trap
28	S trap	10	Size: 40X40mm Splash works s trap
29	Bend plain [above ground drain coupling]	10	Size: 50X50mm 87.5-degree standard radius 110mm Material: uPVC Size: 110mm
30	Bend IE [above ground drain coupling]	20	87.5 Degree - Sv I.E - SABS - Waste Bend - 110 mm - 3 Pack Material: uPVC Size: 110mm
31	Y junction IE [above ground drain coupling]	20	45-degree l/ h 110mm Sv 110Mm Junction Y 45 ie
32	Pan connector caller 110mm [above ground drain coupling]	10	Pan connector caller 110mm uPVC SV pan connector 110mm straight SW S110PC
33	Pan connector caller 110mm [above ground drain coupling]	10	Pan connector caller 110mm uPVC extendable pan connector long Spring Pan Connector White - 230mm To 300mm)
34	W assessor head junction [above ground drain coupling]	5	87.5 degrees 110mm uPVC SV junction 110x87 access double SS S/W
35	uPVC Vent horn assess head bend plain. [above ground drain coupling]	20	87.5 degrees 110mm Material: uPVC Size: 110mm
36	Junction single plain UPVC SV junction 110X87	20	87.5 degrees 110mm Material: uPVC

LINE	SERVICE /GOODS DESCRIPTION	QUANTITY	SPECIFICATION
	plain single SY41 [above ground drain coupling]		
37	Junction single reduce plain [above ground drain coupling]	10	87.5 degrees 110mm x 50 x 50mm Material: uPVC
38	Two way vent valve [above ground drain coupling]	10	Two way vent valve 110mm Material: uPVC
39	Strap on boss [above ground drain coupling]	10	110mm to 50mm Material: uPVC
40	Bend plain 50mm [above ground drain coupling]	20	87.5 degree Material: uPVC
41	Bend IE [above ground drain coupling]	20	87.5 Degree 50mm Material: uPVC
42	Bend IE [above ground drain coupling]	20	135-degree 50mm Material: uPVC
43	Junction access hill single	20	87.5-degree junction 50mm Material: uPVC
44	UPVC BSP Male adaptor	5	BSP Male adaptor 50mm
45	UPVC BSP female adaptor	5	BSP female adaptor 50mm
46	Vent valve	10	uPVC Vent valve 50mm
47	Reducer 50 by 40	10	Reducer 50 by 40
48	Ratchet uPVC holder bat	40	Ratchet uPVC holder bat 50mm
49	Ratchet uPVC holder bat	40	Ratchet uPVC holder bat 110mm
50	Sewer gully	20	Standard p trap gala 110mm
51	Sewer gully	10	Round gala head 110mm
52	Typical gala head	5	Square gully head 110mm
53	Cylinder lock	4	Double cylinder mm 66.75.85.
54	Rim lock	4	Cylinder rim nigh latch (doors 32mm x 50mm)
55	Butt hinges	10	With ball bearing brass 75mm
56	Crome plated ball to stop	15	Crome plated ball O stop 15mm
57	Cobra ball stop valve	4	Cobra ball valve 40mm
58	Float valve reservoir e	10	Apex float valve 40mm including 150mm plastic ball
59	Plasson fitting 32mm	10	Tee fitting or coupling

LINE	SERVICE /GOODS DESCRIPTION	QUANTITY	SPECIFICATION
			Size: 32mm
60	Plasson fitting 32mm	10	Elbow fitting or coupling Size: 32mm
61	Plasson fitting 32mm	10	Straight fitting or coupling Size: 32mm
62	Plasson fitting 40mm	10	Tee fitting or coupling Size: 40mm
63	Plasson fitting 40mm	10	Elbow fitting or coupling Size: 40mm
64	Plasson fitting 40mm	10	Straight fitting or coupling Size: 40mm
65	Plasson fitting 50mm	10	Tee fitting or coupling Size: 50mm
66	Plasson fitting 50mm	10	Elbow fitting or coupling Size: 50mm
67	Plasson fitting 50mm	10	Straight fitting or coupling Size: 50mm
68	Plasson fitting 63mm	10	Tee fitting or coupling Size: 63mm
69	Plasson fitting 63mm	10	Elbow fitting or coupling Size: 63mm
70	Plasson fitting 63mm	10	Straight fitting or coupling Size: 63mm
71	IE uPVC 110mm	12	Ronding eye oval 110mm
72	Brass fitting	50	Brass compression elbow 15mm CXC
73	Brass fitting	50	Brass compression tee 15mm CXC
74	Brass fitting	50	Brass compression straight 15mm CXC
75	Brass fitting	20	Brass compression elbow 22mm CXC
76	Brass fitting	20	Brass compression tee 22mm CXC
77	Brass fitting	20	Brass compression straight 22mm CXC
78	Brass fitting	20	Brass compression straight reducing coupler 22x15mm CXC
79	Brass fitting	50	Brass gate valve (15mm CXC
80	Brass fitting	20	Brass gate valve (22mm CXC
81	Brass fitting	10	Brass stop end (15mm CXC
82	Bathroom or toilet fitting	50	Agile valve 1/2 X1/2
83	Bathroom or toilet fitting	10	Plumline or similar SS SABS flexi braided connector FXF 15x350mm
84	Pipe clamps	50	Alloy holderbat pipe clamp (excl screw) 15mm X6mm
85	Pipe clamps	50	Alloy holderbat pipe clamp (excl screw) 22mm X6mm
86	Domestic plumbing pipe	1	Flowpex pex-al-pex m/layer pipe compression pipe 22x50m
87	Domestic plumbing pipe	1	Flowpex pex-al-pex m/layer pipe compression pipe 15x50m
88	Home security lock set	10	Yale Onda or equivalent 3 lever Door Lock Set - Matte Coffee or Union 3 lever set
89	Standpipe	1	Galvanised standpipe 25X1200mm
90	HDPE coupling	4	HDPE compression coupling 110x110mm

LINE	SERVICE /GOODS DESCRIPTION	QUANTITY	SPECIFICATION
91	PVC/ HDPE coupling	4	PVC/ HDPE coupling 110mmx110mm

Table 2: Paints and other building material

LINE	SERVICE /GOODS DESCRIPTION	QUANTITY	SPECIFICATION
1	Door	5	Exterior Door Hardwood 6 Panel-w813xh2032mm
2	Door frame	5	Door frame hardwood size 56 x 42mm
3	Roof paint	20	Pack size: 20 litre Viscosity KU: 110 to 115 Number of Components: 1 Flash Point °C: None Binder Type: Pure Acrylic Finish: Low-Sheen Solids Content by Mass %: 46 to 48 Surface Temperature °C: Min 5 and Max 35 Storage Temperature °C: Min 5 and Max 35 Under cover in cool, dry conditions. Solids Content by Volume %: 32 to 33 Density g/cm³: 1.27 Clean up: Clean water Recommended Wet Film Thickness µm: 170 – 203 per coat Shelf Life: 18 months Recommended Dry Film Thickness µm: 55 – 65 per coat UV Resistance: Excellent Dry Time @ 25°C: To Touch 2 hours To Recoat 4 to 6 hours (high humidity or cooler temperatures will prolong drying times) Volatile Organic Compounds 16 g/L (VOC): Less than (standard colours and tint bases) Colour: Anthracite Quality guarantee: 12 years
4	Roof paint	15	Pack size: 20 litre Viscosity KU: 110 to 115 Number of Components: 1 Flash Point °C: None Binder Type: Pure Acrylic Finish: Low-Sheen Solids Content by Mass %: 46 to 48 Surface Temperature °C: Min 5 and Max 35 Storage Temperature °C: Min 5 and Max 35 Under cover in cool, dry conditions. Solids Content by Volume %: 32 to 33 Density g/cm³: 1.27 Clean up: Clean water Recommended Wet Film Thickness µm: 170 – 203 per coat Shelf Life: 18 months Recommended Dry Film Thickness µm: 55 –

LINE	SERVICE /GOODS DESCRIPTION	QUANTITY	SPECIFICATION
5	Interior wall paint	5	65 per coat UV Resistance: Excellent Dry Time @ 25°C: To Touch 2 hours To Recoat 4 to 6 hours (high humidity or cooler temperatures will prolong drying times) Volatile Organic Compounds 16 g/L (VOC): Less than (standard colours and tint bases) Colour: Terracotta Quality guarantee: 12 years Pack size: 20 litre Number of Components: 1 Binder Type: Pure Acrylic Solids Content by Mass %: 50 to 51 Solids Content by Volume %: 32 to 33 Density g/cm³: 1.313 Recommended Wet Film Thickness µm: 90 – 100 per coat Dry Time @ 25°C: To Touch 30 minutes to 1 hour. To Recoat 4 to 6 hours. Full Cure 10 days (high humidity or cooler temperatures will prolong drying times) Viscosity KU: 95 to 100 Finish: Low sheen Surface Temperature °C: Min 5 and Max 35 Storage Temperature °C: Min 5 and Max 35 Under cover in cool, dry conditions Clean up: Clean water Shelf Life: 18 months UV Resistance: Excellent Abrasion Resistance: Excellent Colour: Peach blossom Quality guarantee: 15 years
6	Exterior wall paint	10	Pack size: 20 litre Number of Components: 1 Binder Type: Pure Acrylic Solids Content by Mass %: 50 to 52 Solids Content by Volume %: 31 to 33 Density g/cm³: 1.21 Recommended Wet Film Thickness µm: 180 – 205 per coat Recommended Dry Film Thickness µm: 75 – 85 per coat Dry Time @ 25°C: To Touch 30 minutes to 1 hour. To Recoat 4 to 6 hours. Full Cure 10 days (high humidity or cooler temperatures will prolong drying times) Viscosity KU: 105 to 115 Finish: Fine-texture Surface Temperature °C: Min 5 and Max 35 Storage Temperature °C: Min 5 and Max 35 Under cover in cool, dry conditions.

LINE	SERVICE /GOODS DESCRIPTION	QUANTITY	SPECIFICATION
			Clean up: Clean water Shelf Life: 18 months UV Resistance: Excellent Colour: Horizon mist Quality guarantee: 15 years
7	Anti-Rust Primer	15	Pack Size: 20 litre Application temperature: 5°C to 40°C No of components: 1 Density: 1,31 to 1,38g/cm³ Drying time Surface: 1 hour at 25°C Hard: 6 hours at 25°C Finish: Matt Overcoating: 48 hours at 25°C for solvent base topcoat 4 hours at 25°C for acrylic topcoat Toxicity: Non-Toxic when dry Volume: solids 48% - 52% Fire Hazard: No Wet film thickness: 80 microns per coat Shelf life: 24 months Dry film thickness: 40 microns per coat Storage: Under cover in cool, dry conditions Service Temperature: -10°C to 60°C Colour: Red Oxide
8	Paint [Wall & Ceiling]	5	Pack size: 20 litre Finish: Matt Colour: white Number of Components: 1 Surface Temperature °C: Min 5 and Max 35 Binder Type: Modified Acrylic Ambient Temperature °C: Min 5 and Max 35 Solids Content by Mass %: 50 to 52 Storage Temperature °C: Min 5 and Max 35 under cover in cool, dry conditions. Solids Content by Volume %: 32 to 34 Thin with: Clean water Density g/cm³: 1.42 Clean up: Clean water Recommended Wet Film Thickness µm: 78 – 100 per coat Shelf Life: 18 months Recommended Dry Film Thickness µm: 25 – 34 per coat UV Resistance: Excellent Dry Time @ 25°C: To Touch 30 minutes to 1 hour. To Recoat 4 to 6 hours. Full Cure 10 days (high humidity or cooler temperatures will prolong drying times) Abrasion Resistance: Excellent Viscosity KU: 105 - 110

LINE	SERVICE /GOODS DESCRIPTION	QUANTITY	SPECIFICATION
			Volatile Organic Compounds 16 g/L (VOC): Less than (standard colours and tint bases) Guarantee: 10 years
9	Metal primer	10	Pack Size: 5 litre Recommended WFT: 100 microns No of components: 1 Recommended DFT: 15 microns Colours: Light Grey Service Temp: -15°C to 220°C Viscosity: 40 to 45 secs FC4 at 25°C Application Temp: -5°C to 50°C Touch Dry time: 30 minutes at 25°C Density: 0.89g/cm³ Recoating time: 1 hour at 25°C Flash Point: 12°C Hard Dry: 2 hours at 25°C Shelf Life: 2 Years Volume Solids: 15% Storage: Cool, dry condition
10	Wall and ceiling primer	5	Pack Size: 20 litres No of components: 1 Binder Type: Blend Finish: Matt Density: 1.348g/cm³ Overcoating time: ± 6 hours Toxicity: Non-toxic Volume Solids: ±39% Fire Hazard: None Application Temperature: 10°C to 35°C Shelf Life: 2 years Storage: Cool, dry area below 25°C
11	Heat Resistant paint	5	High Heat Paint is a 2-in-1 primer and topcoat that resists 700°C for new and weathered fireplaces, braais, stoves, and chimneys Pack Size: 1 litre Type: Solvent-based silicone resin No of components: 1 Finish: Smooth-matt Colours: Black Service Temp: -15°C to 220°C Viscosity: 55-65 Krebs Units Application Temp: -5°C to 50°C Touch Dry time: 2 hours at 25°C Density: 1.2g/cm³ Recoating time: 6 hours at 25°C Flash Point: 27°C Hard Dry : 12 hours plus at 25°C Shelf Life: 18 Months Volume Solids: 35%-40%

LINE	SERVICE /GOODS DESCRIPTION	QUANTITY	SPECIFICATION
12	Roof seal paint	6	Storage: Under cover in cool, dry conditions Pack Size: 5 litre (sold with 1 Free roll of Duramesh or equivalent size 200mm x 10m) Weathering: Excellent. A maintenance coat is advisable every 5 years depending on conditions. Binder Type: Pure Acrylic UV Resistance: Excellent No of components: 1 Density: 1.4 g/cm ³ Overcoating time: ± 6 hours Toxicity: Non-toxic Volume Solids: 44% to 45% Fire Hazard: None Application Temperature: 5°C to 35°C Shelf Life: 2 years in unopened tins Flexibility Excellent Storage Cool: dry area below 25
13	Varnish for wood or door	6	Woodgard Double life Varnish Eggshell Pack size: 5 L
14	Sandpaper	15	60 Grit Sandpaper Size: 1000 x 300mm
15	Sandpaper	15	100 Grit Sandpaper Size: 1000 x 300mm
16	Roller brush and tray	10	Plus Series Decorator Plus Paint Roller Set (225mm)
17	Wire brush tork set	30	Tork Craft 4 Piece Wire Brush Set
18	Laminate flooring	500 m ²	Trento Laminated Flooring Colour: Rust Maple or Elf Oak Natural Size: 193 X 1292mm per plank x 8.3mm 7 year Warranty
19	Flooring underly	500 m ²	Protective Sound Reducing Laminated Flooring Underlay - 3mm x 1000mm
20	Awing	20	Multiwall awing
21	Awing	15	1500mm X1000mm colour: bronze Multiwall awing
22	Ceiling board	30	2000mm X1000mm colour: bronze
23	Rhino lite	2	Rhino ceiling board 1.2 x 4.2 x 6.4 (m)
24	Hardwood Skirting	100	Rhino lite skimming plaster 10kg
25	Wrecking bar two set	2	Hardwood Skirting 140x20mm x 6m
26	Crowbar set	1	450x19mm/600x19mm/
27	Jumping cable	3	1200x25mm/1200x32mm/1200/45mm Heavy duty cable 3000-amp 3m long
28	Kitchen cabinets length 900mm Height 720 (not assembled)	13	Cabinet base corner unit 900mm Easy assembly 16mm melamine Predrilled with hardware hindges legs cam and dowel

LINE	SERVICE /GOODS DESCRIPTION	QUANTITY	SPECIFICATION
			Door can be fitted on the left and right Colour: Classic gray
29	Kitchen cabinets length 450mm Height 720 (not assembled)	13	Cabinet base corner unit 450mm Easy assembly 16mm melamine Predrilled with hardware hinges legs cam and dowel Door can be fitted on the left and right Colour: Classic gray
30	Kitchen cabinets length 450mm Height 720 (not assembled)	4	Cabinet base 4 drawer 450mm Easy assembly 16mm melamine Predrilled with hardware hinges legs cam and dowel Door can be fitted on the left and right Colour: Classic gray
31	Kitchen cabinets length 1200mm height 720mm (not assembled)	4	Cabinet base unit 1200mm Easy assembly 16mm melamine Predrilled with hardware hinges legs cam and dowel Door can be fitted on the left and right Colour: Classic gray
32	Kitchen cabinets length 610mm Height 720	4	Cabinet top corner 600mm Easy assembly 16mm melamine Predrilled with hardware hinges legs cam and dowel Door can be fitted on the left and right Colour: Classic gray
33	Double kitchen sink	1	Supply and fit – sink must be standard Stainless Steel Drop-In Double End Bowl Sink 1200 x 480mm DC1248S/DEB and double waste trap. Sink must be supplied with a waste trap including a set s trap for double sink
34	To supply and fit granite top for kitchen cupboard at 2 Bozas street, Eshowe, 3815	1	Measurement of granite must be done at 2 Bozas street, Eshowe, 3815. The supplier must fit granite on the kitchen cupboard. Colure: red granite. Granite must be 5000X600 mm (five (5) meters length and will be cut and assembled at 2 Bozas street; Eshowe; 3815. Front edges of granite.

LINE	SERVICE /GOODS DESCRIPTION	QUANTITY	SPECIFICATION
			must be polished to avoid cutting to humans. Granite top must fit double kitchen sink above on item 33 above.

4. BILL OF QUANTITIES

Table 3: Bill of quantities

Number	Good / Items	Quantity	Unit price (Rands)	Price (Rands)
1	Shower mixer	5		
2	Shower door	2		
3	Complete toilet set	2		
4	Floor Standing Cabinet & White Basin	2		
5	Shower door	2		
6	Complete toilet set	2		
7	Floor Standing Cabinet & White Basin	2		
8	Septic tank (2400 l include grey water tank 400l)	2		
9	Quick valve	6		
10	Vacuum breaker	12		
11	Safety valve male	10		
12	Safety valve female	5		
13	Pan sealer	30		
14	Bath mixer	10		
15	Kitchen sink mixer	10		
16	Shower rose	10		
17	Shower rose	10		
18	Waste trap for shower	10		
19	Waste trap for washing basin chrome	10		

Number	Good / Items	Quantity	Unit price (Rands)	Price (Rands)
20	Toilet flush master	10		
21	Urinal flush master	10		
22	Soap holder	10		
23	Waste basin 40mm	10		
24	Waste basin 50mm	10		
25	Shower arm	5		
26	Waste trap for washing basin	10		
27	S trap	10		
28	S trap	10		
29	Bend plain [above ground drain coupling]	10		
30	Bend IE [above ground drain coupling]	20		
31	Y junction IE [above ground drain coupling]	20		
32	Pan connector caller 110mm [above ground drain coupling]	10		
33	Pan connector caller 110mm [above ground drain coupling]	10		
34	W assessor head junction [above ground drain coupling]	5		
35	uPVC Vent horn assess head bend plain. [above ground drain coupling]	20		
36	Junction single plain UPVC SV junction 110X87 plain single SY41 [above ground drain coupling]	20		

Number	Good / Items	Quantity	Unit price (Rands)	Price (Rands)
37	Junction single reduce plain [above ground drain coupling]	10		
38	Two way vent valve [above ground drain coupling]	10		
39	Strap on boss [above ground drain coupling]	10		
40	Bend plain 50mm [above ground drain coupling]	20		
41	Bend IE [above ground drain coupling]	20		
42	Bend IE [above ground drain coupling]	20		
43	Junction access hill single	20		
44	UPVC BSP Male adaptor	5		
45	UPVC BSP female adaptor	5		
46	Vent valve	10		
47	Reducer 50 by 40	10		
48	Ratchet uPVC holder bat	40		
49	Ratchet uPVC holder bat	40		
50	Sewer gully	20		
51	Sewer gully	10		
52	Typical gala head	5		
53	Cylinder lock	4		
54	Rim lock	4		
55	Butt hinges	10		
56	Crome plated ball to stop	15		
57	Cobra ball stop valve	4		

Number	Good / Items	Quantity	Unit price (Rands)	Price (Rands)
58	Float valve reservoir.	10		
59	Plasson fitting 32mm	10		
60	Plasson fitting 32mm	10		
61	Plasson fitting 32mm	10		
62	Plasson fitting 40mm	10		
63	Plasson fitting 40mm	10		
64	Plasson fitting 40mm	10		
65	Plasson fitting 50mm	10		
66	Plasson fitting 50mm	10		
67	Plasson fitting 50mm	10		
68	Plasson fitting 63mm	10		
69	Plasson fitting 63mm	10		
70	Plasson fitting 63mm	10		
71	IE uPVC 110mm	12		
72	Brass fitting	50		
73	Brass fitting	50		
74	Brass fitting	50		
75	Brass fitting	20		
76	Brass fitting	20		
77	Brass fitting	20		
78	Brass fitting	20		
79	Brass fitting	50		
80	Brass fitting	20		
81	Brass fitting	10		
82	Bathroom or toilet fitting	50		

Number	Good / Items	Quantity	Unit price (Rands)	Price (Rands)
83	Bathroom or toilet fitting	10		
84	Pipe clamps	50		
85	Pipe clamps	50		
86	Domestic plumbing pipe	1		
87	Domestic plumbing pipe	1		
88	Home security lock set	10		
89	Standpipe	1		
90	HDPE coupling	4		
91	PVC/ HDPE coupling	4		
92	Door	5		
93	Door frame	5		
94	Roof paint	20		
95	Roof paint	15		
96	Interior wall paint	5		
97	Exterior wall paint	10		
98	Anti-Rust Primer	15		
99	Paint [Wall & Ceiling]	5		
100	Metal primer	10		
101	Wall and ceiling primer	5		
102	Heat Resistant paint	5		
103	Roof seal paint	6		
104	Varnish for wood or door	6		
105	Sandpaper	15		
106	Sandpaper	15		
107	Roller brush and tray	10		

Number	Good / Items	Quantity	Unit price (Rands)	Price (Rands)
108	Wire brush tork set	30		
109	Laminate flooring	500 m ²		
110	Flooring underly	500 m ²		
111	Awing	20		
112	Awing	15		
113	Ceiling board	30		
114	Rhino lite	2		
115	Hardwood Skirting	100		
116	Wrecking bar two set	2		
117	Crowbar set	1		
118	Jumping cable	3		
119	Kitchen cabinets length 900mm Height 720 (not assembled)	13		
120	Kitchen cabinets length 450mm Height 720 (not assembled)	13		
121	Kitchen cabinets length 450mm Height 720 (not assembled)	4		
122	Kitchen cabinets length 1200mm height 720mm (not assembled)	4		
123	Kitchen cabinets length 610mm Height 720	4		
124	Double kitchen sink	1		
125	To supply and fit granite top for kitchen cupboard at 2 Bozas street, Eshowe, 3815	1		
Total (excluding VAT)				
VAT				
Total (including VAT)				

5. REQUIREMENTS FROM SUPPLIERS

Suppliers must supply SABS approved material.
Item number 124 and 125 must be supply and be fitted at 2 Bozas street, Eshowe, 3538.
All other items from item 1 to 123 must be delivered to Midmar Dam.

PLEASE NOTE:

The DWS reserves the right to cancel this price quotation at any time.
DWS reserves the right to accept bidders' quotations in full or partially.
DWS reserves the right not to bind itself to the lowest price.



1. EVALUATION CRITERIA:

NB: THIS EVALUATION DOCUMENT IS FOR USE BY THE EVALUATION COMMITTEE AND MUST NOT BE FILLED IN BY BIDDERS.

The 80/20 preference points system as prescribed in the Preferential Procurement Regulations, 2022 pertaining to the PPPFA (Act no. 5 of 2000) (PPPFA) will be applied to evaluate this bid. Proposals received will be evaluated in (3) stages, namely Administrative Compliance, Technical Compliance, Price and Preference goals as stipulated in table 4.

The evaluation process includes the following phases:

- Phase 1: Administrative Compliance
- Phase 2: Technical Compliance
- Phase 3: Price and preference

Phase 1: Administrative Compliance

- Bidders are required to comply with the following listed below. Failure to do so will result in your offer being non-responsive and may be disqualified.
- All documents to be properly indexed and referenced.

Table 1: Administrative requirements:

No	Criteria	Yes	No
1	Companies must be registered with National Treasury's Central Supplier Database and must submit a CSD report.		
2	Tax compliant with SARS (to be verified through CSD and SARS). Attach a copy of SARS Tax Clearance letter and PIN.		
3	Active registration with Company Intellectual Property Commission (to be verified through CSD and CIPC). Attach copy of CIPC / CIPRO certificate.		
4	An original or certified copy of B-BBEE Status Level Verification Certificate (failure to submit, the Bidder will forfeit the preferential points to be claimed)		
5	Letter of appointment of duly authorized person to sign bid. Proof of such authority must be submitted with the bid. If by an individual, must be signed by that individual or by someone on his behalf duly authorised thereto and proof of such authority must be produced. If the bid is by a Company, it must be signed by a person duly authorised thereto by a Resolution of a Board of Directors a copy of which Resolution, duly certified by the Chairman of the Company is to be submitted with the bid.		
6	Complete, sign, submit SDB1, SBD3.1, SBD 4, SBD 6.1, ANNEXURE C		

Phase 2: Technical Compliance

Compliance requirements:

- Full compliance to the Technical requirements by indicating compliance or non-compliance as per specification spread sheets (table 1). Bidders must indicate compliance by means a (Yes) and non-compliance by means of a (No).
- A bidder who fails to comply with the below requirements in full will be considered non-responsive and may be disqualified from further evaluation.

Complete technical compliance schedule below:

Table 1: Supply and delivery of plumbing and other civil material to 2 Bozas, Eshowe and Midmar

Dam

No	Material	Quantity	Specification or description	Comply	Not comply	Comments
1	Shower mixer	5	Brand: Any or Tovoli or Amalfi or equivalent Type: Diverters Colour: Chrome Length (mm): 104 mm Guarantee/Warranty: 10 Year Guarantee			
2	Shower door	2	Product Weight: 1.3 kg or more Type: Shower Enclosures Glass Type: Tempered Colour: Silver Glass Thickness: 5 mm Height (mm): 1850 mm Brand: CrystalTech or equivalent Length (mm): 900 mm Guarantee/Warranty: 2 Year Guarantee On Moving Parts Product Weight: 41 kg			
3	Complete toilet set	2	Type: Floor Mount Toilets Flush size: Dual Flush 3 or 6 Litres Height (mm): 780 mm			
4	Floor Standing Cabinet & White Basin	2	Brand: CTM South Africa or equivalent Type: Cabinet & Basin Set Colour: Brown Doors: 2 Drawers: 0 Shelves: 2 Height (mm): 840 mm Length (mm): 600 mm Width (mm): 450 mm Product Weight: 34,2 kg			
5	Shower door	2	Type: Shower Enclosures Glass Type: Tempered Colour: Silver			

No	Material	Quantity	Specification or description	Comply	Not comply	Comments
			Glass Thickness: 5 mm Height (mm): 1850 mm Brand: CrystalTech Length (mm): 900 mm Guarantee/Warranty: 2 Year Guarantee On Moving Parts Product Weight: 41 kg			
6	Complete toilet set	2	Type: Floor Mount Toilets Flush size: Dual Flush 3 or 6 Litres Height (mm): 780 mm			
7	Floor Standing Cabinet & White Basin	2	Brand: CTM South Africa or equivalent Type: Cabinet & Basin Set Colour: Brown Doors: 2 Drawers: 0 Shelves: 2 Height (mm): 840 mm Length (mm): 600 mm Width (mm): 450 mm Product Weight: 34,2 kg			
8	Septic tank (2400 l include grey water tank 400l)	2	Septic tank 2500 460 lid max people up to 9 (1630mm H X1340MM W X2350L) Grey water tank LID 460 (1300M H X515MM W1045 L)			
9	Quick valve	6	2 x Vacuum Breakers and Multi Pressure Control Valve (600KPA)			
10	Vacuum breaker	12	Vacuum breaker			
11	Safety valve male	10	Safety valve 400kpa			
12	Safety valve female	5	Safety valve 400kpa			
13	Pan sealer	30	Brown / white toilet wax pan seal ring			
14	Bath mixer	10	Wall type sink mixer chrome Lusso Roya Bath Mixer Wall Type - Chrome (190 x 213 x 110mm)			
15	Kitchen sink mixer	10	Brand: CTM South Africa or equivalent Type: Sink Mixers Colour: Chrome Height (mm): 320 mm Length (mm): 203 mm			
16	Shower rose	10	Square shower rose Colour: Chrome Height (mm): 58 mm Length (mm): 200 mm			

No	Material	Quantity	Specification or description	Comply	Not comply	Comments
			Width (mm): 200 mm Guarantee/Warranty: 3 Year Guarantee Product Weight: 1 kg			
17	Shower rose	10	3-Function Round Shower Head Colour: Chrome Guarantee/Warranty: 3 Year Guarantee Product Weight: 1 kg			
18	Waste trap for shower	10	Square Shower Waste With Brushed Stainless Steel Grid Guarantee/Warranty: 5 Years Product Weight: 0.4 kg			
19	Waste trap for washing basin chrome	10	Stainless Steel Bath Pop Up Waste For All Standard Baths Color: Stainless Steel Length (mm): 35 mm Width (mm): 68 mm			
20	Toilet flush master	10	Cobra toilet flush valve top entry cp complete 32mm Colour: Chrome Brand: Cobra Material: Brass Specific type: Toilet Range: Flush Master Size: 32mm Type: Valve Sub type: Flush			
21	Urinal flush master 	10	Cobra or equivalent metering urinal valve CP 15mm Colour: Chrome Brand: Cobra Material: Brass Specific type: Urinal Range: Metering Size: 15mm Type: Valve Sub type: Flush			
22	Soap holder	10	Chrome soap basket			
23	Waste basin 40mm	10	Basin trap urinal 32 x 40mm			
24	Waste basin 50mm	10	Basin waste trap 50mm silver			

No	Material	Quantity	Specification or description	Comply	Not comply	Comments
25	Shower arm	5	Chrome plated arm shower and flange			
26	Waste trap for washing basin	10	Click or pop up basin waste trap 50mm			
27	S trap	10	Splash works s trap			
28	S trap	10	Size: 40X40mm Splash works s trap			
29	Bend plain [above ground drain coupling]	10	Size: 50X50mm 87.5-degree standard radius 110mm Material: uPVC Size: 110mm			
30	Bend IE [above ground drain coupling]	20	87.5 Degree - Sv I.E - SABS - Waste Bend - 110 mm - 3 Pack Material: uPVC Size: 110mm			
31	Y junction IE [above ground drain coupling]	20	45-degree l/ h 110mm Sv 110Mm Junction Y 45 ie			
32	Pan connector caller 110mm [above ground drain coupling]	10	Pan connector caller 110mm uPVC SV pan connector 110mm straight SW S110PC			
33	Pan connector caller 110mm [above ground	10	Pan connector caller 110mm uPVC extendable pan connector long Spring Pan Connector White - 230mm To 300mm)			

No	Material	Quantity	Specification or description	Comply	Not comply	Comments
	drain coupling]					
34	W assessor head junction [above ground drain coupling]	5	87.5 degrees 110mm uPVC SV junction 110x87 access double SS SW			
35	uPVC Vent horn assess head bend plain. [above ground drain coupling]	20	87.5 degrees 110mm Material: uPVC Size: 110mm			
36	Junction single plain UPVC SV junction 110X87 plain single SY41 [above ground drain coupling]	20	87.5 degrees 110mm Material: uPVC			
37	Junction single reduce plain [above ground drain coupling]	10	87.5 degrees 110mm x 50 x 50mm Material: uPVC			
38	Two way vent valve [above ground drain	10	Two way vent valve 110mm Material: uPVC			

No	Material	Quantity	Specification or description	Comply	Not comply	Comments
	coupling]					
39	Strap on boss [above ground drain coupling]	10	110mm to 50mm Material: uPVC			
40	Bend plain 50mm [above ground drain coupling]	20	87.5 degree Material: uPVC			
41	Bend IE [above ground drain coupling]	20	87.5 Degree 50mm Material: uPVC			
42	Bend IE [above ground drain coupling]	20	135-degree 50mm Material: uPVC			
43	Junction access hill single	20	87.5-degree junction 50mm Material: uPVC			
44	UPVC BSP Male adaptor	5	BSP Male adaptor 50mm			
45	UPVC BSP female adaptor	5	BSP female adaptor 50mm			
46	Vent valve	10	uPVC Vent valve 50mm			
47	Reducer 50 by 40	10	Reducer 50 by 40			
48	Ratchet uPVC holder bat	40	Ratchet uPVC holder bat 50mm			
49	Ratchet uPVC	40	Ratchet uPVC holder bat 110mm			

No	Material	Quantity	Specification or description	Comply	Not comply	Comments
	holder bat					
50	Sewer gully	20	Standard p trap gala 110mm			
51	Sewer gully	10	Round gala head 110mm			
52	Typical gala head	5	Square gully head 110mm			
53	Cylinder lock	4	Double cylinder mm 66.75.85.			
54	Rim lock	4	Cylinder rim nigh latch (doors 32mm x 50mm)			
55	Butt hinges	10	With ball bearing brass 75mm			
56	Crome plated ball to stop	15	Crome plated ball O stop 15mm			
57	Cobra ball stop valve	4	Cobra ball valve 40mm			
58	Float valve reservoir e	10	Apex float valve 40mm including 150mm plastic ball			
59	Plasson fitting 32mm	10	Tee fitting or coupling Size: 32mm			
60	Plasson fitting 32mm	10	Elbow fitting or coupling Size: 32mm			
61	Plasson fitting 32mm	10	Straight fitting or coupling Size: 32mm			
62	Plasson fitting 40mm	10	Tee fitting or coupling Size: 40mm			
63	Plasson fitting 40mm	10	Elbow fitting or coupling Size: 40mm			
64	Plasson fitting 40mm	10	Straight fitting or coupling Size: 40mm			
65	Plasson fitting 50mm	10	Tee fitting or coupling Size: 50mm			
66	Plasson fitting 50mm	10	Elbow fitting or coupling Size: 50mm			
67	Plasson fitting	10	Straight fitting or coupling Size: 50mm			

No	Material	Quantity	Specification or description	Comply	Not comply	Comments
	50mm					
68	Plasson fitting 63mm	10	Tee fitting or coupling Size: 63mm			
69	Plasson fitting 63mm	10	Elbow fitting or coupling Size: 63mm			
70	Plasson fitting 63mm	10	Straight fitting or coupling Size: 63mm			
71	IE uPVC 110mm	12	Ronding eye oval 110mm			
72	Brass fitting	50	Brass compression elbow 15mm CXC			
73	Brass fitting	50	Brass compression tee 15mm CXC			
74	Brass fitting	50	Brass compression straight 15mm CXC			
75	Brass fitting	20	Brass compression elbow 22mm CXC			
76	Brass fitting	20	Brass compression tee 22mm CXC			
77	Brass fitting	20	Brass compression straight 22mm CXC			
78	Brass fitting	20	Brass compression straight reducing coupler 22x15mm CXC			
79	Brass fitting	50	Brass gate valve (15mm CXC			
80	Brass fitting	20	Brass gate valve (22mm CXC			
81	Brass fitting	10	Brass stop end (15mm CXC			
82	Bathroom or toilet fitting	50	Agle valve 1/2 X1/2			
83	Bathroom or toilet fitting	10	Plumline or similar SS SABS flexi braided connector FXF 15x350mm			
84	Pipe clamps	50	Alloy holderbat pipe clamp (excl screw) 15mm X6mm			
85	Pipe clamps	50	Alloy holderbat pipe clamp (excl screw) 22mm X6mm			
86	Domestic plumbing pipe	1	Flowpex pex-al-pex m/layer pipe compression pipe 22x50m			
87	Domestic plumbing pipe	1	Flowpex pex-al-pex m/layer pipe compression pipe 15x50m			
88	Home security	10	Yale Onda or equivalent 3 lever Door Lock Set - Matte Coffee or			

No	Material	Quantity	Specification or description	Comply	Not comply	Comments
	lock set		Union 3 lever set			
89	Standpipe	1	Galvanised standpipe 25X1200mm			
90	HDPE coupling	4	HDPE compression coupling 110x110mm PXP			
91	PVC/ HDPE coupling	4	PVC/ HDPE coupling 110mmx110mm			
92	Door	5	Exterior Door Hardwood 6 Panel-w813xh2032mm			
93	Door frame	5	Door frame hardwood size 56 x 42mm			
94	Roof paint	20	Pack size: 20 litre Viscosity KU: 110 to 115 Number of Components: 1 Flash Point °C: None Binder Type: Pure Acrylic Finish: Low-Sheen Solids Content by Mass %: 46 to 48 Surface Temperature °C: Min 5 and Max 35 Storage Temperature °C: Min 5 and Max 35 Under cover in cool, dry conditions. Solids Content by Volume %: 32 to 33 Density g/cm³: 1.27 Clean up: Clean water Recommended Wet Film Thickness µm: 170 – 203 per coat Shelf Life: 18 months Recommended Dry Film Thickness µm: 55 – 65 per coat UV Resistance: Excellent Dry Time @ 25°C: To Touch 2 hours To Recoat 4 to 6 hours (high humidity or cooler temperatures will prolong drying times) Volatile Organic Compounds 16 g/L (VOC): Less than (standard colours and tint bases) Colour: Anthracite Quality guarantee: 12 years			
95	Roof paint	15	Pack size: 20 litre Viscosity KU: 110 to 115 Number of Components: 1 Flash Point °C: None Binder Type: Pure Acrylic Finish: Low-Sheen Solids Content by Mass %: 46 to 48 Surface Temperature °C: Min 5 and Max 35 Storage Temperature °C: Min 5 and			

No	Material	Quantity	Specification or description	Comply	Not comply	Comments
96	Roof paint	5	Max 35 Under cover in cool, dry conditions. Solids Content by Volume %: 32 to 33 Density g/cm³: 1.27 Clean up: Clean water Recommended Wet Film Thickness µm: 170 – 203 per coat Shelf Life: 18 months Recommended Dry Film Thickness µm: 55 – 65 per coat UV Resistance: Excellent Dry Time @ 25°C: To Touch 2 hours To Recoat 4 to 6 hours (high humidity or cooler temperatures will prolong drying times) Volatile Organic Compounds 16 g/L (VOC): Less than (standard colours and tint bases) Colour: Anthracite Quality guarantee: 12 years			
97	Interior wall paint	10	Pack size: 20 litre Viscosity KU: 110 to 115 Number of Components: 1 Flash Point °C: None Binder Type: Pure Acrylic Finish: Low-Sheen Solids Content by Mass %: 46 to 48 Surface Temperature °C: Min 5 and Max 35 Storage Temperature °C: Min 5 and Max 35 Under cover in cool, dry conditions. Solids Content by Volume %: 32 to 33 Density g/cm³: 1.27 Clean up: Clean water Recommended Wet Film Thickness µm: 170 – 203 per coat Shelf Life: 18 months Recommended Dry Film Thickness µm: 55 – 65 per coat UV Resistance: Excellent Dry Time @ 25°C: To Touch 2 hours To Recoat 4 to 6 hours (high humidity or cooler temperatures will prolong drying times) Volatile Organic Compounds 16 g/L (VOC): Less than (standard colours and tint bases) Colour: Terracotta Quality guarantee: 12 years			
			Pack size: 20 litre Number of Components: 1 Binder Type: Pure Acrylic Solids Content by Mass %: 50 to 51			

No	Material	Quantity	Specification or description	Comply	Not comply	Comments
			Solids Content by Volume %: 32 to 33 Density g/cm³: 1.313 Recommended Wet Film Thickness µm: 90 – 100 per coat Dry Time @ 25°C: To Touch 30 minutes to 1 hour. To Recoat 4 to 6 hours. Full Cure 10 days (high humidity or cooler temperatures will prolong drying times) Viscosity KU: 95 to 100 Finish: Low sheen Surface Temperature °C: Min 5 and Max 35 Storage Temperature °C: Min 5 and Max 35 Under cover in cool, dry conditions Clean up: Clean water Shelf Life: 18 months UV Resistance: Excellent Abrasion Resistance: Excellent Colour: Peach blossom Quality guarantee: 15 years			
98	Exterior wall paint	15	Pack size: 20 litre Number of Components: 1 Binder Type: Pure Acrylic Solids Content by Mass %: 50 to 52 Solids Content by Volume %: 31 to 33 Density g/cm³: 1.21 Recommended Wet Film Thickness µm: 180 – 205 per coat Recommended Dry Film Thickness µm: 75 – 85 per coat Dry Time @ 25°C: To Touch 30 minutes to 1 hour. To Recoat 4 to 6 hours. Full Cure 10 days (high humidity or cooler temperatures will prolong drying times) Viscosity KU: 105 to 115 Finish: Fine-texture Surface Temperature °C: Min 5 and Max 35 Storage Temperature °C: Min 5 and Max 35 Under cover in cool, dry conditions. Clean up: Clean water Shelf Life: 18 months UV Resistance: Excellent Colour: Horizon mist Quality guarantee: 15 years			
99	Anti-Rust	5	Pack Size: 20 litre			

No	Material	Quantity	Specification or description	Comply	Not comply	Comments
	Primer		Application temperature: 5°C to 40°C No of components: 1 Density: 1,31 to 1,38g/cm³ Drying time Surface: 1 hour at 25°C Hard: 6 hours at 25°C Finish: Matt Overcoating: 48 hours at 25°C for solvent base topcoat 4 hours at 25°C for acrylic topcoat Toxicity: Non-Toxic when dry Volume: solids 48% - 52% Fire Hazard: No Wet film thickness: 80 microns per coat Shelf life: 24 months Dry film thickness: 40 microns per coat Storage: Under cover in cool, dry conditions Service Temperature: -10°C to 60°C Colour: Red Oxide			
100	Paint [Wall & Ceiling]	10	Pack size: 20 litre Finish: Matt Colour: white Number of Components: 1 Surface Temperature °C: Min 5 and Max 35 Binder Type: Modified Acrylic Ambient Temperature °C: Min 5 and Max 35 Solids Content by Mass %: 50 to 52 Storage Temperature °C: Min 5 and Max 35 under cover in cool, dry conditions. Solids Content by Volume %: 32 to 34 Thin with: Clean water Density g/cm³: 1.42 Clean up: Clean water Recommended Wet Film Thickness µm: 78 – 100 per coat Shelf Life: 18 months Recommended Dry Film Thickness µm: 25 – 34 per coat UV Resistance: Excellent Dry Time @ 25°C: To Touch 30 minutes to 1 hour. To Recoat 4 to 6 hours. Full Cure 10 days (high humidity or cooler temperatures will prolong drying times) Abrasion Resistance: Excellent Viscosity KU: 105 - 110 Volatile Organic Compounds 16 g/L (VOC): Less than (standard colours and tint bases) Guarantee: 10 years			

No	Material	Quantity	Specification or description	Comply	Not comply	Comments
101	Metal primer	5	Pack Size: 5 litre Recommended WFT: 100 microns No of components: 1 Recommended DFT: 15 microns Colours: Light Grey Service Temp: -15°C to 220°C Viscosity: 40 to 45 secs FC4 at 25°C Application Temp: -5°C to 50°C Touch Dry time: 30 minutes at 25°C Density: 0.89g/cm³ Recoating time: 1 hour at 25°C Flash Point: 12°C Hard Dry: 2 hours at 25°C Shelf Life: 2 Years Volume Solids: 15% Storage: Cool, dry condition			
102	Wall and ceiling primer	5	Pack Size: 20 litres No of components: 1 Binder Type: Blend Finish: Matt Density: 1.348g/cm³ Overcoating time: ± 6 hours Toxicity: Non-toxic Volume Solids: ±39% Fire Hazard: None Application Temperature: 10°C to 35°C Shelf Life: 2 years Storage: Cool, dry area below 25°C			
103	Heat Resistant paint	6	High Heat Paint is a 2-in-1 primer and topcoat that resists 700°C for new and weathered fireplaces, braais, stoves, and chimneys Pack Size: 1 litre Type: Solvent-based silicone resin No of components: 1 Finish: Smooth-matt Colours: Black Service Temp: -15°C to 220°C Viscosity: 55-65 Krebs Units Application Temp: -5°C to 50°C Touch Dry time: 2 hours at 25°C Density: 1.2g/cm³ Recoating time: 6 hours at 25°C Flash Point: 27°C Hard Dry: 12 hours plus at 25°C Shelf Life: 18 Months Volume Solids: 35%-40% Storage: Under cover in cool, dry conditions			
104	Roof seal	6	Pack Size: 5 litre (sold with 1 Free roll)			

No	Material	Quantity	Specification or description	Comply	Not comply	Comments
	paint		of Duramesh or equivalent size 200mm x 10m) Weathering: Excellent. A maintenance coat is advisable every 5 years depending on conditions. Binder Type: Pure Acrylic UV Resistance: Excellent No of components: 1 Density: 1.4 g/cm ³ Overcoating time: ± 6 hours Toxicity: Non-toxic Volume Solids: 44% to 45% Fire Hazard: None Application Temperature: 5°C to 35°C Shelf Life: 2 years in unopened tins Flexibility Excellent Storage Cool: dry area below 25			
105	Varnish for wood or door	15	Woodgard Double life Varnish Eggshell Pack size: 5 L			
106	Sandpaper	15	60 Grit Sandpaper Size: 1000 x 300mm			
107	Sandpaper	10	100 Grit Sandpaper Size: 1000 x 300mm			
108	Roller brush and tray	30	Plus Series Decorator Plus Paint Roller Set (225mm)			
109	Wire brush tork set	500 m ²	Tork Craft 4 Piece Wire Brush Set			
110	Laminate flooring	500 m ²	Trento Laminated Flooring Colour: Rust Maple or Elf Oak Natural Size: 193 X 1292mm per plank x 8.3mm 7 year Warranty			
111	Flooring underly	20	Protective Sound Reducing Laminated Flooring Underlay - 3mm x 1000mm			
112	Awing	15	Multiwall awing			
113	Awing	30	1500mm X1000mm colour: bronze Multiwall awing			
114	Ceiling board	2	2000mm X1000mm colour: bronze Rhino ceiling board 1.2 x 4.2 x 6.4 (m)			
115	Rhino lite	100	Rhino lite skimming plaster 10kg			
116	Hardwood Skirting	2	Hardwood Skirting 140x20mm x 6m			

No	Material	Quantity	Specification or description	Comply	Not comply	Comments
117	Wrecking bar two set	1	450x19mm/600x19mm/			
118	Crowbar set	3	1200x25mm/1200x32mm/1200/45mm			
119	Jumping cable	13	Heavy duty cable 3000-amp 3m long			
120	Kitchen cabinets length 900mm Height 720 (not assembled)	13	Cabinet base corner unit 900mm Easy assembly 16mm melamine Predrilled with hardware hinges legs cam and dowel Door can be fitted on the left and right Colour: Classic gray			
121	Kitchen cabinets length 450mm Height 720 (not assembled)	4	Cabinet base corner unit 450mm Easy assembly 16mm melamine Predrilled with hardware hinges legs cam and dowel Door can be fitted on the left and right Colour: Classic gray			
122	Kitchen cabinets length 450mm Height 720 (not assembled)	4	Cabinet base 4 drawer 450mm Easy assembly 16mm melamine Predrilled with hardware hinges legs cam and dowel Door can be fitted on the left and right Colour: Classic gray			
123	Kitchen cabinets length 1200mm height 720mm (not assembled)	4	Cabinet base unit 1200mm Easy assembly 16mm melamine Predrilled with hardware hinges legs cam and dowel Door can be fitted on the left and right Colour: Classic gray			
124	Kitchen cabinets length 610mm Height 720	1	Cabinet top corner 600mm Easy assembly 16mm melamine Predrilled with hardware hinges legs cam and dowel Door can be fitted on the left and right Colour: Classic gray			
125	Double kitchen sink	1	Supply and fit – sink must be standard Stainless Steel Drop-In Double End Bowl Sink 1200 x 480mm DC1248S/DEB and double waste trap.			

No	Material	Quantity	Specification or description	Comply	Not comply	Comments
126	To supply and fit granite top for kitchen cupboard at 2 Bozas street, Eshowe, 3815	1	Sink must be supplied with a waste trap including a set s trap for double sink Measurement of granite must be done at 2 Bozas street, Eshowe, 3815. The supplier must fit granite on the kitchen cupboard. Colure: red granite. Granite must be 5000X600 mm (five (5) meters length and will be cut and assembled at 2 Bozas street; Eshowe; 3815. Front edges of granite. must be polished to avoid cutting to humans. Granite top must fit double kitchen sink above on item 33 above.			

3. PREFERENCE POINTS SYSTEM:

The bid will be awarded in terms of Regulation 4: Preferential Procurement Regulations, 2022, pertaining to the Preferential Procurement Policy Framework Act, 2000 (Act 5 of 2000).

Bid proposals will be evaluated based on the 80/20 preference points where a maximum of 80 points will be awarded in respect of price and a maximum of 20 points will be awarded for goals.

Points claimed will be according to a bidder's specific goals claimed as indicated in Table 4 below.

Specific goals for the tender and points allocation are indicated as per the table below:

In terms of Regulation 4(2); 5(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this bid the bidder will be allocated points based on the bidder's goals claimed as per table 4. Bidder's goal claimed must be supported by proof/ documentation stated as per table 4 and the special conditions of this bid where applicable:

T

The specific goals allocated points in terms of this tender	Number of maximum points allocated (80/20 system)	Bidder's points claimed for specific goals (To be completed by Bidder)
Women Ownership	5	
Disability Ownership	5	
Youth Ownership	5	
Location of enterprise (local equals province)	2	
B-BBEE status level 1 contribution from level 1 to 2 which are QSE or EME	3	
TOTAL SCORED POINTS	20	

goals" means specific goals as contemplated in section 2(1)(d) of the PPPFA Act which may include contracting with persons, or categories of persons, historically disadvantaged by unfair discrimination on the basis of race, gender and disability including

the implementation of programmes of the Reconstruction of Development Programme as published in *Government Gazette* No. 16085 date 23 November 1994.

"Ownership" means the percentage ownership and control, exercised by individuals within an enterprise.

"Disability" means, in respect of a person, a permanent impairment of a physical, intellectual, or sensory function, which results in restricted, or lack of, ability to perform an activity in the manner, or within the range, considered normal for a human being.

- i. A blind person (in terms of the Blind Persons Act, 1968 (Act no.26 of 1968);
- ii. A deaf person, whose hearing is impaired to such an extent that he/she cannot use it as a primary means of communication.

- iii. A person who, as a result of permanent disability, requires a wheelchair, caliper or crutch to assist him/her to move from one place or another;
- iv. A person who requires an artificial limb; or
- v. A person who suffers from a mental illness (in terms of the Mental Health Act, 1973 (Act no. 18 of 1973).

"Youth" means, in respect of a person younger than 35 years of age.

"Location of enterprise" Local equals province. Where a project cuts across more than one province, the bidder may be located in any of the relevant provinces to claim and be allocated the points.

Women, disability, and youth will be measured by calculating the pro-rata percentage of ownership of the bidding company which meets the criterion. E.g., Company A has five shareholders each of whom own 20% of the company. Three of the five shareholders meet the criterion, i.e., they are women/disability/youth. Therefore, this bidder will obtain 60% of the points allowable for this goal.

Table 5: Documents required for verification of Bidder's claimed points

Documents/ information listed on the below table 5 must be submitted to support and verify points claimed as per table 4 above.

Table 5

Specific Goal	Requires Proof Documents
Women Ownership	Full CSD Report
Disability Ownership	Full CSD Report
Youth Ownership	Full CSD Report
Location of enterprise	Full CSD Report
B-BBEE status level contribution from level 1 to 2 which are QSE or EME	Valid B-BBEE certificate in case of QSE/sworn affidavit in case EME Consolidated B-BBEE certificate in cases of Joint Ventures (JV) Full CSD Report for each bidder who formed a (JV)

Failure on the part of a bidder to submit proof of documentation required in terms of this tender to claim for specific goals with the bid, will be interpreted to mean that preference points for specific goals are not claimed and will not be allocated.

**PART A
INVITATION TO BID****YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE (NAME OF DEPARTMENT/ PUBLIC ENTITY)**

BID NUMBER:	WTE-2415ES	CLOSING DATE:	04 OCTOBER 2024	CLOSING TIME:	11:00
DESCRIPTION	SUPPLY AND DELIVERY OF PLUMBING MATERIAL AND OTHER BUILDING MATERIAL TO MIDMAR DAM AND SUPPLY, DELIVERY, AND INSTALLATION OF GRANITE TOP AND SINK AT 2 BOZAS STREET, ESHOWE				
BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT (STREET ADDRESS)					

MIDMAR DAM WALL ENTRANCE

DEPOSIT IN TENDER BOX AT SECURITY GUARDHUT

NB: SIGN TENDER REGISTER

BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO		TECHNICAL ENQUIRIES MAY BE DIRECTED TO:	
CONTACT PERSON	NISHAN SINGH	CONTACT PERSON	SBU MATHONSI
TELEPHONE NUMBER	033-2391900	TELEPHONE NUMBER	0828837067
FACSIMILE NUMBER		FACSIMILE NUMBER	
E-MAIL ADDRESS	SINGHN@DWS.GOV.ZA	E-MAIL ADDRESS	MATHONSI@DWS.GOV.ZA

SUPPLIER INFORMATION

NAME OF BIDDER	
POSTAL ADDRESS	
STREET ADDRESS	
TELEPHONE NUMBER	CODE
CELLPHONE NUMBER	
FACSIMILE NUMBER	NUMBER
E-MAIL ADDRESS	NUMBER
VAT REGISTRATION NUMBER	

SUPPLIER COMPLIANCE STATUS	TAX COMPLIANCE SYSTEM PIN:	OR	CENTRAL SUPPLIER DATABASE No: MAAA
B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE	TICK APPLICABLE BOX] ☐ Yes ☐ No	B-BBEE STATUS LEVEL SWORN AFFIDAVIT	[TICK APPLICABLE BOX] ☐ Yes ☐ No

[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/ SWORN AFFIDAVIT (FOR EMES & QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]

ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	☐ Yes ☐ No [IF YES ENCLOSE PROOF]	ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?	☐ Yes ☐ No [IF YES, ANSWER PART B:3]
---	--	--	--

QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS

IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?	☐ YES ☐ NO
DOES THE ENTITY HAVE A BRANCH IN THE RSA?	☐ YES ☐ NO
DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA?	☐ YES ☐ NO
DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA?	☐ YES ☐ NO
IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION? IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 BELOW.	☐ YES ☐ NO

PART B
TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:
1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED-(NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
1.4. THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).
2. TAX COMPLIANCE REQUIREMENTS
2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA .
2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
2.6 WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

SIGNATURE OF BIDDER:

.....

CAPACITY UNDER WHICH THIS BID IS SIGNED:

(Proof of authority must be submitted e.g. company resolution)

.....

DATE:

.....

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL
PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).
- 1.2 **To be completed by the organ of state**
(delete whichever is not applicable for this tender).
- a) The applicable preference point system for this tender is the 90/10 preference point system.

b) The applicable preference point system for this tender is the 80/20 preference point system.

- c) Either the 90/10 or 80/20 preference point system will be applicable in this tender.
The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.
- 1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
- (a) Price; and
 - (b) Specific Goals.

1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. DEFINITIONS

- (a) **“tender”** means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) **“price”** means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) **“rand value”** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) **“tender for income-generating contracts”** means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) **“the Act”** means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

$$\begin{array}{ccc} 80/20 & \text{or} & 90/10 \\ P_s = 80 \left(1 - \frac{P_t - P_{min}}{P_{min}} \right) & \text{or} & P_s = 90 \left(1 - \frac{P_t - P_{min}}{P_{min}} \right) \end{array}$$

Where

P_s = Points scored for price of tender under consideration

P_t = Price of tender under consideration

P_{min} = Price of lowest acceptable tender

3.2. **FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT**

3.2.1. **POINTS AWARDED FOR PRICE**

A maximum of 80 or 90 points is allocated for price on the following basis:

$$\begin{array}{ccc} 80/20 & \text{or} & 90/10 \\ P_s = 80 \left(1 + \frac{P_t - P_{max}}{P_{max}} \right) & \text{or} & P_s = 90 \left(1 + \frac{P_t - P_{max}}{P_{max}} \right) \end{array}$$

Where

P_s = Points scored for price of tender under consideration

P_t = Price of tender under consideration

P_{max} = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:

4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—

- (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
- (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.)

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)
TENDERERS THAT ARE FEMALE		5		
TENDERERS THAT HAVE A DISABILITY		5		
TENDERERS THAT ARE YOUTH		5		
LOCATION OF ENTERPRISE (LOCAL EQUALS PROVINCE)		2		
B-BBEE STATUS LEVEL CONTRIBUTORS FROM LEVEL 1 TO 2 WHICH ARE QSE OR EME		3		

DECLARATION WITH REGARD TO COMPANY/FIRM

- 4.3. Name of company/firm.....
- 4.4. Company registration number:
- 4.5. TYPE OF COMPANY/ FIRM
- Partnership/Joint Venture / Consortium
 One-person business/sole propriety
 Close corporation
 Public Company
 Personal Liability Company (Pty) Limited
 Non-Profit Company
 State Owned Company
- [TICK APPLICABLE BOX]

- 4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
- i) The information furnished is true and correct;
 - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
 - iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
 - iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
 - (a) disqualify the person from the tendering process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution, if deemed necessary.

.....	
SIGNATURE(S) OF TENDERER(S)	
SURNAME AND NAME:	
DATE:	
ADDRESS:	
	
	
	

Industrial Procurement

Home / Sectors and Services / Industrial Development / Industrial Procurement

Industrial Procurement

The revised Preferential Procurement Policy Framework Act (PPPFA) regulations which came into effect on the 7 December 2011 empower the Department of Trade, Industry and Competition (**the dtic**) to designate industries, sectors and sub-sectors for local production at a specified level of local content.

The following industries, sectors and sub-sectors have so far been designated for local production with minimum local content thresholds.

Industry/sector/sub-sector	Minimum threshold for local content
Buses (Bus Body)	80%
Textile, Clothing, Leather and Footwear	100%
Steel Power Pylons, Monopole Pylons, Steel Substation Structures, Powerline Hardware Street Light Steel Poles, Steel Lattice Towers	100%
Canned / Processed Vegetables	80%
Pharmaceutical Products:	
• OSD Tender • Family Planning Tender	• 70% (volumes) • 50% value
Rail Rolling Stock	65%
Set Top Boxes (STB)	30%
Furniture Products:	
• Office Furniture • School Furniture • Base and Mattress	• 85% • 100% • 90%
Solar Water Heater Components	70%
Electrical and telecom cables	90%
Valves products and actuators	70%
Residential Electricity Meter :	
• Prepaid Electricity Meters • Post Paid Electricity Meters • SMART Meters	• 70% • 70% • 50%
Working Vessels/Boats (All types):	60%
• Components	• 10% – 100%

• Class 3 • Class 4	
• Components and conversion activities	• 45% • 10%
Solar PV Components:	
• Laminated PV Modules • Module Frame • DC Combiner Boxes • Mounting Structure • Inverter	• 15% • 65% • 65% • 90% • 40%
Two Way Radio Terminals and Associated Equipment:	
• Portable Radio • Mobile Radio • Repeater	• 60% • 60% • 60%
• Components	• 20% – 100%
Rail Signaling:	• 65%
• Components	• 40% – 100%
Wheely Bins:	100%
Fire Fighting Vehicle	30%
• Crew Cabin • Super Structure • Assembly	• 100% • 100% • 100%
Steel Products and Component for Construction	
Steel Value-added Products • Fabricated Structural Steel • Joining/Connecting Components • Frames • Roof and Cladding • Fasteners • Wire Products • Ducting and Structural pipework • Gutters, downpipes & lauders •	• 100% • 100% • 100% • 100% • 100% • 100% • 100% • 100% • 100% • 100% • 100% • 100% • 100% • 100%
Steel Value-added Products • Plates • Sheets • Galvanised and Colour Coated Coils • Wire Rod and Drawn Wire • Sections • Reinforcing bars •	• 100% • 100% • 100% • 100% • 100% • 100% • 100%
Pumps, Medium Voltage (MV) Motor and Associated Accessories	70%
• Casting or Frame Fabrication • Fabrication and winding of the Rotor Core • Accessories • Assembly and testing of the fully-built unit	• 100% • 100% • 100% • 100%
Rail Permanent Way	90%
• Rails and rail joints • Ballasts • Ballastless • Turnouts/switches and crossings • Railway sleepers • Rail fastening and accessories • Railway maintenance of way plant & equipment • Assembly and testing of fully build unitst	• 100% • 100% • 100% • 100% • 100% • 100% • 70% • 100%
Plastic Pipes	100%
• Polyvinyl chloride (PVC) pipes • High density polyethylene (HDPE) pipes • Polypropylene (PP) pipes • Glass reinforced plastic (GRP) pipes	• 100% • 100% • 100% • 100%
Air insulated MV Switchgear	50%

• Structural Steel • Rubber • Conveyor Belt • Pulleys	• 100% • 100% • 100% • 60%
Industrial lead Acid Batteries	
50%	
Cement	
100%	
• Cem I • Cem II • Cem III • Cem IV • Cem V • Masonry Cement	• 100% • 100% • 100% • 100% • 100% • 100%

To access the practice notes to the above designated sectors, please go to www.treasury.gov.za

Other industries, sectors and sub-sectors are still being considered for designation. Once a thorough research and consultations have been concluded a decision to designate will be communicated to the public.

Regulation 8(4) of the 2017 Preferential Procurement Regulations provides that if there is no designated sector, an organ of state may include, as a specific condition of the tender, that only locally produced services or goods or locally manufactured goods with a stipulated minimum threshold for local production and content will be considered. The per the standard issued by National Treasury designated sectors circular number 11 of 2019/2020.

Please note that the Minister of Finance has approved the following instructions relating to the amendment of:

- Declaration Certificates for Local Production and Content for designated sectors (SBD 6.2 and MBD6.2); and
- National Treasury Instruction on: Invitation and evaluation of bids based on a stipulated minimum threshold for local production and content for Valve Products and Actuators

These instructions will be effective from the date of issue and can be accessed on the National Treasury website.

The standard bidding documents (SBD 6.2 or MBD 6.2) must be completed in line with the requirements of the SABS approved technical specification number [SABS approved standard SANS 1286:2017](#) and the [Guidance Document for the Calculation of Local Content](#) together with the Local Content Declaration Templates

- [Annexure C](#): Local Content Declaration – Summary Schedule.
- [Annexure D](#): Imported Content Declaration – Supporting Schedule to [Annexure C](#) and
- [Annexure E](#): Local Content Declaration – Supporting Schedule to [Annexure C](#).

All these documents are important for the calculation, measurement and verification of local content.

- [SABS approved standard SANS 1286:2017](#)
- [Guidance Document for the Calculation of Local Content](#)
 - [Annexures C, D and E – Download in \[PDF\] or \[XLS\] format.](#)
 - Examples of completed annexures
 - [Buses](#)
 - [Canned vegetables](#)
 - [Preferential Procurement Regulations, 2017](#)
 - [Process when requesting exemption letters](#)

For local content related enquiries, please call the helpline on +27 (12) 394 1435.


For technical enquiries please contact Ms Cathrine Malidza:

Director: Fleet Procurement

Tel: +27 (12) 394 5598

E-mail: cmalidza@thedtic.gov.za

For local content enquiries or complaints, please send an e-mail to localcontent@thedtic.gov.za



Regional Offices:

KwaZulu-Natal
Physical Address:
155 Wilshire Empowerment
Co-Operative Development and Finance Lane
Durban
4001
Glenlinden Campus
031 250 1533

CGumede@thedtic.gov.za

Western Cape
Physical Address:
National Forge House
8 Beibels's Street
13 Floor
Cape Town
8001
1, 401 4th Floor
021 422 5104
Mr David Aghajanian
021 630 2023

LArchilles@thedtic.gov.za

Eastern Cape
Physical Address:
240 Flouet, 106 Ruyter Road
Gqeberha
031 431 429/4470
Mr David Le Grange
031 653 7145

ALeGrange@thedtic.gov.za

the dtic

News
Media Statement
Legislation and Business Regulation
Incentives
Industrial Development
Trade and Export
Agencies
Gather's
Priority Policy

Contact the dtic

For general queries, please contact the dtic Customer Contact Centre
Website: www.dtic.gov.za | Email: info@dtic.gov.za | Fax: 3-4 | Free National Toll-free
1-800-12-3456
My dtic - Mobile
0800 123 456
0800 123 456

For more information, please contact the dtic Customer Contact Centre
Website: www.dtic.gov.za | Email: info@dtic.gov.za | Fax: 3-4 | Free National Toll-free
1-800-12-3456

Physical Address:
11 Market Street, 1st Floor, Market Street, 1001
the dtic | Durban | 4001



together, growing the economy
the dtic Customer Contact Centre: 0861 843 384





Guidance Document for the Calculation of Local Content

1. DEFINITIONS

Unless explicitly provided in this guideline, the definitions given in SATS 1286:2011 apply.

2. GENERAL

2.1. Introduction

This guideline provides tenderers with a detailed description of how to calculate local content of products (goods, services and works) by components/material/services and enables them to keep an updated record for verification requirements as per the SATS 1286:2011 Annexure A and B.

The guideline consists of two parts, namely:

- a written guideline; and
- three declarations that must be completed:
 - Declaration C: "Local Content Declaration – Summary Schedule" (see Annexure C);
 - Declaration D: "Imported Content Declaration – Supporting Schedule to Annex C" (see Annexure D); and
 - Declaration E: "Local Content Declaration – Supporting Schedule to Annex C" (see Annexure E).

The guidelines and declarations should be used by tenderers when preparing a tender. A tenderer must complete Declarations D and E, and consolidate the information on Declaration C.

Annexure C must be submitted with the tender by the closing date and time as determined by the Tender Authority. The Tender Authority reserves the right to request that Declarations D and E also be submitted.

If the tender is successful, the tenderer must continuously update Declarations C, D and E with actual values for the duration of the contract.

NOTE:

Annexure A is a note to the purchaser in SATS 1286:2011; and
Annexure B is the Local Content Declaration IN SATS 1286:2011.

2.2. What is local content?

According to SATS 1286:2011, the local content of a product is the tender price less the value of imported content, expressed as a percentage. It is, therefore, necessary to first compute the imported value of a product to determine the local content of a product.

2.3. Categories: Imported and Local Content

The tenderer must differentiate between imported content and local content.

Imported content of a product by components/material/services is separated into two categories, namely:

- products imported directly by the tenderer; and
- products imported by a third party and supplied to the tenderer.

2.3.1. Imported Content

Identify the imported content, if any, by value for products by component/material/services. In the case of components/materials/services sourced from a South African manufacturer, agent, supplier or subcontractor (i.e. third party), obtain that information and Declaration D from the third party.

Calculate the imported content of components/materials/services to be used in the manufacture of the total quantity of the products for which the tender is to be submitted.

As stated in clause 3.2.4 of SATS 1286:2011: "If information on the origin of components, parts or materials is not available, it will be deemed to be imported content."

2.3.1.1. Imported directly by the tenderer:

When the tenderer import products directly, the onus is on the tenderer to provide evidence of any components/materials/services that were procured from a non-domestic source. The evidence should be verifiable and pertain to the tender as a whole. Typical evidence will include commercial invoices, bills of entry, etc.

When the tenderer procures imported services such as project management, design, testing, marketing, etc and makes royalty and lease payments, such payments relating to the tender must be included when calculating imported content.

2.3.1.2. Imported by a third party and supplied to the tenderer:

When the tenderer supplies components/material/services that are imported by any third party (for example, a domestic manufacturer, agent, supplier or subcontractor in the supply chain), the onus is on the tenderer to obtain verifiable evidence from the third party.

The tenderer must obtain Declaration D from all third parties for the related tender. The third party must be requested by the tenderer to continuously update Declaration D. Typical evidence of imported content will include commercial invoices, bills of entry etc.

When a third party procures imported services such as project management, design, testing, marketing etc. and makes royalty and lease payments, such payments relating to the tender must be included when calculating imported content.

2.3.1.3. Exempt Imported Content:

Exemptions, if any, are granted by the Department of Trade and Industry (**the dti**). Evidence of the exemptions must be provided and included in Annexure D.

2.3.2. Local Content

Identify and calculate the local content, by value for products by components/materials/services to be used in the manufacture of the total quantity of the products.

3. ANNEXURE C

3.1. Guidelines for completing Annexure C: Local Content Declaration – Summary Schedule

Note: The paragraph numbers correspond to the numbers in Annexure C.

- C1. Tender Number**
Supply the tender number that is specified on the specific tender documentation.
- C2. Tender description**
Supply the tender description that is specified on the specific tender documentation.
- C3. Designated products**
Supply the details of the products that are designated in terms of this tender (i.e. buses).
- C4. Tender Authority**
Supply the name of the tender authority.
- C5. Tendering Entity name**
Provide the tendering entity name (for example, Unibody Bus Builders (Pty) Ltd).
- C6. Tender Exchange Rate**
Provide the exchange rate used for this tender, as per the Standard Bidding Document (SBD) and Municipal Bidding Document (MBD) 6.2.
- C7. Specified local content %**
Provide the specified minimum local content requirement for the tender (i.e. 80%), as per the Standard Bidding Document (SBD) and Municipal Bidding Document (MDB) 6.2.
- C8. Tender item number**
Provide the tender item number(s) of the products that have a local content requirement as per the tender specification.

C9. List of items

Provide a list of the item(s) corresponding with the tender item number.
This may be a short description or a brand name.

Calculation of local content

C10. Tender price

Provide the unit tender price of each item excluding VAT.

C11. Exempted imported content

Provide the ZAR value of the exempted imported content for each item, if applicable. These value(s) must correspond with the value(s) of column D16 on Annexure D.

C12. Tender value net of exempted imported content

Provide the net tender value of the item, if applicable, by deducting the exempted imported content (C11) from the tender price (C10).

C13. Imported value

Provide the ZAR value of the items' imported content.

C14. Local value

Provide the local value of the item by deducting the Imported value (C13) from the net tender value (C12).

C15. Local content percentage (per item)

Provide the local content percentage of the item(s) by dividing the local value (C14) by the net tender value (C12) as per the local content formula in SATS 1286.

Tender Summary

C16. Tender quantity

Provide the tender quantity for each item number as per the tender specification.

C17. Total tender value

Provide the total tender value by multiplying the tender quantity (C16) by the tender price (C10).

C18. Total exempted imported content

Provide the total exempted imported content by multiplying the tender quantity (C16) by the exempted imported content (C11). These values must correspond with the values of column D18 on Annexure D.

C19. Total imported content

Provide the total imported content of each item by multiplying the tender quantity (C16) by the imported value (C13).

C20. Total tender value

Total tender value is the sum of the values in column C17.

C21. Total exempted imported content

Total exempted imported content is the sum of the values in column C18. This value must correspond with the value of D19 on Annexure D.

C22. Total tender value net of exempted imported content

The total tender value net of exempt imported content is the total tender value (C20) less the total exempted imported content (C21).

C23. Total imported content

Total imported content is the sum of the values in column C19. This value must correspond with the value of D53 on Annexure D.

C24. Total local content

Total local content is the total tender value net of exempted imported content (C22) less the total imported content (C23). This value must correspond with the value of E13 on Annexure E.

C25. Average local content percentage of tender

The average local content percentage of tender is calculated by dividing total local content (C24) by the total tender value net of exempted imported content (C22).

4. ANNEXURE D

4.1. Guidelines for completing Annexure D: “Imported Content Declaration – Supporting Schedule to Annexure C”

Note: The paragraph numbers correspond to the numbers in Annexure D.

- D1. Tender number**
Supply the tender number that is specified on the specific tender documentation.
- D2. Tender description**
Supply the tender description that is specified on the specific tender documentation.
- D3. Designated products**
Supply the details of the products that are designated in terms of this tender (i.e. buses).
- D4. Tender authority**
Supply the name of the tender authority.
- D5. Tendering entity name**
Provide the tendering entity name (i.e. Unibody Bus Builders (Pty) Ltd).
- D6. Tender exchange rate**
Provide the exchange rate used for this tender, as per the Standard Bidding Document (SBD) and Municipal Bidding Document (MBD) 6.2.

Table A. Exempted Imported Content

- D7. Tender item number**
Provide the tender item number(s) of the product(s) that have imported content.
- D8. Description of imported content**
Provide a list of the exempted imported product(s), if any, as specified in the tender.

- D9. Local supplier**
Provide the name of the local supplier(s) supplying the imported product(s).
- D10. Overseas supplier**
Provide the name(s) of the overseas supplier(s) supplying the exempted imported product(s).
- D11. Imported value as per commercial invoice**
Provide the foreign currency value of the exempted imported product(s) disclosed in the commercial invoice accepted by the South African Revenue Service (SARS).
- D12. Tender exchange rate**
Provide the exchange rate used for this tender as per the Standard Bidding Document (SBD) and Municipal Bidding Document (MBD) 6.2.
- D13. Local value of imports**
Convert the value of the exempted imported content as per commercial invoice (D11) into the ZAR value by using the tender exchange rate (D12) disclosed in the tender documentation.
- D14. Freight costs to port of entry**
Provide the freight costs to the South African Port of the exempted imported item.
- D15. All locally incurred landing costs and duties**
Provide all landing costs including customs and excise duty for the exempted imported product(s) as stipulated in the SATS 1286:2011.
- D16. Total landed costs excl VAT**
Provide the total landed costs (excluding VAT) for each item imported by adding the corresponding item values in columns D13, D14 and D15. These values must be transferred to column C11 on Annexure C.
- D17. Tender quantity**
Provide the tender quantity of the exempted imported products as per the tender specification.
- D18. Exempted imported value**
Provide the imported value for each of the exempted imported product(s) by multiplying the total landed cost (excl. VAT) (D16) by the

tender quantity (D17). The values in column D18 must correspond with the values of column C18 of Annexure C.

D19. Total exempted imported value

The total exempted imported value is the sum of the values in column D18. This total must correspond with the value of C21 on Annexure C.

Table B. Imported Directly By Tenderer

D20. Tender item numbers

Provide the tender item number(s) of the product(s) that have imported content.

D21. Description of imported content:

Provide a list of the product(s) imported directly by tender as specified in the tender documentation.

D22. Unit of measure

Provide the unit of measure for the product(s) imported directly by the tenderer.

D23. Overseas supplier

Provide the name(s) of the overseas supplier(s) supplying the imported product(s).

D24. Imported value as per commercial Invoice

Provide the foreign currency value of the product(s) imported directly by tenderer disclosed in the commercial invoice accepted by the South African Revenue Service (SARS).

D25. Tender rate of exchange

Provide the exchange rate used for this tender as per the Standard Bidding Document (SBD) and Municipal Bidding Document (MBD) 6.2.

D26. Local value of imports

Convert the value of the product(s) imported directly by the tenderer as per commercial invoice (D24) into the ZAR value by using the tender exchange rate (D25) disclosed in the tender documentation.

D27. Freight costs to port of entry

Provide the freight costs to the South African Port of the product(s) imported directly by the tenderer.

D28. All locally incurred landing costs and duties

Provide all landing costs including customs and excise duty for the product(s) imported directly by the tenderer as stipulated in the SATS 1286:2011.

D29. Total landed costs excl VAT

Provide the total landed costs (excluding VAT) for each item imported directly by the tenderer by adding the corresponding item values in columns D26, D27 and D28.

D30. Tender quantity

Provide the tender quantity of the product(s) imported directly by the tenderer as per the tender specification.

D31. Total imported value

Provide the total imported value for each of the product(s) imported directly by the tenderer by multiplying the total landed cost (excl. VAT) (D29) by the tender quantity (D30).

D32. Total imported value by tenderer

The total value of imports by the tenderer is the sum of the values in column D31.

Table C. Imported by Third Party and Supplied to the Tenderer

D33. Description of imported content

Provide a list of the product(s) imported by the third party and supplied to the tenderer as specified in the tender documentation.

D34. Unit of measure

Provide the unit of measure for the product(s) imported by the third party and supplied to tenderer as disclosed in the commercial invoice.

D35. Local supplier

Provide the name of the local supplier(s) supplying the imported product(s).

D36. Overseas supplier

Provide the name(s) of the overseas supplier(s) supplying the imported products.

D37. Imported value as per commercial invoice

Provide the foreign currency value of the product(s) imported by the third party and supplied to the tenderer disclosed in the commercial invoice accepted by SARS.

D38. Tender rate of exchange

Provide the exchange rate used for this tender as per the Standard Bidding Document (SBD) and Municipal Bidding Document (MBD) 6.2.

D39. Local value of imports

Convert the value of the product(s) imported by the third party as per commercial invoice (D37) into the ZAR value by using the tender exchange rate (D38) disclosed in the tender documentation.

D40. Freight costs to port of entry

Provide the freight costs to the South African Port of the product(s) imported by third party and supplied to the tenderer.

D41. All locally incurred landing costs and duties

Provide all landing costs including customs and excise duty for the product(s) imported by third party and supplied to the tenderer as stipulated in the SATS 1286:2011.

D42. Total landed costs excluding VAT

Provide the total landed costs (excluding VAT) for each product imported by third party and supplied to the tenderer by adding the corresponding item values in columns D39, D40 and D41.

D43. Quantity imported

Provide the quantity of each product(s) imported by third party and supplied to the tenderer for the tender.

D44. Total imported value

Provide the total imported value of the product(s) imported by third party and supplied to the tenderer by multiplying the total landed cost (D42) by the quantity imported (D43).

D45. Total imported value by third party

The total imported value from the third party is the sum of the values in column D44.

Table D. Other Foreign Currency Payments

D46. Type of payment

Provide the type of foreign currency payment. (i.e. royalty payment for use of patent, annual licence fee, etc).

D47. Local supplier making the payment

Provide the name of the local supplier making the payment.

D48. Overseas beneficiary

Provide the name of the overseas beneficiary.

D49. Foreign currency value paid

Provide the value of the listed payment(s) in their foreign currency.

D50. Tender rate of exchange

Provide the exchange rate used for this tender as per the Standard Bidding Document (SBD) and Municipal Bidding Document (MBD) 6.2.

D51. Local value of payments

Provide the local value of each payment by multiplying the foreign currency value paid (D49) by the tender rate of exchange (D50).

D52. Total of foreign currency payments declared by tenderer and/or third party

The total of foreign currency payments declared by tenderer and/or a third party is the sum of the values in column D51.

D53. Total of imported content and foreign currency payment

The total imported content and foreign currency payment is the sum of the values in column D32, D45 and D52. This value must correspond with the value of C23 on Annexure C.

5. ANNEXURE E

5.1. Guidelines to completing Annexure E: “Local Content Declaration-Supporting Schedule to Annexure C”

The paragraph numbers correspond to the numbers in Annexure E

- E1. Tender number**
Supply the tender number that is specified on the specific tender documentation.
- E2. Tender description**
Supply the tender description that is specified on the specific tender documentation.
- E3. Designated products**
Supply the details of the products that are designated in terms of this tender (for example, buses/canned vegetables).
- E4. Tender authority**
Supply the name of the tender authority.
- E5. Tendering entity name**
Provide the tendering entity name (for example, Unibody Bus Builders (Pty) Ltd) Ltd).

Local Goods, Services and Works

- E6. Description of items purchased**
Provide a description of the items purchased locally in the space provided.
- E7. Local supplier**
Provide the name of the local supplier that corresponds to the item listed in column E6.
- E8. Value**
Provide the total value of the item purchased in column E6.

E9. Total local products (Goods, Services and Works)

Total local products (goods, services and works) is the sum of the values in E8.

E10. Manpower costs:

Provide the total of all the labour costs accruing only to the tenderer (i.e. not the suppliers to tenderer).

E11. Factory overheads:

Provide the total of all the factory overheads including rental, depreciation and amortisation for local and imported capital goods, utility costs and consumables. (Consumables are goods used by individuals and businesses that must be replaced regularly because they wear out or are used up. Consumables can also be defined as the components of an end product that are used up or permanently altered in the process of manufacturing, such as basic chemicals.)

E12. Administration overheads and mark-up:

Provide the total of all the administration overheads, including marketing, insurance, financing, interest and mark-up costs.

E13. Total local content:

The total local content is the sum of the values of E9, E10, E11 and E12. This total must correspond with C24 of Annexure C.

Local Content Declaration - Summary Schedule

WTE-2415ES

PLASTIC PIPES

DWS

WASTE

WATER AND SANITATION

Pula

83

GBP

Tender No.

Tender description:

Designated product(s)

Tender Authority:

Tendering Entity name:

Tender Exchange Rate:

Specified local content %

(C1)

(C2)

(C3)

(C4)

(53)

(93)

(C7)

SUPPLY AND DELIVERY OF PLUMBING MATERIAL AND OTHER BUILDING MATERIAL

calculations

Note: VAT to be excluded from all

[illegible]

Signature of tenderer from Annex B

Date: _____

(C21) Total Exempt imported content

(C22) Total Tender value net of exempt imported content

(C23) Total imported content

(C24) Total local content

(C25) Average local content % of tender

GBP R 12.00

Annex C - C 23

Annex E

Local Content Declaration - Supporting Schedule to Annex C

(E1)

Tender No.

(E2)

Tender description:

(E3)

Designated products:

(E4)

Tender Authority:

(E5)

Tendering Entity name:

Note: VAT to be excluded from all calculations

Local Products (Goods, Services and Works)	Description of items purchased	Local suppliers	Value
	(E6)	(E7)	(E8)
(E9) Total local products (Goods, Services and Works)			R 0

(E10) Manpower costs (Tenderer's manpower cost) R 0

(E11) Factory overheads (Rental, depreciation & amortisation, utility costs, consumables etc.) R 0

(E12) Administration overheads and mark-up (Marketing, insurance, financing, interest etc.) R 0

(E13) Total local content R 0

This total must correspond with Annex C - C24

Signature of tenderer from Annex B

Date:



BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest¹ in the enterprise, employed by the state?
YES/NO

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of institution	State

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? **YES/NO**

2.2.1 If so, furnish particulars:
.....
.....

2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? **YES/NO**

2.3.1 If so, furnish particulars:
.....
.....

3 DECLARATION

I, _____ the _____ undersigned,
(name) _____ in
submitting the accompanying bid, do hereby make the following
statements that I certify to be true and complete in every respect:

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium² will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.

3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....	Signature		Date
.....	Position		Name of bidder



water & sanitation

Department:
Water and Sanitation
REPUBLIC OF SOUTH AFRICA

SBD 3.1

PRICING SCHEDULE – FIRM PRICES (PURCHASES)

NOTE: ONLY FIRM PRICES WILL BE ACCEPTED. NON-FIRM PRICES (INCLUDING PRICES SUBJECT TO RATES OF EXCHANGE VARIATIONS) WILL NOT BE CONSIDERED

IN CASES WHERE DIFFERENT DELIVERY POINTS INFLUENCE THE PRICING, A SEPARATE PRICING SCHEDULE MUST BE SUBMITTED FOR EACH DELIVERY POINT

Name of bidder:

Bid number: **WTE-24154ES**

Closing Time **11:00
2024**

Closing date: ⁰⁸~~10~~ **OCTOBER**

OFFER TO BE VALID FOR **120 DAYS** FROM THE CLOSING DATE OF BID.

ITEM NO.	DESCRIPTION OF GOODS	QTY	UNIT PRICE (TO BE FILLED BY THE BIDDER)	BID PRICE (TO BE FILLED BY THE BIDDER)
1	Shower mixer	5		
2	Shower door	2		
3	Complete toilet set	2		
4	Floor Standing Cabinet & White Basin	2		
5	Shower door	2		
6	Complete toilet set	2		

7	Floor Standing Cabinet & White Basin	2		
8	Septic tank (2400 l include grey water tank 400l)	2		
9	Quick valve	6		
10	Vacuum breaker	12		
11	Safety valve male	10		
12	Safety valve female	5		
13	Pan sealer	30		
14	Bath mixer	10		
15	Kitchen sink mixer	10		
16	Shower rose	10		
17	Shower rose	10		
18	Waste trap for shower	10		
19	Waste trap for washing basin chrome	10		
20	Toilet flush master	10		
21	Urinal flush master	10		
22	Soap holder	10		
23	Waste basin 40mm	10		

24	Waste basin 50mm	10		
25	Shower arm	5		
26	Waste trap for washing basin	10		
27	S trap	10		
28	S trap	10		
29	Bend plain [above ground drain coupling]	10		
30	Bend IE [above ground drain coupling]	20		
31	Y junction IE [above ground drain coupling]	20		
32	Pan connector caller 110mm [above ground drain coupling]	10		
33	Pan connector caller 110mm [above ground drain coupling]	10		
34	W assessor head junction [above ground drain coupling]	5		
35	uPVC Vent horn assess head bend plain. [above ground drain coupling]	20		
36	Junction single plain UPVC SV junction 110X87 plain single SY41 [above ground drain coupling]	20		
37	Junction single reduce plain [above ground drain coupling]	10		
38	Two way vent valve [above ground drain coupling]	10		
39	Strap on boss [above ground drain coupling]	10		
40	Bend plain 50mm [above ground drain coupling]	20		

41	Bend IE [above ground drain coupling]	20				
42	Bend IE [above ground drain coupling]	20				
43	Junction access hill single	20				
44	UPVC BSP Male adaptor	5				
45	UPVC BSP female adaptor	5				
46	Vent valve	10				
47	Reducer 50 by 40	10				
48	Ratchet uPVC holder bat	40				
49	Ratchet uPVC holder bat	40				
50	Sewer gully	20				
51	Sewer gully	10				
52	Typical gala head	5				
53	Cylinder lock	4				
54	Rim lock	4				
55	Butt hinges	10				
56	Crome plated ball to stop	15				

57	Cobra ball stop valve	4		
58	Float valve reservoir.	10		
59	Plasson fitting 32mm	10		
60	Plasson fitting 32mm	10		
61	Plasson fitting 32mm	10		
62	Plasson fitting 40mm	10		
63	Plasson fitting 40mm	10		
64	Plasson fitting 40mm	10		
65	Plasson fitting 50mm	10		
66	Plasson fitting 50mm	10		
67	Plasson fitting 50mm	10		
68	Plasson fitting 63mm	10		
69	Plasson fitting 63mm	10		
70	Plasson fitting 63mm	10		
71	IE uPVC 110mm	12		
72	Brass fitting	50		
73	Brass fitting	50		

74	Brass fitting	50		
75	Brass fitting	20		
76	Brass fitting	20		
77	Brass fitting	20		
78	Brass fitting	20		
79	Brass fitting	50		
80	Brass fitting	20		
81	Brass fitting	10		
82	Bathroom or toilet fitting	50		
83	Bathroom or toilet fitting	10		
84	Pipe clamps	50		
85	Pipe clamps	50		
86	Domestic plumbing pipe	1		
87	Domestic plumbing pipe	1		
88	Home security lock set	10		
89	Standpipe	1		
90	HDPE coupling	4		

91	PVC/ HDPE coupling	4		
92	Door	5		
93	Door frame	5		
94	Roof paint	20		
95	Roof paint	15		
96	Interior wall paint	5		
97	Exterior wall paint	10		
98	Anti-Rust Primer	15		
99	Paint [Wall & Ceiling]	5		
100	Metal primer	10		
101	Wall and ceiling primer	5		
102	Heat Resistant paint	5		
103	Roof seal paint	6		
104	Varnish for wood or door	6		
105	Sandpaper	15		
106	Sandpaper	15		
107	Roller brush and tray	10		

108	Wire brush tork set	30		
109	Laminate flooring	500 m ²		
110	Flooring underly	500 m ²		
111	Awing 1500mm X1000mm	20		
112	Awing 2000mm X1000mm	15		
113	Ceiling board	30		
114	Rhino lite	2		
115	Hardwood Skirting	100		
116	Wrecking bar two set	2		
117	Crowbar set	1		
118	Jumping cable	3		
119	Kitchen cabinets length 900mm Height 720 (not assembled)	13		
120	Kitchen cabinets length 450mm Height 720 (not assembled)	13		
121	Kitchen cabinets length 450mm Height 720 (not assembled)	4		
122	Kitchen cabinets length 1200mm height 720mm (not assembled)	4		
123	Kitchen cabinets length 610mm Height 720	4		
124	Double kitchen sink	1		
125	To supply and fit granite top for	1		

	kitchen cupboard at 2 Bozas street, Eshowe, 3815			
			TOTAL	
			15% VAT	
			TOTAL BID PRICE	

- Required by:

OPERATIONS EASTERN

- Attention:

SUPPLY CHAIN MANAGEMENT

.....

- Brand and model

.....

- Country of origin

.....

- Does the offer comply with the specification(s)?

*YES/NO

- If not to specification, indicate deviation(s)

.....

- Period required for delivery

.....
*Delivery: Firm/not firm

- Delivery basis

.....

Note: All delivery costs must be included in the bid price, for delivery at the prescribed destination.

** "all applicable taxes" includes value-added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies.

*Delete if not applicable

THE NATIONAL TREASURY

Republic of South Africa



GOVERNMENT PROCUREMENT: GENERAL CONDITIONS OF CONTRACT

July 2010

GOVERNMENT PROCUREMENT
GENERAL CONDITIONS OF CONTRACT
July 2010

NOTES

The purpose of this document is to:

- (i) Draw special attention to certain general conditions applicable to government bids, contracts and orders; and
- (ii) To ensure that clients be familiar with regard to the rights and obligations of all parties involved in doing business with government.

In this document words in the singular also mean in the plural and vice versa and words in the masculine also mean in the feminine and neuter.

- The General Conditions of Contract will form part of all bid documents and may not be amended.
- Special Conditions of Contract (SCC) relevant to a specific bid, should be compiled separately for every bid (if applicable) and will supplement the General Conditions of Contract. Whenever there is a conflict, the provisions in the SCC shall prevail.

TABLE OF CLAUSES

1.	Definitions
2.	Application
3.	General
4.	Standards
5.	Use of contract documents and information; inspection
6.	Patent rights
7.	Performance security
8.	Inspections, tests and analysis
9.	Packing
10.	Delivery and documents
11.	Insurance
12.	Transportation
13.	Incidental services
14.	Spare parts
15.	Warranty
16.	Payment
17.	Prices
18.	Contract amendments
19.	Assignment
20.	Subcontracts
21.	Delays in the supplier's performance
22.	Penalties
23.	Termination for default
24.	Dumping and countervailing duties
25.	Force Majeure
26.	Termination for insolvency
27.	Settlement of disputes
28.	Limitation of liability
29.	Governing language
30.	Applicable law
31.	Notices
32.	Taxes and duties
33.	National Industrial Participation Programme (NIPP)
34.	Prohibition of restrictive practices

General Conditions of Contract

1. Definitions

1. The following terms shall be interpreted as indicated:
 - 1.1 “Closing time” means the date and hour specified in the bidding documents for the receipt of bids.
 - 1.2 “Contract” means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
 - 1.3 “Contract price” means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
 - 1.4 “Corrupt practice” means the offering, giving, receiving, or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution.
 - 1.5 “Countervailing duties” are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally.
 - 1.6 “Country of origin” means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
 - 1.7 “Day” means calendar day.
 - 1.8 “Delivery” means delivery in compliance of the conditions of the contract or order.
 - 1.9 “Delivery ex stock” means immediate delivery directly from stock actually on hand.
 - 1.10 “Delivery into consignees store or to his site” means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
 - 1.11 “Dumping” occurs when a private enterprise abroad market its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the

RSA.

- 1.12 "Force majeure" means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 1.13 "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14 "GCC" means the General Conditions of Contract.
- 1.15 "Goods" means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- 1.16 "Imported content" means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.
- 1.17 "Local content" means that portion of the bidding price which is not included in the imported content provided that local manufacture does take place.
- 1.18 "Manufacture" means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding activities.
- 1.19 "Order" means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20 "Project site," where applicable, means the place indicated in bidding documents.
- 1.21 "Purchaser" means the organization purchasing the goods.
- 1.22 "Republic" means the Republic of South Africa.
- 1.23 "SCC" means the Special Conditions of Contract.
- 1.24 "Services" means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such

obligations of the supplier covered under the contract.

- 1.25 “Written” or “in writing” means handwritten in ink or any form of electronic or mechanical writing.

2. Application

- 2.1 These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.

- 2.2 Where applicable, special conditions of contract are also laid down to cover specific supplies, services or works.

- 2.3 Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

3. General

- 3.1 Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable a non-refundable fee for documents may be charged.

- 3.2 With certain exceptions, invitations to bid are only published in the Government Tender Bulletin. The Government Tender Bulletin may be obtained directly from the Government Printer, Private Bag X85, Pretoria 0001, or accessed electronically from www.treasury.gov.za

4. Standards

- 4.1 The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.

5. Use of contract documents and information; inspection.

- 5.1 The supplier shall not, without the purchaser’s prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.

- 5.2 The supplier shall not, without the purchaser’s prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.

- 5.3 Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier’s performance under the contract if so required by the purchaser.

- 5.4 The supplier shall permit the purchaser to inspect the supplier’s records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.

6. Patent rights

- 6.1 The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

7. Performance security

- 7.1 Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in SCC.
- 7.2 The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 7.3 The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms:
- (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or
 - (b) a cashier's or certified cheque

- 7.4 The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified in SCC.

8. Inspections, tests and analyses

- 8.1 All pre-bidding testing will be for the account of the bidder.
- 8.2 If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the Department or an organization acting on behalf of the Department.
- 8.3 If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- 8.4 If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5 Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6 Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7 Any contract supplies may on or after delivery be inspected, tested or

analyzed and may be rejected if found not to comply with the requirements of the contract. Such rejected supplies shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with supplies which do comply with the requirements of the contract. Failing such removal the rejected supplies shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute supplies forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected supplies, purchase such supplies as may be necessary at the expense of the supplier.

8.8 The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 23 of GCC.

9. Packing

9.1 The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.

9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the purchaser.

10. Delivery and documents

10.1 Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract. The details of shipping and/or other documents to be furnished by the supplier are specified in SCC.

10.2 Documents to be submitted by the supplier are specified in SCC.

11. Insurance

11.1 The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the SCC.

12. **Transportation** 12.1 Should a price other than an all-inclusive delivered price be required, this shall be specified in the SCC.

13. Incidental services

13.1 The supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:

- (a) performance or supervision of on-site assembly and/or commissioning of the supplied goods;
- (b) furnishing of tools required for assembly and/or maintenance of the supplied goods;
- (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;

- (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
- (e) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied goods.

13.2 Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.

14. Spare parts

14.1 As specified in SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:

- (a) such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and
- (b) in the event of termination of production of the spare parts:
 - (i) Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and
 - (ii) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

15. Warranty

15.1 The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.

15.2 This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.

15.3 The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.

15.4 Upon receipt of such notice, the supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.

15.5 If the supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, the purchaser may proceed to take

such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

16. Payment

16.1 The method and conditions of payment to be made to the supplier under this contract shall be specified in SCC.

16.2 The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfillment of other obligations stipulated in the contract.

16.3 Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier.

16.4 Payment will be made in Rand unless otherwise stipulated in SCC.

17. Prices

17.1 Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorized in SCC or in the purchaser's request for bid validity extension, as the case may be.

18. Contract amendments

18.1 No variation in or modification of the terms of the contract shall be made except by written amendment signed by the parties concerned.

19. Assignment

19.1 The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.

20. Subcontracts

20.1 The supplier shall notify the purchaser in writing of all subcontracts awarded under this contracts if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.

21. Delays in the supplier's performance

21.1 Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.

21.2 If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.

21.3 No provision in a contract shall be deemed to prohibit the obtaining of supplies or services from a national department, provincial department, or a local authority.

21.4 The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the

supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available.

21.5 Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 21.2 without the application of penalties.

21.6 Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without canceling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.

22. Penalties

22.1 Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.

23. Termination for default

23.1 The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:

- (a) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2;
- (b) if the Supplier fails to perform any other obligation(s) under the contract; or
- (c) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.

23.2 In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.

23.3 Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.

23.4 If a purchaser intends imposing a restriction on a supplier or any

person associated with the supplier, the supplier will be allowed a time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated fourteen (14) days the purchaser may regard the intended penalty as not objected against and may impose it on the supplier.

23.5 Any restriction imposed on any person by the Accounting Officer / Authority will, at the discretion of the Accounting Officer / Authority, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the Accounting Officer / Authority actively associated.

23.6 If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following information:

- (i) the name and address of the supplier and / or person restricted by the purchaser;
- (ii) the date of commencement of the restriction
- (iii) the period of restriction; and
- (iv) the reasons for the restriction.

These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.

23.7 If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.

24. Anti-dumping and countervailing duties and rights

24.1 When, after the date of bid, provisional payments are required, or anti-dumping or countervailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidized import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such anti-dumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference shall on demand be paid forthwith by the contractor to the State or the State may deduct such amounts from moneys (if any) which may otherwise be due to the contractor in regard to supplies or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other contract or any other amount which

may be due to him

25. Force Majeure

- 25.1 Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.
- 25.2 If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

26. Termination for insolvency

- 26.1 The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

27. Settlement of Disputes

- 27.1 If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.
- 27.2 If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.
- 27.3 Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.
- 27.4 Mediation proceedings shall be conducted in accordance with the rules of procedure specified in the SCC.
- 27.5 Notwithstanding any reference to mediation and/or court proceedings herein,
- (a) the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and
 - (b) the purchaser shall pay the supplier any monies due the supplier.
- 28.1 Except in cases of criminal negligence or willful misconduct, and in the case of infringement pursuant to Clause 6;
- (a) the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and

28. Limitation of Liability

- (b) the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

29. Governing language

- 29.1 The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.

30. Applicable law

- 30.1 The contract shall be interpreted in accordance with South African laws, unless otherwise specified in SCC.

31. Notices

- 31.1 Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice

- 31.2 The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.

32. Taxes and duties

- 32.1 A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.

- 32.2 A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.

- 32.3 No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a tax clearance certificate, submitted by the bidder. This certificate must be an original issued by the South African Revenue Services.

33. National Industrial Participation Programme (NIP)

- 33.1 The NIP Programme administered by the Department of Trade and Industry shall be applicable to all contracts that are subject to the NIP obligation.

34 Prohibition of Restrictive practices

- 34.1 In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder (s) is / are or a contractor(s) was / were involved in collusive bidding (or bid rigging).

- 34.2 If a bidder(s) or contractor(s), based on reasonable grounds or evidence obtained by the purchaser, has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in the Competition Act No. 89 of 1998.

34.3 If a bidder(s) or contractor(s), has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and / or claim damages from the bidder(s) or contractor(s) concerned.

Js General Conditions of Contract (revised July 2010)