



City of Johannesburg
Johannesburg Roads Agency

75 Helen Joseph Street
Cnr. Harrison Street
Johannesburg
2001

P/Bag X70
Braamfontain
South Africa
2017

Tel +27 (0) 11 298 5000
Fax +27 (0) 11 298 5178
www.jra.org.za
www.joburg.org.za

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE (Johannesburg Road Agency)

Freely downloadable from www.jra.org.za

RFQ NO: 004/2025

DESCRIPTION: PROCUREMENT OF LOCKSMITH SERVICES

JOHANNESBURG ROADS AGENCY Supply Chain Management Division Contact : Unathi Shangase Tel No : 011 491 5874 Email : ushangase@jra.org.za	JOHANNESBURG ROADS AGENCY END-USER DEPARTMENT Contact : Bambo Sotomela Tel No : 011 491 5771 Email : bsotomela@jra.org.za
Advert Date: 29 July 2024	
Closing Date: 13 August 2024	
Briefing Date:N/A	
Closing Time: 10H00	
Briefing Session Date: N/A	
Time: N/A	
Venue: N/A	
Name of Bidder:	
Bid Amount (VAT Excluded): R.....	

Bidders should ensure that RFQ's are delivered timeously to the correct address:

HAND DELIVERY:

75 Helen Joseph Street
Cnr. Harrison Street
Johannesburg
2001.

The bid box is generally open 7 days a week from 5am to 7pm

THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT OF 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 22, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT

NB: NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE (as defined in Regulation 1 of the Local Government: Municipal Supply Chain Management Regulations)

NB: Locally produced or manufactured goods, meeting the stipulated minimum threshold for local production and content, will be considered in line with the Johannesburg Roads Agency and MSCM regulation 34 National Treasury Circular 69".

The Prospective Bidders must be registered on the National Treasury Suppliers Central Database

1. MANDATORY REQUIREMENTS: NOTICE TO ALL BIDDERS ON DISQUALIFICATION CRITERIA:

A bid not complying with the requirements stated hereunder will be regarded as not being an "Acceptable bid", and as such will be rejected.

1.1 NO RFQ WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE

1.2 All Declarations and MBD forms must be completed and signed in full.

1.3 JRA pricing schedule must be fully completed and signed (MBD 3.1)

1.4 The bid must be deposited in the relevant bid box as indicated on the notice of the bid on or before the closing date and time of the bid. Bidders must ensure that Bid Documents are delivered timeously to the correct address. **If the bid is late, it will not be accepted for consideration.**

1.5 Copies of the company registration must be submitted with the RFQ on or before the closing time and date of the bid.

1.6 Submission of a Joint Venture Agreement, where applicable, which has been properly signed by all parties.

1.7 No Bidder who is blacklisted by National Treasury or any National Authority due to non-performance will be considered.

1.8 All RFQs must be submitted on the official forms – (not to be re-typed)

1.9 The bidder must be registered with the CIDB with a 2GB or higher grading.

2. ADDITIONAL INFORMATION REQUIRED:

2.1. A copy of Tax Pin for confirmation of Tax matters

2.2. The proof of CSD registration report must be attached.

2.3. Certified ID copies of all directors

2.4. Proof of payment of Municipal account statement on rates and taxes from the respective municipality not owing and older than three months for company and its directors such proof:

must not be in arrears for more than three (3) months from closing date of the tender,

(a) it must have been addressed to the company itself and any of the shareholders or members as on the document for company registration, and

(b) in case where the company and or Director (s) is/are renting, the lease agreement between the company and or Director (s) and the respective landlord must be attached, accompanied by the rental invoice.

(c) In case where director of the company operates a business from the same residential area where he/she stays the sworn affidavit by commissioner of oath must accompany the proof of rates and taxes.

2.5. The bidders are advised to attach their certified valid BBBEE certificates or sworn affidavit issued by DTI or SANAS, and in case where the business is classified as Exempted Micro Enterprise (EME), a letter from the registered auditor stipulating that the business has a turnover of less than R10M p.a. It should be noted that no attachment of these documents will not disqualify the bidder for further evaluation but will instead disadvantage them from being scored on BBBEE points.

2.6. In case where 2 (two) or more companies decide to form a joint venture (JV), **BBBEE must be consolidated one** and all the companies in the JV must attach every document as requested above in addition to the Joint Venture Agreement signed by all parties.

(i) Meeting technical specifications and comply with bid conditions.

(ii) Financial ability to execute the contract.

**PART A
INVITATION TO BID**

MBD1

SUPPLIER INFORMATION				
NAME OF BIDDER				
POSTAL ADDRESS				
STREET ADDRESS				
TELEPHONE NUMBER	CODE		NUMBER	
CELL PHONE NUMBER				
FACSIMILE NUMBER	CODE		NUMBER	
E-MAIL ADDRESS				
VAT REGISTRATION NUMBER				
	TCS PIN:		OR	CSD No:
B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE [TICK APPLICABLE BOX]	☐ Yes		B-BBEE STATUS LEVEL SWORN AFFIDAVIT	☐ Yes
	☐ No			☐ No
IF YES, WHO WAS THE AFFIDAVIT / CERTIFICATE ISSUED BY?				
AN ACCOUNTING OFFICER AS CONTEMPLATED IN THE CLOSE CORPORATION ACT (CCA) AND NAME THE APPLICABLE IN THE TICK BOX	☐	AN ACCOUNTING OFFICER AS CONTEMPLATED IN THE CLOSE CORPORATION ACT (CCA)		
	☐	A VERIFICATION AGENCY ACCREDITED BY THE SOUTH AFRICAN ACCREDITATION SYSTEM (SANAS)		
	☐	AFFIDAVIT ISSUED BY SA POLICE SERVICE ☐ / DEPT OF TRADE AND INDUSTRY ☐		
	☐	A REGISTERED AUDITOR		
	NAME:			
[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/SWORN AFFIDAVIT (FOR EMEs& QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]				
ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	☐ Yes ☐ No	ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?		☐ Yes ☐ No
	[IF YES ENCLOSE PROOF]			[IF YES ANSWER PART B:3 BELOW]
SIGNATURE OF BIDDER		DATE		
CAPACITY UNDER WHICH THIS BID IS SIGNED (Attach proof of authority to sign this bid; e.g. resolution of directors, etc.)				
TOTAL NUMBER OF ITEMS OFFERED		TOTAL BID PRICE (ALL INCLUSIVE)		

PART B TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:								
1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION. 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED– (NOT TO BE RE-TYPED) OR ONLINE 1.3. BIDDERS MUST REGISTER ON THE CENTRAL SUPPLIER DATABASE (CSD) TO UPLOAD MANDATORY INFORMATION NAMELY: (BUSINESS REGISTRATION/ DIRECTORSHIP/ MEMBERSHIP/IDENTITY NUMBERS; TAX COMPLIANCE STATUS; AND BANKING INFORMATION FOR VERIFICATION PURPOSES). B-BBEE CERTIFICATE OR SWORN AFFIDAVIT FOR B-BBEE MUST BE SUBMITTED TO BIDDING INSTITUTION. 1.4. WHERE A BIDDER IS NOT REGISTERED ON THE CSD, MANDATORY INFORMATION NAMELY: (BUSINESS REGISTRATION/ DIRECTORSHIP/ MEMBERSHIP/IDENTITY NUMBERS; TAX COMPLIANCE STATUS MAY NOT BE SUBMITTED WITH THE BID DOCUMENTATION. B-BBEE CERTIFICATE OR SWORN AFFIDAVIT FOR B-BBEE MUST BE SUBMITTED TO BIDDING INSTITUTION. 1.5. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER LEGISLATION OR SPECIAL CONDITIONS OF CONTRACT.								
2. TAX COMPLIANCE REQUIREMENTS								
2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS. 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VIEW THE TAXPAYER'S PROFILE AND TAX STATUS. 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) OR PIN MAY ALSO BE MADE VIA E-FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE WWW.SARS.GOV.ZA. 2.4 BIDDERS MAY ALSO SUBMIT PRINTED TCS TOGETHER WITH THE BID. 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED; EACH PARTY MUST SUBMIT A SEPARATE PROOF OF TCS / PIN / CSD NUMBER. 2.6 WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.								
3. QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS (NOT MANDATORY FOR SA COMPANIES)								
<table style="width: 100%; border: none;"> <tr> <td style="width: 70%;">3.1. IS THE BIDDER A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?</td> <td style="text-align: right;"> ☐ YES ☐ NO </td> </tr> <tr> <td>3.2. DOES THE BIDDER HAVE A BRANCH IN THE RSA?</td> <td style="text-align: right;"> ☐ YES ☐ NO </td> </tr> <tr> <td>3.3. DOES THE BIDDER HAVE A PERMANENT ESTABLISHMENT IN THE RSA?</td> <td style="text-align: right;"> ☐ YES ☐ NO </td> </tr> <tr> <td>3.4. DOES THE BIDDER HAVE ANY SOURCE OF INCOME IN THE RSA?</td> <td style="text-align: right;"> ☐ YES ☐ NO </td> </tr> </table> IF THE ANSWER IS “NO” TO ALL OF THE ABOVE, THEN, IT IS NOT A REQUIREMENT TO OBTAIN A TAX COMPLIANCE STATUS / TAX COMPLIANCE SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 ABOVE.	3.1. IS THE BIDDER A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?	☐ YES ☐ NO	3.2. DOES THE BIDDER HAVE A BRANCH IN THE RSA?	☐ YES ☐ NO	3.3. DOES THE BIDDER HAVE A PERMANENT ESTABLISHMENT IN THE RSA?	☐ YES ☐ NO	3.4. DOES THE BIDDER HAVE ANY SOURCE OF INCOME IN THE RSA?	☐ YES ☐ NO
3.1. IS THE BIDDER A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?	☐ YES ☐ NO							
3.2. DOES THE BIDDER HAVE A BRANCH IN THE RSA?	☐ YES ☐ NO							
3.3. DOES THE BIDDER HAVE A PERMANENT ESTABLISHMENT IN THE RSA?	☐ YES ☐ NO							
3.4. DOES THE BIDDER HAVE ANY SOURCE OF INCOME IN THE RSA?	☐ YES ☐ NO							

COMPANY AND DIRECTORS' INFORMATION – PLEASE LIST DETAILS FOR COMPANY AND ALL DIRECTORS

No	Name of Company	Physical Address
1.		

No	Name of Directors	Physical Address
1.		
2.		
3.		
4.		
5.		

Please indicate with a tick (✓) if the company is doing business from home, and if so what is the physical address of such home:

YES / NO

.....
Signature

MBD 4: DECLARATION OF INTEREST

(Note that in this document, the words bid and tender, bidder and tenderer, bidder's and tenderers should be used interchangeably)

1. No bid will be accepted from persons in the service of the state*

Any legal person, including persons employed by the state*, or persons having a kinship with persons employed by the state*, including a blood relationship, may make an offer or offers in terms of this invitation to bid (includes a price quotation, advertised competitive bid, limited bid or proposal). In view of possible allegations of favoritism, should the resulting bid, or part thereof, be awarded to persons employed by the state*, or to persons connected with or related to them, it is required that the bidder or his/her authorized representative declare his/her position in relation to the evaluating/adjudicating authority and/or take an oath declaring his/her interest, where,

- the bidder is employed by the state*, and/or
- the legal person on whose behalf the bidding documents is signed, has a relationship with persons/a person who are/is involved in the evaluation and or adjudication of the bid(s), or where it is known that such a relationship exists between the person or persons for or on whose behalf the declarant acts and persons who are involved and or adjudication of the bid.

*MSCM Regulations: "in the service of the state" means to be –

- a) a member of –
 - i) any municipal council;
 - ii) any provincial legislature; or
 - iii) the national Assembly or the national Council of provinces;
- b) a member of the board of directors of any municipal entity;
- c) an official of any municipality or municipal entity;
- d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);
- e) a member of the accounting authority of any national or provincial public entity; or an employee of Parliament or a provincial legislature.

2. In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

3. In order to give effect to the above, the following questionnaire must be completed and submitted with the bid:

3.1	Full name of bidder or his or her representative													
3.2	Identity number													
3.3	Position occupied in the company (director, shareholder ² etc.)													
3.4	Company registration number													
3.5	Tax reference number													
3.6	VAT registration number													
3.7	Are you presently in the service of the state?	YES		NO										
3.7.1	If so, furnish particulars:													
3.8.	Have you been in the service of the state for the past twelve months?	YES		NO										
3.8.1	If so, furnish particulars:													
3.9	Do you have any relationship (family, friend, other) with persons in the service of the state and who may be involved with the evaluation and or adjudication of this bid?	YES		NO										
3.9.1	If so, furnish particulars:													
3.10	Are you aware of any relationship (family, friend, other) between a bidder and any persons in the service of the state who may be involved with the evaluation and or adjudication of this bid?	YES		NO										
3.10.1	If so, furnish particulars:													
3.11	Are any of the company's directors, managers, principal shareholders or stakeholders in the service of the state?	YES		NO										
3.11.1	If so, furnish particulars:													
3.12	Is any spouse, child or parent of the company's directors, managers, principal shareholders or stakeholders in the service of the state?	YES		NO										
3.12.1	If so, furnish particulars:													
3.13	Do you or any of the directors, trustees, managers, principal shareholders, or stakeholders of this company have any interest in any other related companies or business whether or not they are bidding for this contract? (Attach the list if the space provided is insufficient)	YES		NO										
3.13.1	If so, furnish particulars:													

3.14	Please provide the following information on ALL directors / shareholders / trustees /members below: <i>(Attach the list if the space provided is insufficient)</i>		
Full Name and Surname	Identity Number	Personal Income Tax Number	Provide State ³ employee number. (Only to be completed if in the service of the State)

NB:

- **BIDDER MUST ADD ADDITIONAL COPIES OR TABLE IF THEY HAVE MORE DIRECTORS**
- **PLEASE ATTACH CERTIFIED COPY(IES) OF ID DOCUMENT(S)**
- **PLEASE PROVIDE PERSONAL INCOME TAX NUMBERS FOR ALL DIRECTORS / SHAREHOLDERS / TRUSTEES / MEMBERS, ETC.**

DECLARATION

I, the undersigned (name) _____, certify that the information furnished in paragraph 3 above is correct.

I accept that the state may act against me should this declaration prove to be false.

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to invitations to tender:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 To be completed by the organ of state

(delete whichever is not applicable for this tender).

- a) The applicable preference point system for this tender is the **90/10** preference point system.
- b) The applicable preference point system for this tender is the **80/20** preference point system.
- c) Either the **90/10 or 80/20 preference point system** will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

- (a) Price; and
- (b) Specific Goals.

1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. DEFINITIONS

- (a) **“tender”** means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) **“price”** means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) **“rand value”** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) **“tender for income-generating contracts”** means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) **“the Act”** means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

$$\begin{array}{ccc} \mathbf{80/20} & \mathbf{or} & \mathbf{90/10} \\ P_s = 80 \left(1 - \frac{P_t - P_{min}}{P_{min}} \right) & \mathbf{or} & P_s = 90 \left(1 - \frac{P_t - P_{min}}{P_{min}} \right) \end{array}$$

Where

- P_s = Points scored for price of tender under consideration
- P_t = Price of tender under consideration
- P_{min} = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$\begin{array}{ccc} \mathbf{80/20} & \mathbf{or} & \mathbf{90/10} \\ \\ \mathbf{Ps = 80 \left(1 + \frac{Pt - P_{max}}{P_{max}} \right)} & \mathbf{or} & \mathbf{Ps = 90 \left(1 + \frac{Pt - P_{max}}{P_{max}} \right)} \end{array}$$

Where

Ps = Points scored for price of tender under consideration
Pt = Price of tender under consideration
Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—

- (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
- (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

**Table 1: Specific goals for the tender and points claimed are indicated per the table below.
(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.)**

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)	Means of Verification
SPECIFIC GOAL 1: Historically Disadvantaged Individuals - HDI			
Maximum Points	10	10	
Business owned by 51% or more – Black People	5		CSD report / Valid BBBEE Certificate / Sworn Affidavit, Certified Copy of Identity Documentation (ID) and Shareholder's certificate.
Business owned by 51% or more - Women	2		CSD report / Certified Copy of ID and Shareholder's certificate.
Business owned by 51% or more – Black Youth	2		CSD report / Valid BBBEE Certificate / Sworn Affidavit, Certified Copy of ID and Shareholder's certificate.
Business owned by 51% or more – Black People with Disability	1		CSD report, Certified Copy of ID, Certified copy of disability certificate and Shareholder's certificate.
SPECIFIC GOAL 2: PROMOTION OF LOCAL ECONOMY			
Maximum Points	10	10	
SMMEs (An EME or QSE)	5		CSD report / Valid BBBEE Certificate / Sworn Affidavit,
Enterprises located within the City of Johannesburg Metropolitan Municipality	5		CSD report, Municipal Rates & Taxes

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3. Name of company/firm.....

4.4. Company registration number:

4.5. TYPE OF COMPANY/ FIRM

- ☐ Partnership/Joint Venture / Consortium
- ☐ One-person business/sole propriety
- ☐ Close corporation
- ☐ Public Company
- ☐ Personal Liability Company
- ☐ (Pty) Limited
- ☐ Non-Profit Company
- ☐ State Owned Company

[TICK APPLICABLE BOX]

4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
 - (a) disqualify the person from the tendering process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution, if deemed necessary.

SURNAME AND NAME:

DATE:

ADDRESS:

.....
SIGNATURE(S) OF TENDERER(S)

.....
.....
.....
.....
.....

DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS

This Municipal Bidding Document (MBD) must form part of all bids invited. It contains general information and serves as a declaration form for local content (local production and local content are used interchangeably).

Before completing this declaration, bidders must study the General Conditions, Definitions, Directives applicable in respect of Local Content as prescribed in the Johannesburg Roads Agency Supply Chain management Policy, the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Summary Schedule), D (Imported Content Declaration: Supporting Schedule to Annex C) and E (Local Content Declaration: Supporting Schedule to Annex C)].

1. General Conditions

- 1.1. The Johannesburg Roads Agency Supply Chain Management Policy and MSCM Regulation 34 make provision for the promotion of local production and content and support proud SA Campaign
- 1.2. Johannesburg Roads Agency Supply Chain Management Policy and MSCM Regulation 34 prescribes that in the case of designated sectors, organs of state must advertise such tenders with the specific bidding condition that only locally produced or manufactured goods, with a stipulated minimum threshold for local production and content will be considered.
- 1.3. Where necessary, for tenders referred to in paragraph 1.2 above, a two-stage bidding process may be followed, where the first stage involves a minimum threshold for local production and content and the second stage price and points allocation.
- 1.4. A person awarded a contract in relation to a designated sector may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.5. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SATS 1286: 2011 as follows:

$$LC = [1 - x / y] * 100$$

Where?

x is the imported content in Rand.

y is the bid price in Rand excluding value added tax (VAT)

Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid as indicated in paragraph 4.1 below.

The SABS approved technical specification number SATS 1286:2011 is accessible on http://www.thedti.gov.za/industrial_development/ip.jsp at no cost.

- 1.6. A bid may be disqualified if this Declaration Certificate and the Annex C (Local Content Declaration: Summary Schedule) are not submitted as part of the bid documentation;

2. The stipulated minimum threshold(s) for local production and content (refer to Annex A of SATS 1286:2011) for this bid is/are as follows:

Description of services, works or goods

Stipulated minimum threshold

Item No.	Description	Unit	Local content
	<u>SCHEDULE No. 11</u>		
	<u>METALWORK</u>		
	Tenderers are advised to study the "Model Preambles for Trades 1999" before accepting and signing for this Schedule.		
	<u>SUPPLEMENTARY PREAMBLES</u>		
	<u>Descriptions</u>		
	Descriptions of bolts shall be deemed to include nuts and washers		
	Descriptions of expansion anchors and bolts an chemical anchors and bolts shall be deemed to include nuts, washers and mortises in brickwork or concrete		
	Metalwork described as "holed for bolts(s)" shall be deemed to exclude the bolts unless otherwise described		
	<u>WELDED SCREENS, GATES, ETC</u>		
11.9	<u>Screens and gates to doors</u>		
11.9.1	50 x 76 x 3.5mm Hollow section framing	m	100%
11.9.2	Extra over 50 x 76mm hollow section for mitred and welded L-intersection	m	100%
11.9.3	Hole through 50 x 76mm hollow section	no	100%
11.9.4	100mm M10 expansion bolt in brickwork	no	100%
11.9.5	Single gate 810 x 2066mm high of 50 x 50 x2,5mm hollow section frame and two 50 x 50 x 2,5mm hollow section horizontal middle rails filled in with 20mm diameter solid vertical round bars at 89mm centres framed through middle rails and into framing and fitted with three suitable hinges welded to post and a "Union" LX 3261 security gate lock box between middle rails	no	100%
11.9.6	Double gate with two single leaves 1620 x 2066mm high of 50 x 50 x2,5mm hollow section frame and two 50 x 50 x 2,5mm hollow section horizontal middle rails filled in with 20mm diameter solid vertical round bars at 89mm centres framed through middle rails and into framing and fitted with six suitable hinges welded to posts and a "Union" LX 3261 security gate lock box between middle rails including conversion set.	no	100%

11.9.7	Steel wire expanded mesh burglar proofing not exceeding 1,0m ² bolted to brickwork	no	100%
11.9.8	Steel wire expanded mesh burglar proofing exceeding 1,0m ² and not exceeding 2,0m ² bolted to brickwork	no	100%
11.9.10	Steel wire mesh burglar proofing exceeding 2,0m ² and not exceeding 3,0m ² bolted to brickwork	no	100%
11.9.11	Steel round, square, etc burglar proofing not exceeding 1,0m ² bolted to brickwork	no	100%
11.9.12	Steel round, square, etc burglar proofing exceeding 1,0m ² and not exceeding 2,0m ² bolted to brickwork	no	100%
11.9.13	Steel round, square, etc burglar proofing exceeding 2,0m ² and not exceeding 3,0m ² bolted to brickwork	no	100%
11.9.14	Steel round, square, etc burglar proofing not exceeding 1,0m ² welded to brickwork	no	100%
11.9.15	Steel round, square, etc burglar proofing exceeding 1,0m ² and not exceeding 2,0m ² welded to brickwork	no	100%
11.9.16	Steel round, square, etc burglar proofing exceeding 2,0m ² and not exceeding 3,0m ² welded to brickwork	no	100%
11.9.17	Steel round, square, etc burglar proofing, perimeter fencing, 1800mm high welded to steel	m	100%
11.9.18	Steel round, square, etc burglar proofing, perimeter fencing, 2100mm high welded to steel	m	100%
<u>RETRACTABLE SECURITY GATES AND SCREENS</u>			
<u>"TRELLIDOR" or equally approved installed by a Trellidor installer for a 5-year warranty on workmanship and hardware</u>			
11.9.18a	Security "slamlock" gate size 900 x 2032mm high	no	100%
11.9.18b	Security "slamlock" gate size 1150 x 2032mm high	no	100%
11.9.19	Security "slamlock" gate size 1300 x 2032mm high	no	100%
11.9.20	Security screen to openings not exceeding 5m ²	m2	100%
11.9.20a	Security screen to openings exceeding 5m ² not exceeding 10m ²	m2	100%
<u>Making good screens and gates to doors, etc.</u>			
11.9.21	Single gate 810 x 2066mm high of 50 x 50 x 2,5mm hollow section frame and two 50 x 50 x 2,5mm hollow section horizontal middle rails filled in with 20mm diameter solid vertical round bars at 89mm centres framed through middle rails and into framing and fitted with three suitable hinges welded to post and a "Union" LX 3261 security gate lock box between middle rails	no	100%

11.9.22	Double gate with two single leaves 1620 x 2066mm high of 50 x 50 x2,5mm hollow section frame and two 50 x 50 x 2,5mm hollow section horizontal middle rails filled in with 20mm diameter solid vertical round bars at 89mm centres framed through middle rails and into framing and fitted with six suitable hinges welded to posts and a "Union" LX 3261 security gate lock box between middle rails including conversion set.	no	100%
11.9.23	Burglar proofing 2066mm high of 50 x 50 x2,5mm hollow section frame and two 50 x 50 x 2,5mm hollow section horizontal middle rails filled in with 20mm diameter solid vertical round/square bars at 89mm centres framed through middle rails and into framing and bolted to brickwork, concrete, etc.	m	100%
11.9.24	Steel wire mesh burglar proofing	m ²	100%
<u>PRESSED STEEL DOOR FRAMES</u>			
11.10	<u>1,2mm. Rebated frame suitable for half brick wall</u>		
11.10.1	Frame for door size 762 x 2032mm. high	no	100%
11.10.2	Frame for door size 813 x 2032mm. high	no	100%
11.10.3	Frame for door size 900 x 2032mm. high	no	100%
11.10.4	Frame for double door size 1359 x 2032mm. high	no	100%
11.10.5	Frame for double door size 1511 x 2032mm. high	no	100%
11.10.6	Frame for double door size 1613 x 2032mm. high	no	100%
11.11	<u>1,2mm. Rebated frame suitable one brick wall</u>		100%
11.11.1	Frame for door size 762 x 2032mm. high	no	100%
11.11.2	Frame for door size 813 x 2032mm. high	no	100%
11.11.3	Frame for door size 900 x 2032mm. high	no	100%
11.11.4	Frame for double door size 1359 x 2032mm. high	no	100%
11.11.5	Frame for double door size 1511 x 2032mm. high	no	100%
11.11.6	Frame for double door size 1613 x 2032mm. high	no	100%
<u>PRESSED STEEL CUPBOARD DOOR FRAMES</u>			
11.12	<u>Standard cupboard door frame</u>		
11.12.1	Frame for door size 762 x 2032mm. high	no	100%
11.12.2	Frame for door size 1511 x 2032mm. high	no	100%
<u>STEEL WINDOWS, DOORS, ETC.</u>			
11.13	<u>Standard residential windows with 10mm diameter mild steel burglar bars to opening sashes</u>		
11.13.1	Window type NE1 size 533 x 654mm. high	no	100%

11.13.2	Window type NE2 size 1022 x 654mm. high	no	100%
11.13.3	Window type NE4 size 1511 x 654mm. high	no	100%
11.13.4	Window type NE11 size 2000 x 654mm. high	no	100%
11.13.5	Window type E1H size 533 x 654mm. high	no	100%
11.13.6	Window type E2H size 1022 x 654mm. high	no	100%
11.13.7	Window type E4H size 1511 x 654mm. high	no	100%
11.13.8	Window type E22 size 2000 x 654mm. high	no	100%
11.13.9	Window type NC1 size 533 x 949mm. high	no	100%
11.13.10	Window type NC2 size 1022 x 949mm. high	no	100%
11.13.11	Window type NC4 size 1511 x 949mm. high	no	100%
11.13.12	Window type NC11 size 2000 x 949mm. high	no	100%
11.13.13	Window type C1H size 533 x 949mm. high	no	100%
11.13.14	Window type C2H size 1022 x 949mm. high	no	100%
11.13.15	Window type C4H size 1511 x 949mm. high	no	100%
11.13.16	Window type ND1 size 533 x 1245mm. high	no	100%
11.13.17	Window type ND2 size 1022 x 1245mm. high	no	100%
11.13.18	Window type ND4 size 1511 x 1245mm. high	no	100%
11.13.19	Window type ND11 size 2000 x 1245mm. high	no	100%
11.13.20	Window type D1H size 533 x 1245mm. high	no	100%
11.13.21	Window type D2H size 1022 x 1245mm. high	no	100%
11.13.22	Window type D4H size 1511 x 1245mm. high	no	100%
11.13.23	Window type NCT1S size 533 x 949mm. high	no	100%
11.13.24	Window type NCTX7S size 1022 x 949mm. high	no	100%
11.13.25	Window type NCTX7S5 size 1511 x 949mm. high	no	100%
11.13.26	Window type TD7 size 1022 x 1245mm. high	no	100%
11.13.27	Window type TD75 size 1511 x 1245mm. high	no	100%
11.13.28	Window type TD57S8 size 2000 x 1559mm. high	no	100%
11.14	<u>Standard medium universal doors, sidelights, etc</u>		
11.14.1	Sidelight Type NSDAS, 800 x 2134mm high	no	100%
11.14.2	Door Type NDAS, 800 x 2134mm high	no	100%

11.14.3	Double door Type NDDA, 1524 x 2134mm high	no	100%
11.14.4	Sidelight Type SDASH, 800 x 2134mm high	no	100%
11.14.5	Door Type DASH, 800 x 2134mm high	no	100%
11.14.6	Double door Type DDAH, 1524 x 2134mm high	no	100%
<u>Combination doors and frames</u>			
11.14.7	Door and frame size 813 x 2032mm. high	no	100%
11.14.8	Door and frame size 1626 x 2032mm. high	no	100%
<u>ALUMINIUM SHOPFRONTS COMPLETE WITH GLAZING, HANDLES AND ALL ACCESSORIES</u>			
<u>- SLIDING FOLDING DOORS</u>			
11.14.9	4500-4800 x 2100mm Aluminium Folding door (Toughened Safety Glass) - 5+1 Panel	no	100%
11.14.10	4500-4800 x 2700mm Aluminium Folding door (Toughened Safety Glass) - 5+1 Panel	no	100%
11.14.11	5400-5700 x 2100mm Aluminium Folding door (Toughened Safety Glass) - 5+1 Panel	no	100%
11.14.12	5400-5700 x 2700mm Aluminium Folding door (Toughened Safety Glass) - 5+1 Panel	no	100%
11.14.13	5400-5700 x 2100mm Aluminium Folding door (Toughened Safety Glass) - 5+5 Panel	no	100%
11.14.14	5400-5700 x 2700mm Aluminium Folding door (Toughened Safety Glass) - 5+5 Panel	no	100%
11.14.14a	6300-6600 x 2100mm Aluminium Folding door (Toughened Safety Glass) - 5+5 Panel	no	100%
11.14.14b	6300-6600 x 2700mm Aluminium Folding door (Toughened Safety Glass) - 5+5 Panel	no	100%
<u>ALUMINIUM SLIDING DOORS</u>			
11.14.15	1800 x 2100 Aluminium sliding door (Standard 5mm glass) - Double Leaf	no	100%
11.14.16	2400 x 2100 Aluminium sliding door (Standard 5mm glass) - Double Leaf	no	100%
11.14.17	3000 x 2100 Aluminium sliding door (Standard 5mm glass) - Double Leaf	no	100%
11.14.18	1800 x 2400 Aluminium sliding door (Safety glass) - Double Leaf	no	100%
11.14.19	2400 x 2400 Aluminium sliding door (Safety glass) - Double Leaf	no	100%
11.14.20	3000 x 2400 Aluminium sliding door (Safety glass) - Double leaf	no	100%

11.14.21	3600 x 2400 Aluminium sliding door (Safety glass) - Four Leaf	no	100%
11.14.22	4200 x 2400 Aluminium sliding door (Safety glass) - Four Leaf	no	100%
11.14.23	6000 x 2400 Aluminium sliding door (Safety glass) - Four leaf	no	100%
<u>ALUMINIUM PANE DOORS</u>			
11.14.24	900 x 2100 Aluminium Single Door (Safety Glass) - Single leaf	no	100%
11.14.25	1800 x 2100 Aluminium Doublee Door (Safety Glass) - Double leaf	no	100%
11.14.26	900 x 2400 Aluminium Single Door (Safety Glass) - Single leaf	no	100%
11.14.27	1800 x 2400 Aluminium Double Door (Safety Glass) - Double leaf	no	100%
<u>ALUMINIUM HINGE DOORS WITH MIDRAIL</u>			
11.14.28	900 x 2100 Aluminium Hinge Door (Safety Glass) - Single leaf	no	100%
11.14.29	1800 x 2100 Aluminium Hinge Double Door (Safety Glass) - Double leaf	no	100%
11.14.30	900 x 2400 Aluminium Hinge Door (Safety Glass) - Single leaf	no	100%
11.14.31	1800 x 2400 Aluminium Hinge Double Door (Safety Glass) - Double leaf	no	100%
<u>ALUMINIUM SIDELIGHTS</u>			
11.14.32	600 x 2100 Aluminium Sidelight (Safety Glass) - Large Pane	no	100%
11.14.33	900 x 2100 Aluminium Sidelight (Safety Glass) - Large Pane	no	100%
11.14.34	600 x 2400 Aluminium Sidelight (Safety Glass) - Large Pane	no	100%
11.14.35	900 x 2400 Aluminium Sidelight (Safety Glass) - Large Pane	no	100%
11.14.36	600 x 2100 Aluminium Sidelight (Safety Glass) - With Midrail	no	100%
11.14.37	900 x 2100 Aluminium Sidelight (Safety Glass) - With Midrail	no	100%
11.14.38	600 x 2400 Aluminium Sidelight (Safety Glass) - With Midrail	no	100%
11.14.39	900 x 2400 Aluminium Sidelight (Safety Glass) - With Midrail	no	100%
11.14.40	600 x 2100 Aluminium Sidelight (Safety Glass) - With Vents	no	100%
11.14.41	900 x 2100 Aluminium Sidelight (Safety Glass) - With Vents	no	100%
11.14.42	600 x 2400 Aluminium Sidelight (Safety Glass) - With Vents	no	100%
11.14.43	900 x 2400 Aluminium Sidelight (Safety Glass) - With Vents	no	100%
<u>ALUMINIUM WINDOWS</u>			
11.14.44	600 x 600 Aluminium Window, Code: PT66(A3) - Top Hung Casement window	no	100%

11.14.45	900 x 600 Aluminium Window, Code: PT96(A3) - Top Hung Casement window	no	100%
11.14.46	1200 x 600 Aluminium Window, Code: PT126(A3) - Top Hung Casement window	no	100%
11.14.47	600 x 900 Aluminium Window, Code: PT69(A3) - Top Hung Casement window	no	100%
11.14.48	900 x 900 Aluminium Window, Code: PT99(A3) - Top Hung Casement window	no	100%
11.14.49	1500 x 900 Aluminium Window, Code: PT159(A3) - Top Hung Casement window	no	100%
11.14.50	1800 x 1200 Aluminium Window, Code: PTT1812(A1) - Top Hung Casement window	no	100%
11.14.51	1800 x 1500 Aluminium Window, Code: PTT1815(A3) - Top Hung Casement window	no	100%
11.14.52	1800 x 1800 Aluminium Window, Code: DPTT1818(A3) - Top Hung Casement window	no	100%
11.14.53	2100 x 1200 Aluminium Window, Code: PTT2112(A1) - Top Hung Casement window	no	100%
11.14.54	2100 x 1500 Aluminium Window, Code: PTT2115(A3) - Top Hung Casement window	no	100%
11.14.55	2400 x 1500 Aluminium Window, Code: PTT2415(A3) - Top Hung Casement window	no	100%
11.14.56	2400 x 1200 Aluminium Window, Code: DPTT2412(A1) - Top Hung Casement window	no	100%
11.14.57	1200 x 900 Aluminium Window, Code: SH129 - Side Hung Casement window	no	100%
11.14.58	1500 x 900 Aluminium Window, Code: SH159 - Side Hung Casement window	no	100%
11.14.59	1800 x 1200 Aluminium, Code: SH1812 - Side Hung Casement window	no	100%
11.14.60	2100 x 1200 Aluminium, Code: SHH2112 - Side Hung Casement window	no	100%
11.14.61	1200 x 600 Aluminium, Code: HS126 - Horizontal Sliding window	no	100%
11.14.62	1200 x 900 Aluminium, Code: HS129 - Horizontal Sliding window	no	100%
11.14.63	1200 x 1200 Aluminium, Code: HS1212 - Horizontal Sliding window	no	100%
11.14.64	1800 x 600 Aluminium, Code: HS186 - Horizontal Sliding window	no	100%
11.14.65	1800 x 900 Aluminium, Code: HS189 - Horizontal Sliding window	no	100%
11.14.66	1800 x 1200 Aluminium, Code: HS1812 - Horizontal Sliding window	no	100%

11.14.67	2400 x 900 Aluminium, Code: HS249X - Horizontal Sliding window	no	100%
11.14.68	2400 x 1200 Aluminium, Code: HS2412X - Horizontal Sliding window	no	100%
11.14.69	900 x 900 Aluminium, Code: VS99 - Vertical Sliding window	no	100%
11.14.70	900 x 1200 Aluminium, Code: VS912 - Vertical Sliding window	no	100%
11.14.71	900 x 1500 Aluminium, Code: VS915 - Vertical Sliding window	no	100%
11.14.72	900 x 1800 Aluminium, Code: VS918 - Vertical Sliding window	no	100%
11.14.73	1200 x 1200 Aluminium, Code: VS1212 - Vertical Sliding window	no	100%
11.14.74	1200 x 1800 Aluminium, Code: VS1218 - Vertical Sliding window	no	100%
11.14.75	900 x 2100 Aluminium, Code: VS912S9 - Vertical Sliding window	no	100%
11.14.76	1200 x 2100 Aluminium, Code: VS1212S9 - Vertical Sliding window	no	100%
	<u>STEEL ROLLER SHUTTERS ETC.</u>		
11.15	<u>Galvanised roller shutters fixed to brickwork or concrete</u>		
11.15.1	Manual pushup 76mm slatted roller shutter for 2440 x 2135mm high opening	no	100%
11.15.2	Manual pushup 76mm slatted roller shutter for 3000 x 2440mm high opening	no	100%
	<u>Galvanized chain operated industrial roller shutter door with 75mm slats</u>		
11.15.3	2750x2500mm High door	no	100%
11.16	<u>Pre-painted Chromadek roller shutters fixed to brickwork or concrete</u>		
11.16.1	Manual push-up 76mm slatted roller shutter for 2440 x 2135mm high opening	no	100%
11.16.2	Manual pushup 76mm slatted roller shutter for 3000 x 2440mm high opening	no	100%
11.16.3	Extra over manual pushup roller shutter for electrically operated complete with one transmitter and battery back-up	no	100%
	<u>GRILLES</u>		
11.17	<u>Aluminium grilles</u>		
11.17.1	Grille size 400 x 300mm high	no	100%
	<u>Mild Steel grilles</u>		100%

11.17.2	Grille size 400 x 300mm high	no	100%
11.17.2	Grille size 600 x500mm high	no	100%
11.21.3	Type DS1 6mm record room door with 7-lever security key lock and 3-wheel combination lock , overall size 750 x 1870mm high with a mass of 130kg finished in rustproof undercoat for final painting by contractors.	no	100%
11.21.4	Type DS50/2 SABS Category 2 (Light Duty) strongroom door with 2 x 7-lever security key lock and 3-wheel combination lock , overall size 760 x 1860mm high with a mass of 480kg finished in rustproof undercoat for final painting by contractors.	no	100%
11.17.1	Grille size 400 x 300mm high	no	100%
11.17.3	Grille size 600 x500mm high	no	100%
11.22.2	Model RMS1 SABS Category 2 dropsafe with 2 x 7-lever security key lock and one key lock on deposit drawer, overall size 450 x 450 x 700mm high with a mass of 260Kg twice holed for and including bolting to floor	no	
11.17.2	Grille size 600 x500mm high	no	100%
	<u>STEEL LOCKERS</u>		
11.24	<u>"Krost" or equally approved</u>		
	<u>Epoxy coated</u>		
11.24.1	18kg Single compartment unit size 1800 x 300 x 450m	no	100%
11.24.2	19kg Two compartment unit size 1800 x 300 x 450m	no	100%

3. Does any portion of the goods or services offered have any imported content?

(Tick applicable box)

YES	☐	NO	☐
-----	--------------------------	----	--------------------------

- 3.1 If yes, the rate(s) of exchange to be used in this bid to calculate the local content as prescribed in paragraph 1.5 of the general conditions must be the rate(s) published by SARB for the specific currency at 12:00 on the date of advertisement of the bid.

The relevant rates of exchange information is accessible on www.reservebank.co.za

Indicate the rate(s) of exchange against the appropriate currency in the table below (refer to Annex A of SATS 1286:2011):

Currency	Rates of exchange
US Dollar	
Pound Sterling	
Euro	
Yen	
Other	

NB: Bidders must submit proof of the SARB rate (s) of exchange used.

3. Where, after the award of a bid, challenges are experienced in meeting the stipulated minimum threshold for local content the dti must be informed accordingly in order for the dti to verify and in consultation with the AO/AA provide directives in this regard.

LOCAL CONTENT DECLARATION (REFER TO ANNEX B OF SATS 1286:2011)

LOCAL CONTENT DECLARATION BY CHIEF FINANCIAL OFFICER OR OTHER LEGALLY RESPONSIBLE PERSON NOMINATED IN WRITING BY THE CHIEF EXECUTIVE OR SENIOR MEMBER/PERSON WITH MANAGEMENT RESPONSIBILITY (CLOSE CORPORATION, PARTNERSHIP OR INDIVIDUAL)

IN RESPECT OF BID NO.

ISSUED BY: (Procurement Authority / Name of Institution):

.....

NB

- 1 The obligation to complete, duly sign and submit this declaration cannot be transferred to an external authorized representative, auditor or any other third party acting on behalf of the bidder.

- 2 Guidance on the Calculation of Local Content together with Local Content Declaration Templates (Annex C, D and E) is accessible on <http://www.thdti.gov.za/industrialdevelopment/ip.jsp>. Bidders should first complete Declaration D. After completing Declaration D, bidders should complete Declaration E and then consolidate the information on Declaration C. **Declaration C should be submitted with the bid documentation at the closing date and time of the bid in order to substantiate the declaration made in paragraph (c) below.** Declarations D and E should be kept by the bidders for verification purposes for a period of at least 5 years. The successful bidder is required to continuously update Declarations C, D and E with the actual values for the duration of the contract.

I, the undersigned, (full names),
do hereby declare, in my capacity as
of(name of bidder
entity), the following:

- (a) The facts contained herein are within my own personal knowledge.
- (b) I have satisfied myself that:
 - (i) the goods/services/works to be delivered in terms of the above-specified bid comply with the minimum local content requirements as specified in the bid, and as measured in terms of SATS 1286:2011; and
- (c) The local content percentage (%) indicated below has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E which has been consolidated in Declaration C:

Bid price, excluding VAT (y)	R
Imported content (x), as calculated in terms of SATS 1286:2011	R
Stipulated minimum threshold for local content (paragraph 3 above)	
Local content %, as calculated in terms of SATS 1286:2011	

If the bid is for more than one product, the local content percentages for each product contained in Declaration C shall be used instead of the table above.

The local content percentages for each product has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E.

- (d) I accept that the Procurement Authority / Institution has the right to request that the local content be verified in terms of the requirements of SATS 1286:2011.
- (e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. I also understand that the submission of incorrect data, or data that are not verifiable as described in SATS 1286:2011, may result in the Procurement Authority / Institution imposing any or all of the remedies as promulgated under the Preferential Policy Framework Act (PPFA), 2000 (Act No.5 of 2000) and Johannesburg Roads Agency SCM Policy.

SIGNATURE: _____

DATE: _____

WITNESS No. 1 _____

DATE: _____

WITNESS No. 2 _____

DATE: _____

CONTRACT FORM - PURCHASE OF GOODS/SERVICES

THIS FORM MUST BE FILLED IN DUPLICATE BY BOTH THE SUCCESSFUL BIDDER (PART 1) AND THE PURCHASER (PART 2). BOTH FORMS MUST BE SIGNED IN THE ORIGINAL SO THAT THE SUCCESSFUL BIDDER AND THE PURCHASER WOULD BE IN POSSESSION OF ORIGINALLY SIGNED CONTRACTS FOR THEIR RESPECTIVE RECORDS.

PART 1 (TO BE FILLED IN BY THE BIDDER)

1. I hereby undertake to supply all or any of the goods and/or services described in the attached bidding documents to (name of institution)..... in accordance with the requirements and specifications stipulated in bid number..... at the price/s quoted. My offer/s remain binding upon me and open for acceptance by the purchaser during the validity period indicated and calculated from the closing time of bid.
2. The following documents shall be deemed to form and be read and construed as part of this agreement:
 - (i) Bidding documents, viz
 - Invitation to bid;
 - Proof of Tax Compliance Status;
 - Pricing schedule(s);
 - Technical Specification(s);
 - Preference claim form for Preferential Procurement in terms of the Preferential Procurement Regulations;
 - Declaration of interest;
 - Declaration of bidder's past SCM practices;
 - Certificate of Independent Bid Determination;
 - Special Conditions of Contract;
 - (ii) General Conditions of Contract; and
 - (iii) Other (specify)
3. I confirm that I have satisfied myself as to the correctness and validity of my bid; that the price(s) and rate(s) quoted cover all the goods and/or works specified in the bidding documents; that the price(s) and rate(s) cover all my obligations and I accept that any mistakes regarding price(s) and rate(s) and calculations will be at my own risk.
4. I accept full responsibility for the proper execution and fulfilment of all obligations and conditions devolving on me under this agreement as the principal liable for the due fulfillment of this contract.
5. I declare that I have no participation in any collusive practices with any bidder or any other person regarding this or any other bid.
6. I confirm that I am duly authorized to sign this contract.

NAME (PRINT)

CAPACITY

SIGNATURE

NAME OF FIRM

DATE

WITNESSES	
1	
2.	
---	---

CONTRACT FORM - PURCHASE OF GOODS/SERVICES

PART 2 (TO BE FILLED IN BY THE PURCHASER)

1. I in my capacity as accept your bid under reference number dated for the supply of goods/services indicated hereunder and/or further specified in the annexure(s).
2. An official order indicating delivery instructions is forthcoming.
3. I undertake to make payment for the goods/services delivered in accordance with the terms and conditions of the contract, within 30 (thirty) days after receipt of an invoice accompanied by the delivery note.

ITEM NO.	PRICE (ALL APPLICABLE TAXES INCLUDED)	BRAND	DELIVERY PERIOD	TOTAL PREFERENCE POINTS CLAIMED	POINTS CLAIMED FOR EACH SPECIFIC GOAL

4. I confirm that I am duly authorized to sign this contract.

SIGNED AT ON

NAME (PRINT)

SIGNATURE

OFFICIAL STAMP

WITNESSES

1.
2.

CONTRACT FORM - RENDERING OF SERVICES

THIS FORM MUST BE FILLED IN DUPLICATE BY BOTH THE SERVICE PROVIDER (PART 1) AND THE PURCHASER (PART 2). BOTH FORMS MUST BE SIGNED IN THE ORIGINAL SO THAT THE SERVICE PROVIDER AND THE PURCHASER WOULD BE IN POSSESSION OF ORIGINALLY SIGNED CONTRACTS FOR THEIR RESPECTIVE RECORDS.

PART 1 (TO BE FILLED IN BY THE SERVICE PROVIDER)

7. I hereby undertake to render services described in the attached bidding documents to (name of the institution)..... in accordance with the requirements and task directives / proposals specifications stipulated in Bid Number..... at the price/s quoted. My offer/s remain binding upon me and open for acceptance by the Purchaser during the validity period indicated and calculated from the closing date of the bid.
8. The following documents shall be deemed to form and be read and construed as part of this agreement:
 - (iv) Bidding documents, viz
 - Invitation to bid;
 - Proof of tax compliance status;
 - Pricing schedule(s);
 - Filled in task directive/proposal;
 - Preference claim form for Preferential Procurement in terms of the Preferential Procurement Regulations;
 - Declaration of interest;
 - Declaration of Bidder's past SCM practices;
 - Certificate of Independent Bid Determination;
 - Special Conditions of Contract;
 - (v) General Conditions of Contract; and
 - (vi) Other (specify)
9. I confirm that I have satisfied myself as to the correctness and validity of my bid; that the price(s) and rate(s) quoted cover all the services specified in the bidding documents; that the price(s) and rate(s) cover all my obligations and I accept that any mistakes regarding price(s) and rate(s) and calculations will be at my own risk.
10. I accept full responsibility for the proper execution and fulfilment of all obligations and conditions devolving on me under this agreement as the principal liable for the due fulfillment of this contract.
11. I declare that I have no participation in any collusive practices with any bidder or any other person regarding this or any other bid.
12. I confirm that I am duly authorized to sign this contract.

NAME (PRINT)

CAPACITY

SIGNATURE

NAME OF FIRM

DATE

WITNESSES

1

.....

2

CONTRACT FORM - RENDERING OF SERVICES

PART 2 (TO BE FILLED IN BY THE PURCHASER)

4. I..... in my capacity as..... accept your bid under reference numberdated.....for the rendering of services indicated hereunder and/or further specified in the annexure(s).
5. An official order indicating service delivery instructions is forthcoming.
6. I undertake to make payment for the services rendered in accordance with the terms and conditions of the contract, within 30 (thirty) days after receipt of an invoice.

DESCRIPTION OF SERVICE	PRICE (ALL APPLICABLE TAXES INCLUDED)	COMPLETION DATE	TOTAL PREFERENCE POINTS CLAIMED	POINTS CLAIMED FOR EACH SPECIFIC GOAL

4. I confirm that I am duly authorized to sign this contract.

SIGNED AT ON

NAME (PRINT)

SIGNATURE

OFFICIAL STAMP

WITNESSES

- 1
-
- 2

DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES

- 1 This Municipal Bidding Document must form part of all bids invited.
- 2 It serves as a declaration to be used by municipalities and municipal entities in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse of the supply chain management system.
- 3 The bid of any bidder may be rejected if that bidder, or any of its directors have:
 - a. abused the municipality's / municipal entity's supply chain management system or committed any improper conduct in relation to such system;
 - b. been convicted for fraud or corruption during the past five years;
 - c. willfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or
 - d. been listed in the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004).
- 4 **In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.**

Item	Question	Yes	No
4.1	Is the bidder or any of its directors listed on the National Treasury's Database of Restricted Suppliers as companies or persons prohibited from doing business with the public sector? (Companies or persons who are listed on this Database were informed in writing of this restriction by the Accounting Officer/Authority of the institution that imposed the restriction after the <i>audi alteram partem</i> rule was applied). The Database of Restricted Suppliers now resides on the National Treasury's website(www.treasury.gov.za) and can be accessed by clicking on its link at the bottom of the home page.	Yes ☐	No ☐
4.1.1	If so, furnish particulars:		
4.2	Is the bidder or any of its directors listed on the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004)? The Register for Tender Defaulters can be accessed on the National Treasury's website (www.treasury.gov.za) by clicking on its link at the bottom of the home page.	Yes ☐	No ☐
4.2.1	If so, furnish particulars:		
4.3	Was the bidder or any of its directors convicted by a court of law (including a court of law outside the Republic of South Africa) for fraud or corruption during the past five years?	Yes ☐	No ☐
4.3.1	If so, furnish particulars:		

Item	Question	Yes	No
4.4	Does the bidder or any of its directors owe any municipal rates and taxes or municipal charges to the municipality / municipal entity, or to any other municipality / municipal entity, that is in arrears for more than three months?	Yes ☐	No ☐
4.4.1	If so, furnish particulars:		
4.5	Was any contract between the bidder and the municipality / municipal entity or any other organ of state terminated during the past five years on account of failure to perform on or comply with the contract?	Yes ☐	No ☐
4.7.1	If so, furnish particulars:		

CERTIFICATION

**I, THE UNDERSIGNED (FULL NAME)
CERTIFY THAT THE INFORMATION FURNISHED ON THIS DECLARATION
FORM TRUE AND CORRECT.**

**I ACCEPT THAT, IN ADDITION TO CANCELLATION OF A CONTRACT, ACTION
MAY BE TAKEN AGAINST ME SHOULD THIS DECLARATION PROVE TO BE
FALSE.**

.....
Signature

.....
Date

.....
Position

.....
Name of Bidder

CERTIFICATE OF INDEPENDENT BID DETERMINATION

I, the undersigned, in submitting the accompanying bid:

(Bid Number and Description)

in response to the invitation for the bid made by:

(Name of Municipality / Municipal Entity)

do hereby make the following statements that I certify to be true and complete in every respect:

I certify, on behalf of: _____ that:

(Name of Bidder)

1. I have read and I understand the contents of this Certificate;
2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign, the bid, on behalf of the bidder;
5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
 - (a) has been requested to submit a bid in response to this bid invitation;
 - (b) could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
 - (c) provides the same goods and services as the bidder and/or is in the same line of business as the bidder
6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However communication between partners in a joint venture or consortium³ will not be construed as collusive bidding.

7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
- (a) prices;
 - (b) geographical area where product or service will be rendered (market allocation)
 - (c) methods, factors or formulas used to calculate prices;
 - (d) the intention or decision to submit or not to submit, a bid;
 - (e) the submission of a bid which does not meet the specifications and conditions of the bid; or
 - (f) bidding with the intention not to win the bid.
8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this bid invitation relates.
9. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
10. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

.....
Signature

.....
Date

.....
Position

.....
Name of Bidder

¹ Includes price quotations, advertised competitive bids, limited bids and proposals.

² Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

¹ Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

JOINT VENTURE INFORMATION
(Complete only if applicable)

The parties hereto form a Joint Venture for the purpose of jointly bidding and obtaining the award of contract.

The share of the partners in the Joint Venture shall be:

Full Name and address of Lead enterprise

..... %

.....

Full Name and address of 2nd enterprise

..... %

.....

Full Name and address of 3rd enterprise

..... %

.....

The Lead Partner is hereby authorized to incur liabilities, receive instructions, payments, sign all documents in connection with the bid, and to be responsible for the entire execution and administration of the contract for and on behalf of the partners.

The parties hereto shall make available to the Joint Venture the technical advice and benefit of their individual experience and shall, in all other respects, endeavor to share the responsibility and burden of the performance of the Joint Venture.

To this end the parties hereto shall share, in the above proportions, in all risks and obligations arising out of or in connection with the Contract, especially in the provisions of all necessary working capital and guarantees, in profit and loss and personnel.

The Lead Partners shall supply, in its name, Professional Liability Insurance for the amount and period as stated in the Contract Data.

The Joint Venture may not be terminated by any of the parties hereto until either:

The contract has been awarded to another bidder or

The work undertaken by the Joint Venture under the contract has been completed and all liabilities and claims incurred by and made by the Joint Venture have been settled, the bid is cancelled or the period of validity of bid extended.

No party to the Agreement shall be entitled to sell, assign or in any manner encumber or transfer its interest or any part thereof in the Joint Venture without obtaining the prior written consent of the other party hereto.

The Parties of the Joint Venture shall cooperate on an exclusive basis. No Party shall during the validity period of the bid submit a bid to or enter into a Contract with the Johannesburg Road Agency or any other party for the Project, either alone or in collaboration with a third party.

Authorised Signature Lead Partner.....

Name

Designation

Signed at..... on

Authorised Signature of 2nd Partner.....

Name

Designation

Signed at..... on

Authorised Signature of 3rd Partner.....

Name

Designation

Signed at..... on

(ALL SIGNATORIES SHALL CONFIRM THEIR AUTHORITY BY ATTACHING TO THE LAST PAGE OF THE BID, ORIGINAL OR COPIES OF DATED AND SIGNED RESOLUTIONS OF THE MEMBERS/DIRECTORS/PARTNERS AS THE CASE MAY BE.)

IMPORTANT NOTICE

1. The Lowest or any bid will not necessarily be accepted and the Johannesburg Roads Agency reserves the right not to consider any bid not suitably endorsed or comprehensively completed as well as the right to accept a bid in whole or part.
2. Brand names MUST be specified in ANNEXURE "G" attached hereto (Price Schedule document).
3. Where deliveries are quoted "ex-stock" the period of delivery must not exceed Five (5) maximum working days after receipt of order.
If this condition is not adhered to, the order could be cancelled.
4. Quotations are to be completed in accordance with the conditions as set out in the quotation document and must be sealed and externally endorsed with the quotation number and place in the quotation box indicated above.
5. Payments will be made thirty (30) days after receipt of invoice by Johannesburg Roads Agency.
6. Quotations received after the closing date and time will not be considered.
7. Samples of the required items or goods are available for your perusal (when applicable.)
8. Should the above-mentioned conditions not be adhered to, the quotation will be considered invalid

SPECIFICATIONS:

LOCKSMITH SERVICES REPORT FOR JRA HEAD OFFICE AND JRA DEPOT

1. Purpose

The purpose of this report is to outline the provision of locksmith services for the Johannesburg Roads Agency (JRA) Head Office and JRA Depot for the financial year 2024-2025. The services will be delivered on an "as and when required" basis, with a budget not exceeding R750,000. The objective is to ensure the security, functionality, and operational efficiency of locks at both locations.

2. Scope of Works

The scope of locksmith services includes:

1. **Installation of New Locks:**
 - High-security mechanical locks for doors, gates, and access points.
 - Electronic locking systems where appropriate.
2. **Maintenance and Repairs:**
 - Routine maintenance of existing locks to ensure functionality.
 - Repair or replacement of damaged or malfunctioning locks.
 - Emergency locksmith services for lockouts or security incidents.
3. **Key Management Services:**
 - Cutting and issuing new keys.
 - Rekeying locks to maintain security.
 - Implementing master key systems for enhanced access control.
4. **Security Consultations:**
 - Assessment of current locking mechanisms.
 - Recommendations for security improvements.
 - Advice on the latest locking technologies and practices.

3. Background

The Johannesburg Roads Agency (JRA) manages and maintains the city's road infrastructure, ensuring safety and accessibility. Security at JRA facilities is paramount to safeguard assets, sensitive information, and personnel. Reliable locksmith services are essential to maintain secure access control and protect against unauthorized entry. The allocation of R750,000 for locksmith services in the financial year 2024-2025 will support these security needs.

4. Proposal Objectives

The main objectives of this locksmith services proposal are:

1. **Enhance Security:**
 - Strengthen the security of JRA facilities by installing high-quality locks and access control systems.
2. **Ensure Operational Efficiency:**
 - Provide timely maintenance and repairs to minimize downtime and disruptions.
3. **Improve Access Control:**
 - Implement effective key management systems to control and monitor access.
4. **Stay Within Budget:**
 - Deliver all services within the allocated budget of R750,000.

5. Deliverables

The deliverables for the locksmith services project include:

1. **High-Security Lock Installation:**
 - Install new high-security mechanical and electronic locks as required.
 - Ensure all installations comply with security standards.
2. **Routine Maintenance and Emergency Repairs:**
 - Conduct regular maintenance checks on existing locks.
 - Provide prompt emergency repair services to address any immediate security concerns.
3. **Key Management Solutions:**
 - Cut and distribute new keys as needed.
 - Rekey locks and provide master key systems to enhance access control.
4. **Security Assessments and Recommendations:**
 - Perform security audits of current locking systems.
 - Provide expert recommendations to improve overall security.

PROVISION FOR LOCKSMITH SERVICES AT JRA SITES - EVALUATION CRITERIA

The Criteria will be used to calculate the scoring of points based on the evaluation of the functionality as shown in the table below:

- Bidders will be evaluated based on functionality.
- The minimum threshold for functionality is 70% by totaling the number of weighting points scored of the total weighting points available and only bidders who score 70% will be considered further.

CRITERIA	SUB-CRITERIA	MAX SCORE	SCORE	EVIDENCE
Company Experience	Company must have three (3) or more completed projects experience in Locksmith services	60		1. Signed copies of award letter/ appointment letter/ 2. Together with signed completion certificate / closeout report signed reference letter/s with company letter head and details from referees
	More than three completed projects		60	
	Three completed projects		42	
	Less than three completed projects		0	
EXPERIENCE OF THE LOCKSMITH TECHNICIAN	This sub criterion covers the experience of the locksmith Technician Experience in the installation and maintenance.	40		1. Submit comprehensive CV with three contactable referees 2. And signed reference letter/s with company letter head and details from referees
	More than three (3) years' experience		40	
	Two- three (2-3) years' experience		28	
	Less than 2 years' experience		0	
	TOTAL	100		TOTAL
				PERCENT

PRICING SCHEDULE – FIRM PRICES

Item No.	Description	Unit	Qty	JULY 2024 Rate	Amount Excluding VAT
	<u>SCHEDULE No. 10</u>				
	<u>IRONMONGERY</u>				
	Tenderers are advised to study the "Model Preambles for Trades 1999" before pricing this schedule.				
	<u>SUPPLEMENTARY PREAMBLES</u>				
	<u>Finishers to ironmongery</u>				
	Where applicable finishes to ironmongery are indicated by suffixes in accordance with the following list :				
	BS Satin bronze lacquered				
	CH Chromium plated				
	SC Satin chromium plated				
	SE Silver enamelled				
	GE Grey enamelled				
	AS Anodised silver				
	AB Anodised bronze				
	AG Anodised gold				
	ABL Anodised black				
	PB Polished brass				
	PL Polished and lacquered				
	PT Epoxy coated				
	SD Sanded				
	<u>HINGES, BOLTS, ETC.</u>				
10.1	<u>"Union" or equal and approved fixed to timber</u>				
10.1.1	100mm steel hinge	no	1	-	-
10.1.2	100mm Falling / Rising butt Hinge	no	1	-	-
10.1.3	100mm brass hinge JH-BB-STD-2-SS	no	1	-	-
10.1.4	100 x 100mm brass parliament hinge	no	1	-	-
10.1.5	100mm brass barrel bolt	no	1	-	-
10.1.6	100mm brass barrel bolt with keep fixed to metal	no	1	-	-
10.1.7	100mm brass barrel bolt with keep let into concrete	no	1	-	-
10.1.8	100mm Chrome plated brass barrel bolt	no	1	-	-
10.1.9	100mm Chrome plated brass barrel bolt with keep fixed to metal	no	1	-	-

10.1.10	100mm Chrome plated brass barrel bolt with keep let into concrete	no	1	-	-
10.1.11	WC Anidised Silver bathroom indicator bolt Ref. AL809AS	no	1	-	-
10.1.12	WC chrome plated indicator bolt with keep fixed to metal. Ref. CZ80941CH	no	1	-	-
10.1.13	WC chrome plated indicator Ref SS5004-73SS	no	1	-	-
10.1.14	Escutcheon on Rose Bathroom indicator SS5305-73SS	no	1	-	-
10.1.14a	Escutcheon Bathroom indicator PB5375-73CH (Chrome plated)	no	1	-	-
10.1.15	Lockset IW2029/IW2030/IW2031/IW2047 for indicator bolt or CZ682TR / TL with 22314 indicator Lockset	no	1	-	-
10.1.16	Heavy duty security door chain brass code V-WS6-EB	no	1	-	-
10.2	<u>CATCHES, CABIN HOOKS, ETC</u>				
10.2.1	Brass window catch to side hung sash	no	1	-	-
10.2.2	Brass window stay to side hung sash	no	1	-	-
10.2.3	Brass window combination stay and fastener size 300mm Ref IW1260	no	1	-	-
10.2.4	Brass window fanlight stay and fastener size 300mm Ref IW1261	no	1	-	-
10.2.5	Brass window sliding stays outwards size 300mm Ref IW1262	no	1	-	-
10.2.6	Brass window telescopic stays size 300mm Ref IW1263	no	1	-	-
10.2.7	Brass window roller stay size 300mm Ref IW1263	no	1	-	-
10.2.8	Brass window casement stay size 300mm Ref IW1265	no	1	-	-
10.2.9	Brass window sash hook with wooden stick Ref IW1271	no	1	-	-
10.2.10	32mm Diameter polished hardwood longarm 2 600mm long with brass sash hook Ref "IW 1271" on one end, two broom clips each with 20 x 100 x 100mm wrought and chamfered hardwood block twice oiled and plugged and 20 x 70 x 70mm wrought and chamfered hardwood block with sinking twice oiled and plugged	no	1	-	-
10.2.11	Brass window sash lifts Ref IW1272	no	1	-	-
10.2.12	Brass window spring catch Ref IW1273	no	1	-	-
10.2.13	Brass window spring catch box Ref IW1274	no	1	-	-
10.2.14	Cupboard fastener IW 1266	no	1	-	-
10.2.15	Sash fastener IW 1267	no	1	-	-

10.2.16	Casement fastener IW 1269	no	1	-	-
10.2.17	Curved casement fastener IW 1270	no	1	-	-
10.2.18	Casement fastener wedge plate IW 1277	no	1	-	-
10.2.19	Dual screw/ sash window lock	no	1	-	-
10.2.20	100mm Brass cabin hook and eye	no	1	-	-
10.2.21	150mm Brass cabin hook and eye including 70 x 70 x 20mm chamfered hardwood block twice oiled and plugged	no	1	-	-
10.2.22	150mm Chromium plated cabin hook and eye	no	1	-	-
10.2.23	150mm Chromium plated cabin hook and eye including 70 x 70 x 20mm chamfered hardwood block twice oiled and plugged	no	1	-	-
10.2.24	Brass window handle	no	1	-	-
	<u>LOCKS</u>				
10.3	<u>"Union" or equal and approved fixed to timber</u>				
10.3.1	Two lever lockset (2 Keys) with striking plate fixed to metal Ref. No. CZ682-24-95CH / SC. Lockset with lock, handles and keys, complete	no	1	-	-
10.3.2	Three lever lockset (2 Keys) with striking plate fixed to metal Ref. CZ682-24-52CH / SC. Lockset with lock, handles and keys, complete	no	1	-	-
10.3.3	Four lever lockset (2 Keys) with striking plate fixed to metal Ref. CZ682-24-61CH. Lockset with lock, handles and keys, complete	no	1	-	-
10.3.4	Double cylinder lockset (2 Keys) with striking plate fixed to metal Ref. CZ682-05-222CH. Lockset with lock, handles and keys, complete	no	1	-	-
10.3.5	Combination Bishop Furniture Ref. No. AL684-24-95AS with key hole with Two lever lockset 2295-76SS (2 Keys) with striking plate fixed to metal	no	1	-	-
10.3.6	Combination Bishop Furniture Ref. No. AL684-24-95AS with key hole with Three lever lockset 2252-76SS (2 Keys) with striking plate fixed to metal	no	1	-	-
10.3.7	Combination Bishop Furniture Ref. No. AL684-24-95AS with key hole with Four lever lockset 2252-76SS (2 Keys) with striking plate fixed to metal	no	1	-	-
10.3.8	Combination Bishop Furniture Double cylinder Ref. No. AL684-05AS with key hole with Cylinder Euro lockset L-2209-78SS (2 Keys) with striking plate fixed to metal	no	1	-	-
10.3.9	Oval knob cylinder lockset (2 Keys) with striking plate fixed to metal Ref. AL684-05-222AS / IW2122	no	1	-	-

10.3.10	Oval half knob cylinder lockset (2 Keys) with striking plate fixed to metal Ref. AL684-05-222AS / IW2122	no	1	-	-
10.3.11	Cylinder deadlockset (2 Keys) with striking plate fixed to metal Ref. IW 2019	no	1	-	-
10.3.12	Two lever lockset 2295-76SS (2 Keys) with striking plate fixed to metal	no	1	-	-
10.3.13	Three lever lockset 2252-76SS (2 Keys) with striking plate fixed to metal	no	1	-	-
10.3.14	Four lever lockset 22313-7615MMCH (2 Keys) with striking plate fixed to metal	no	1	-	-
10.3.15	Rebated conversion set Ref No IW 2140 / UDY2900SS fixed to timber door	no	1	-	-
10.3.16	Cylinder rim night latch Ref No 1022G Dimple keyway	no	1	-	-
10.3.17	Union LX 3261 security gate lock box	no	1	-	-
10.3.18	Master key	no	1	-	-
10.3.19	Cylinder rim night latch Ref No 1022G-KB, KB502 keyway	no	1	-	-
10.3.20	Union EP Cylinder upright lock Ref No L-2215-78SS/SL	no	1	-	-
10.3.21	Union EP Knob Cylinder MKD SC Code: 2x19SCMKD	no	1	-	-
10.3.22	Campus lockset 72mm centres Code SS6D67L-05CAM72 LH / RH	no	1	-	-
10.3.23	52 Union Cylinder Cupboard lock (22/25/32/38mm), Code: 452-NP	no	1	-	-
10.3.24	15CB Union Cylinder Cupboard drawer lock (22/25/32/38mm), Code: 415-64L/1 or 415-64R/1	no	1	-	-
10.3.25	Union Rim Dimple key lock Code: 1x1SDD	no	1	-	-
10.3.26	Union Cylinder Rim Lock GMKSC Code: 1x1SCGMK	no	1	-	-
10.3.27	Container Double Glass door lock Code: M89100711R	no	1	-	-
10.3.28	Heavy duty Digital Rim lock with Over Keys, Code: MDL2735SC	no	1	-	-
10.3.29	Heavy duty Escutcheons Code B-3G110-SS-P300	no	1	-	-
10.3.30	Cam Locks 60 Series for cupboards and drawers K37/B44 KD, Code: LA1106R	no	1	-	-

10.3.31	Cam Locks 60 Series for cupboards and drawers X44 DR KD, Code: LB7130R	no	1	-	-
10.3.32	L&T locking handles 38mm Rose & 3PLD Code: LL3209R	no	1	-	-
10.3.33	L&T locking handles T46 Re ATD Master C/P Code: LM1806R	no	1	-	-
10.3.34	L&T locking handles K48 Lem Knob handle + 3PLD, Code LN2422/R	no	1	-	-
10.3.35	Gate lock N201 Security lock with face plate, Code: LH4115/R	no	1	-	-
10.3.36	Sliding door lock N201-1, Code: LH4145/R	no	1	-	-
10.3.36a	Gate lock N888 Security lock with Cylinder and welded lock box, Code: LH8883	no	1	-	-
10.3.36b	Locksmith to open Mortice lock and provide one key	no	1	-	-
10.3.37	Locksmith to open Cylinder lock and provide one key	no	1	-	-
10.3.38	Locksmith to open Cupboards, etc lock and provide one key	no	1	-	-
10.3.39	Locksmith to open Mortice Cylinder lock and provide one key	no	1	-	-
10.3.40	Locksmith to open Safe lock and provide one key	no	1	-	-
10.4	<u>HANDLES, ETC.</u>			-	-
	<u>"IW" or equal and approved fixed to timber</u>			-	-
10.4.1	"UNION AL5D67-06AS" OR "IW 1324" Dove pull handle for dead lock on 152 x 152mm backplate (One)	no	1	-	-
10.4.6	Set of two "IW 1320" 300mm,25mm diameter Dove pull handles fixed back to back	no	1	-	-
10.4.7	Set of two "IW 1320" 300mm,32mm diameter Dove pull handles fixed back to back	no	1	-	-
10.4.8	Set of two lever handles Ref "IW 1212/62/06" fixed back to back	no	1	-	-
10.4.9	Set of two lever handles with 3mm aluminium backplates Ref "IW 1212/62/06" fixed back to back	no	1	-	-
10.4.10	Set of two lever handles with 3mm aluminium backplates Ref "IW 1212/62/05" fixed back to back	no	1	-	-
10.4.11	Set of two lever handles with 3mm aluminium backplates Ref "IW 1212/62/13" fixed back to back	no	1	-	-

10.4.12	Set of two lever handles with 3mm aluminium backplates Ref "IW 1212/62/24" fixed back to back	no	1	-	-
10.4.13	Set of two lever handles with 3mm aluminium backplates Ref "IW 1212/63/06" fixed back to back	no	1	-	-
10.4.14	Set of two lever handles with 3mm aluminium backplates Ref "IW 1212/63/05" fixed back to back	no	1	-	-
10.4.15	Set of two lever handles with 3mm aluminium backplates Ref "IW 1212/63/13" fixed back to back	no	1	-	-
10.4.16	Set of two lever handles with 3mm aluminium backplates Ref "IW 1212/63/24" fixed back to back	no	1	-	-
10.4.17	Set of two lever handles with 3mm aluminium backplates Ref "IW 1212/66/06" fixed back to back	no	1	-	-
10.4.18	Set of two lever handles with 3mm aluminium backplates Ref "IW 1212/66/05" fixed back to back	no	1	-	-
10.4.19	Set of two lever handles with 3mm aluminium backplates Ref "IW 1212/66/13" fixed back to back	no	1	-	-
10.4.20	Set of two lever handles with 3mm aluminium backplates Ref "IW 1212/66/24" fixed back to back	no	1	-	-
10.4.21	Set of two lever handles with 3mm aluminium backplates Ref "IW 1212/67/06" fixed back to back	no	1	-	-
10.4.22	Set of two lever handles with 3mm aluminium backplates Ref "IW 1212/67/05" fixed back to back	no	1	-	-
10.4.23	Set of two lever handles with 3mm aluminium backplates Ref "IW 1212/67/13" fixed back to back	no	1	-	-
10.4.24	Set of two lever handles with 3mm aluminium backplates Ref "IW 1212/67/24" fixed back to back	no	1	-	-
10.4.25	Euro profile IW2051 double cylinder lockset comprising IW1212/63/05 furniture and IW 2006 upright lockcase with striking plate	no	1	-	-
10.4.25a	Rebated conversion set	no	1	-	-
10.4.25b	Aluminium Cupboard Pull handle Code: AL5123AS	no	1	-	-
10.4.25c	Aluminium Hospital Pull handle Code: AL5510AS (One)	no	1	-	-
10.4.25d	Aluminium 200 Pull handle BTB Code: AL5512-200BBAS (One)	no	1	-	-
10.4.25e	Aluminium 300 Pull handle BTB Code: AL5512-300BBAS (One)	no	1	-	-
10.4.25f	Cedar Pull Handle Blank Code: AL5C63-06AS	no	1	-	-
10.4.25g	Cedar Pull Handle on Back Plate LH/ RH Profile 152x152 Code: AL5C66L-05AS / AL5C66R-05AS	no	1	-	-

10.4.25h	Cedar Pull Handle on Back Plate LH/ RH Profile 152x176 Code: AL5C67L-05AS / AL5C67R-05AS	no	1	-	-
10.4.25i	Stainless steel Dove Pull Handle on Back Plate LH / RH Key Hole 152x152 Plate Code: SS5D66L-24SS / SS5D66R-24SS	no	1	-	-
10.4.25j	Stainless steel Dove Pull Handle on Back Plate LH / RH Key Hole 152x176 Plate Code: SS5D67L-24SS / SS5D67R-24SS	no	1	-	-
10.4.25k	Flush Pull Handle Square - Wooden Sliding door, Code: 99004SS	no	1	-	-
10.4.25l	Flush Pull Handle Radius - Wooden Sliding door, Code: SS5004SS	no	1	-	-
	<u>BOLTS</u>			-	-
10.4.26	Esco Rim lock night latch code EDY1033G	no	1	-	-
	<u>BATHROOM FITTINGS</u>			-	-
	<u>"IW" or equal and approved fixed to timber</u>			-	-
10.4.27	Code IW7010SS surface mounted multi-roll (3) toilet roll dispenser plugged	no	1	-	-
10.4.28	Code IW7015SS wall mounted soap dispenser plugged	no	1	-	-
	<u>"Bristell" or equally approved</u>			-	-
10.4.29	32mm "Bristell Type BGR1" back grab rail 600mm long plugged	no	1	-	-
10.4.30	32mm "Bristell Type BGR2A" side grab rail 600mm long plugged	no	1	-	-
	<u>SUNDRIES</u>			-	-
	<u>"IW" or equal and approved fixed to timber</u>			-	-
10.4.31	Code No "IW5002SC" / Union CZ8731BP door stop plugged	no	1	-	-
10.4.32	Code No "IW5032AL" / Union "AL8253AS hat and coat hook with rubber tip	no	1	-	-
10.4.33	Code No "IW5042AL" / Union "AL8723AS hat and coat hook	no	1	-	-
10.4.34	Union code AL8254AS door stop 254/C91	no	1	-	-
10.4.35	Union code AL8730AS door stop with rubber	no	1	-	-
10.4.36	32mm Diameter polished hardwood longarm 2600mm long with brass pole hook on one end, two broom clips each with 20 x 100 x 100mm wrought and chamfered hardwood block twice oiled and plugged and 20 x 70 x 70mm wrought and chamfered hardwood block with sinking twice oiled and plugged (for opening windows)	no	1	-	-

10.5	<u>PUSH PLATES "Union"</u>			-	-
10.5.1	200 x 800 x 2mm thick AL5089-200W aluminium push plate	no	1	-	-
10.5.2	200 x 800 x 1,6mm thick SS5089-200W stainless steel push plate	no	1	-	-
10.5.3	400 x 800 x 2mm thick AL5089-400W aluminium kick plate	no	1	-	-
10.5.4	400 x 800 x 1,6mm thick SS5089-400W stainless steel kick plate	no	1	-	-
10.5.5	152 x 76 Alluminium Push Plate Blank, Code: AL5063-06AS	no	1	-	-
10.5.6	152 x 76 Alluminium Push Plate Keyhole, Code: AL5063-24AS	no	1	-	-
10.5.7	152 x 152 Alluminium Push Plate Blank, Code: AL5066-06AS	no	1	-	-
10.5.8	152 x 152 Alluminium Push Plate Keyhole, Code: AL5066-24AS	no	1	-	-
10.5.9	152 x 152 Alluminium Push Plate LH / RH Bathroom, Code: AL5066TL-73AS / AL5066TR-73AS	no	1	-	-
10.5.10	152 x 176 Alluminium Push Plate LH / RH Bathroom, Code: AL5067TL-73AS / AL5067TR-73AS	no	1	-	-
	<u>DOOR CLOSERS</u>				
10.6	<u>"Union" fixed to timber</u>				
10.6.1	"Union" Heavy duty regular arm door closer with bracket fixed to metal Ref. No DC 744 EN 1-6 RA DA Code: 744	no	1	-	-
10.6.2	"Union" Heavy duty regular arm door closer with bracket fixed to metal Ref. No DC 744 EN 1-6 PA DA Code: 744P	no	1	-	-
10.6.3	Heavy duty hold open arm door closer with bracket fixed to metal Ref. No DC 744 EN 1-6 HO DA, Code: 744HO	no	1	-	-
10.6.4	Regular arm door closer with bracket fixed to metal Ref. No DC 777- EN 2-4 Code: 7770	no	1	-	-
10.6.5	Parallel arm door closer with bracket fixed to metal Ref. No DC 7772 OH EN 2-4, Code: 7772	no	1	-	-
10.6.6	Heavy duty double action floor spring Ref. NoFS 762 EN 3-6 HD DA TI, Code: 762 + with top centre Ref. No AC286 and bottom strap Ref. No AC278	no	1	-	-
10.6.7	Heavy duty single action floor spring Ref. No FS 764 EN 3-6 HD LH TI Code: 764 + with top centre Ref. No AC286AS and bottom strap Ref. No AC278 (LH) or AC279 (RH)	no	1	-	-
10.6.8	Regular duty double action floor spring Ref. No FS 749 EN 3 DA AL, CODE: 750 + with top centre Ref. No AC8 and bottom strap Ref. No AC115	no	1	-	-

10.6.9	Regular duty single action floor spring Ref. No FS 754 EN 3 RH TI Code: 754 + with top centre Ref. No AC286CH and bottom strap Ref. No AC278 (RH) or AC279 (LH)	no	1	-	-
10.6.10	Union Gate Closer Ref: 720 EN 2 Code: 720	no	1	-	-
10.6.11	Regular arm door closer with bracket fixed to metal Ref. No R&P CLOSER EN 2/3/4/SIL Code: DC120	no	1	-	-
10.6.12	Floor Springs Cam Action FS EN 3 Non HO, Code: DC420	no	1	-	-
	<u>SLIDING GEAR</u>			-	-
10.7	<u>"UNION" or equally approved</u>			-	-
10.7.1	Phantom sliding gear for silent doors up to 45kg width opening 610-915mm clinic cupboards Code: 27-792961	no	1	-	-
10.7.2	Husky folding 25 for Folding doors up to 25kg maximum width 1200mm Kit Hf25/12 - 2 leaves	no	1	-	-
10.7.3	Husky folding 25 for Folding doors up to 25kg maximum width 2400mm Kit Hf25/24 - 4 leaves	no	1	-	-
10.7.4	Husky folding 40 for Folding doors up to 40kg maximum width 1500mm Kit Hf40/15 2 leaves	no	1	-	-
10.7.5	Husky folding 40 for Folding doors up to 40kg maximum width 3000mm Kit Hf40/30 4 leaves	no	1	-	-
10.7.6	Senator kit for sliding doors up to 30kg for max 900mm opening width Ref 27-791065	no	1	-	-
10.7.7	Marathon 55 kit for sliding doors up to 55kg for max 450-750mm opening width Ref 27-789400	no	1	-	-
10.7.8	Marathon 55 kit for sliding doors up to 55kg for max 750-900mm opening width Ref 27-789431	no	1	-	-
10.7.9	Marathon 55 kit for sliding doors up to 55kg for max 900-1050mm opening width Ref 27-789462	no	1	-	-
10.7.10	Marathon 55 kit for sliding doors up to 55kg for max 1050-1200mm opening width Ref 27-789493	no	1	-	-
10.7.11	Marathon 55 kit for sliding doors up to 55kg for max 1200-1500mm opening width Ref 27-790695	no	1	-	-
10.7.12	Loretto for Sliding cupboard doors up to 23kg - Bottom roller kit D4 - 2 leaves Max opening width 1200mm Ref 27-789280	no	1	-	-
10.7.13	Loretto for Sliding cupboard doors up to 23kg - Bottom roller kit D5 - 2 leaves Max opening width 1500mm Ref 27-789314	no	1	-	-

10.7.14	Loretto for Sliding cupboard doors up to 23kg - Bottom roller kit D6 - 2 leaves Max opening width 1800mm Ref 27-789345	no	1	-	-
	<u>LETTERS, NAMEPLATES, ETC.</u>			-	-
10.8	<u>"Union"</u>			-	-
10.8.1	152 x 152 x 3mm aluminium plate anodised silver with male pictogram Ref. No. AL5063E-06ASE10	no	1	-	-
10.8.2	152 x 152 x 3mm aluminium plate anodised silver with female pictogram Ref. No. AL5063E-06ASE11	no	1	-	-
10.8.3	152 x 152 x 3mm aluminium plate anodised silver with paraplegic pictogram Ref. No. AL5066E-06ASE14	no	1	-	-
10.8.4	152 x 152 x 3mm aluminium plate anodised silver with male and female pictogram Ref. No. AL5066E-06ASE12	no	1	-	-
10.8.5	152 x 152 x 3mm aluminium plate anodised silver with fire hydrant pictogram Ref. No. AL5066E-06ASE04	no	1	-	-
10.8.6	152 x 152 x 3mm aluminium plate anodised silver with fire hose reel pictogram Ref. No. AL5066E-06ASE05	no	1	-	-
10.8.7	152 x 152 x 3mm aluminium plate anodised silver with fire extinguisher pictogram Ref. No. AL5066E-06ASE06	no	1	-	-
10.8.8	152 x 152 x 3mm aluminium plate anodised silver with first aid pictogram Ref. No. IW6018	no	1	-	-
10.8.9	152 x 152 x 3mm aluminium plate anodised silver with shower pictogram Ref. No. IW6018	no	1	-	-
10.8.10	152 x 152 x 3mm aluminium plate anodised silver with shower pictogram Ref. No. IW6006	no	1	-	-
10.8.11	152 x 152 x 3mm aluminium plate anodised silver with tea room pictogram Ref. No. IW6006	no	1	-	-
10.8.12	152 x 152 x 3mm aluminium plate anodised silver with telephone pictogram Ref. No. IW6006	no	1	-	-
10.8.13	152 x 152 x 3mm aluminium plate anodised silver with man running left or right pictogram Ref. No. IW6012	no	1	-	-
10.8.14	152 x 152 x 3mm aluminium plate anodised silver with escape stair pictogram Ref. No. IW6013	no	1	-	-
10.8.15	152 x 152 x 3mm aluminium plate anodised silver with escape direction pictogram Ref. No. IW6014	no	1	-	-
10.8.16	152 x 152 x 3mm aluminium plate anodised silver with bucket and broom pictogram Ref. No. IW6011	no	1	-	-
10.8.17	152 x 152 x 3mm aluminium plate anodised silver with baby pictogram Ref. No. IW6004	no	1	-	-

10.8.18	COJ Logo: Brushed aluminium 1000 x 800mm deep plugged with aluminium bolts with engraved letters	no	1	-	-
10.8.19	COJ Logo: Brushed aluminium 500 x 300mm deep plugged with aluminium bolts with engraved letters	no	1	-	-
10.8.20	1000 x 152 x 3mm brushed aluminium plate with engraved letters	m2	1	-	-
10.8.21	100 x 450 x 3mm aluminium plate anodised silver with Name Tags not exceeding 20 letters	no	1	-	-
<u>PELMETS AND CERTAIN TRACKS</u>				-	-
10.9	<u>"Kirsch"</u>			-	-
10.9.1	Cheney pressed steel pelmet 120mm high with 150mm projection including double track with 12 rollers per meter, brackets, returned ends, etc. plugged	m	1	-	-
10.9.2	Regular duty C-profile double curtain steel track for face fixing with 100mm projection including 14 rollers per meter, brackets, stopped ends, etc. plugged	m	1	-	-
10.9.3	Heavy duty extruded aluminium double curtain steel track for face fixing with 125mm projection including 14 rollers per meter, brackets, stopped ends, etc. plugged	no	1	-	-
10.9.4	Forwin hospital cubicle track 1.0m below soffit including 12 gliders per meter, hangers, brackets, stopped ends, etc. plugged	no	1	-	-
10.9.5	Extra for end plugged	no	1	-	-
10.9.6	Extra for bend	no	1	-	-
10.9.7	Extra for joint at bend	no	1	-	-
<u>BATHROOM FITTINGS</u>				-	-
10.10	<u>"Halcast"</u>			-	-
10.10.1	20mm Diameter chromium plated curtain or hanging rail 900mm long including end flange brackets Ref 374CH plugged	no	1	-	-
10.10.2	20mm Diameter chromium plated towel rail 600mm long including end brackets Ref 261CH plugged	no	1	-	-
10.10.3	20mm Diameter chromium plated towel rail 900mm long including end brackets Ref 261CH plugged	no	1	-	-
10.10.4	Towel ring chromium plated Ref 165CH plugged	no	1	-	-

10.10.5	Toilet roll holder chromium plated theft proof Ref 366SCH plugged	no	1	-	-
10.10.6	Basket type soap dish chromium plated Ref 377CH	no	1	-	-
10.11	<u>"Kwakuhle Hygiene" of equal and approved</u>			-	-
10.11.1	Lockable and vandal resistant white powder coated metal roll holder Ref TR3W	no	1	-	-
10.11.2	Lockable and vandal resistant white powder coated metal roll holder Ref TR2W	no	1	-	-
10.11.3	Lockable and vandal resistant white powder coated metal roll holder Ref TR3CH	no	1	-	-
10.11.4	Lockable and vandal resistant white powder coated metal roll holder Ref TR2CH	no	1	-	-
10.11.5	ABS construction lockable Roll Control Paper Dispenser with viewing window in colour white	no	1	-	-
10.11.6	ABS construction lockable Reflex Paper Dispenser with viewing window in colour white	no	1	-	-
10.11.7	ABS construction Wastecare 40litre Multiliner Disposer wall mounted waste bin in colour white	no	1	-	-
10.11.8	ABS construction 950ml Soap Dispenser in colour white	no	1	-	-
10.11.9	Stainless steel 950ml vandal and theft resistant Soap Dispenser	no	1	-	-
10.12	<u>"Chairman Industries"</u>			-	-
10.12.1	32mm diameter stainless steel flushvalve back rail Ref. No. SR1	no	1	-	-
10.12.2	32mm diameter stainless steel cistern back rail Ref. No. SR2	no	1	-	-
10.12.3	20mm diameter stainless steel door rail 300mm long Ref. No. SR3	no	1	-	-
10.12.4	32mm diameter stainless steel dog leg side rail Ref. No. DL2	no	1	-	-
10.12.5	32mm diameter stainless steel dog leg with centre flange side rail Ref. No. DL3	no	1	-	-
10.12.6	19mm Diameter chromium plated towel rail 500mm long including end brackets plugged	no	1	-	-
10.12.7	"Bobrick" B-4388 Surface mounted lockable multi-roll toilet tissue dispenser plugged	no	1	-	-
10.12.8	Wall mounted stainless steel dispenser Ref "IW 7015"	no	1	-	-
10.13	<u>PADLOCKS</u>			-	-

10.13.1	30mm Brass Padlocks with 15mm Hardened Steel Shackle KD, Code: UN333000000000	no	1	-	-
10.13.2	30mm Brass Padlocks with 32mm SS Long Shackle KD, Code: UN333002003200	no	1	-	-
10.13.3	40mm Brass Padlocks with 20mm Hardened Steel Shackle KD, Code: UN334000000000	no	1	-	-
10.13.4	40mm Brass Padlocks with 63mm SS Long Shackle KD, Code: UN334002006300	no	1	-	-
10.13.5	50mm Brass Padlocks with 28mm Hardened Steel Shackle KD, Code: UN335000000000	no	1	-	-
10.13.6	50mm Brass Padlocks with 63mm SS Long Shackle KD, Code: UN335002006300	no	1	-	-
10.13.7	Discus Padlock KD, Code: 400KATD	no	1	-	-
10.13.8	78mm Brass Padlocks Concealed Hardened Steel Shackle KD Code: UN337800000000	no	1	-	-
10.13.9	Padlock safety lockout device 6 Hole	no	1	-	-
10.13.10	Gate Hasp Lock Classic Code: MCHBT-COM	no	1	-	-
10.13.11	Hercules Padlock3 Keys, B-1K57A	no	1	-	-
10.14	<u>ESCAPE HARDWARE "EMERGENCY"</u>			-	-
10.14.1	Emergency exit lockset (2 Keys) with striking plate fixed to metal Ref. IW 2032	no	1	-	-
10.14.2	Emergency exit lockset (2 Keys) with striking plate fixed to metal Ref. IW 2033	no	1	-	-
10.14.3	Panic Latch push bar 900mm Code: J-881-SIL	no	1	-	-
10.14.4	Panic Latch push bar 1200mm Code: J-881-W-SIL	no	1	-	-
10.14.5	Panic Latch Touch Bar 900mm Code: J-881T-SIL	no	1	-	-
10.14.5a	Panic Latch push bar 1200mm Code: J-881T-W-SIL	no	1	-	-
10.14.6	Double panic bolt with pullman Latch Green 1940908NV	no	1	-	-
10.14.7	Double panic bolt Push bar 900mm Code: J-883-SIL	no	1	-	-
10.14.8	Double panic bolt Push bar 1200mm Code: J-883-W-SIL	no	1	-	-
10.14.9	Audible Panic latch alarm exit device Code: 8420RED		1	-	-
10.14.10	Outside acces device (OAD) for J-series & Tesa panic devices Lever handle Code: MMPS2SCPL	no	1	-	-

10.14.11	Outside acces device (OAD) for J-series panic devices Lever handle Code: J-885-SIL	no	1	-	-
				-	-
				-	-
	<u>KITCHEN CUPBOARDS</u>			-	-
				-	-
	<u>Sundries</u>			-	-
				-	-
10.15.21	Sliding drawer rail 600mm long	m	1	-	-
10.15.22	Steel drawer handle	no	1	-	-
10.15.23	PVC drawer handle	no	1	-	-
10.15.24	PVC drawer handle	no	1	-	-
10.15.25	Cast Zinc Cupboard Pull Handle Code: CZ5105CH	no	1	-	-
10.15.26	Cast Zinc Cupboard Push Button Catch Code: CZ51741CH	no	1	-	-
10.15.27	Cast Zinc Locking Cupboard Catch Code: CZ5174CHKA	no	1	-	-
10.16	<u>Turnstile and Locking Exit Gate</u>			-	-
10.16.1	Stainless steel one-way supermarket entrance turnstile	no	1	-	-
10.16.2	Single locking exit gate for M3501	no	1	-	-
10.16.3	Service and make good stainless steel one-way supermarket entrance turnstile	no	1	-	-
10.17	<u>Infra-red beam system</u>			-	-
10.17.1	Infra-red beam system	no	1	-	-
				-	-
	<u>TOILET BINS</u>			-	-
				-	-
	<u>Stainless steel</u>			-	-
10.18	<u>"FRANKE" or equally approved</u>			-	-
10.18.1	Half moon wall mounted bin size 330 x 450 x 180mm	no	1	-	-
10.18.2	Wall mounted 430 grade brushed one piece with internal steel frame inside for disposable liner bin size 415 x 450 x 200mm	no	1	-	-
10.18.3	Wall mounted 430 grade brushed one piece with internal steel frame inside for disposable liner bin size 310 x 300 x 200mm	no	1	-	-
				-	-
	<u>Epoxy coated</u>			-	-
10.19	<u>"FRANKE" or equally approved</u>			-	-
10.19.1	Wall mounted mild steel one piece with internal steel frame inside for disposable liner bin size 415 x 450 x 200mm	no	1	-	-
				-	-

10.19.2	Wall mounted mild steel one piece with internal steel frame inside for disposable liner bin size 310 x 300 x 200mm	no	1	-	-
					0.00

Item No.	Description	Unit	Qty	JULY 2024 Rate	Amount Excluding VAT
<u>SCHEDULE No. 11</u>					
<u>METALWORK</u>					
Tenderers are advised to study the "Model Preambles for Trades 1999" before accepting and signing for this Schedule.					
<u>SUPPLEMENTARY PREAMBLES</u>					
<u>Descriptions</u>					
Descriptions of bolts shall be deemed to include nuts and washers					
Descriptions of expansion anchors and bolts an chemical anchors and bolts shall be deemed to include nuts, washers and mortises in brickwork or concrete					
Metalwork described as "holed for bolts(s)" shall be deemed to exclude the bolts unless otherwise described					
<u>WELDED SCREENS, GATES, ETC</u>					
11.9	<u>Screens and gates to doors</u>				
11.9.1	50 x 76 x 3.5mm Hollow section framing	m	1	R -	R -
11.9.2	Extra over 50 x 76mm hollow section for mitred and welded L-intersection	m	1	R -	R -
11.9.3	Hole through 50 x 76mm hollow section	no	1	R -	R -
11.9.4	100mm M10 expansion bolt in brickwork	no	1	R -	R -
11.9.5	Single gate 810 x 2066mm high of 50 x 50 x2,5mm hollow section frame and two 50 x 50 x 2,5mm hollow section horizontal middle rails filled in with 20mm diameter solid vertical round bars at 89mm centres framed through middle rails and into framing and fitted with three suitable hinges welded to post and a "Union" LX 3261 security gate lock box between middle rails	no	1	R -	R -

11.9.6	Double gate with two single leaves 1620 x 2066mm high of 50 x 50 x 2,5mm hollow section frame and two 50 x 50 x 2,5mm hollow section horizontal middle rails filled in with 20mm diameter solid vertical round bars at 89mm centres framed through middle rails and into framing and fitted with six suitable hinges welded to posts and a "Union" LX 3261 security gate lock box between middle rails including conversion set.	no	1	R -		R	-
11.9.7	Steel wire expanded mesh burglar proofing not exceeding 1,0m ² bolted to brickwork	no	1	R -		R	-
11.9.8	Steel wire expanded mesh burglar proofing exceeding 1,0m ² and not exceeding 2,0m ² bolted to brickwork	no	1	R -		R	-
11.9.10	Steel wire mesh burglar proofing exceeding 2,0m ² and not exceeding 3,0m ² bolted to brickwork	no	1	R -		R	-
11.9.11	Steel round, square, etc burglar proofing not exceeding 1,0m ² bolted to brickwork	no	1	R -		R	-
11.9.12	Steel round, square, etc burglar proofing exceeding 1,0m ² and not exceeding 2,0m ² bolted to brickwork	no	1	R -		R	-
11.9.13	Steel round, square, etc burglar proofing exceeding 2,0m ² and not exceeding 3,0m ² bolted to brickwork	no	1	R -		R	-
11.9.14	Steel round, square, etc burglar proofing not exceeding 1,0m ² welded to brickwork	no	1	R -		R	-
11.9.15	Steel round, square, etc burglar proofing exceeding 1,0m ² and not exceeding 2,0m ² welded to brickwork	no	1	R -		R	-
11.9.16	Steel round, square, etc burglar proofing exceeding 2,0m ² and not exceeding 3,0m ² welded to brickwork	no	1	R -		R	-
11.9.17	Steel round, square, etc burglar proofing, perimeter fencing, 1800mm high welded to steel	m	1	R -		R	-
11.9.18	Steel round, square, etc burglar proofing, perimeter fencing, 2100mm high welded to steel	m	1	R -		R	-
<u>RETRACTABLE SECURITY GATES AND SCREENS</u>							
<u>"TRELLIDOR" or equally approved installed by a Trellidor installer for a 5-year warranty on workmanship and hardware</u>							
11.9.18a	Security "slamlock" gate size 900 x 2032mm high	no	1	R -		R	-
11.9.18b	Security "slamlock" gate size 1150 x 2032mm high	no	1	R -		R	-
11.9.19	Security "slamlock" gate size 1300 x 2032mm high	no	1	R -		R	-
11.9.20	Security screen to openings not exceeding 5m ²	m2	1	R -		R	-
11.9.20a	Security screen to openings exceeding 5m ² not exceeding 10m ²	m2	1	R -		R	-

<u>Making good screens and gates to doors, etc.</u>						
11.9.21	Single gate 810 x 2066mm high of 50 x 50 x 2,5mm hollow section frame and two 50 x 50 x 2,5mm hollow section horizontal middle rails filled in with 20mm diameter solid vertical round bars at 89mm centres framed through middle rails and into framing and fitted with three suitable hinges welded to post and a "Union" LX 3261 security gate lock box between middle rails	no	1	R -	R	-
11.9.22	Double gate with two single leaves 1620 x 2066mm high of 50 x 50 x 2,5mm hollow section frame and two 50 x 50 x 2,5mm hollow section horizontal middle rails filled in with 20mm diameter solid vertical round bars at 89mm centres framed through middle rails and into framing and fitted with six suitable hinges welded to posts and a "Union" LX 3261 security gate lock box between middle rails including conversion set.	no	1	R -	R	-
11.9.23	Burglar proofing 2066mm high of 50 x 50 x 2,5mm hollow section frame and two 50 x 50 x 2,5mm hollow section horizontal middle rails filled in with 20mm diameter solid vertical round/square bars at 89mm centres framed through middle rails and into framing and bolted to brickwork, concrete, etc.	m	1	R -	R	-
11.9.24	Steel wire mesh burglar proofing	m ²	1	R -	R	-
<u>PRESSED STEEL DOOR FRAMES</u>						
11.10	<u>1,2mm. Rebated frame suitable for half brick wall</u>					
11.10.1	Frame for door size 762 x 2032mm. high	no	1	R -	R	-
11.10.2	Frame for door size 813 x 2032mm. high	no	1	R -	R	-
11.10.3	Frame for door size 900 x 2032mm. high	no	1	R -	R	-
11.10.4	Frame for double door size 1359 x 2032mm. high	no	1	R -	R	-
11.10.5	Frame for double door size 1511 x 2032mm. high	no	1	R -	R	-
11.10.6	Frame for double door size 1613 x 2032mm. high	no	1	R -	R	-
11.11	<u>1,2mm. Rebated frame suitable one brick wall</u>					
11.11.1	Frame for door size 762 x 2032mm. high	no	1	R -	R	-
11.11.2	Frame for door size 813 x 2032mm. high	no	1	R -	R	-
11.11.3	Frame for door size 900 x 2032mm. high	no	1	R -	R	-

11.11.4	Frame for double door size 1359 x 2032mm. high	no	1	R -	R	-
11.11.5	Frame for double door size 1511 x 2032mm. high	no	1	R -	R	-
11.11.6	Frame for double door size 1613 x 2032mm. high	no	1	R -	R	-
<u>PRESSED STEEL CUPBOARD DOOR FRAMES</u>						
11.12	<u>Standard cupboard door frame</u>					
11.12.1	Frame for door size 762 x 2032mm. high	no	1	R -	R	-
11.12.2	Frame for door size 1511 x 2032mm. high	no	1	R -	R	-
<u>STEEL WINDOWS, DOORS, ETC.</u>						
11.13	<u>Standard residential windows with 10mm diameter mild steel burglar bars to opening sashes</u>					
11.13.1	Window type NE1 size 533 x 654mm. high	no	1	R -	R	-
11.13.2	Window type NE2 size 1022 x 654mm. high	no	1	R -	R	-
11.13.3	Window type NE4 size 1511 x 654mm. high	no	1	R -	R	-
11.13.4	Window type NE11 size 2000 x 654mm. high	no	1	R -	R	-
11.13.5	Window type E1H size 533 x 654mm. high	no	1	R -	R	-
11.13.6	Window type E2H size 1022 x 654mm. high	no	1	R -	R	-
11.13.7	Window type E4H size 1511 x 654mm. high	no	1	R -	R	-
11.13.8	Window type E22 size 2000 x 654mm. high	no	1	R -	R	-
11.13.9	Window type NC1 size 533 x 949mm. high	no	1	R -	R	-
11.13.10	Window type NC2 size 1022 x 949mm. high	no	1	R -	R	-
11.13.11	Window type NC4 size 1511 x 949mm. high	no	1	R -	R	-
11.13.12	Window type NC11 size 2000 x 949mm. high	no	1	R -	R	-
11.13.13	Window type C1H size 533 x 949mm. high	no	1	R -	R	-

11.13.14	Window type C2H size 1022 x 949mm. high	no	1	R -	R	-
11.13.15	Window type C4H size 1511 x 949mm. high	no	1	R -	R	-
11.13.16	Window type ND1 size 533 x 1245mm. high	no	1	R -	R	-
11.13.17	Window type ND2 size 1022 x 1245mm. high	no	1	R -	R	-
11.13.18	Window type ND4 size 1511 x 1245mm. high	no	1	R -	R	-
11.13.19	Window type ND11 size 2000 x 1245mm. high	no	1	R -	R	-
11.13.20	Window type D1H size 533 x 1245mm. high	no	1	R -	R	-
11.13.21	Window type D2H size 1022 x 1245mm. high	no	1	R -	R	-
11.13.22	Window type D4H size 1511 x 1245mm. high	no	1	R -	R	-
11.13.23	Window type NCT1S size 533 x 949mm. high	no	1	R -	R	-
11.13.24	Window type NCTX7S size 1022 x 949mm. high	no	1	R -	R	-
11.13.25	Window type NCTX7S5 size 1511 x 949mm. high	no	1	R -	R	-
11.13.26	Window type TD7 size 1022 x 1245mm. high	no	1	R -	R	-
11.13.27	Window type TD75 size 1511 x 1245mm. high	no	1	R -	R	-
11.13.28	Window type TD57S8 size 2000 x 1559mm. high	no	1	R -	R	-
11.14	<u>Standard medium universal doors, sidelights, etc</u>					
11.14.1	Sidelight Type NSDAS, 800 x 2134mm high	no	1	R -	R	-
11.14.2	Door Type NDAS, 800 x 2134mm high	no	1	R -	R	-
11.14.3	Double door Type NDDA, 1524 x 2134mm high	no	1	R -	R	-
11.14.4	Sidelight Type SDASH, 800 x 2134mm high	no	1	R -	R	-
11.14.5	Door Type DASH, 800 x 2134mm high	no	1	R -	R	-

11.14.6	Double door Type DDAH, 1524 x 2134mm high	no	1	R -	R	-
	<u>Combination doors and frames</u>					
11.14.7	Door and frame size 813 x 2032mm. high	no	1	R -	R	-
11.14.8	Door and frame size 1626 x 2032mm. high	no	1	R -	R	-
	<u>ALUMINIUM SHOPFRONTS COMPLETE WITH GLAZING, HANDLES AND ALL ACCESSORIES</u>					
	<u>- SLIDING FOLDING DOORS</u>					
11.14.9	4500-4800 x 2100mm Aluminium Folding door (Toughened Safety Glass) - 5+1 Panel	no	1	R -	R	-
11.14.10	4500-4800 x 2700mm Aluminium Folding door (Toughened Safety Glass) - 5+1 Panel	no	1	R -	R	-
11.14.11	5400-5700 x 2100mm Aluminium Folding door (Toughened Safety Glass) - 5+1 Panel	no	1	R -	R	-
11.14.12	5400-5700 x 2700mm Aluminium Folding door (Toughened Safety Glass) - 5+1 Panel	no	1	R -	R	-
11.14.13	5400-5700 x 2100mm Aluminium Folding door (Toughened Safety Glass) - 5+5 Panel	no	1	R -	R	-
11.14.14	5400-5700 x 2700mm Aluminium Folding door (Toughened Safety Glass) - 5+5 Panel	no	1	R -	R	-
11.14.14a	6300-6600 x 2100mm Aluminium Folding door (Toughened Safety Glass) - 5+5 Panel	no	1	R -	R	-
11.14.14b	6300-6600 x 2700mm Aluminium Folding door (Toughened Safety Glass) - 5+5 Panel	no	1	R -	R	-
	<u>ALUMINIUM SLIDING DOORS</u>					
11.14.15	1800 x 2100 Aluminium sliding door (Standard 5mm glass) - Double Leaf	no	1	R -	R	-
11.14.16	2400 x 2100 Aluminium sliding door (Standard 5mm glass) - Double Leaf	no	1	R -	R	-
11.14.17	3000 x 2100 Aluminium sliding door (Standard 5mm glass) - Double Leaf	no	1	R -	R	-
11.14.18	1800 x 2400 Aluminium sliding door (Safety glass) - Double Leaf	no	1	R -	R	-
11.14.19	2400 x 2400 Aluminium sliding door (Safety glass) - Double Leaf	no	1	R -	R	-
11.14.20	3000 x 2400 Aluminium sliding door (Safety glass) - Double leaf	no	1	R -	R	-

11.14.21	3600 x 2400 Aluminium sliding door (Safety glass) - Four Leaf	no	1	R -	R	-
11.14.22	4200 x 2400 Aluminium sliding door (Safety glass) - Four Leaf	no	1	R -	R	-
11.14.23	6000 x 2400 Aluminium sliding door (Safety glass) - Four leaf	no	1	R -	R	-
<u>ALUMINIUM PANE DOORS</u>						
11.14.24	900 x 2100 Aluminium Single Door (Safety Glass) - Single leaf	no	1	R -	R	-
11.14.25	1800 x 2100 Aluminium Doublee Door (Safety Glass) - Double leaf	no	1	R -	R	-
11.14.26	900 x 2400 Aluminium Single Door (Safety Glass) - Single leaf	no	1	R -	R	-
11.14.27	1800 x 2400 Aluminium Double Door (Safety Glass) - Double leaf	no	1	R -	R	-
<u>ALUMINIUM HINGE DOORS WITH MIDRAIL</u>						
11.14.28	900 x 2100 Aluminium Hinge Door (Safety Glass) - Single leaf	no	1	R -	R	-
11.14.29	1800 x 2100 Aluminium Hinge Double Door (Safety Glass) - Double leaf	no	1	R -	R	-
11.14.30	900 x 2400 Aluminium Hinge Door (Safety Glass) - Single leaf	no	1	R -	R	-
11.14.31	1800 x 2400 Aluminium Hinge Double Door (Safety Glass) - Double leaf	no	1	R -	R	-
<u>ALUMINIUM SIDELIGHTS</u>						
11.14.32	600 x 2100 Aluminium Sidelight (Safety Glass) - Large Pane	no	1	R -	R	-
11.14.33	900 x 2100 Aluminium Sidelight (Safety Glass) - Large Pane	no	1	R -	R	-
11.14.34	600 x 2400 Aluminium Sidelight (Safety Glass) - Large Pane	no	1	R -	R	-
11.14.35	900 x 2400 Aluminium Sidelight (Safety Glass) - Large Pane	no	1	R -	R	-
11.14.36	600 x 2100 Aluminium Sidelight (Safety Glass) - With Midrail	no	1	R -	R	-
11.14.37	900 x 2100 Aluminium Sidelight (Safety Glass) - With Midrail	no	1	R -	R	-
11.14.38	600 x 2400 Aluminium Sidelight (Safety Glass) - With Midrail	no	1	R -	R	-
11.14.39	900 x 2400 Aluminium Sidelight (Safety Glass) - With Midrail	no	1	R -	R	-

11.14.40	600 x 2100 Aluminium Sidelight (Safety Glass) - With Vents	no	1	R -	R	-
11.14.41	900 x 2100 Aluminium Sidelight (Safety Glass) - With Vents	no	1	R -	R	-
11.14.42	600 x 2400 Aluminium Sidelight (Safety Glass) - With Vents	no	1	R -	R	-
11.14.43	900 x 2400 Aluminium Sidelight (Safety Glass) - With Vents	no	1	R -	R	-
<u>ALUMINIUM WINDOWS</u>						
11.14.44	600 x 600 Aluminium Window, Code: PT66(A3) - Top Hung Casement window	no	1	R -	R	-
11.14.45	900 x 600 Aluminium Window, Code: PT96(A3) - Top Hung Casement window	no	1	R -	R	-
11.14.46	1200 x 600 Aluminium Window, Code: PT126(A3) - Top Hung Casement window	no	1	R -	R	-
11.14.47	600 x 900 Aluminium Window, Code: PT69(A3) - Top Hung Casement window	no	1	R -	R	-
11.14.48	900 x 900 Aluminium Window, Code: PT99(A3) - Top Hung Casement window	no	1	R -	R	-
11.14.49	1500 x 900 Aluminium Window, Code: PT159(A3) - Top Hung Casement window	no	1	R -	R	-
11.14.50	1800 x 1200 Aluminium Window, Code: PTT1812(A1) - Top Hung Casement window	no	1	R -	R	-
11.14.51	1800 x 1500 Aluminium Window, Code: PTT1815(A3) - Top Hung Casement window	no	1	R -	R	-
11.14.52	1800 x 1800 Aluminium Window, Code: DPTT1818(A3) - Top Hung Casement window	no	1	R -	R	-
11.14.53	2100 x 1200 Aluminium Window, Code: PTT2112(A1) - Top Hung Casement window	no	1	R -	R	-
11.14.54	2100 x 1500 Aluminium Window, Code: PTT2115(A3) - Top Hung Casement window	no	1	R -	R	-
11.14.55	2400 x 1500 Aluminium Window, Code: PTT2415(A3) - Top Hung Casement window	no	1	R -	R	-
11.14.56	2400 x 1200 Aluminium Window, Code: DPTT2412(A1) - Top Hung Casement window	no	1	R -	R	-
11.14.57	1200 x 900 Aluminium Window, Code: SH129 - Side Hung Casement window	no	1	R -	R	-
11.14.58	1500 x 900 Aluminium Window, Code: SH159 - Side Hung Casement window	no	1	R -	R	-
11.14.59	1800 x 1200 Aluminium, Code: SH1812 - Side Hung Casement window	no	1	R -	R	-

11.14.60	2100 x 1200 Aluminium, Code: SHH2112 - Side Hung Casement window	no	1	R -	R	-
11.14.61	1200 x 600 Aluminium, Code: HS126 - Horizontal Sliding window	no	1	R -	R	-
11.14.62	1200 x 900 Aluminium, Code: HS129 - Horizontal Sliding window	no	1	R -	R	-
11.14.63	1200 x 1200 Aluminium, Code: HS1212 - Horizontal Sliding window	no	1	R -	R	-
11.14.64	1800 x 600 Aluminium, Code: HS186 - Horizontal Sliding window	no	1	R -	R	-
11.14.65	1800 x 900 Aluminium, Code: HS189 - Horizontal Sliding window	no	1	R -	R	-
11.14.66	1800 x 1200 Aluminium, Code: HS1812 - Horizontal Sliding window	no	1	R -	R	-
11.14.67	2400 x 900 Aluminium, Code: HS249X - Horizontal Sliding window	no	1	R -	R	-
11.14.68	2400 x 1200 Aluminium, Code: HS2412X - Horizontal Sliding window	no	1	R -	R	-
11.14.69	900 x 900 Aluminium, Code: VS99 - Vertical Sliding window	no	1	R -	R	-
11.14.70	900 x 1200 Aluminium, Code: VS912 - Vertical Sliding window	no	1	R -	R	-
11.14.71	900 x 1500 Aluminium, Code: VS915 - Vertical Sliding window	no	1	R -	R	-
11.14.72	900 x 1800 Aluminium, Code: VS918 - Vertical Sliding window	no	1	R -	R	-
11.14.73	1200 x 1200 Aluminium, Code: VS1212 - Vertical Sliding window	no	1	R -	R	-
11.14.74	1200 x 1800 Aluminium, Code: VS1218 - Vertical Sliding window	no	1	R -	R	-
11.14.75	900 x 2100 Aluminium, Code: VS912S9 - Vertical Sliding window	no	1	R -	R	-
11.14.76	1200 x 2100 Aluminium, Code: VS1212S9 - Vertical Sliding window	no	1	R -	R	-
<u>STEEL ROLLER SHUTTERS ETC.</u>						
11.15	<u>Galvanised roller shutters fixed to brickwork or concrete</u>					
11.15.1	Manual pushup 76mm slatted roller shutter for 2440 x 2135mm high opening	no	1	R -	R	-

11.15.2	Manual pushup 76mm slatted roller shutter for 3000 x 2440mm high opening	no	1	R -	R	-
	<u>Galvanized chain operated industrial roller shutter door with 75mm slats</u>					
11.15.3	2750x2500mm High door	no	1	R -	R	-
11.16	<u>Pre-painted Chromadek roller shutters fixed to brickwork or concrete</u>					
11.16.1	Manual push-up 76mm slatted roller shutter for 2440 x 2135mm high opening	no	1	R -	R	-
11.16.2	Manual pushup 76mm slatted roller shutter for 3000 x 2440mm high opening	no	1	R -	R	-
11.16.3	Extra over manual pushup roller shutter for electrically operated complete with one transmitter and battery back-up	no	1	R -	R	-
	<u>GRILLES</u>					
11.17	<u>Aluminium grilles</u>					
11.17.1	Grille size 400 x 300mm high	no	1	R -	R	-
	<u>Mild Steel grilles</u>					
11.17.2	Grille size 400 x 300mm high	no	1	R -	R	-
11.17.2	Grille size 600 x500mm high	no	1	R -	R	-
11.21.3	Type DS1 6mm record room door with 7-lever security key lock and 3-wheel combination lock , overall size 750 x 1870mm high with a mass of 130kg finished in rustproof undercoat for final painting by contractors.	no	1	R -	R	-
11.21.4	Type DS50/2 SABS Category 2 (Light Duty) strongroom door with 2 x 7-lever security key lock and 3-wheel combination lock , overall size 760 x 1860mm high with a mass of 480kg finished in rustproof undercoat for final painting by contractors.	no	1	R -	R	-
11.17.1	Grille size 400 x 300mm high	no	1	R -	R	-
11.17.3	Grille size 600 x500mm high	no	1	R -	R	-
11.22.2	Model RMS1 SABS Category 2 dropsafe with 2 x 7-lever security key lock and one key lock on deposit drawer, overall size 450 x 450 x 700mm high with a mass of 260Kg twice holed for and including bolting to floor	no	1	R - R - R -	R R R	- - -
11.17.2	Grille size 600 x500mm high	no	1	R -	R	-

	<u>STEEL LOCKERS</u>				
11.24	<u>"Krost" or equally approved</u>				
	<u>Epoxy coated</u>				
11.24.1	18kg Single compartment unit size 1800 x 300 x 450m	no	1	R -	R -
11.24.2	19kg Two compartment unit size 1800 x 300 x 450m	no	1	R -	R -
	-				R -

Item No.	Description	Unit	Qty	Rate	Amount Excluding VAT
	<u>SCHEDULE No. 14</u>				
	<u>GLAZING</u>				
	NOTE : Tenderers are advised to study the "Model Preambles for Trades" before pricing this schedule.				
	<u>SUPPLEMENTARY PREAMBLES</u>				
	<u>GLAZING TO STEEL WITH PUTTY</u>				
14.1	<u>4mm. clear float glass</u>				
14.1.1	4mm Glass	m ²	1	-	-
14.1.2	4mm Glass in cottage sashes	m ²	1	-	-
14.1.3	4mm Glass in shapes other than rectangular	m ²	1	-	-
14.2	<u>4mm. patterned glass</u>				
14.2.1	4mm Glass	m ²	1	-	-
14.2.2	4mm Glass in cottage sashes	m ²	1	-	-
14.2.3	4mm Glass in shapes other than rectangular	m ²	1	-	-
14.3	<u>6.38mm clear toughened safety glass</u>				
14.3.1	6.38mm Glass	m ²	1	-	-

14.3.2	6.38mm Glass in shapes other than rectangular	m ²	1	-	-
	<u>GLAZING TO WOOD WITH PINNED ON BEADS (BEADS MEASURED ELSEWHERE)</u>				
14.4	<u>4mm. clear float glass</u>				
14.4.1	4mm Glass	m ²	1	-	-
14.4.2	4mm Glass in cottage sashes	m ²	1	-	-
14.4.3	4mm Glass in shapes other than rectangular	m ²	1	-	-
14.5	<u>4mm. patterned glass</u>				
14.5.1	4mm Glass	m ²	1	-	-
14.5.2	4mm Glass in cottage sashes	m ²	1	-	-
14.5.3	4mm Glass in shapes other than rectangular	m ²	1	-	-
14.6	<u>6.38mm clear toughened safety glass</u>				
14.6.1	6.38mm Glass	m ²	1	-	-
14.6.2	6.38mm Glass in shapes other than rectangular	m ²	1	-	-
	<u>GLAZING TO ALUMINIUM WITH CLIP ON BEADS (BEADS MEASURED ELSEWHERE)</u>				
14.7	<u>4mm. clear float glass</u>				
14.7.1	4mm Glass	m ²	1	-	-
14.7.2	4mm Glass in cottage sashes	m ²	1	-	-
14.7.3	4mm Glass in shapes other than rectangular	m ²	1	-	-
14.8	<u>4mm. patterned glass</u>				
14.8.1	4mm Glass	m ²	1	-	-
14.8.2	4mm Glass in cottage sashes	m ²	1	-	-
14.8.3	4mm Glass in shapes other than rectangular	m ²	1	-	-
14.9	<u>6.38mm clear toughened safety glass</u>				

14.9.1	6.38mm Glass	m ²	1	-	-
14.9.2	6.38mm Glass in shapes other than rectangular	m ²	1	-	-
	<u>GLASS LOUVRE BLADES</u>				
14.10	<u>6mm Clear Glass Louvre Blades</u>				
14.10.1	Louvre blades not exceeding 150mm wide with polished edges	m	1	-	-
	<u>GLASS IN TOPS, SHELVES, DOORS, MIRRORS, ETC.</u>				
14.11	<u>5mm Silvered float glass copper backed mirrors with polished edges holed for and fixed with chromium plated dome capped mirror screws with rubber buffers to plugs in brickwork or concrete</u>				
14.11.1	Mirror 300 x 300mm high with four screws	no	1	-	-
14.11.2	Mirror 400 x 400mm high with four screws	no	1	-	-
14.11.3	Mirror 400 x 600mm high with four screws	no	1	-	-
14.11.4	Mirror size 400 x 600mm and screw fixing in recess to match existing	m ²	1	-	-
14.12	<u>5mm Silvered float glass copper backed mirrors with 10mm bevelled and polished edges holed for and fixed with chromium plated dome capped mirror screws with rubber buffers to plugs in brickwork or concrete</u>				
14.12.1	Mirror 300 x 300mm high with four screws	no	1	-	-
14.12.2	Mirror 400 x 400mm high with four screws	no	1	-	-
14.12.3	Mirror 400 x 600mm high with four screws	no	1	-	-
14.12.4	Mirror size and screw fixing in recess to match existing	m ²	1	-	-
	<u>Sundries</u>				
14.13	<u>Sandblasting</u>				
14.13.1	To glazing	m ²	1	-	-
14.14	<u>Vinyl films and tinting</u>				
14.14.1	Vinyl film to glazing	m ²	1	-	-

14.14.2	Vinyl film including materials to glazing	m ²	1	-	-
14.15	<u>Awnings</u>				
14.15.1	Vinyl tinted awning including frame fixed to walls, concrete, wood, etc not exceeding 1200mm length	no	1	-	-
14.15.2	Vinyl tinted awning including frame fixed to walls, concrete, wood, etc exceeding 1200mm and not exceeding 2400mm length	no	1	-	-
					0.00

Item No.	Description	Unit	Qty	JULY 2024 Rate	Amount Excluding VAT
	<u>SCHEDULE No. 18</u>				
	<u>MISCELLANEOUS CHARGERS - GENERAL BUILDING ITEMS</u>				
	<u>SUPPLEMENTARY PREAMBLES</u>				
	General building services will be carried out at the discretion of The City of Johannesburg's Department Head and Project Managers.				
	Where general building services are required, and the value can not be ascertained in terms of the rates provided by the contractor in Schedules No. 1 to 17, this work will be executed in terms of the contract based on the rates hereunder.				
	<u>LABOUR RATES - LIMITED TO BILL NO.16 (For new items with no rates)</u>				
	GENERAL BUILDING				
18.2.	<u>Normal hours</u>				
18.2.1	General Labour (R00 per day)	hr	1	-	0.00
18.2.2	Semi Skilled (R00 per day)	hr	1	-	0.00
18.2.3	Artisan (R00 per day)	hr	1	-	0.00
18.2.4	Site Supervisor (R00 per day)	hr	1	-	0.00
18.3.	<u>After normal hours and Saturdays</u>				

18.3.1	General Labour	hr	1	-	0.00
18.3.2	Semi Skilled	hr	1	-	0.00
18.3.3	Artisan	hr	1	-	0.00
18.3.4	Contracts Manager	hr	1	-	0.00
18.4.	<u>Extra over - Sundays and holidays (for eight hour shift)</u>				
18.4.1	General Labour	hr	1	-	0.00
18.4.2	Semi Skilled	hr	1	-	0.00
18.4.3	Artisan	hr	1	-	0.00
18.4.4	Contracts Manager	hr	1	-	0.00
18.6.	SCAFFOLDING (To be used as directed by the Project Manager and to be deducted in whole or in part if not required)				
18.6.1	Scaffolding exceeding 3.6m high and not exceeding 10m wide in normal areas, 1-storey	day	1	-	0.00
18.6.2	Scaffolding exceeding 3.6m high and not exceeding 3m wide in confined areas, 1-storey	day	1	-	0.00
18.6.3	Scaffolding not exceeding 8m high not exceeding 10m wide (Single Tower) in normal areas, 2-storey	day	1	-	0.00
18.6.4	Scaffolding not exceeding 8m high not exceeding 3m wide (Single Tower) in confined/restricted areas, 2-storey	day	1	-	0.00
18.6.5	Scaffolding exceeding 12m high and exceeding 10m wide in normal areas 3- storey	day	1	-	0.00
18.6.6	Scaffolding exceeding 12m high and exceeding 10m wide in normal areas - 3-storey	day	1	-	0.00
18.6.7	Scaffolding exceeding 16m high not exceeding 10m wide in normal areas, 4-storey	day	1	-	0.00
18.6.8	Scaffolding exceeding 20m high not exceeding 10m wide in normal areas, 5-storey	day	1	-	0.00
18.6.9	Scaffolding exceeding 24m high not exceeding 10m wide in normal areas, 5-storey	day	1	-	0.00
18.6.10	Scaffolding exceeding 28m high not exceeding 10m wide in normal areas, 6-storey	day	1	-	0.00
18.6.11	Scaffolding exceeding 32m high not exceeding 10m wide in normal areas, 7-storey	day	1	-	0.00
18.6.12	Scaffolding exceeding 36m high not exceeding 10m wide in normal areas, 8-storey	day	1	-	0.00

Note: **The above quotation will be evaluated on sub-total and please note that it must be valid for Ninety (90) days. The JRA will consider this pricing schedule only. Suppliers that submit quotations printed on their letterheads and own terms and conditions will be disqualified as these quotations will be considered as being conditional.**

Note: All costs must be included in the bid price

Name of Bidder:

Designation.....

Signature:

Date:

2. Plant / Equipment

Provide information on plant / equipment that you have available for this project. Attach details if the space provided is not enough.

Description: Owned Plant / Equipment	Number of units
N/A	

3. SCHEDULE OF BIDDERS' EXPERIENCE

The following is a statement of similar work successfully executed by myself / ourselves:

No	Name of Organisation	Description of contract	Contact person and telephone number	Contract Value (VAT Excl)
1			Name: Tel No:	
2			Name: Tel No:	
3			Name: Tel No:	
4			Name: Tel No:	
5			Name: Tel No:	
6			Name: Tel No:	
7			Name: Tel No:	
8			Name: Tel No:	
9			Name: Tel No:	
10			Name: Tel No:	



**City of Johannesburg
Johannesburg Roads Agency**

75 Helen Joseph Street
Cnr. Harrison Street
Johannesburg
2001

P/Bag X70
Braamfontain
South Africa
2017

Tel +27 (0) 11 298 5000
Fax +27 (0) 11 298 5178
www.jra.org.za
www.joburg.org.za

Chairman: Vacant

Executive Directors - Chief Executive Officer: Z Nyathi - **Chief Financial Officer:** L Mashau

Non-Executive Directors: A Francis, Dr. R Govender, K Mofokeng, V Mamogobo, S Kleinboo, S Mtamzeli, C Lourens, T Goldsmith, D Nyamazane, Z Xaba, B Nimmerhoudt

Company Secretary: P Majola

Registration No. 2000/028993/30

Annex C

SATS 1286.2011

Local Content Declaration - Summary Schedule

(C1)	Tender No.	RFQ 004-2025
(C2)	Tender description:	PROCUREMENT OF LOCKSMITH SERVICES
(C3)	Designated product(s)	
(C4)	Tender Authority:	
(C5)	Tendering Entity name:	
(C6)	Tender Exchange Rate:	Pula EU GBP
(C7)	Specified local content %	100%

Note: VAT to be excluded from all calculations

Tender item no's	List of items	Calculation of local content						Tender summary			
		Tender price - each (excl VAT)	Exempted imported value	Tender value net of exempted imported content	Imported value	Local value	Local content % (per item)	Tender Qty	Total tender value	Total exempted imported content	Total imported content
(C8)	(C9)	(C10)	(C11)	(C12)	(C13)	(C14)	(C15)	(C16)	(C17)	(C18)	(C19)
1	50 x 76 x 3.5mm Hollow section framing						100%				
2	Extra over 50 x 76mm hollow section for mitred and welded L-intersection						100%				
3	Hole through 50 x 76mm hollow section						100%				
4	100mm M10 expansion bolt in brickwork						100%				
5	Single gate 810 x 2066mm high of 50 x 50 x2.5mm hollow section frame and two 50 x 50 x 2.5mm hollow section horizontal middle rails filled in with 20mm diameter solid vertical round bars at 89mm centres framed through middle rails						100%				
6	Double gate with two single leaves 1620 x 2066mm high of 50 x 50 x2.5mm hollow section frame and two 50 x 50 x 2.5mm hollow section horizontal middle						100%				
7	Steel wire expanded mesh burglar proofing not exceeding 1,0m² bolted to brickwork						100%				
8	Steel wire mesh burglar proofing exceeding 2,0m² and not exceeding 3,0m² bolted to brickwork						100%				
9	Steel round, square, etc burglar proofing not exceeding 1,0m² bolted to brickwork						100%				
10	Steel round, square, etc burglar proofing exceeding 1,0m² and not exceeding 2,0m² bolted to brickwork						100%				
11	Steel round, square, etc burglar proofing exceeding 2,0m² and not exceeding 3,0m² bolted to brickwork						100%				
12	Steel round, square, etc burglar proofing not exceeding 1,0m² welded to brickwork						100%				
13	Steel round, square, etc burglar proofing exceeding 1,0m² and not exceeding 2,0m² welded to brickwork						100%				
14	Steel round, square, etc burglar proofing exceeding 2,0m² and not exceeding 3,0m² welded to brickwork						100%				
15	Steel round, square, etc burglar proofing, perimeter fencing, 1800mm high welded to steel						100%				
16	Steel round, square, etc burglar proofing, perimeter fencing, 2100mm high welded to steel						100%				
17	Security "slamlock" gate size 900 x 2032mm high						100%				
18	Security "slamlock" gate size 1150 x 2032mm high						100%				
19	Security "slamlock" gate size 1300 x 2032mm high						100%				
20	Security screen to openings not exceeding 5m2						100%				
21	Security screen to openings exceeding 5m2 not exceeding 10m2						100%				
22	Single gate 810 x 2066mm high of 50 x 50 x2.5mm hollow section frame and two 50 x 50 x 2.5mm hollow section horizontal middle rails filled in with 20mm						100%				
23	Double gate with two single leaves 1620 x 2066mm high of 50 x 50 x2.5mm hol						100%				
24	Burglar proofing 2066mm high of 50 x 50 x2.5mm hollow section frame and two						100%				
25	Steel wire mesh burglar proofing						100%				
26	Frame for door size 762 x 2032mm. high						100%				
27	Frame for door size 813 x 2032mm. high						100%				
28	Frame for door size 900 x 2032mm. high						100%				
29	Frame for double door size 1359 x 2032mm. high						100%				
30	Frame for double door size 1511 x 2032mm. high						100%				
31	Frame for double door size 1613 x 2032mm. high						100%				
32	Frame for door size 762 x 2032mm. high						100%				
33	Frame for door size 813 x 2032mm. high						100%				
34	Frame for door size 900 x 2032mm. high						100%				

		35	Frame for double door size 1359 x 2032mm. high						100%					
		36	Frame for double door size 1511 x 2032mm. high						100%					
		37	Frame for double door size 1613 x 2032mm. high						100%					
		38	Frame for door size 762 x 2032mm. high						100%					
		39	Frame for door size 1511 x 2032mm. high						100%					
		40	Window type NE1 size 533 x 654mm. high						100%					
		41	Window type NE2 size 1022 x 654mm. high						100%					
		42	Window type NE4 size 1511 x 654mm. high						100%					
		43	Window type NE11 size 2000 x 654mm. high						100%					
		44	Window type E1H size 533 x 654mm. high						100%					
		45	Window type E4H size 1511 x 654mm. high						100%					
		46	Window type E22 size 2000 x 654mm. high						100%					
		47	Window type NC1 size 533 x 949mm. high						100%					
		48	Window type NC2 size 1022 x 949mm. high						100%					
		49	Window type NC4 size 1511 x 949mm. high						100%					
		50	Window type NC11 size 2000 x 949mm. high						100%					
		51	Window type C1H size 533 x 949mm. high						100%					
		52	Window type C2H size 1022 x 949mm. high						100%					
		53	Window type C4H size 1511 x 949mm. high						100%					
		54	Window type ND1 size 533 x 1245mm. high						100%					
		55	Window type ND2 size 1022 x 1245mm. high						100%					
		56	Window type ND4 size 1511 x 1245mm. high						100%					
		57	Window type ND11 size 2000 x 1245mm. high						100%					
		58	Window type D1H size 533 x 1245mm. High						100%					
		59	Window type D2H size 1022 x 1245mm. high						100%					
		60	Window type D4H size 1511 x 1245mm. high						100%					
		61	Window type NCT1S size 533 x 949mm. high						100%					
		62	Window type NCTX7S size 1022 x 949mm. high						100%					
		63	Window type NCTX7S5 size 1511 x 949mm. high						100%					
		64	Window type TD7 size 1022 x 1245mm. high						100%					
		65	Window type TD7S size 1511 x 1245mm. high						100%					
		66	Window type TD57S8 size 2000 x 1559mm. high						100%					
		67	Sidelight Type NSDAS, 800 x 2134mm high						100%					
		68	Door Type NDAS, 800 x 2134mm high						100%					
		69	Double door Type NDDA, 1524 x 2134mm high						100%					
		70	Sidelight Type SDASH, 800 x 2134mm high						100%					
		71	Door Type DASH, 800 x 2134mm high						100%					
		72	Double door Type DDAH, 1524 x 2134mm high						100%					
		73	Door and frame size 813 x 2032mm. high						100%					
		74	Door and frame size 1626 x 2032mm. high						100%					
		75	4500-4800 x 2100mm Aluminium Folding door (Toughened Safety Glass) - 5+1 Panel						100%					
		76	4500-4800 x 2700mm Aluminium Folding door (Toughened Safety Glass) - 5+1 Panel						100%					
		77	5400-5700 x 2100mm Aluminium Folding door (Toughened Safety Glass) - 5+1 Panel						100%					
		78	5400-5700 x 2700mm Aluminium Folding door (Toughened Safety Glass) - 5+1 Panel						100%					
		79	5400-5700 x 2100mm Aluminium Folding door (Toughened Safety Glass) - 5+5 Panel						100%					
		80	5400-5700 x 2700mm Aluminium Folding door (Toughened Safety Glass) - 5+5 Panel						100%					

		81	6300-6600 x 2100mm Aluminium Folding door (Toughened Safety Glass) - 5+5 Panel						100%								
		82	6300-6600 x 2700mm Aluminium Folding door (Toughened Safety Glass) - 5+5 Panel						100%								
		83	1800 x 2100 Aluminium sliding door (Standard 5mm glass) - Double Leaf						100%								
		84	2400 x 2100 Aluminium sliding door (Standard 5mm glass) - Double Leaf						100%								
		85	3000 x 2100 Aluminium sliding door (Standard 5mm glass) - Double Leaf						100%								
		86	1800 x 2400 Aluminium sliding door (Safety glass) - Double Leaf						100%								
		87	2400 x 2400 Aluminium sliding door (Safety glass) - Double Leaf						100%								
		88	3000 x 2400 Aluminium sliding door (Safety glass) - Double leaf						100%								
		89	3600 x 2400 Aluminium sliding door (Safety glass) - Four Leaf						100%								
		90	4200 x 2400 Aluminium sliding door (Safety glass) - Four Leaf						100%								
		91	6000 x 2400 Aluminium sliding door (Safety glass) - Four leaf						100%								
		92	900 x 2100 Aluminium Single Door (Safety Glass) - Single leaf						100%								
		93	1800 x 2100 Aluminium Doublee Door (Safety Glass) - Double leaf						100%								
		94	900 x 2400 Aluminium Single Door (Safety Glass) - Single leaf						100%								
		95	1800 x 2400 Aluminium Double Door (Safety Glass) - Double leaf						100%								
		96	900 x 2100 Aluminium Hinge Door (Safety Glass) - Single leaf						100%								
		97	1800 x 2100 Aluminium Hinge Double Door (Safety Glass) - Double leaf						100%								
		98	900 x 2400 Aluminium Hinge Door (Safety Glass) - Single leaf						100%								
		99	1800 x 2400 Aluminium Hinge Double Door (Safety Glass) - Double leaf						100%								
		100	600 x 2100 Aluminium Sidelight (Safety Glass) - Large Pane						100%								
		101	900 x 2100 Aluminium Sidelight (Safety Glass) - Large Pane						100%								
		102	600 x 2400 Aluminium Sidelight (Safety Glass) - Large Pane						100%								
		103	900 x 2400 Aluminium Sidelight (Safety Glass) - Large Pane						100%								
		104	600 x 2100 Aluminium Sidelight (Safety Glass) - With Midrail						100%								
		105	900 x 2100 Aluminium Sidelight (Safety Glass) - With Midrail						100%								
		106	600 x 2400 Aluminium Sidelight (Safety Glass) - With Midrail						100%								
		107	900 x 2400 Aluminium Sidelight (Safety Glass) - With Midrail						100%								
		108	600 x 2100 Aluminium Sidelight (Safety Glass) - With Vents						100%								
		109	900 x 2100 Aluminium Sidelight (Safety Glass) - With Vents						100%								

DOWNLOADABLE

110	600 x 2400 Aluminium Sidelight (Safety Glass) - With Vents						100%						
111	900 x2400 aluminium sidelight(safety glass) with vents						100%						
112	600 x 600 Aluminium Window, Code: PT66(A3) - Top Hung Casement window						100%						
113	900 x 600 Aluminium Window, Code: PT96(A3) - Top Hung Casement window						100%						
114	1200 x 600 Aluminium Window, Code: PT126(A3) - Top Hung Casement window						100%						
115	600 x 900 Aluminium Window, Code: PT69(A3) - Top Hung Casement window						100%						
116	900 x 900 Aluminium Window, Code: PT99(A3) - Top Hung Casement window						100%						
117	1500 x 900 Aluminium Window, Code: PT159(A3) - Top Hung Casement window						100%						
118	1800 x 1200 Aluminium Window, Code: PTT1812(A1) - Top Hung Casement window						100%						
119	1800 x 1500 Aluminium Window, Code: PTT1815(A3) - Top Hung Casement window						100%						
121	1800 x 1800 Aluminium Window, Code: DPTT1818(A3) - Top Hung Casement window						100%						
122	2100 x 1200 Aluminium Window, Code: PTT2112(A1) - Top Hung Casement window						100%						
123	2100 x 1500 Aluminium Window, Code: PTT2115(A3) - Top Hung Casement window						100%						
124	2400 x 1500 Aluminium Window, Code: PTT2415(A3) - Top Hung Casement window						100%						
125	2400 x 1200 Aluminium Window, Code: DPTT2412(A1) - Top Hung Casement window						100%						
126	1200 x 900 Aluminium Window, Code: SH129 - Side Hung Casement window						100%						
127	1500 x 900 Aluminium Window, Code: SH159 - Side Hung Casement window						100%						
128	1800 x 1200 Aluminium, Code: SH1812 - Side Hung Casement window						100%						
129	2100 x 1200 Aluminium, Code: SHH2112 - Side Hung Casement window						100%						
130	1200 x 600 Aluminium, Code: HS126 - Horizontal Sliding window						100%						
131	1200 x 900 Aluminium, Code: HS129 - Horizontal Sliding window						100%						
132	1200 x 1200 Aluminium, Code: HS1212 - Horizontal Sliding window						100%						
133	1800 x 600 Aluminium, Code: HS186 - Horizontal Sliding window						100%						
134	1800 x 900 Aluminium, Code: HS189 - Horizontal Sliding window						100%						
135	1800 x 1200 Aluminium, Code: HS1812 - Horizontal Sliding window						100%						
136	2400 x900 aluminium code hs249x Horizontal sliding window						100%						
137	2400 x 1200 Aluminium, Code: HS2412X - Horizontal Sliding window						100%						

138	900 x 900 Aluminium, Code: VS99 - Vertical Sliding window						100%					
139	900 x 1200 Aluminium, Code: VS912 - Vertical Sliding window						100%					
140	900 x 1500 Aluminium, Code: VS915 - Vertical Sliding window						100%					
141	900 x 1800 Aluminium, Code: VS918 - Vertical Sliding window						100%					
142	1200 x 1200 Aluminium, Code: VS1212 - Vertical Sliding window						100%					
143	1200 x 1800 Aluminium, Code: VS1218 - Vertical Sliding window						100%					
144	900 x 2100 Aluminium, Code: VS912S9 - Vertical Sliding window						100%					
145	1200 x 2100 Aluminium, Code: VS1212S9 - Vertical Sliding window						100%					
146	Manual pushup 76mm slatted roller shutter for 2440 x 2135mm high opening						100%					
147	Manual pushup 76mm slatted roller shutter for 3000 x 2440mm high opening						100%					
148	Galvanized chain operated industrial roller shutter door with 75mm slats						100%					
149	2750x2500mm High door						100%					
150	Pre-painted Chromadek roller shutters fixed to brickwork or concrete						100%					
151	Manual push-up 76mm slatted roller shutter for 2440 x 2135mm high opening						100%					
152	Manual pushup 76mm slatted roller shutter for 3000 x 2440mm high opening						100%					
153	Extra over manual pushup roller shutter for electrically operated complete with one transmitter and battery back-up						100%					
154	Grille size 400 x 300mm high						100%					
155	Mild Steel grilles						100%					
156	Grille size 400 x 300mm high						100%					

(D1)	Tender No.			
(D2)	Tender description:			
(D3)	Designated Products:			
(D4)	Tender Authority:			
(D5)	Tendering Entity name:			
(D6)	Tender Exchange Rate:	Pula		EU

A. Exempted imported content

Summary

(D19)	Total exempt imported value
-------	-----------------------------

Calculation of imported content

Summary

(D32) Total imported value by tenderer

Calculation of imported content

Summary

(D45) Total imported value by 3rd party

Summary of payments

Local value of payments

Date:

Annex E

Local Content Declaration - Supporting Schedule to Annex C

(E1) Tender No.
 (E2) Tender description:
 (E3) Designated products:
 (E4) Tender Authority:
 (E5) Tendering Entity name:

Note: VAT to be excluded from all calculations

Local Products (Goods, Services and Works)	Description of items purchased	Local suppliers	Value
	(E6)	(E7)	(E8)
1			
2			
3			
4			
(E9) Total local products (Goods, Services and Works)			

(E10) **Manpower costs** (Tenderer's manpower cost)

(E11) **Factory overheads** (Rental, depreciation & amortisation, utility costs, consumables etc.)

(E12) **Administration overheads and mark-up** (Marketing, insurance, financing, interest etc.)

(E13) Total local content

This total must correspond with Annex C - C24

Signature of tenderer from Annex B

Date: