

Title: Surveying of Phosphoric acid vessels and tanks

MANDATORY REQUIREMENTS

Bid submission not meeting the mandatory requirements will result in the bid being disqualified.

No.	Mandatory Requirement	Comments
1	Registration by TNPA to operate within Port of Richards Bay; Public Liability Insurance Cover, Workman Compensation	Submit Proof of Registration by TNPA to operate in Port of Richards Bay, proof of Public Liability Insurance Cover, Proof of Workman Compensation
2	Locality - The supplier's operations team must be based in or around Umhlathuze Municipality or commitment to an office to be set up by the Company awarded the tender.	Submit Proof of business address within the Umhlathuze Municipality or proof once awarded the Tender of the office to be set up

TECHNICAL REQUIREMENTS

Evaluation Criteria (Technical)				
Ammonia testing and survey contract				
No.	Technical Criteria Description	% Contribution	Proof/Documents to be submitted	
1				
a)	Tender returnable documentation submitted for technical evaluation. <i>Scoring:</i> Yes = 25% No = 0%	20%	As per Scope under Essential criteria: Proof of Registration by TNPA to operate within the Port of Richards Bay; Public Liability Insurance Cover; Workman Compensation.	
b)	A detailed breakdown of the schedule of rates per ton <i>Scoring:</i> Yes = 25% No = 0%	20%	Provide priced bill as per Foskor issued format.	
2				
	Locality - The supplier's operations team must be based in or around Umhlathuze Municipality			
a)	Turnaround/ response time plan provided in terms of supplying survey services: <i>Established office in or around Umhlathuze Municipality: less than 1 hr: 10%</i> <i>No established office in Umhlathuze Municipality Scoring: More than 2 hrs: 0%</i>	10%	Proof of business address and response time plan of within 1 hour from request of surveying services. Alternatively proof of planned office set if awarded the tender.	
3				
	Competence - Supplier experience & team competence			
a)	Supplier previous experience in Surveying of Phosphoric Acid vessels and tank dip services <i>Scoring:</i> More than 5 years : 20% Between 3-5 years : 10% Less than 2 years : 5%	20%	Signed reference letter from previous, current or continual surveying services rendered	
b)	Company compliant with acceptable and best practices for the execution of works <i>Scoring:</i> Yes: 30% No: 0%	30%	Proof of qualification, training and experience as a Maritime surveyor. Safety Inducted the Port of Richards Bay. The contractor shall comply with the OHS ACT (act 85 of 1993),	
NOTE: Minimum Scoring to add to 70/100 in total		Total Technical Score:	100%	
DISQUALIFICATION CRITERIA **				
1 Mandatory documentation not submitted.				
2 Incomplete breakdown of scheduled rates per ton				