



CONTRACT NO: CDC/290/24

**FRAMEWORK AGREEMENTS FOR GENERAL BUILDING WORKS FOR
VARIOUS INFRASTRUCTURE PROJECTS
THROUGHOUT SOUTH AFRICA**

ADDENDUM NO. 2

17 SEPTEMBER 2024

Issued by: COEGA DEVELOPMENT CORPORATION (PTY) LTD
Coega Business Centre
CNR Alcyon Rd and Zibuko Street
Zone 1, Coega SEZ
Port Elizabeth, 6000

E-Mail: frameworktenders@coega.co.za
Web Site: www.coega.com

Date issued 17 September 2024

Acknowledgement of Receipt:

I hereby acknowledge the receipt of Addendum No. 1 consisting of two (2) pages including this cover page.

Name of Company: _____

Name of Recipient: _____

Signature of Recipient: _____

Date Received: _____

The Service Provider is required to sign this receipt slip and send the copy to Coega Development Corporation to frameworktenders@coega.co.za. The original is to accompany the submission.

Please note the following amendments to the RFP Document:

In the absence of the designs and drawings, the following has been considered:

No	Issue	Addendum
	Remove (On page 41, Item 28-32)	ADD: (On page 41, Item 28-32)
28	Roof construction to double pitched roof on plan not exceeding 250 pitch, including trusses, jack rafters, permanent bracing and 50 x 76mm purlins at 1000mm centres for roof covering (wall plates elsewhere measured).	152 x 76mm Grade 7 S.A. pine top and bottom chord.
29	Roof construction to double pitched roof plan exceeding 250 pitch, including trusses, jack rafters, permanent bracing and 50 x 76mm purlins at 1000mm centres for roof covering (wall plates elsewhere measured).	76 x 50mm Grade 7 S.A. pine purlins.
30	Roof construction to mono pitched roof plan not exceeding 250 pitch, including trusses, permanent bracing and 50 x 76mm purlins at 1000mm centres for roof covering (wall plates elsewhere measured).	114 x 38mm Grade 7 S.A. pine diagonals.
31	Roof construction to mono pitched roof plan exceeding 250 pitch, including trusses, permanent bracing and 50 x 76mm purlins at 1000mm centres for roof covering (wall plates elsewhere measured).	114 x 38mm Grade 7 S.A. pine verticals.
32	Allow for bracing, cross bracing, connecting clips, fixing brackets, hurricane clips, etc., as required for fixing in position of roof trusses as described in accordance with the manufacturer's instructions.	