

SPEC SHEET

SAP MATERIAL No.:	0168611
SHORT DESCRIPTION:	KIOSK METER:1PH ;16 KVA ;EMPTY
TECH. DESCRIPTION:	
KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 16 KVA; TYPE: EMPTY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY - C35 TO SANS 1091; STANDARD: ESKOM: 240-76628293; EMPTY METER KIOSK FOR SINGLE PHASE SMALL POWER USERS ; FITTED WITH DIN RAIL AND EARTH STUD; INDELIBLE MFNRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1004; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	

SAP MATERIAL No.:	0168866
SHORT DESCRIPTION:	KIOSK METER:1PH ;10 KVA ;SPU
TECH. DESCRIPTION:	
KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 10 KVA; TYPE: SPU; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY - C35 TO SANS 1091; STANDARD: ESKOM: 240-76628293; FOR 10KVA SMALL POWER USERS; FULLY FITTED WITH ONE APPROVED 80A SINGLE PHASE METER SEALED; CALIBRATED WITH CALIBRATION STICKER AFFIXED ON METER; 40A SINGLE POLE MINIATURE CIRCUIT BREAKER CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); WIRING AND TERMINALS AS PER D-1004; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1004; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	

SAP MATERIAL No.:	0168580
SHORT DESCRIPTION:	KIOSK METER:1PH;16 KVA;SPU
TECH. DESCRIPTION:	
KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 16 KVA; TYPE: SPU; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY - C35 TO SANS 1091; STANDARD: ESKOM: 240-76628293; FOR 16KVA SMALL POWER USERS; FULLY FITTED WITH ONE APPROVED 80A SINGLE PHASE METER SEALED, CALIBRATED WITH CALIBRATION STICKER AFFIXED ON METER; 80A SINGLE POLE MINIATURE CIRCUIT BREAKER CURVE 1 WITH NO EXPOSED LIVE PARTS (TOUCH SAFE); WIRING AND TERMINALS AS PER D-DT-1004; INDELIBLE MFNRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1004; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	

ITEM	:-	KIOSK METER 10/16kVA 1 PH SPU
MATERIAL SPECIFICATION	:-	
CORROSION SPECIFICATION	:-	240-98195962
STANDARD SPECIFICATION	:-	
ESKOM SPECIFICATION	:-	240-76628293, D-DT-1002, 1003, 1004

TEST & CERTIFICATION REQUIREMENTS :-					
INSPECTION	Yes	No	ESKOM RELEASE NOTE	Yes	No

IDENTIFICATION:- INDELIBLE MANUFACTURES TRADEMARK & PART No. ON ALL ITEMS



16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023	
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841, 0714884 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022	
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021	

REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE	REF. DWGS		
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	SCALE		D-DT-3236				
CHKD:	HPD GROENEWALD	DATE:	01.07.2004	NTS					SAP No:	
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004	CAD REF:					0168611	
				SERIES 3000		0168866		0168580		
				FILE No:		SET	SHEET	REV		
				3236		40	1	16		



SPEC SHEET

SAP MATERIAL No.:	0713649								
SHORT DESCRIPTION:	KSK MTR:1PH,10 KVA,SPU NO METER								
TECH. DESCRIPTION:	KIOSK METER: PHASE: 1PH; SUPPLY: 10 KVA; TYPE: SPU NO METER; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY – C35 TO SANS 1091; SPECIFICATION: ESKOM 240-76628293; DRAWING NO: DDT 3236; MNFR DRG: DDT 1004; FOR 10KVA SMALL POWER USERS; FULLY FITTED WITH ONE 40A SINGLE POLE MINIATURE CIRCUIT BREAKER CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); SURGE ARRESTOR; WIRING AND TERMINALS AS PER D-1004; EXCLUDING METER; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS								
SAP MATERIAL No.:	0713711								
SHORT DESCRIPTION:	KSK MTR:1PH,16 KVA,SPU NO METER								
TECH. DESCRIPTION:	KIOSK METER: PHASE: 1PH; SUPPLY: 16 KVA; TYPE: SPU NO METER; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY – C35 TO SANS 1091; SPECIFICATION: ESKOM 240-76628293; STANDARD: ESKOM: 240-76628293; DRAWING NO: DDT 3236, REV DDT 1004; MNFR DRG: DDT 1004; FOR 16KVA SMALL POWER USERS; FULLY FITTED WITH ONE 80A SINGLE POLE MINIATURE CIRCUIT BREAKER CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); SURGE ARRESTOR; WIRING AND TERMINALS AS PER D-1004; EXCLUDING METER; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS.								
SAP MATERIAL No.:	0168612								
SHORT DESCRIPTION:	KIOSK METER:3PH;25 KVA;EMPTY								
TECH. DESCRIPTION:	KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 25 KVA; TYPE: EMPTY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76628293; EMPTY KIOSK FOR 25 AND 50 KVA SMALL POWER USERS; FITTED WITH INNER PLATE, DIN RAIL AND EARTH STUD; INDELIBLE MFNRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1002; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).								
SAP MATERIAL No.:	0168867								
SHORT DESCRIPTION:	KIOSK METER:3PH ;25 KVA ;SPU								
TECH. DESCRIPTION:	KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 25 KVA; TYPE: SPU; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76628293; FOR 25KVA SMALL POWER USERS; FULLY FITTED WITH ONE APPROVED THREE PHASE 100A METER; SEALED AND CALIBRATED WITH CALIBRATION CERTIFICATE STICKER AFFIXED ON METER; 40 AMP THREE POLE CIRCUIT BREAKER CURVE 1 WITH NO EXPOSED LIVE PARTS (TOUCH SAFE); WIRING AND TERMINALS AS PER, D-1002; INDELIBLE MFNRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1002; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).								
16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK			JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023	<i>Aditya</i>	
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.			JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022		
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.			JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021		
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE	REF. DWGS	
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	 D-DT-3236		SAP No:			
CHKD:	HPD GROENEWALD	DATE:	01.07.2004			0713649, 0713711,		0168612, 0168867	
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004			SET	SHEET	REV	
				SCALE NTS		40	2	16	
				CAD REF: SERIES 3000					
				FILE No: 3236					

SPEC SHEET



SAP MATERIAL No.:	0168758								
SHORT DESCRIPTION:	KIOSK METER:3PH ;50 KVA ;SPU								
TECH. DESCRIPTION:	<p>KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 50 KVA; TYPE: SPU; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY - C35 TO SANS 1091; STANDARD: ESKOM: 240-76628293; FOR 50KVA SMALL POWER USERS; FULLY FITTED WITH ONE APPROVED 100A THREE PHASE METER SEALED; CALIBRATED WITH CALIBRATION STICKER AFFIXED ON METER; 80A THREE POLE MINIATURE CIRCUIT BREAKER CURVE 1 WITH NO EXPOSED LIVE PARTS (TOUCH SAFE); WIRING AND TERMINALS AS PER D-1002; INDELIBLE MFNRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1002; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>								
SAP MATERIAL No.:	0182382								
SHORT DESCRIPTION:	KIOSK METER:3PH ;25 KVA ;RURAFLEX								
TECH. DESCRIPTION:	<p>KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 25 KVA; TYPE: RURAFLEX; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; SPECIFICATION: ESKOM: 240-76628293; FOR 25KVA SMALL POWER USER RURAFLEX TARIFF; FULLY FITTED WITH 40A THREE POLE MINIATURE CIRCUIT BREAKER CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); WIRING AND TERMINALS AS PER D-1002; WITHOUT METER; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D3236; MNFR DRG: D-1002; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>								
SAP MATERIAL No.:	0182383								
SHORT DESCRIPTION:	KIOSK METER:3PH ;50 KVA ;RURA FLEX								
TECH. DESCRIPTION:	<p>KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 50 KVA; TYPE: RURA FLEX; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY-C35 SANS 1091; STANDARD: ESKOM: 240-76628293; FOR 50KVA SMALL POWER USER RURAFLEX TARIFF; FULLY FITTED WITH 80A THREE POLE MINIATURE CIRCUIT BREAKER CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); WIRING AND TERMINALS AS PER D-1002; WITHOUT METER; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1002; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>								
SAP MATERIAL No.:	0206261								
SHORT DESCRIPTION:	KIOSK METER:3PH ;25-50 KVA ;PREPAY								
TECH. DESCRIPTION:	<p>KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 25-50 KVA; TYPE: PREPAY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76628293; FOR 25 AND 50KVA PREPAYMENT CUSTOMERS; FULLY FITTED WITH 80A THREE POLE MINIATURE CIRCUIT BREAKER CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); WIRING AND TERMINALS AS PER D-1002; WITHOUT METER; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1002; MNFR DRG: D-1015; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>								
16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK			JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023		
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.			JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022		
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.			JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021		
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE	REF. DWGS	
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	SCALE	 D-DT-3236		SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004	NTS			0168758,	0182383,	0206261
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004	CAD REF:			0182382		
				SERIES 3000			SET	SHEET	REV
				FILE No:			40	3	16
				3236					

SPEC SHEET

SAP MATERIAL No.:	0713712								
SHORT DESCRIPTION:	KSK MTR:3PH,25 KVA,SPU NO METER								
TECH. DESCRIPTION:									
KIOSK METER: PHASE: 3PH; SUPPLY: 25 KVA; TYPE: SPU NO METER; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY – C35 TO SANS 1091; SPECIFICATION: ESKOM 240-76628293; STANDARD: ESKOM: 240-76628293; DRAWING NO: DDT 3236; MNFR DRG: DDT 1002; FOR 25KVA SMALL POWER USERS; FULLY FITTED WITH ONE 40 AMP THREE POLE MINIATURE CIRCUIT BREAKER CURVE 1 WITH NO EXPOSED LIVE PARTS (TOUCH SAFE); SURGE ARRESTORS; WIRING AND TERMINALS AS PER, D-1002; EXCLUDING METER; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS									
SAP MATERIAL No.:	0713713								
SHORT DESCRIPTION:	KSK MTR:3PH,50 KVA,SPU NO METER								
TECH. DESCRIPTION:									
KIOSK METER: PHASE: 3PH; SUPPLY: 50 KVA; TYPE: SPU NO METER; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY – C35 TO SANS 1091; SPECIFICATION: ESKOM 240-76628293; STANDARD: ESKOM: 240-76628293; DRAWING NO: DDT 3236; MNFR DRG: DDT 1002; FOR 50KVA SMALL POWER USERS; FULLY FITTED WITH ONE 80 AMP THREE POLE MINIATURE CIRCUIT BREAKER CURVE 1 WITH NO EXPOSED LIVE PARTS (TOUCH SAFE); SURGE ARRESTORS; WIRING AND TERMINALS AS PER, D-1002; EXCLUDING METER; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS.									
SAP MATERIAL No.:	0730791								
SHORT DESCRIPTION:	KSK MTR:3PH,25 KVA,SPU DC & METER								
TECH. DESCRIPTION:									
KIOSK METER: PHASE: 3PH; SUPPLY: 25 KVA; TYPE: SPU DC & METER; CIRCUIT BREAKER TYPE: FULLY FITTED WITH ONE 40 AMP THREE POLE MINIATURE CIRCUIT BREAKER CURVE 1 WITH NO EXPOSED LIVE PARTS (TOUCH SAFE); MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY – C35 TO SANS 1091; SPECIFICATION: ESKOM: 240-76628293; DRAWING NO: D-DT-3236; MNFR DRG: D-DT-1047; 25KVA SMALL POWER USERS KIOSK WITH DATA CONCENTRATOR; SURGE ARRESTORS; WIRING AND TERMINALS AS PER, D-1047; EXCLUDING METER AND DATA CONCENTRATOR; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS									
SAP MATERIAL No.:	0713714								
SHORT DESCRIPTION:	KSK MTR:3PH,50 KVA,SPU DC & METER								
TECH. DESCRIPTION:									
KIOSK METER: PHASE: 3PH; SUPPLY: 50 KVA; TYPE: SPU DC & METER; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY – C35 TO SANS 1091; SPECIFICATION: ESKOM 240-76628293; STANDARD: ESKOM: 240-76628293; DRAWING NO: DDT 3236; MNFR DRG: DDT 1047; FOR 50KVA SMALL POWER USERS KIOSK WITH DATA CONCENTRATOR; FULLY FITTED WITH ONE 80 AMP THREE POLE MINIATURE CIRCUIT BREAKER CURVE 1 WITH NO EXPOSED LIVE PARTS (TOUCH SAFE); SURGE ARRESTORS; WIRING AND TERMINALS AS PER, D-1047; EXCLUDING METER AND DATA CONCENTRATOR; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS.									
16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK			JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023		
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.			JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022		
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.			JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021		
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE	REF. DWGS	
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	 D-DT-3236		SAP No:			
CHKD:	HPD GROENEWALD	DATE:	01.07.2004			0713712, 0713713		0713714, 0730791	
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004			SET	SHEET	REV	
				SCALE NTS			40	4	16
				CAD REF: SERIES 3000					
				FILE No: 3236					

SPEC SHEET

SAP MATERIAL No.:	0713715
SHORT DESCRIPTION:	KSK MTR:3PH,100 KVA,SPU DC & METER
TECH. DESCRIPTION:	
KIOSK METER: PHASE: 3PH; SUPPLY: 100 KVA; TYPE: SPU DC & METER; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY – C35 TO SANS 1091; SPECIFICATION: ESKOM 240-76628293; STANDARD: ESKOM: 240-76628293; DRAWING NO: DDT3236; MNFR DRG: DDT1047; FOR 100KVA SMALL POWER USERS KIOSK WITH DATA CONCENTRATOR; FULLY FITTED WITH ONE 150 AMP THREE POLE MOULDED CASE CIRCUIT BREAKER CURVE 1 WITH NO EXPOSED LIVE PARTS (TOUCH SAFE); SURGE ARRESTORS; WIRING AND TERMINALS AS PER, D-1046; EXCLUDING METER AND DATA CONCENTRATOR; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS	
SAP MATERIAL No.:	0212966
SHORT DESCRIPTION:	KIOSK METER:3PH ;25-50 KVA ;BASE
TECH. DESCRIPTION:	
KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 25-50 KVA; TYPE: BASE; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76628293; METER KIOSK BASE; WITH SIX M10 STAINLESS STEEL BOLTS AND NUTS WELDED ONTO KIOSK BASE; INTERFACING DIMENSIONS TO D-1002; FOR USE WITH STANDARD 25/50KVA METERING KIOSKS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS	
SAP MATERIAL No.:	0168335
SHORT DESCRIPTION:	KIOSK METER:3PH ;100 KVA ;SPU
TECH. DESCRIPTION:	
KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 100 KVA; TYPE: SPU; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY - C35 TO SANS 1091; STANDARD: ESKOM: 240-76628293; FOR 100KVA SMALL POWER USERS; FULLY FITTED WITH ONE APPROVED 160A THREE PHASE METER SEALED; CALIBRATED WITH CALIBRATION STICKER AFFIXED ON METER; 150A THREE POLE MOULDED CASE CIRCUIT BREAKER WITH COVER NO EXPOSED PARTS (TOUCH SAFE); WIRING AND TERMINALS AS PER D-1003; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1003; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	
SAP MATERIAL No.:	0649125
SHORT DESCRIPTION:	KIOSK METER:3PH;100 KVA;EMPTY
TECH. DESCRIPTION:	
KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 100 KVA; TYPE: EMPTY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY - C35 TO SANS 1091; STANDARD: ESKOM: 240-76628293; EMPTY METER KIOSK FOR 100KVA SMALL AND LARGE POWER USERS; FITTED WITH INNER PLATE, DIN RAILS, EARTH STUD; DRAWING NO: D-DT-3236; MNFR DRG: D-DT-1003; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER	

16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023				
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841, 0714884 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022				
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021				
REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS			
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	 D-DT-3236		SAP No:			
CHKD:	HPD GROENEWALD	DATE:	01.07.2004			0713715, 0168335,		0212966, 0649125,	
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004			SET	SHEET	REV	
						40	5	16	

Unique Identifier:240-48887441

Revision 1

SPEC SHEET

SAP MATERIAL No.:	0631924
SHORT DESCRIPTION:	KIOSK METER:3PH ;100 KVA ;BASE
TECH. DESCRIPTION: KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 100 KVA; TYPE: BASE; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76628293; METER KIOSK BASE; WITH SIX M10 STAINLESS STEEL BOLTS AND NUTS WELDED ONTO KIOSK BASE; INTERFACING DIMENSIONS TO D-1003; FOR USE WITH STANDARD 100KVA METERING KIOSKS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS	
SAP MATERIAL No.:	0714884
SHORT DESCRIPTION:	KSK MTR:3PH,100 KVA,SPU NO METER
TECH. DESCRIPTION: KIOSK METER: PHASE: 3PH; SUPPLY: 100 KVA; TYPE: SPU NO METER; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY – C35 TO SANS 1091; SPECIFICATION: ESKOM: 240-76628293; FOR 100KVA SMALL AND LARGE POWER USERS; FULLY FITTED WITH ONE 150 AMP THREE POLE MOULDED CASE CIRCUIT BREAKER WITH TERMINAL COVERS, NO EXPOSED PARTS (TOUCH SAFE); SURGE ARRESTORS; FUSE HOLDERS AND 32A FUSES, WIRING AND TERMINALS AS PER D-1003; INCLUDING METER; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS	

16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023			
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841, 0714884 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022			
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021			
REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS		
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	 D-DT-3236		SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004			0631924,		
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004			0714884		
				SCALE				
				NTS				
				CAD REF:				
				SERIES 3000				
				FILE No:				
				3236	SET	SHEET	REV	
				40	6	16		

Unique Identifier:240-48887441

Revision 1

SPEC SHEET

SAP MATERIAL No.:	0168584
SHORT DESCRIPTION:	BOX,METER EMPTY ECU/ED WALL MTN. D3236

TECH. DESCRIPTION:

EMPTY METER BOX ENCLOSURE TO HOUSE ED/ECU AND STANDARD BASE *

DIMENSIONS INDICATED ARE INSIDE DIMENSIONS *

MANUFACTURED FROM UV STABLE DOUGH MOULDED COMPOUND (DMC)/3CR12/UV STABLE THERMO PLASTIC *

3CR12 PICKLED AND PASSIVATED *

CAPTIVE FRONT LID SHALL SLIDE UPWARDS TO OPEN *

WATERPROOF * IP RATING 54 *

DMC BOXES TO HAVE 3 MOULDED BOSSES WITH BRASS M6 SCREW THREAD INSERTS, SUITABLE FOR M6 x 10mm MACHINE SCREWS *

3CR12 BOXES TO HAVE 3 SPOT WELDED BOSSES WITH M6 THREAD, SUITABLE FOR M6 x 10mm MACHINE SCREWS *

BOSSES USED TO MOUNT STANDARD PASSIVE BASE ARE POSITIONED AS INDICATED ON DETAIL DRAWING *

BOX SUPPLIED WITH A CORROSION RESISTANT M6 x 10mm MACHINE SCREW IN EACH BOSS *

METER BOX MOUNTING BRACKET TO BE THICK ENOUGH TO PROVIDE ADEQUATE STRENGTH *

THERE SHALL BE NO HOLES THROUGH THE BOX OTHER THAN THE GLAND HOLES *
HOLES FOR TWO No. 1 GLANDS AT BASE *

SUPPLIED WITH WALL MOUNTING BRACKETS (20x2mm THICK GALVANISED MILD STEEL/3CR12) AS SHOWN ON SHEET 1 *

SUPPLIED WITH THE LOCKING MECHANISM AS SHOWN ON SHEET 3 *

BOLT STOP TO BE MANUFACTURED FROM STAINLESS STEEL *


ESKOM DRAWING No. D-DT-3236 *


(ALL INFORMATION TAKEN FROM D-DT-3013)

ITEM	:-	KIOSK METER 10/16kVA 1 PH SPU
MATERIAL SPECIFICATION	:-	
CORROSION SPECIFICATION	:-	240-98195962
STANDARD SPECIFICATION	:-	
ESKOM SPECIFICATION	:-	DSP 34-871, D-DT-1004, DSP 34-1068, DSP 34-875, DST 34-749

TEST & CERTIFICATION REQUIREMENTS :-					
INSPECTION	Yes	No	ESKOM RELEASE NOTE	Yes	No

IDENTIFICATION:- INDELIBLE MANUFACTURES TRADEMARK & PART No. ON ALL ITEMS

16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023	
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022	
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021	

REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS	
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	 D-DT-3236	SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004		0168584		
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004		SET	SHEET	REV
					40	7	16

SPEC SHEET

SAP MATERIAL No.:	0185731
SHORT DESCRIPTION:	BOX,METER EMPTY ECU/ED POLE MTN. D3236

TECH. DESCRIPTION:

EMPTY METER BOX ENCLOSURE TO HOUSE ED/ECU AND STANDARD BASE *

DIMENSIONS INDICATED ARE INSIDE DIMENSIONS *

MANUFACTURED FROM UV STABLE DOUGH MOULDED COMPOUND (DMC)/3CR12/UV STABLE THERMO PLASTIC *

3CR12 PICKLED AND PASSIVATED *

CAPTIVE FRONT LID SHALL SLIDE UPWARDS TO OPEN *

WATERPROOF * IP RATING 54 *

DMC BOXES TO HAVE 3 MOULDED BOSSES WITH BRASS M6 SCREW THREAD INSERTS, SUITABLE FOR M6 x 10mm MACHINE SCREWS *

3CR12 BOXES TO HAVE 3 SPOT WELDED BOSSES WITH M6 THREAD, SUITABLE FOR M6 x 10mm MACHINE SCREWS *

BOSSES USED TO MOUNT STANDARD PASSIVE BASE ARE POSITIONED AS INDICATED ON DETAIL DRAWING *

BOX SUPPLIED WITH A CORROSION RESISTANT M6 x 10mm MACHINE SCREW IN EACH BOSS *

METER BOX MOUNTING BRACKET TO BE THICK ENOUGH TO PROVIDE ADEQUATE STRENGTH *

THERE SHALL BE NO HOLES THROUGH THE BOX OTHER THAN THE GLAND HOLES * HOLES FOR TWO No. 1 GLANDS AT BASE *

SUPPLIED WITH POLE MOUNTING BRACKETS (20 x 2mm THICK GALVANISED MILD STEEL/3CR12) FOR USE WITH 12mm BANDIT STRAP (SEE D DT 3131). BRACKET SHALL FIT ONTO M6 BOSSES AS SHOWN ON SHEET 2 *

SUPPLIED WITH THE LOCKING MECHANISM AS SHOWN ON SHEET 3 *

BOLT STOP TO BE MANUFACTURED FROM STAINLESS STEEL *

ESKOM DRAWING No. D-DT-3236 *

(ALL INFORMATION TAKEN FROM D-DT-3013)

16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023		
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022		
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021		
REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS	
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	 D-DT-3236	SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004		0185731		
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004		SET	SHEET	REV
			SCALE NTS		40	8	16
			CAD REF: SERIES 3000				
			FILE No: 3236				

SPEC SHEET

SAP MATERIAL No.:	0186798
-------------------	---------

SHORT DESCRIPTION:	KIOSK METER:1PH ;16 KVA ;2 WAY ; BS METERS
--------------------	--

TECH. DESCRIPTION:

KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 16 KVA; TYPE: 2 WAY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; FOR 2-WAY 16KVA SMALL POWER USERS; FULLY FITTED WITH TWO APPROVED BS FOOTPRINT 80A SINGLE PHASE METERS SEALED; CALIBRATED WITH CALIBRATION STICKER AFFIXED ON METER; 80A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); BUSBARS, WIRING AND TERMINALS AS PER D-1011; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1011; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).

SAP MATERIAL No.:	0214975
-------------------	---------

SHORT DESCRIPTION:	KIOSK METER:1PH ;16 KVA ;3 WAY ; BS METERS
--------------------	--

TECH. DESCRIPTION:

KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 16 KVA; TYPE: 3 WAY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; FOR 3 WAY 16KVA SMALL POWER USERS; FULLY FITTED WITH THREE APPROVED BS FOOTPRINT 80A SINGLE PHASE METERS; SEALED; CALIBRATED WITH CALIBRATION STICKER AFFIXED ON METER; 80A SINGLE POLE MINIATURE CIRCUIT BREAKERS; CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); BUSBARS, WIRING AND TERMINALS AS PER D-1011; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1011; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).

ITEM	:- KIOSK METER MULTIWAY 1 PH SPU		
------	----------------------------------	--	--

MATERIAL SPECIFICATION	:-		
------------------------	----	--	--

CORROSION SPECIFICATION	:- 240-98195962		
-------------------------	-----------------	--	--

STANDARD SPECIFICATION	:-		
------------------------	----	--	--

ESKOM SPECIFICATION	:- 240-76625427, D-DT-1011, 1019, 1020, 1022,		
---------------------	---	--	--

TEST & CERTIFICATION REQUIREMENTS	:-		
-----------------------------------	----	--	--

INSPECTION	Yes	No	ESKOM RELEASE NOTE	Yes	No
------------	-----	----	--------------------	-----	----



IDENTIFICATION:- INDELIBLE MANUFACTURES TRADEMARK & PART No. ON ALL ITEMS

16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023	
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022	
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021	



REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS	
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	 D-DT-3236	SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004		0186798		
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004		0214975		
					SET	SHEET	REV
					40	9	16

SPEC SHEET

SAP MATERIAL No.:	0212967
SHORT DESCRIPTION:	KIOSK METER:1PH ;16 KVA ;4 WAY ; BS METERS
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 16 KVA; TYPE: 4 WAY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; FOR 4 WAY 16KVA SMALL POWER USERS; FULLY FITTED WITH FOUR APPROVED BS FOOTPRINT 80A SINGLE PHASE METERS; SEALED; CALIBRATED WITH CALIBRATION STICKER AFFIXED ON METER; 80A SINGLE POLE MINIATURE CIRCUIT BREAKERS; CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); BUSBARS, WIRING AND TERMINALS AS PER D-1019; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1019; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	
SAP MATERIAL No.:	0212968
SHORT DESCRIPTION:	KIOSK METER:1PH ;16 KVA ;6 WAY ; BS METERS
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 16 KVA; TYPE: 6 WAY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; FOR 6 WAY 16KVA SMALL POWER USERS; FULLY FITTED WITH SIX APPROVED BS FOOTPRINT 80A SINGLE PHASE METERS SEALED; CALIBRATED WITH CALIBRATION STICKER AFFIXED ON METER; 80A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); BUSBARS, WIRING AND TERMINALS AS PER D-1020; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1020; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	
SAP MATERIAL No.:	0223630
SHORT DESCRIPTION:	KIOSK METER:1PH ;16 KVA ;15 WAY
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 16 KVA; TYPE: 15 WAY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76625577; FOR 15 WAY 16KVA SMALL POWER USERS; FULLY FITTED WITH FIFTEEN APPROVED BS FOOTPRINT 80A SINGLE PHASE METERS SEALED; CALIBRATED WITH CALIBRATION STICKER AFFIXED ON METER; 80A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); BUSBARS, WIRING AND TERMINALS AS PER D-1022; MOULDED CASE CIRCUIT BREAKER SIZE AS REQUIRED; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1022; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	

16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023		
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022		
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021		
REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS	
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	 D-DT-3236	SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004		0212967 0212968		
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004		SET	SHEET	REV
			SCALE NTS		40	10	0223630
			CAD REF: SERIES 3000				
			FILE No: 3236				16

SPEC SHEET

SAP MATERIAL No.:	0212969							
SHORT DESCRIPTION:	KIOSK METER:1PH ;2 WAY ;EMPTY ; BS METERS							
TECH. DESCRIPTION:	KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 2 WAY; TYPE: EMPTY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; EMPTY METER KIOSK FOR 2 AND 3 WAY SMALL POWER USERS; FITTED WITH INNER PLATE, DIN RAILS, EARTH STUD AND BUSBARS; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1011; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).							
SAP MATERIAL No.:	0212970							
SHORT DESCRIPTION:	KIOSK METER:1PH ;4 WAY ;EMPTY ; BS METERS							
TECH. DESCRIPTION:	KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 4 WAY; TYPE: EMPTY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; EMPTY METER KIOSK FOR 4 WAY SMALL POWER USERS; FITTED WITH INNER PLATE, DIN RAILS, EARTH STUD AND BUSBARS; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1019; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).							
SAP MATERIAL No.:	0212971							
SHORT DESCRIPTION:	KIOSK METER:1PH ;6 WAY ;EMPTY ; BS METERS							
TECH. DESCRIPTION:	KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 6 WAY; TYPE: EMPTY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; EMPTY METER KIOSK FOR 6 WAY SMALL POWER USERS; FITTED WITH INNER PLATE, DIN RAILS, EARTH STUD AND BUSBARS; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1020; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).							
SAP MATERIAL No.:	0713716							
SHORT DESCRIPTION:	KSK MTR:1PH,16 KVA,2 WAY NO BS METERS							
TECH. DESCRIPTION:	KIOSK METER: PHASE: 1PH; SUPPLY: 16 KVA; TYPE: 2 WAY NO BS METERS; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY – C35 TO SANS 1091; SPECIFICATION: ESKOM: 240-76625427; DRAWING NO: DDT3236; MNFR DRG: DDT1011; FOR 2-WAY 16KVA SMALL POWER USERS; FULLY FITTED WITH TWO 80A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); SURGE ARRESTORS; BUSBARS, WIRING AND TERMINALS AS PER D-1011; EXCLUDING BS METERS; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS.							
16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023			
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022			
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021			
REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS		
AUTH:	HPD GROENEWALD	DATE:	01.08.2004			SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004			0212969	0212971,	
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004			0212970	0713716	
				D-DT-3236	SET	SHEET	REV	
				40	11	16		


SPEC SHEET


SAP MATERIAL No.:	0713717
SHORT DESCRIPTION:	KSK MTR:1PH,16 KVA,3 WAY NO BS METERS
TECH. DESCRIPTION:	
KIOSK METER: PHASE: 1PH; SUPPLY: 16 KVA; TYPE: 3 WAY NO BS METERS; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY – C35 TO SANS 1091; SPECIFICATION: ESKOM: 240-76625427; DRAWING NO: DDT3236; MNFR DRG: DDT1011; FOR 3-WAY 16KVA SMALL POWER USERS; FULLY FITTED WITH THREE 80A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); SURGE ARRESTORS; BUSBARS, WIRING AND TERMINALS AS PER D-1011; EXCLUDING BS METERS; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS	

SAP MATERIAL No.:	0713718
SHORT DESCRIPTION:	KSK MTR:1PH,16 KVA,4 WAY NO BS METERS
TECH. DESCRIPTION:	
KIOSK METER: PHASE: 1PH; SUPPLY: 16 KVA; TYPE: 4 WAY NO BS METERS; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY – C35 TO SANS 1091; SPECIFICATION: ESKOM: 240-76625427; DRAWING NO: DDT 3236; MNFR DRG: DDT1019; FOR 4-WAY 16KVA SMALL POWER USERS; FULLY FITTED WITH FOUR 80A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); SURGE ARRESTORS; BUSBARS, WIRING AND TERMINALS AS PER D-1019; EXCLUDING BS METERS.	



SAP MATERIAL No.:	0713719
SHORT DESCRIPTION:	KSK MTR:1PH,16 KVA,6 WAY NO BS METERS
TECH. DESCRIPTION:	
KIOSK METER: PHASE: 1PH; SUPPLY: 16 KVA; TYPE: 6 WAY NO BS METERS; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY – C35 TO SANS 1091; SPECIFICATION: ESKOM: 240-76625427; DRAWING NO: DDT1020; FOR 6-WAY 16KVA SMALL POWER USERS; FULLY FITTED WITH SIX 80A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); SURGE ARRESTORS; BUSBARS, WIRING AND TERMINALS AS PER D-1020; EXCLUDING BS METERS; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS.	

SAP MATERIAL No.:	0713720
SHORT DESCRIPTION:	KSK MTR:1PH,16 KVA,15 WAY NO BS METERS
TECH. DESCRIPTION:	
KIOSK METER: PHASE: 1PH; SUPPLY: 16 KVA; TYPE: 15 WAY NO BS METERS; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY – C35 TO SANS 1091; SPECIFICATION: ESKOM: 240-76625427; DRAWING NO: DDT 3236; MNFR DRG: DDT1022; FOR 15-WAY 16KVA SMALL POWER USERS; FULLY FITTED WITH 80A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); SURGE ARRESTORS; MOULDED CASE CIRCUIT BREAKER SIZE AS REQUIRED; BUSBARS, WIRING AND TERMINALS AS PER D-1022; EXCLUDING BS METERS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS.	

16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023	
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022	
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021	
REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS

AUTH:	HPD GROENEWALD	DATE:	01.08.2004	SCALE	 D-DT-3236	SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004	NTS		0713717,	0713719,	
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004	CAD REF:		0713718	0713720	
				SERIES 3000		SET	SHEET	REV
				FILE No:	40	12	16	
				3236				

SPEC SHEET



SAP MATERIAL No.:	0186799							
SHORT DESCRIPTION:	KIOSK METER:3PH ;25 KVA ;2 WAY							
TECH. DESCRIPTION:								
KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 25 KVA; TYPE: 2 WAY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; FOR 2 WAY 25KVA SMALL POWER USERS; FULLY FITTED WITH TWO APPROVED 100A THREE PHASE METERS SEALED; CALIBRATED WITH CALIBRATION STICKER AFFIXED ON METER; 40A THREE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); BUSBARS, WIRING AND TERMINALS AS PER D-1012; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1012; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).								
SAP MATERIAL No.:	0212972							
SHORT DESCRIPTION:	KIOSK METER:3PH ;50 KVA ;2 WAY							
TECH. DESCRIPTION:								
KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 50 KVA; TYPE: 2 WAY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; FOR 2 WAY 50KVA SMALL POWER USERS; FULLY FITTED WITH TWO APPROVED 100A THREE PHASE METERS SEALED; CALIBRATED WITH CALIBRATION STICKER AFFIXED ON METER; 80A THREE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); BUSBARS, WIRING AND TERMINALS AS PER D-1012; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1012; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).								
SAP MATERIAL No.:	0212974							
SHORT DESCRIPTION:	KIOSK METER:3PH ;2 WAY ;EMPTY							
TECH. DESCRIPTION:								
KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 2 WAY; TYPE: EMPTY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; EMPTY METER KIOSK FOR 2 WAY THREE PHASE SMALL POWER USERS; FITTED WITH INNER PLATE, DIN RAILS, EARTH STUD AND BUSBARS; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1012; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).								
ITEM	:- KIOSK METER MULTIWAY 3 PH SPU							
MATERIAL SPECIFICATION	:-							
CORROSION SPECIFICATION	:- 240-98195962							
STANDARD SPECIFICATION	:-							
ESKOM SPECIFICATION	:- 240-76625427, D-DT-1012, 1018,							
TEST & CERTIFICATION REQUIREMENTS :-								
INSPECTION	Yes	No	ESKOM RELEASE NOTE			Yes	No	
IDENTIFICATION:- INDELIBLE MANUFACTURES TRADEMARK & PART No. ON ALL ITEMS								
16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023			
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022			
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021			
REV	REVISION DESCRIPTION		BY	CHKD	AUTH	DATE	REF. DWGS	
AUTH:	HPD GROENEWALD	DATE: 01.08.2004	SCALE NTS		 D-DT-3236			
CHKD:	HPD GROENEWALD	DATE: 01.07.2004	CAD REF: SERIES 3000					
RAWN:	P.A. VERMAAK	DATE: 01.07.2004	FILE No: 3236					
				SAP No:		0186799	0212974	
						0212972		
						SET	SHEET	REV
						40	14	16

SPEC SHEET

SAP MATERIAL No.:	0214137
SHORT DESCRIPTION:	KIOSK METER:3PH ;25 KVA ;4 WAY
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 25 KVA; TYPE: 4 WAY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; FOR 4 WAY 25KVA SMALL POWER USERS; FULLY FITTED WITH FOUR APPROVED 100A THREE PHASE METERS SEALED; CALIBRATED WITH CALIBRATION STICKER AFFIXED ON METER; 40A THREE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); BUSBARS, WIRING AND TERMINALS AS PER D-1018; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1018; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	
SAP MATERIAL No.:	0212973
SHORT DESCRIPTION:	KIOSK METER:3PH ;50 KVA ;4 WAY
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 50 KVA; TYPE: 4 WAY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; FOR 4 WAY 50KVA SMALL POWER USERS; FULLY FITTED WITH FOUR APPROVED 100A THREE PHASE METERS SEALED; CALIBRATED WITH CALIBRATION STICKER AFFIXED ON METER; 80A THREE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); BUSBARS, WIRING AND TERMINALS AS PER D-1018; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1018; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	
SAP MATERIAL No.:	0212975
SHORT DESCRIPTION:	KIOSK METER:3PH ;4 WAY ;EMPTY
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 4 WAY; TYPE: EMPTY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; EMPTY METER KIOSK FOR 4 WAY THREE PHASE SMALL POWER USERS; FITTED WITH INNER PLATE, DIN RAILS, EARTH STUD AND BUSBARS; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1018; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	

16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023	
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022	
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021	
REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	 D-DT-3236	SAP No:	
CHKD:	HPD GROENEWALD	DATE:	01.07.2004		0214137	0212975
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004		40	15

SPEC SHEET



SAP MATERIAL No.:	0688001									
SHORT DESCRIPTION:	KSK MTR:3PH;50 KVA;4 WAY NO BASE									
TECH. DESCRIPTION:										
<p>KIOSK METER: PHASE: 3P; SUPPLY: 50 KVA; TYPE: 4 WAY NO BASE; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY – C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; FOR 4-WAY 50KVA SMALL POWER USERS; FULLY FITTED WITH FOUR APPROVED 100A THREE PHASE METERS SEALED; CALIBRATED WITH CALIBRATION STICKER AFFIXED ON METER; 80A THREE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); BUSBARS, WIRING AND TERMINALS AS PER D-1018; SUPPLIED WITHOUT KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: DDT-3236; MNFR DRG: DDT-1018; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>										
SAP MATERIAL No.:	0713721									
SHORT DESCRIPTION:	KSK MTR:3PH,25 KVA,2 WAY NO BS METERS									
TECH. DESCRIPTION:										
<p>KIOSK METER: PHASE: 3PH; SUPPLY: 25 KVA; TYPE: 2 WAY NO BS METERS; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY – C35 TO SANS 1091; SPECIFICATION: ESKOM: 240-76625427; DRAWING NO: DDT3236; MNFR DRG: DDT1012; FOR 2-WAY 25KVA SMALL POWER USERS; FULLY FITTED WITH TWO 40A THREE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); SURGE ARRESTORS; BUSBARS, WIRING AND TERMINALS AS PER D-1012; EXCLUDING METERS; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS.</p>										
SAP MATERIAL No.:	0713838									
SHORT DESCRIPTION:	KSK MTR:3PH,50 KVA,2 WAY NO BS METERS									
TECH. DESCRIPTION:										
<p>KIOSK METER: PHASE: 3PH; SUPPLY: 50 KVA; TYPE: 2 WAY NO BS METERS; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY – C35 TO SANS 1091; SPECIFICATION: ESKOM: 240-76625427; DRAWING NO: DDT3236; MNFR DRG: DDT1012; FOR 2-WAY 50KVA SMALL POWER USERS; FULLY FITTED WITH TWO 80A THREE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); SURGE ARRESTORS; BUSBARS, WIRING AND TERMINALS AS PER D-1012; EXCLUDING METERS; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS.</p>										
16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK			JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023			
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.			JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022			
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.			JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021			
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE	REF. DWGS		
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	SCALE		 D-DT-3236		SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004	NTS				0688001,		0713838
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004	CAD REF:				0713721		
				SERIES 3000		SET	SHEET	REV		
				FILE No:		40	16	16		
				3236						

SPEC SHEET



SAP MATERIAL No.:	0713839
SHORT DESCRIPTION:	KSK MTR:3PH,25 KVA,4 WAY NO BS METERS
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE: 3PH; SUPPLY: 25 KVA; TYPE: 4 WAY NO BS METERS; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY – C35 TO SANS 1091; SPECIFICATION: ESKOM: 240-76625427; DRAWING NO: DDT3236; MNFR DRG: DDT1018; FOR 4-WAY 25KVA SMALL POWER USERS; FULLY FITTED WITH FOUR 40A THREE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); SURGE ARRESTORS; BUSBARS, WIRING AND TERMINALS AS PER D-1018; EXCLUDING METERS; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS.</p>	
SAP MATERIAL No.:	0713840
SHORT DESCRIPTION:	KSK MTR:3PH,50 KVA,4 WAY NO BS METERS
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE: 3PH; SUPPLY: 50 KVA; TYPE: 4 WAY NO BS METERS; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY – C35 TO SANS 1091; SPECIFICATION: ESKOM: 240-76625427; DRAWING NO: DDT3236; MNFR DRG: DDT1018; FOR 4-WAY 50KVA SMALL POWER USERS; FULLY FITTED WITH FOUR 80A THREE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); SURGE ARRESTORS; BUSBARS, WIRING AND TERMINALS AS PER D-1018; EXCLUDING METERS; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS.</p>	
SAP MATERIAL No.:	0713841
SHORT DESCRIPTION:	KSK MTR:3PH,50 KVA,4 WAY NO METERS/BASE
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE: 3PH; SUPPLY: 50 KVA; TYPE: 4 WAY NO METERS/BASE; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY – C35 TO SANS 1091; SPECIFICATION: ESKOM: 240-76625427; DRAWING NO: DDT3236; MNFR DRG: DDT1018; FOR 4-WAY 50KVA SMALL POWER USERS; FULLY FITTED WITH FOUR 80A THREE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE); SURGE ARRESTORS; BUSBARS, WIRING AND TERMINALS AS PER D-1018; EXCLUDING METERS; SUPPLIED WITHOUT KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS.</p>	

16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023			
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022			
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021			
REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS		
AUTH:	HPD GROENEWALD	DATE:	01.08.2004			SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004			0713839, 0713840		0713841
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004			D-DT-3236		REV
						SET	SHEET	REV
						40	17	16

SPEC SHEET



SAP MATERIAL No.:	0214978							
SHORT DESCRIPTION:	KIOSK METER:3PH ;2 WAY ;BASE							
TECH. DESCRIPTION:								
KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 2 WAY; TYPE: BASE; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; METER KIOSK BASE; WITH SIX M10 STAINLESS STEEL BOLTS AND NUTS WELDED ONTO KIOSK BASE; INTERFACING DIMENSIONS TO D-1012 SHEET 6; FOR USE WITH STANDARD 2 WAY THREE PHASE METERING KIOSKS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS ; DRAWING NO: D-3236; MNFR DRG: D-1012; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).								
SAP MATERIAL No.:	0214979							
SHORT DESCRIPTION:	KIOSK METER:3PH ;4 WAY ;BASE							
TECH. DESCRIPTION:								
KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 4 WAY; TYPE: BASE; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; METER KIOSK BASE; WITH SIX M10 STAINLESS STEEL BOLTS AND NUTS WELDED ONTO KIOSK BASE; INTERFACING DIMENSIONS TO D-1018 SHEET 6; FOR USE WITH STANDARD 4 WAY THREE PHASE METERING KIOSKS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS ; DRAWING NO: D-3236; MNFR DRG: D-1018; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).								
SAP MATERIAL No.:	0214980							
SHORT DESCRIPTION:	KIOSK METER:3PH ;2 WAY ;TAPERED BASE							
TECH. DESCRIPTION:								
KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 2 WAY; TYPE: TAPERED BASE; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; METER KIOSK BASE TAPERED; WITH SIX M10 STAINLESS STEEL BOLTS AND NUTS WELDED ONTO KIOSK BASE; INTERFACING DIMENSIONS TO D-1012 SHEET 5; FOR USE WITH STANDARD 2 WAY THREE PHASE METERING KIOSKS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS ; DRAWING NO: D-3236; MNFR DRG: D-1012; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).								
SAP MATERIAL No.:	0214991							
SHORT DESCRIPTION:	KIOSK METER:3PH ;4 WAY ;TAPERED BASE							
TECH. DESCRIPTION:								
KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 4 WAY; TYPE: TAPERED BASE; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY -C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; METER KIOSK BASE TAPERED; WITH SIX M10 STAINLESS STEEL BOLTS AND NUTS WELDED ONTO KIOSK BASE; INTERFACING DIMENSIONS TO D-1018 SHEET 5; FOR USE WITH STANDARD 4 WAY THREE PHASE METERING KIOSKS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1018; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).								
16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023			
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022			
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021			
REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS		
AUTH:	HPD GROENEWALD	DATE:	01.08.2004			SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004			0688001, 0214978 0214979	02149780 0214991	
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004			SET	SHEET	REV
				D-DT-3236		40	18	16

SPEC SHEET



SAP MATERIAL No.:	0168599								
SHORT DESCRIPTION:	KIOSK METER:3PH ;200 KVA ;EMPTY PM								
TECH. DESCRIPTION:									
KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 200 KVA; TYPE: EMPTY PM; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76628117; POLE MOUNT; EMPTY METER KIOSK FOR 200-500KVA THREE PHASE LARGE POWER USERS; FITTED WITH INNER PLATE, DIN RAILS, NEUTRAL AND EARTH BUSBARS AND BUSBAR INSULATORS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1000; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).									
SAP MATERIAL No.:	0168733								
SHORT DESCRIPTION:	KIOSK METER:3PH ;200 KVA ;BASE								
TECH. DESCRIPTION:									
KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 200 KVA; TYPE: BASE; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76628117; METER KIOSK BASE; WITH SIX M10 STAINLESS STEEL BOLTS AND NUTS WELDED ONTO KIOSK BASE; INTERFACING DIMENSIONS TO D-1000; FOR USE WITH STANDARD 200-500KVA THREE PHASE METERING KIOSKS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS ; DRAWING NO: D-3236; MNFR DRG: D-1000; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).									
SAP MATERIAL No.:	0168620								
SHORT DESCRIPTION:	KIOSK METER:3PH ;100 KVA ;LPU PM								
TECH. DESCRIPTION:									
KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 100 KVA; TYPE: LPU PM; MATERIAL: 3CR12; POWDER COATED; COLOR: NAVY LIGHT GREY - C35 TO SANS 1091; STANDARD: ESKOM: 240-76628293; POLE MOUNTED; FOR 100KVA LARGE POWER USERS; FULLY FITTED WITH ONE APPROVED 160A THREE PHASE PROGRAMMABLE METER SEALED; CALIBRATED WITH CALIBRATION STICKER AFFIXED ON METER; 150A THREE POLE MOULDED CASE CIRCUIT BREAKER WITH COVER NO EXPOSED PARTS (TOUCH SAFE); WIRING AND TERMINALS AS PER D-1003; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1003; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).									
ITEM	:- KIOSK METER 100 - 500KVA LPU								
MATERIAL SPECIFICATION	:-								
CORROSION SPECIFICATION	:- 240-98195962								
STANDARD SPECIFICATION	:-								
ESKOM SPECIFICATION	:- 240-76628117, D-DT-1000,								
TEST & CERTIFICATION REQUIREMENTS :-									
INSPECTION	Yes	No	ESKOM RELEASE NOTE			Yes	No		
IDENTIFICATION:- INDELIBLE MANUFACTURES TRADEMARK & PART No. ON ALL ITEMS									
16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK		JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023			
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.		JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022			
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.		JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021			
REV	REVISION DESCRIPTION		BY	CHKD	AUTH	DATE	REF. DWGS		
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	 D-DT-3236		SAP No:			
CHKD:	HPD GROENEWALD	DATE:	01.07.2004			0168599		0168620	
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004			SET	SHEET	REV	
				3236		40	19	16	

SPEC SHEET

SAP MATERIAL No.:	0168623
SHORT DESCRIPTION:	KIOSK METER:3PH ;200 KVA ;LPU PM
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 200 KVA; TYPE: LPU PM; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76628117; POLE/GROUND MOUNT FOR 200KVA LARGE POWER USERS; FULLY FITTED WITH ALL AUXILIARY EQUIPMENT AS PER D-1000; EXCLUDING METER; INCLUDING 300A THREE POLE MOULDED CASE CIRCUIT BREAKER, BUSBARS, INSULATORS, CTS (300-5A), FUSE HOLDERS AND FUSES, TEST BLOCKS, 230V SURGE ARRESTORS, WIRING AND TERMINALS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D3236; MNFR DRG: D-1000; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	
SAP MATERIAL No.:	0168624
SHORT DESCRIPTION:	KIOSK METER:3PH ;315 KVA ;LPU PM
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 315 KVA; TYPE: LPU PM; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76628117; POLE/GROUND MOUNT FOR 315KVA LARGE POWER USERS; FULLY FITTED WITH ALL AUXILIARY EQUIPMENT AS PER D-1000; EXCLUDING METER; INCLUDING 450A THREE POLE MOULDED CASE CIRCUIT BREAKER, BUSBARS, INSULATORS, CTS (500-5A), FUSE HOLDERS AND FUSES, TEST BLOCKS, 230V SURGE ARRESTORS, WIRING AND TERMINALS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1000; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	
SAP MATERIAL No.:	0168626
SHORT DESCRIPTION:	KIOSK METER:3PH ;500 KVA ;LPU PM
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 500 KVA; TYPE: LPU PM; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76628117; POLE/GROUND MOUNT FOR 500KVA LARGE POWER USERS; FULLY FITTED WITH ALL AUXILIARY EQUIPMENT AS PER D-1000; EXCLUDING METER; INCLUDING 800A THREE POLE MOULDED CASE CIRCUIT BREAKER, BUSBARS, INSULATORS, CTS (800-5A), FUSE HOLDERS AND FUSES, TEST BLOCKS, 230V SURGE ARRESTORS, WIRING AND TERMINALS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1000; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	

16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023	
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022	
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021	
REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	 D-DT-3236	SAP No:	
CHKD:	HPD GROENEWALD	DATE:	01.07.2004		0168623	0168626
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004		40	20

SPEC SHEET

SAP MATERIAL No.:	0168600							
SHORT DESCRIPTION:	KIOSK METER:3PH ;CT/VT ; EMPTY							
TECH. DESCRIPTION:								
KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: CT/VT; TYPE: EMPTY POLE MOUNT; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76628667; EMPTY METER KIOSK FOR CT/VT UNIT THREE PHASE LARGE POWER USERS; FITTED WITH INNER PLATE, DIN RAILS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1001; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).								
SAP MATERIAL No.:	0168732							
SHORT DESCRIPTION:	KIOSK METER:3PH ;CT/VT ;BASE							
TECH. DESCRIPTION:								
KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: CT/VT; TYPE: BASE; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY - C35 TO SANS 1091; STANDARD: ESKOM: 240-76628667; METER KIOSK BASE; WITH SIX M10 STAINLESS STEEL BOLTS AND NUTS WELDED ONTO KIOSK BASE; INTERFACING DIMENSIONS TO D-1001; FOR USE WITH STANDARD CT/VT UNIT THREE PHASE METERING KIOSKS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS ; DRAWING NO: D-3236; MNFR DRG: D-1001; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).								
SAP MATERIAL No.:	0168627							
SHORT DESCRIPTION:	KIOSK METER:3PH ;CT/VT							
TECH. DESCRIPTION:								
KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: CT/VT; TYPE: 3P4W LPU POLE MOUNT; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76628667; POLE/GROUND MOUNT FOR CT/VT UNIT LARGE POWER USERS; FULLY FITTED WITH ALL AUXILIARY EQUIPMENT AS PER D-1001; EXCLUDING METER; INCLUDING: FUSE HOLDERS AND FUSES, TEST BLOCKS, 110V SURGE ARRESTORS, WIRING AND TERMINALS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1001; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).								
ITEM	:- KIOSK METER CT/VT UNIT LPU							
MATERIAL SPECIFICATION	:-							
CORROSION SPECIFICATION	:- 240-98195962							
STANDARD SPECIFICATION	:-							
ESKOM SPECIFICATION	:- 240-76628667, D-DT-1001							
TEST & CERTIFICATION REQUIREMENTS :-								
INSPECTION	Yes	No	ESKOM RELEASE NOTE			Yes	No	
IDENTIFICATION:- INDELIBLE MANUFACTURES TRADEMARK & PART No. ON ALL ITEMS								
16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023			
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022			
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021			
REV	REVISION DESCRIPTION		BY	CHKD	AUTH	DATE	REF. DWGS	
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	 D-DT-3236		SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004			0168600		0168627
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004			SET	SHEET	
				3236	40	21	16	

SPEC SHEET

SAP MATERIAL No.:	0730492
SHORT DESCRIPTION:	KSK MTR:3PH;230 V;CTVT
TECH. DESCRIPTION:	

KIOSK METER: PHASE: 3PH; SUPPLY: 230 V; TYPE: CTVT; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY – C35 TO SANS 1091; SPECIFICATION: ESKOM: 240-76628667; DRAWING NO: D-DT-3236; MNFR DRG: D-DT-D-1001; LPU 3P4W POLE/GROUND MOUNT; FULLY FITTED WITH ALL AUXILIARY EQUIPMENT AS PER D-1001; EXCLUDING METER; INCLUDING: FUSE HOLDERS AND 15A FUSES, TEST BLOCKS, 230V SURGE ARRESTORS, 230V RELAY, WIRING AND TERMINALS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS

16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023		
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022		
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021		
REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS	
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	 D-DT-3236	SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004		0730492		
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004		SET	SHEET	REV
			SCALE NTS		40	22	16
			CAD REF: SERIES 3000				
			FILE No: 3236				

Unique Identifier:240-48887441

Revision 1



SPEC SHEET

SAP MATERIAL No.:	0194123							
SHORT DESCRIPTION:	KIOSK METER:3PH ;800 KVA ;GROUND MOUNT							
TECH. DESCRIPTION:								
KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 800 KVA; TYPE: GROUND MOUNT; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76628297; GROUND MOUNT FOR LARGE POWER USERS LOW VOLTAGE; FULLY FITTED WITH ALL AUXILIARY EQUIPMENT AS PER D-1016; EXCLUDING METER; INCLUDING 1600A THREE POLE AIR CIRCUIT BREAKER, BUSBARS, INSULATORS, CTS (1600-5A), FUSE HOLDERS AND FUSES, TEST BLOCKS, 230V SURGE ARRESTORS, WIRING AND TERMINALS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1016; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).								
SAP MATERIAL No.:	0194124							
SHORT DESCRIPTION:	KIOSK METER:3PH ;1000 KVA ;GROUND MOUNT							
TECH. DESCRIPTION:								
KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 1000 KVA; TYPE: GROUND MOUNT; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76628297; GROUND MOUNT FOR 1MVA LARGE POWER USERS LOW VOLTAGE; FULLY FITTED WITH ALL AUXILIARY EQUIPMENT AS PER D-1016; EXCLUDING METER; INCLUDING 1600A THREE POLE AIR CIRCUIT BREAKER, BUSBARS, INSULATORS, CTS (1600-5A), FUSE HOLDERS AND FUSES, TEST BLOCKS, 230V SURGE ARRESTORS, WIRING AND TERMINALS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1016; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).								
ITEM	:- KIOSK METER 800 - 1000kVA LPU							
MATERIAL SPECIFICATION	:-							
CORROSION SPECIFICATION	:- 240-98195962							
STANDARD SPECIFICATION	:-							
ESKOM SPECIFICATION	:- 240-76628297, D-DT-1016							
TEST & CERTIFICATION REQUIREMENTS :-								
INSPECTION	Yes	No	ESKOM RELEASE NOTE			Yes	No	
IDENTIFICATION:- INDELIBLE MANUFACTURES TRADEMARK & PART No. ON ALL ITEMS								
16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023			
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022			
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021			
REV	REVISION DESCRIPTION		BY	CHKD	AUTH	DATE	REF. DWGS	
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	Eskom		SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004			0194123		
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004			0194124		
				D-DT-3236		SET	SHEET	REV
						40	23	16

Unique Identifier:240-48887441

Revision 1

SPEC SHEET

SAP MATERIAL No.:	0212961							
SHORT DESCRIPTION:	KIOSK METER:3PH ;WALL MOUNT 400V							
TECH. DESCRIPTION:								
KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: CT/VT; TYPE: WALL MOUNT 400V; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76628295; WALL MOUNT FOR SINGLE METERING POINT LARGE POWER USERS LOW VOLTAGE; FULLY FITTED WITH ALL AUXILIARY EQUIPMENT AS PER D-1014; EXCLUDING METER; INCLUDING FUSE HOLDERS AND FUSES, TEST BLOCKS, 230V SURGE ARRESTORS, WIRING AND TERMINALS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1014; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).								
SAP MATERIAL No.:	0212962							
SHORT DESCRIPTION:	KIOSK METER:3PH ;WALL MOUNT 110V							
TECH. DESCRIPTION:								
KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: CT/VT; TYPE: WALL MOUNT 110V; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76628295; WALL MOUNTED FOR SINGLE METERING POINT LARGE POWER USERS MEDIUM VOLTAGE; FULLY FITTED WITH ALL AUXILIARY EQUIPMENT AS PER D-1014; EXCLUDING METER; INCLUDING FUSE HOLDERS AND FUSES, TEST BLOCKS, 110V SURGE ARRESTORS, WIRING AND TERMINALS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1014; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).								
SAP MATERIAL No.:	0212963							
SHORT DESCRIPTION:	KIOSK METER:3PH ;WALL MOUNT ;400V PLATE							
TECH. DESCRIPTION:								
KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: CT/VT; TYPE: 400V PLATE; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY - C35 TO SANS 1091; STANDARD: ESKOM: 240-76628295; WALL MOUNTED METER PLATE FOR SINGLE METERING POINT LARGE POWER USERS LOW VOLTAGE; FULLY FITTED WITH ALL AUXILIARY EQUIPMENT AS PER D-1021; EXCLUDING METER; INCLUDING FUSE HOLDERS AND FUSES; TEST BLOCKS, 230V SURGE ARRESTORS, WIRING AND TERMINALS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1021; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).								
ITEM	:- KIOSK INDOOR WALL MOUNT							
MATERIAL SPECIFICATION	:-							
CORROSION SPECIFICATION	:- 240-98195962							
STANDARD SPECIFICATION	:-							
ESKOM SPECIFICATION	:- 240-76628295, D-DT-1014, 1021, 5801,							
TEST & CERTIFICATION REQUIREMENTS :-								
INSPECTION	Yes	No	ESKOM RELEASE NOTE			Yes	No	
IDENTIFICATION:- INDELIBLE MANUFACTURES TRADEMARK & PART No. ON ALL ITEMS								
16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023			
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022			
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021			
REV	REVISION DESCRIPTION		BY	CHKD	AUTH	DATE	REF. DWGS	
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	 D-DT-3236		SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004			0212961		0212963
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004			0212962		SET
						40	24	16

SPEC SHEET

SAP MATERIAL No.:	0212964
SHORT DESCRIPTION:	KIOSK METER:3PH ;WALL MOUNT ;110V PLATE
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: CT/VT; TYPE: 110V PLATE; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76628295; WALL MOUNT METER PLATE FOR SINGLE METERING POINT LARGE POWER USERS MEDIUM VOLTAGE; FULLY FITTED WITH ALL AUXILIARY EQUIPMENT AS PER D-1021; EXCLUDING METER; INCLUDING FUSE HOLDERS AND FUSES, TEST BLOCKS, 110V SURGE ARRESTORS, WIRING AND TERMINALS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1021; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	

SAP MATERIAL No.:	0212965
SHORT DESCRIPTION:	KIOSK METER:3PH ;SUBS ;WALL MOUNT EMPTY
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: SUBS; TYPE: WALL MOUNT EMPTY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY C35 TO SANS 1091; STANDARD: ESKOM: 240-76628295; EMPTY INDOOR WALL MOUNTED SUBSTATION METER PANEL TO D-5801; SUITABLE FOR THE FITMENT OF TWO METERING MODULES (D-5804); INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D3236; MNFR DRG: D-5801; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	

16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023			
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022			
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021			
REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS		
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	 D-DT-3236		SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004			0212964		
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004			SET	SHEET	REV
			SCALE NTS		40	25	16	
			CAD REF: SERIES 3000					
			FILE No: 3236					

SPEC SHEET

SAP MATERIAL No.:	0223741
SHORT DESCRIPTION:	KIOSK METER:3PH ;100 KVA ;GROUND MOUNT

TECH. DESCRIPTION:
 KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 100 KVA; TYPE: GROUND MOUNT; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76628297; GROUND MOUNT FOR 100KVA LARGE POWER USERS LOW VOLTAGE; FULLY FITTED WITH ALL AUXILIARY EQUIPMENT AS PER D-1023; EXCLUDING METER; INCLUDING 150A THREE POLE MOULDED CASE CIRCUIT BREAKER, BUSBARS, INSULATORS, CTS (200-5A), FUSE HOLDERS AND FUSES, TEST BLOCKS, 230V SURGE ARRESTORS, WIRING AND TERMINALS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1023; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).


SAP MATERIAL No.:	0223742
SHORT DESCRIPTION:	KIOSK METER:3PH ;200 KVA ;GROUND MOUNT


TECH. DESCRIPTION:
 KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 200 KVA; TYPE: GROUND MOUNT; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76628297; GROUND MOUNT FOR 200KVA LARGE POWER USERS LOW VOLTAGE; FULLY FITTED WITH ALL AUXILIARY EQUIPMENT AS PER D-1023; EXCLUDING METER; INCLUDING 300A THREE POLE MOULDED CASE CIRCUIT BREAKER, BUSBARS, INSULATORS, CTS (300-5A), FUSE HOLDERS AND FUSES, TEST BLOCKS, 230V SURGE ARRESTORS, WIRING AND TERMINALS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1023; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).

ITEM	:- KIOSK METER 100 - 500kVA LPU GROUND / WALL MOUNT		
MATERIAL SPECIFICATION	:-		
CORROSION SPECIFICATION	:- 240-98195962		
STANDARD SPECIFICATION	:-		
ESKOM SPECIFICATION	:- 240-76628297, D-DT-1023		

TEST & CERTIFICATION REQUIREMENTS :-					
INSPECTION	Yes	No	ESKOM RELEASE NOTE	Yes	No

IDENTIFICATION:- INDELIBLE MANUFACTURES TRADEMARK & PART No. ON ALL ITEMS

16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023	
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022	
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021	

REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS
AUTH:	HPD GROENEWALD	DATE: 01.08.2004	SCALE NTS	 D-DT-3236	SAP No: 0223741	
CHKD:	HPD GROENEWALD	DATE: 01.07.2004	CAD REF: SERIES 3000		0223742	
DRAWN:	P.A. VERMAAK	DATE: 01.07.2004	FILE No: 3236		SET	SHEET
				40	26	16



SPEC SHEET

SAP MATERIAL No.:	0223738
SHORT DESCRIPTION:	KIOSK METER:3PH ;315 KVA ;GROUND MOUNT
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 315 KVA; TYPE: GROUND MOUNT; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76628297; FOR 315KVA LARGE POWER USERS LOW VOLTAGE; FULLY FITTED WITH ALL AUXILIARY EQUIPMENT AS PER D-1023; EXCLUDING METER; INCLUDING 450A THREE POLE MOULDED CASE CIRCUIT BREAKER, BUSBARS, INSULATORS, CTS (500-5A), FUSE HOLDERS AND FUSES, TEST BLOCKS, 230V SURGE ARRESTORS, WIRING AND TERMINALS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1023; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	
SAP MATERIAL No.:	0223740
SHORT DESCRIPTION:	KIOSK METER:3PH ;500 KVA ;GROUND MOUNT
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: 500 KVA; TYPE: GROUND MOUNT; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76628297; FOR 500KVA LARGE POWER USERS LOW VOLTAGE; FULLY FITTED WITH ALL AUXILIARY EQUIPMENT AS PER D-1023; EXCLUDING METER; INCLUDING 800A THREE POLE MOULDED CASE CIRCUIT BREAKER, BUSBARS, INSULATORS, CTS (800-5A), FUSE HOLDERS AND FUSES, TEST BLOCKS, 230V SURGE ARRESTORS, WIRING AND TERMINALS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1023; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	

16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023			
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022			
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021			
REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS		
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	 D-DT-3236		SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004			0223738		
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004			0223740		
			SCALE NTS			SET	SHEET	REV
			CAD REF: SERIES 3000			40	27	16
			FILE No: 3236					



SPEC SHEET

SAP MATERIAL No.:	0569535
SHORT DESCRIPTION:	KIOSK METER:1PH ;4.6 KVA ;12 WAY SECURE ; GROUND MOUNT
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 4.6 KVA; TYPE: 12 WAY SECURE; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY C35 TO SANS 1091; STANDARD: ESKOM: 240-52840756; FOR SECURE GROUND MOUNT 12-WAY 4.6KVA SMALL POWER USERS; EXCLUDING DIN-RAIL METERS; FULLY FITTED WITH TWELVE 20A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE), BUSBARS, WIRING, TERMINALS AND ACCESS CONTROL EQUIPMENT AS PER D-1029; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1029; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	
SAP MATERIAL No.:	0569536
SHORT DESCRIPTION:	KIOSK METER:1PH ;14 KVA ;4 WAY SECURE ; GROUND MOUNT
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 14 KVA; TYPE: 4 WAY SECURE; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-52840756; FOR SECURE GROUND MOUNT 4-WAY 14KVA SMALL POWER USERS; EXCLUDING DIN-RAIL METERS; FULLY FITTED WITH FOUR 60A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE), BUSBARS, WIRING, TERMINALS AND ACCESS CONTROL EQUIPMENT AS PER D-1026; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1026; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	
SAP MATERIAL No.:	0569537
SHORT DESCRIPTION:	KIOSK METER:1PH ;14 KVA ;6 WAY SECURE ; GROUND MOUNT
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 14 KVA; TYPE: 6 WAY SECURE; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-52840756; FOR SECURE GROUND MOUNT 6-WAY 14KVA SMALL POWER USERS; EXCLUDING DIN-RAIL METERS; FULLY FITTED WITH SIX 60A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE), BUSBARS, WIRING, TERMINALS AND ACCESS CONTROL EQUIPMENT AS PER D-1027; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D3236; MNFR DRG: D-1027; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	



16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023		
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022		
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021		
REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS	
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	 D-DT-3236	SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004		0569535		
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004		0569537		
					SET	SHEET	REV
					40	29	16

SPEC SHEET

SAP MATERIAL No.:	0569538
SHORT DESCRIPTION:	KIOSK METER:1PH ;14 KVA ;8 WAY SECURE ; GROUND MOUNT
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 14 KVA; TYPE: 8 WAY SECURE; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-52840756; FOR SECURE GROUND MOUNT 8-WAY 14KVA SMALL POWER USERS; EXCLUDING DIN-RAIL METERS; FULLY FITTED WITH EIGHT 60A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE), BUSBARS, WIRING, TERMINALS AND ACCESS CONTROL EQUIPMENT AS PER D-1028; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1038; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	
SAP MATERIAL No.:	0569539
SHORT DESCRIPTION:	KIOSK METER:1PH ;14 KVA ;12 WAY SECURE ; GROUND MOUNT
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 14 KVA; TYPE: 12 WAY SECURE; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-52840756; FOR SECURE GROUND MOUNT 12-WAY 14KVA SMALL POWER USERS; EXCLUDING DIN-RAIL METERS; FULLY FITTED WITH TWELVE 60A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE), BUSBARS, WIRING, TERMINALS AND ACCESS CONTROL EQUIPMENT AS PER D-1029; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1029; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	
SAP MATERIAL No.:	0672776
SHORT DESCRIPTION:	KSK MTR:1PH;14 KVA;12 WAY SECURE NO BASE
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE: 1PH; SUPPLY: 14 KVA; TYPE: 12 WAY SECURE NO BASE; MATERIAL: 3CR12 POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-52840756; FOR SECURE GROUND MOUNT 12-WAY 14KVA SMALL POWER USERS; EXCLUDING DIN-RAIL METERS; FULLY FITTED WITH TWELVE 60A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE), BUSBARS, WIRING, TERMINALS AND ACCESS CONTROL EQUIPMENT AS PER DDT-1029; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS ; DRAWING NO: DDT-3236; MNFR DRG: DDT-1029; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	

16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023		
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022		
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021		
REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS	
AUTH:	HPD GROENEWALD	DATE:	01.08.2004		SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004		0569538		
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004		0672776		
				D-DT-3236	SET	SHEET	REV
					40	30	16

SPEC SHEET

SAP MATERIAL No.:	0569540								
SHORT DESCRIPTION:	KIOSK METER:1PH ;4.6 KVA ;2 WAY ;SECURE ;POLE MOUNT								
TECH. DESCRIPTION:									
KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 4.6 KVA; TYPE: 2 WAY PM; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-55146411; FOR SECURE POLE MOUNT 2-WAY 4.6KVA SMALL POWER USERS; EXCLUDING DIN-RAIL METERS; FULLY FITTED WITH ONE 40A SINGLE POLE MINIATURE CIRCUIT BREAKER CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE), WIRING & TERMINALS AS PER D-1030; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1030; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).									
SAP MATERIAL No.:	0569541								
SHORT DESCRIPTION:	KIOSK METER:1PH ;4.6 KVA ;4 WAY ;SECURE ;POLE MOUNT								
TECH. DESCRIPTION:									
KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 4.6 KVA; TYPE: 4 WAY PM; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-55146411; FOR SECURE POLE MOUNT 4-WAY 4.6KVA SMALL POWER USERS; EXCLUDING DIN-RAIL METERS; FULLY FITTED WITH TWO 40A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE), WIRING & TERMINALS AS PER D-1031; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1031; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).									
SAP MATERIAL No.:	0569542								
SHORT DESCRIPTION:	KIOSK METER:1PH ;4.6 KVA ;6 WAY ;SECURE ;POLE MOUNT								
TECH. DESCRIPTION:									
KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 4.6 KVA; TYPE: 6 WAY PM; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NANY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-55146411; FOR SECURE POLE MOUNT 6-WAY 4.6KVA SMALL POWER USERS; EXCLUDING DIN-RAIL METERS; FULLY FITTED WITH THREE 40A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE), WIRING & TERMINALS AS PER D-1032; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1032; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).									
ITEM	:- KIOSK SECURE POLE MOUNT								
MATERIAL SPECIFICATION	:-								
CORROSION SPECIFICATION	:- 240-98195962								
STANDARD SPECIFICATION	:-								
ESKOM SPECIFICATION	:- 240-55146411, D-DT-1030, 1031, 1032, 1033, 1034								
TEST & CERTIFICATION REQUIREMENTS :-									
INSPECTION	Yes	No	ESKOM RELEASE NOTE			Yes	No		
IDENTIFICATION:- INDELIBLE MANUFACTURES TRADEMARK & PART No. ON ALL ITEMS									
16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023				
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022				
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021				
REV	REVISION DESCRIPTION		BY	CHKD	AUTH	DATE	REF. DWGS		
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	 D-DT-3236		SAP No:			
CHKD:	HPD GROENEWALD	DATE:	01.07.2004			0569540		0569542	
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004			SET		SHEET	
				SCALE			REV		
				NTS			40		
				CAD REF:			32		
				SERIES 3000			16		
				FILE No:					
				3236					

SPEC SHEET

SAP MATERIAL No.:	0569543
SHORT DESCRIPTION:	KIOSK METER:1PH ;4.6 KVA ;8 WAY ; SECURE ;POLE MOUNT
TECH. DESCRIPTION:	
KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 4.6 KVA; TYPE: 8 WAY PM; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-55146411; FOR SECURE POLE MOUNT 8-WAY 4.6KVA SMALL POWER USERS; EXCLUDING DIN-RAIL METERS; FULLY FITTED WITH FOUR 40A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE), WIRING & TERMINALS AS PER D-1033; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1033; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	

SAP MATERIAL No.:	0569544
SHORT DESCRIPTION:	KIOSK METER:1PH ;14 KVA ;2 WAY ; SECURE ;POLE MOUNT
TECH. DESCRIPTION:	
KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 14 KVA; TYPE: 2 WAY PM; MATERIAL: 3CR12; POWDER COATED; STANDARD: ESKOM: 240-55146411; FOR SECURE POLE MOUNT 2-WAY 14KVA SMALL POWER USERS; EXCLUDING DIN-RAIL METERS; FULLY FITTED WITH ONE 100A SINGLE POLE MINIATURE CIRCUIT BREAKER CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE), WIRING & TERMINALS AS PER D-1030; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1030; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE). ESKOM DRAWING No. D-DT-3236 *	

SAP MATERIAL No.:	0569545
SHORT DESCRIPTION:	KIOSK METER:1PH ;14 KVA ;4 WAY ; SECURE ;POLE MOUNT
TECH. DESCRIPTION:	
KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 14 KVA; TYPE: 4 WAY PM; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-55146411; FOR SECURE POLE MOUNT 4-WAY 14KVA SMALL POWER USERS; EXCLUDING DIN-RAIL METERS; FULLY FITTED WITH TWO 100A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE), WIRING & TERMINALS AS PER D-1031; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1031; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	

16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023			
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022			
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021			
REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS		
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	 D-DT-3236		SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004			0569543	0569545	
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004			SET	SHEET	REV
		SCALE	NTS			40	33	16
		CAD REF:	SERIES 3000					
		FILE No:	3236					

Unique Identifier:240-48887441



Revision 1

SPEC SHEET



SAP MATERIAL No.:	0569546
SHORT DESCRIPTION:	KIOSK METER:1PH ;14 KVA ;6 WAY ; SECURE ;POLE MOUNT
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 14 KVA; TYPE: 6 WAY PM; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-55146411; FOR SECURE POLE MOUNT 6-WAY 14KVA SMALL POWER USERS; EXCLUDING DIN-RAIL METERS; FULLY FITTED WITH THREE 100A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE), WIRING & TERMINALS AS PER D-1032; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1032; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	
SAP MATERIAL No.:	0569547
SHORT DESCRIPTION:	KIOSK METER:1PH ;14 KVA ;8 WAY ;SECURE ;POLE MOUNT
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 14 KVA; TYPE: 8 WAY PM; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-55146411; FOR SECURE POLE MOUNT 8-WAY 14KVA SMALL POWER USERS; EXCLUDING DIN-RAIL METERS; FULLY FITTED WITH FOUR 100A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE), WIRING & TERMINALS AS PER D-1033; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1033; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	
SAP MATERIAL No.:	0571155
SHORT DESCRIPTION:	KSK MTR:3PH;0 KVA;DC SECURE POLE MOUNT
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE: 3PH; SUPPLY: 0 KVA; TYPE: DC SECURE POLE MOUNT; MATERIAL: 3CR12 POWDER COATED; COLOR: GRAY LIGHT NAVY - C35 SANS 1091; STANDARD: ESKOM: 240-55146411; FOR SECURE POLE MOUNT DATA CONCENTRATOR (DC) KIOSK ; FULLY FITTED WITH FOUR 10A 5KA SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE), WIRING AS PER D-1034; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1034; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	

16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023		
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022		
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021		
REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS	
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	 D-DT-3236	SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004		0569546, 0571155		
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004		SET	SHEET	REV
					40	34	16


SPEC SHEET

SAP MATERIAL No.:	0599894							
SHORT DESCRIPTION:	KIOSK METER:3PH ;SUBS ;POLE MOUNT 1 FDR							
TECH. DESCRIPTION:								
KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: SUBS; TYPE: POLE MOUNT 1 FDR; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-80309303; POLE MOUNT SUBSTATION OUTDOOR METERING PANEL FOR A SINGLE METERING POINT; FULLY FITTED WITH ALL AUXILIARY EQUIPMENT AS PER D-5086; EXCLUDING METERS; INCLUDING FUSE HOLDERS AND FUSES, TEST BLOCKS, 110V SURGE ARRESTORS, WIRING AND TERMINALS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-5806; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).								
SAP MATERIAL No.:	0599895							
SHORT DESCRIPTION:	KIOSK METER:3PH ;SUBS ;POLE MOUNT 2 FDR							
TECH. DESCRIPTION:								
KIOSK METER: PHASE QUANTITY: 3PH; SUPPLY: SUBS; TYPE: POLE MOUNT 2 FDR; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-80309303; POLE MOUNT SUBSTATION OUTDOOR METERING PANEL FOR TWO METERING POINTS; FULLY FITTED WITH ALL AUXILIARY EQUIPMENT AS PER D-5805; EXCLUDING METERS; INCLUDING FUSE HOLDERS AND FUSES, TEST BLOCKS, 110V SURGE ARRESTORS, WIRING AND TERMINALS; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-5805; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).								
SAP MATERIAL No.:	0690283							
SHORT DESCRIPTION:	KSK MTR:3PH;SUBS;1 & 2 FDR BASE							
TECH. DESCRIPTION:								
KIOSK METER: PHASE: 3PH; SUPPLY: SUBS; TYPE: 1 & 2 FDR BASE; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY – C35 TO SANS 1091; STANDARD: ESKOM: 240-80309303; SUBSTATION OUTDOOR METERING PANEL BASE AS PER D-5086; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: DDT-3236; MNFR DRG: DDT-5086; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).								
ITEM	:- KIOSK SUBSTATION OUTDOOR POLE MOUNT							
MATERIAL SPECIFICATION	:-							
CORROSION SPECIFICATION	:- 240-98195962							
STANDARD SPECIFICATION	:-							
ESKOM SPECIFICATION	:- 240-80309303, D-DT-5805, 5806							
TEST & CERTIFICATION REQUIREMENTS :-								
INSPECTION	Yes	No	ESKOM RELEASE NOTE			Yes	No	
IDENTIFICATION:- INDELIBLE MANUFACTURES TRADEMARK & PART No. ON ALL ITEMS								
16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023			
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022			
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021			
REV	REVISION DESCRIPTION		BY	CHKD	AUTH	DATE	REF. DWGS	
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	 D-DT-3236		SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004			0599894		0690283
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004			SET	SHEET	REV
				3236	40	35	16	

SPEC SHEET

SAP MATERIAL No.:	0660266							
SHORT DESCRIPTION:	KIOSK METER:1PH ;16 KVA ;2 WAY PREPAY ;GROUND MOUNT							
TECH. DESCRIPTION:	<p>KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 16 KVA; TYPE: 2 WAY PREPAY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY - C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; FOR 2 WAY 16KVA SMALL POWER USERS SPLIT PREPAYMENT GROUND MOUNT; EXCLUDING DIN-RAIL METERS; FULLY FITTED WITH 80A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE), BUSBARS, WIRING AND TERMINALS AS PER D-1035; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1035; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>							
SAP MATERIAL No.:	0615213							
SHORT DESCRIPTION:	KIOSK METER:1PH ;16 KVA ;4 WAY PREPAY ;GROUND MOUNT							
TECH. DESCRIPTION:	<p>KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 16 KVA; TYPE: 4 WAY PREPAY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY - C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; FOR 4 WAY 16KVA SMALL POWER USERS SPLIT PREPAYMENT GROUND MOUNT; EXCLUDING DIN-RAIL METERS; FULLY FITTED WITH 80A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE), BUSBARS, WIRING AND TERMINALS AS PER D-1036; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1036; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>							
SAP MATERIAL No.:	0615214							
SHORT DESCRIPTION:	KIOSK METER:1PH ;16 KVA ;6 WAY PREPAY ;GROUND MOUNT							
TECH. DESCRIPTION:	<p>KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 16 KVA; TYPE: 6 WAY PREPAY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY - C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; FOR 6 WAY 16KVA SMALL POWER USERS SPLIT PREPAYMENT GROUND MOUNT; EXCLUDING DIN-RAIL METERS; FULLY FITTED WITH 80A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE), BUSBARS, WIRING AND TERMINALS AS PER D-1037; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1037; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>							
ITEM	:- KIOSK MULTIWAY PREPAY GROUND MOUNT							
MATERIAL SPECIFICATION	:-							
CORROSION SPECIFICATION	:- 240-98195962							
STANDARD SPECIFICATION	:-							
ESKOM SPECIFICATION	:- 240-76625427, D-DT-1035, 1036, 1037, 1038, 1039							
TEST & CERTIFICATION REQUIREMENTS	:-							
INSPECTION	Yes	No	ESKOM RELEASE NOTE			Yes	No	
IDENTIFICATION:- INDELIBLE MANUFACTURES TRADEMARK & PART No. ON ALL ITEMS								
16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023			
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022			
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021			
REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS		
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	 D-DT-3236		SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004			0615212	0615214	
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004			0615213	SET	SHEET
						40	36	16

SPEC SHEET

SAP MATERIAL No.:		0615215					
SHORT DESCRIPTION:		KIOSK METER:1PH ;16 KVA ;8 WAY PREPAY ;GROUND MOUNT					
TECH. DESCRIPTION:		KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 16 KVA; TYPE: 8 WAY PREPAY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY - C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; FOR 8 WAY 16KVA SMALL POWER USERS SPLIT PREPAYMENT GROUND MOUNT; EXCLUDING DIN-RAIL METERS; FULLY FITTED WITH 80A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE), BUSBARS, WIRING AND TERMINALS AS PER D-1038; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1038; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).					
SAP MATERIAL No.:		0615216					
SHORT DESCRIPTION:		KIOSK METER:1PH ;16 KVA ;12 WAY PREPAY ;GROUND MOUNT					
TECH. DESCRIPTION:		KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 16 KVA; TYPE: 12 WAY PREPAY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY - C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; FOR 12 WAY 16KVA SMALL POWER USERS SPLIT PREPAYMENT GROUND MOUNT; EXCLUDING DIN-RAIL METERS; FULLY FITTED WITH 80A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE), BUSBARS, WIRING AND TERMINALS AS PER D-1039; SUPPLIED WITH TAPERED KIOSK BASE; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: D-3236; MNFR DRG: D-1039; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).					
SAP MATERIAL No.:		0672778					
SHORT DESCRIPTION:		KSK MTR:1PH;16 KVA;12 WAY PREPAY NO BASE					
TECH. DESCRIPTION:		KIOSK METER: PHASE: 1PH; SUPPLY: 16 KVA; TYPE: 12 WAY PREPAY NO BASE; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; FOR 12 WAY 16KVA SMALL POWER USERS SPLIT PREPAYMENT GROUND MOUNT; EXCLUDING DIN-RAIL METERS; FULLY FITTED WITH 80A SINGLE POLE MINIATURE CIRCUIT BREAKERS CURVE 1 WITH NO EXPOSED PARTS (TOUCH SAFE), BUSBARS, WIRING AND TERMINALS AS PER DDT-1039; INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS; DRAWING NO: DDT-3236; MNFR DRG: DDT-1029; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).					
SAP MATERIAL No.:		0649116					
SHORT DESCRIPTION:		KIOSK METER:1PH ;2 WAY PREPAY ;EMPTY					
TECH. DESCRIPTION:		KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 2 WAY PREPAY; TYPE: EMPTY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY - C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; EMPTY METER KIOSK FOR 2 WAY SMALL POWER USERS SPLIT PREPAYMENT; FITTED WITH INNER PLATE, DIN RAILS, EARTH STUD & BUSBARS; SUPPLIED WITH TAPERED KIOSK BASE; DRAWING NO: D-DT-3236; MNFR DRG: D-DT-1035; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).					
16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023		
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022		
14	SAP NUMBER 0571155 AMENDED. 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021		
REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS	
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	SCALE	SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004	NTS	0615215	0672778	
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004	CAD REF:	0615216	0649116	
				SERIES 3000	SET	SHEET	
				FILE No:	40	37	
				3236		16	


SPEC SHEET


SAP MATERIAL No.:	0649117
SHORT DESCRIPTION:	KIOSK METER:1PH ;4 WAY PREPAY ;EMPTY
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 4 WAY PREPAY; TYPE: EMPTY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY - C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; EMPTY METER KIOSK FOR 4 WAY SMALL POWER USERS SPLIT PREPAYMENT; FITTED WITH INNER PLATE, DIN RAILS, EARTH STUD & BUSBARS; SUPPLIED WITH TAPERED KIOSK BASE; DRAWING NO: D-DT-3236; MNFR DRG: D-DT-1036; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	

SAP MATERIAL No.:	0649118
SHORT DESCRIPTION:	KIOSK METER:1PH ;6 WAY PREPAY ;EMPTY
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 6 WAY PREPAY; TYPE: EMPTY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY - C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; EMPTY METER KIOSK FOR 6 WAY SMALL POWER USERS SPLIT PREPAYMENT; FITTED WITH INNER PLATE, DIN RAILS, EARTH STUD & BUSBARS; SUPPLIED WITH TAPERED KIOSK BASE; DRAWING NO: D-DT-3236; MNFR DRG: D-DT-1037; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	




SAP MATERIAL No.:	0649119
SHORT DESCRIPTION:	KIOSK METER:1PH ;8 WAY PREPAY ;EMPTY
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 8 WAY PREPAY; TYPE: EMPTY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY - C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; EMPTY METER KIOSK FOR 4 WAY SMALL POWER USERS SPLIT PREPAYMENT; FITTED WITH INNER PLATE, DIN RAILS, EARTH STUD & BUSBARS; SUPPLIED WITH TAPERED KIOSK BASE; DRAWING NO: D-DT-3236; MNFR DRG: D-DT-1038; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	

SAP MATERIAL No.:	0649120
SHORT DESCRIPTION:	KIOSK METER:1PH ;12 WAY PREPAY ;EMPTY
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: 12 WAY PREPAY; TYPE: EMPTY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY - C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; EMPTY METER KIOSK FOR 12 WAY SMALL POWER USERS SPLIT PREPAYMENT; FITTED WITH INNER PLATE, DIN RAILS, EARTH STUD & BUSBARS; SUPPLIED WITH TAPERED KIOSK BASE; DRAWING NO: D-DT-3236; MNFR DRG: D-DT-1039; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	

16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023	
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022	
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021	

REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS	
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	 D-DT-3236	SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004		0649117	0649119	
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004		0649118	0649120	
					SET	SHEET	REV
					40	38	16

SPEC SHEET

SAP MATERIAL No.:	0672806									
SHORT DESCRIPTION:	KSK MTR:1PH;12 WAY PREPAY;EMPTY NO BASE									
TECH. DESCRIPTION:										
KIOSK METER: PHASE: 1PH; SUPPLY: 12 WAY PREPAY; TYPE: EMPTY NO BASE; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY- C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; EMPTY METER KIOSK FOR 12 WAY SMALL POWER USERS SPLIT PREPAYMENT; FITTED WITH INNER PLATE, DIN RAILS, EARTH STUD & BUSBARS; DRAWING NO: DDT-3236; MNFR DRG: DDT-1039; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).										
SAP MATERIAL No.:	0649121									
SHORT DESCRIPTION:	KIOSK METER:1PH;PREPAY;BASE 2 WAY									
TECH. DESCRIPTION:										
KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: PREPAY; TYPE: BASE 2 WAY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY - C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; METER KIOSK PREPAY BASE 2, 4, 6, 8 WAY; WITH SIX M10 STAINLESS STEEL BOLTS AND NUTS WELDED ONTO KIOSK BASE; INTERFACING DIMENSIONS TO D-DT-1035 SHEET 6; FOR USE WITH STANDARD 2, 4, 6 & 8 MULTI-WAY SPLIT PREPAY METERING KIOSKS; DRAWING NO: D-DT-3236; MNFR DRG: D-DT-1035; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).										
SAP MATERIAL No.:	0649122									
SHORT DESCRIPTION:	KIOSK METER:1PH;TAPERED PREPAY;BASE 2									
TECH. DESCRIPTION:										
KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: TAPERED PREPAY; TYPE: BASE 2; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY - C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; METER KIOSK PREPAY BASE 2, 4, 6, 8 WAY TAPERED; WITH SIX M10 STAINLESS STEEL BOLTS AND NUTS WELDED ONTO KIOSK BASE; INTERFACING DIMENSIONS TO D-DT-1035 SHEET 5; FOR USE WITH STANDARD 2, 4, 6 & 8 MULTI-WAY SPLIT PREPAY METERING KIOSKS; DRAWING NO: D-DT-3236; MNFR DRG: D-DT-1035; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE)										
16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK			JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023			
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.			JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022			
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.			JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021			
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE	REF. DWGS		
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	SCALE				SAP No:		
				NTS				0672806	0649122	
CHKD:	HPD GROENEWALD	DATE:	01.07.2004	CAD REF:				0649121		
				SERIES 3000				SET	SHEET	REV
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004	FILE No:				40	39	16
				3236						

SPEC SHEET

SAP MATERIAL No.:	0649123
SHORT DESCRIPTION:	KIOSK METER:1PH;PREPAY;BASE 12 WAY
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: PREPAY; TYPE: BASE 12 WAY; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY - C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; METER KIOSK PREPAY BASE 12 WAY; WITH SIX M10 STAINLESS STEEL BOLTS AND NUTS WELDED ONTO KIOSK BASE; INTERFACING DIMENSIONS TO D-DT-1039 SHEET 6; FOR USE WITH STANDARD 12 MULTI-WAY SPLIT PREPAY METERING KIOSKS; DRAWING NO: D-DT-3236; MNFR DRG: D-DT-1039; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	

SAP MATERIAL No.:	0649124
SHORT DESCRIPTION:	KIOSK METER:1PH;TAPERED PREPAY;BASE 12
TECH. DESCRIPTION:	
<p>KIOSK METER: PHASE QUANTITY: 1PH; SUPPLY: TAPERED PREPAY; TYPE: BASE 12; MATERIAL: 3CR12; POWDER COATED; COLOR: LIGHT NAVY GREY - C35 TO SANS 1091; STANDARD: ESKOM: 240-76625427; METER KIOSK PREPAY BASE 12 WAY TAPERED; WITH SIX M10 STAINLESS STEEL BOLTS AND NUTS WELDED ONTO KIOSK BASE; INTERFACING DIMENSIONS TO D-DT-1039 SHEET 5; FOR USE WITH STANDARD 12 MULTI-WAY SPLIT PREPAY METERING KIOSKS; DRAWING NO: D-DT-3236; MNFR DRG: D-DT-1039; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).</p>	

--	--	--	--	--	--	--	--

16	SAP NUMBER 0730492 ADDED FOR 230V CTVT UNIT KIOSK, 0730791 FOR 25kVA SPU DC & METER KIOSK	JS	HPD GROENEWALD	HPD GROENEWALD	22.11.2023			
15	SAP NUMBER 713649, 713711, 713712, 713713, 713714, 713715, 713716, 713717, 713718, 713719, 713720, 713721, 713838, 713839, 0713840, 0713841 ADDED FOR KIOSKS WITHOUT METERS.	JS	HPD GROENEWALD	HPD GROENEWALD	04.08.2022			
14	SAP NUMBER 0571155 AMENDED, 0688001, 0688003, 0688006, 0672776, 0672778, 0672806 ADDED.	JS	HPD GROENEWALD	HPD GROENEWALD	18.08.2021			
REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS		
AUTH:	HPD GROENEWALD	DATE:	01.08.2004	 D-DT-3236		SAP No:		
CHKD:	HPD GROENEWALD	DATE:	01.07.2004			0649123		
DRAWN:	P.A. VERMAAK	DATE:	01.07.2004			SET	SHEET	REV
			SCALE NTS		40	40	16	
			CAD REF: SERIES 3000					
			FILE No: 3236					