



DEPARTMENT OF
TRANSPORT AND COMMUNITY SAFETY

Dear Sir / Madam

QUOTATION NO: RQ-014886

(Up to a transaction value of Above R30 000)

Kindly furnish me with a written quotation for the supply of the goods/services as detailed in the enclosed schedule/Specification.

The quotation must be delivered not later than **08 October 2024 at 11h00 to the Departmental Quotation Box at Head Office (Cnr Church and Bodenstein street Polokwane) or Email to headofficescm@dtcs.limpopo.gov.za.**

NB: NO MORE COMPULSORY BRIEFING SESSION


The following conditions will apply:

- Price(s) quoted must be valid for at ninety days (90) days from date of your offer.
- Price(s) quoted must be firm and must be inclusive of VAT, if VAT registered.
- A firm delivery period must be indicated.
- This quotation will be evaluated in terms of **80/20** preference point system as prescribed in the Preferential Procurement Policy Framework Act (No 5 of 2000) and for this purpose the enclosed forms **SBD 4 and SBD 6.1** must be scrutinized, completed in full and submitted together with your quotation.
- The successful provider will be the one scoring the highest points.
- Acceptance of the General conditions of contract can be found on the Provincial/Nation Treasury Website.
- Do not deviate from the specification (quote everything that is on the specification)
- Ensure that your calculations are all correct
- **Fill in your prices on the attached specification and attach letter head of company.**
- Fill in with a black pen


Failure to comply with these conditions may invalidate your offer.

Yours faithfully


Bopape MM (015 294 8420)



Signature



Date



Department of Transport and Community Safety

RFQ: 014 886

Installation of Welded Mesh at Limpopo Traffic Training College

CALL FOR EXPRESSION OF INTEREST

Issued by:

Department of Transport and Community Safety


39 Church Street Polokwane

Contact: 015 295 1000

Name: Bopape M M

Telephone: 015 294 8420

Name of respondent:



Department of Transport and Community Safety

RFQ

Installation of Welded mesh fence at Limpopo Traffic Training College

Contents

Number	Heading
---------------	----------------

Part E1: Submission procedures

E1.1	Notice and invitation to submit an expression of interest
------	---


E1.2	Submission data
------	-----------------

Part E2: Returnable documents

E2.1	List of returnable documents
------	------------------------------

Part E3: Indicative scope of work

E3	Indicative scope of work
----	--------------------------



Department of Transport and Community Safety

RFQ

Installation of welded mesh fence at Limpopo Traffic Training College

E1.1 Notice and Invitation to submit an Expression of Interest

Department of Transport and Community Safety invites expressions of interest for the installation of welded mesh fence at Limpopo Traffic Training College for a period of 30 days.

Respondents must have a contractor grading designation of 1SQ or higher who satisfy criteria stated in the Submission Data may submit expressions of interest.

Only respondents who meet all stated criteria are eligible to have their submissions evaluated.

The tender documents will be made available on the eTender portal and CIDB website.

Queries relating to the issue of these documents may be addressed to Ms Bopape MM, Email: bopapemm@dtcs.limpopo.gov.za

A compulsory clarification meeting with representatives of the Employer will take place at LIMPOPO TRAFFIC TRAINING COLLEGE:

Requirements for sealing, addressing, delivery, opening and assessment of submissions are stated in the Submission Data.

I

Department of Transport and Community Safety

RFQ

Installation of welded mesh fence at Limpopo Traffic Training College


E1.2 Submission Data

The conditions applicable to this call for expressions of interest of tender are the Standard Conditions for the calling for Expressions of Interest as contained in Annex H of the CIDB Standard for Uniformity in Construction Procurement (January 2009) as published in Government Gazette No 31823, Board Notice 12 of 2009 of 30 January 2009. (See www.cidb.org.za).

The Standard Conditions for the calling for Expressions of Interest make several references to the Submission Data for details that apply specifically to this submission. The Submission Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the Standard Conditions for the calling for Expressions of Interest.

Each item of data given below is cross-referenced to the clause in the Standard Conditions for the calling for Expressions of Interest.

Clause number	Submission Data
H.1	The Employer is DEPARTMENT OF TRANSPORT AND COMMUNITY SAFETY
H.1.2	The documents associated with the calling for expressions of interest issued by the employer comprise: Part E.1: Submission procedures E.1.1 Invitation and notice for submissions of expressions of interest E.1.2 Submission data Part E.2: Returnable documents E.2.1 List of returnable documents E.2.2 Submission schedules Part E.3 Indicative scope of work E.3 Indicative scope of work
H.1.4	The employer's agent is: N/A Name: Address: Tel: Fax: E-mail:
H.2.1	Only those respondents who satisfy the following eligibility criteria are eligible to submit expressions of interest: 1) Extensive experience in the erection of fence 2)



Department of Transport and Community Safety

RFQ


Installation of welded mesh fence at Limpopo Traffic Training College

E.2.1 List of returnable documents

- (i) Original Bid Document
- (ii) SBD 4
- (iii) SBD 6.1
- (iv) COIDA Letter of Good Standing
- (v) CIDB Gradings 1 SO
- (vi) E1.1
- (vii) E1.2
- (viii) E2.1
- (ix) E3
- (x) T2.2A
- (xi) T2.2B
- (xii) T2.2C
- (xiii) T2.2D
- (xiv) T2.2E

H.2.1	Only those respondents who are registered with the Construction Industry Development Board, in a contractor grading designation of 1SQ or higher, are eligible to have their submissions evaluated. Joint ventures are eligible to have their submissions evaluated provided that: 1 every member of the joint venture is registered with the CIDB. 2 the lead partner has a contractor grading designation in the construction industry of 1SQ or higher and 3 the combined contractor grading designation calculated in accordance with the Construction Industry Development Regulations is equal to or higher than the required contractor grading designation.
H.2.1	The following respondents who are registered with the CIDB, or are capable of being so registered not later than 7 days from the closing date for the submission of tenders, are eligible to have their submissions evaluated: a) those respondents who are registered with the Construction Industry Development Board, or are capable of being so registered within 7 days from the closing date for submission of tenders, in a contractor grading designation of 1SQ or higher; and b) contractors registered as potentially emerging enterprises with the CIDB who are registered in one contractor grading designation lower than that required in terms of a) above and who satisfy the following criteria: 1) the employer is satisfied that such a contractor has the potential to develop and qualify to be registered in that higher grade as determined in accordance with the provisions of the <i>CIDB Specification for Social and Economic Deliverables in Construction Works Contracts</i>; and 2) the employer agrees to provide the financial, management or other support that is considered appropriate to enable the contractor to successfully execute that contract.
H.2.5	The arrangements for a compulsory clarification meeting are as stated in the Notice and Invitation to Submit an Expression of Interest. Respondents must sign the attendance list in the name of the responding entity. Addenda will be issued to and submissions will be received only from those responding entities appearing on the attendance list.
H.2.7	The employer's address for delivery of submissions and identification details to be shown on each submission package are: Location of tender box: MAIN ENTRANCE OF PHAMOKO TOWERS Physical address: 39 CHURCH STREET POLOKWANE Identification details: THE BOX IS WRITTEN TENDER BOX ON THE OUTSIDE Email: headofficescm@dtcs.limpopo.gov.za
H.2.9	The closing time for submissions is as stated in the Notice and Invitation to Submit an Expression of Interest.
H.2.9	Telephonic, telegraphic, telex, facsimile or e-mailed submissions offers will not be accepted.
H.3.3	Late submissions will be recorded as late submissions and will not be eligible for evaluation
H.3.9	The procedure for evaluation of responsive submissions is: Stage one: Compliance with specification Stage two: Administrative compliance Stage 3: 80/20 Preference Point System

H.3.9	All respondents who submit responsive submissions and: 1) a) are tax compliant at the time of evaluation and award or have made arrangements to meet outstanding tax obligations; b) are registered with the Construction Industry Development Board in an appropriate contractor grading designation; c) do not have any of their directors/shareholders is not listed on the Register of Tender Defaulters in terms of the Prevention and Combating of Corrupt Activities Act of 2004 as a person prohibited from doing business with the public sector; d) have not abused the Employer's Supply Chain Management System or have failed to perform on any previous contract and have been given a written notice to this effect; e) have completed the Compulsory Enterprise Questionnaire and who are considered by the Employer not to have any conflicts of interest which may impact on their ability to perform the proposed contract in the best interests of the Employer or potentially compromise the tender process and are free of persons in the state who are not permitted to submit tenders or to participate in the contract; and will be invited to submit tender offers and have their submissions evaluated.
-------	---



Department of Transport and Community Safety

RFQ

Installation of Welded mesh fence at Limpopo Traffic Training College

E3: Indicative scope of work

- The winning bidder will be expected to install welded mesh fence at Limpopo Traffic Training College as per the attached BoQ.

Bidders are required to complete the pricing on the following schedule:

	DISCRIPTION	QUANTITY	RATE	TOTAL	
1.	Management of the works	1	R6, 200	R6, 200	
2.	Installation of welded security fence 1.8M high	400			
3.	Straining Post 1800mm high including concrete base	80			
4.	Inclined stay 1800mm long with one end bolted to post and other end with sole plate in and including concrete base	21			
5.	Corner post 1800mm high vertically with 45mm overhang with cap and other end with sole plate in and including concrete base	16			
6.	Installation of gate 900mm by 1200mm high	1			
Total					
15% VAT if registered					
Grand Total					

Evaluation Criteria

Stage 1: Compliance to specification

Stage 2: Administrative compliance

NB: The following are regarded as non-compliance to administrative requirements:

- Price amendments without signature.
- Usage of correction fluid.
- Completion of the bid document with an erasable pencil.
- Non-completion and non-signing of the following essential standard bidding documents forms listed under E2.1:

Stage 3: 80/20 Preference Point System


The 80/20 price/preference point system will be applicable for this request for quotation. 80 points shall be awarded for price and 20 points shall be preference points.

The preference points shall be allocated based on the specific goals below:

No	DESIGNATED GROUP	POINTS
1	Enterprises owned by black people	3
2	Enterprises owned by youth	5
3	Enterprises owned by women	5
4	Enterprises owned by persons with disability	3
5	Small, Medium and Micro Enterprises (SMMEs)	2
6	Enterprises located in rural areas or underdeveloped areas	2

Notes

- The contract will be awarded to the bidder scoring the highest points.
- The Department is not bound to accept any of the proposals submitted. The Department also reserves the right to call interviews with short-listed service providers before final selection, and to negotiate price.


Mr. Masete NJ

Acting Chief Director: Transport Infrastructure & District Coordination

Date: 2024/07/19

Approved/ ~~not approved~~


Ms. Mutwanamba T

Director: SCM

Date: 19/07/2024

If any of the above boxes are marked, disclose the following:

Name of sole proprietor, partner, director, manager, principal shareholder or stakeholder	Name of institution, public office, board or organ of state and position held	Status of service (tick appropriate column)	
		Current	Within last 12 months

*insert separate page if necessary

Section 7: Record of spouses, children and parents in the service of the state

Indicate by marking the relevant boxes with a cross, if any spouse, child or parent of a sole proprietor, partner in a partnership or director, manager, principal shareholder or stakeholder in a company or close corporation is currently or has been within the last 12 months been in the service of any of the following:

- | | |
|--|---|
| 1. a member of any municipal council | ☐ an employee of any provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act 1 of 1999) |
| 2. a member of any provincial legislature | |
| 3. a member of the National Assembly or the National Council of Province | ☐ a member of an accounting authority of any national or provincial public entity |
| 4. a member of the board of directors of any municipal entity | ☐ an employee of Parliament or a provincial legislature |
| 5. an official of any municipality or municipal entity | |

The undersigned, who warrants that he / she is duly authorised to do so on behalf of the enterprise:

- authorizes the Employer to obtain a tax clearance certificate from the South African Revenue Services that my / our tax matters are in order;
- confirms that neither the name of the enterprise or the name of any partner, manager, director or other person, who wholly or partly exercises, or may exercise, control over the enterprise appears on the Register of Tender Defaulters established in terms of the Prevention and Combating of Corrupt Activities Act of 2004;
- confirms that no partner, member, director or other person, who wholly or partly exercises, or may exercise, control over the enterprise appears, has within the last five years been convicted of fraud or corruption;
- confirms that I / we are not associated, linked or involved with any other tendering entities submitting tender offers and have no other relationship with any of the tenderers or those responsible for compiling the scope of work that could cause or be interpreted as a conflict of interest; and
- confirms that the contents of this questionnaire are within my personal knowledge and are to the best of my belief both true and correct.

Signed

Date

Name

Position


Enterprise
name

Tender

Part T2: Returnable documents

T2.1

Returnable Schedules



Department of Transport and Community Safety

RFQ


Installation of welded mesh fence at Limpopo Traffic Training College

T2.2C Certificate of Authority for Joint Ventures

This Returnable Schedule is to be completed by joint ventures.

We, the undersigned, are submitting this tender offer in Joint Venture and hereby authorise Mr/Ms, authorised signatory of the company, acting in the capacity of lead partner, to sign all documents in connection with the tender offer and any contract resulting from it on our behalf.

NAME OF FIRM	ADDRESS	DULY SIGNATORY	AUTHORISED
Lead partner			
CIDB registration no		Signature. Name Designation	
CIDB registration no		Signature. Name Designation	
CIDB registration no		Signature. Name Designation	
CIDB registration no		Signature. Name Designation	



Department of Transport and Community Safety

RFQ

Installation of welded mesh fence at Limpopo Traffic Training College

T2.2A Record of Addenda to tender documents

We confirm that the following communications received from the Employer before the submission of this tender offer, amending the tender documents, have been taken into account in this tender offer:		
	Date	Title or Details
1.		
2.		
3.		
4.		
5.		

Attach additional pages if more space is required.


Signed

Date

Name

Position

Tenderer



Department of Transport and Community Safety

RFQ

Installation of welded mesh fence at Limpopo Traffic Training College

T2.2E Preferencing schedule

1 Definitions

The following definitions shall apply to this schedule:

Black: is a generic term which means who are Africans, Coloureds and Indians


Disability: in respect of a person, a permanent impairment of a physical, intellectual, or sensory function, which results in restricted, or lack of, ability to perform an activity in the manner, or within the range, considered normal for a human being.

Disabled person: a person with a disability.

Equity ownership: The percentage of an enterprise or business owned by individuals or, in respect of a company, the percentage of the company's shares that are owned by individuals, who are actively involved in the management of an enterprise or business and exercise control over the enterprise, commensurate with their degree of ownership at the closing date of the tender.

2 The preference points shall be allocated based on the specific goals below:

No	DESIGNATED GROUP	POINTS
1	Enterprises owned by black people	3
2	Enterprises owned by youth	5
3	Enterprises owned by women	5
4	Enterprises owned by persons with disability	3
5	Small, Medium and Micro Enterprises (SMMEs)	2
6	Enterprises located in rural areas or underdeveloped areas	2



Department of Transport and Community Safety

RFQ

Installation of welded mesh fence at Limpopo Traffic Training College

T2.2D Proposed amendments and qualifications

The Tenderer should record any deviations or qualifications he may wish to make to the tender documents in this Returnable Schedule. Alternatively, a tenderer may state such deviations and qualifications in a covering letter to his tender and reference such letter in this schedule.

The Tenderer's attention is drawn to clause F.3.8 of the Standard Conditions of Tender referenced in the Tender Data regarding the employer's handling of material deviations and qualifications.

Tenderers must not include deviations or qualifications relating to the scope of work in this schedule where they are required to submit an Approach Paper.

Page	Clause or item	Proposal

Signed

Date

Name

Position

Tenderer

The undersigned, who warrants that he / she is duly authorised to do so on behalf of the tenderer confirms that he / she understands the conditions under which such preferences are granted and confirms that the tenderer satisfies the conditions pertaining to the granting of tender preferences.

Signature :

Name :

Duly authorised to sign on behalf of :

Telephone :

Fax :

Date :

DEPARTMENT OF TRANSPORT & COMMUNITY SAFETY
LIMPOPO TRAFFIC TRAINING COLLEGE
CONSTRUCTION OF FENCE

Item No	Quantity	Rate	Amount
<u>SECTION NO. 1</u>			
<u>BILL NO. 1</u>			
<u>PRELIMINARIES</u>			
All prices/rates to be net, excluding Value Added Tax			
<u>General</u>			
i)	The agreement is to be the JBCC Series 2000 Principal Building Agreement (Edition 5.0) prepared by the Joint Building Contracts Committee, July 2007		
ii)	The preliminaries are to be the JBCC Series 2000 Preliminaries prepared by the Joint Building Contracts Committee, March 2005 edition and shall be deemed to be incorporated herein		
iii)	Tenderers are referred to the abovementioned documents for the full intent and meaning of each clause thereof (hereinafter referred to by heading and clause number only) for which such allowance must be made as may be considered necessary		
iv)	Where standard clauses or alternatives are not entirely applicable to this contract such modifications, corrections or supplements as will apply are given under each relevant clause heading		
v)	Where any item is not relevant to this specific contract such item is marked N/A (signifying "not applicable")		
Carried Forward		R	
Section No. 1 Bill No. 1 Preliminaries and General LIMPOPO PROVINCE			

DEPARTMENT OF TRANSPORT & COMMUNITY SAFETY
LIMPOPO TRAFFIC TRAINING COLLEGE
CONSTRUCTION OF FENCE

Brought Forward			R
vi) If Alternative A as set out in clause B10.3 hereinafter is to be used for the adjustment of the preliminaries each item priced is to be allocated to one or more of the three categories, where "F" denotes a fixed amount (amount not to be varied), "V" denotes an amount variable in proportion to value and "T" denotes an amount in proportion to time			
SECTION A: PRINCIPAL BUILDING AGREEMENT			
<u>Management of contract (B4)</u>			
1	Management of the works (B4.1)		
	Time	Item	
Carried to Final Summary			R
Section No. 1 Bill No. 1 Preliminaries and General LIMPOPO PROVINCE			

-3-

DEPARTMENT OF TRANSPORT & COMMUNITY SAFETY
LIMPOPO TRAFFIC TRAINING COLLEGE
CONSTRUCTION OF FENCE

Brought Forward The Contractor shall be entirely responsible for maintaining a true and straight line between these pegs and all deviations there from shall be rectified by the Contractor at his own expense <u>Materials</u> All materials to be used for this work shall be new, of sound quality and suitable for their intended purposes. The use of second hand/grade material will not be permitted <u>Clearing the fence line</u> Although the clearing of the line fence is measured elsewhere under "general site clearance", it will be regarded the Contractor's responsibility to ensure that the ground surface along the fence line is at all times throughout the contract period kept and maintained cleared for a width of not less than 1m wide on each side of the fence and shall include for the digging up and removal of all rubbish, debris, vegetation, shrubs, bush, trees not exceeding 200mm diameter girth, etc., including levelling of the ground to ensure that the maximum and minimum clearances (as specified hereinafter) between the bottom strand and the ground is not exceeded All excessive surface irregularities shall be graded so that the fence will follow the general contour of the ground The cleared ground shall be kept clean and maintained throughout the construction period <u>Concrete</u> Concrete bases shall be placed in neatly formed excavations and shall be well rammed around posts and stays. The top of concrete bases shall be at a level of 25mm below ground level			R R
Carried Forward Section No. 2 Bill No. 1 Fence LIMPOPO PROVINCE			

DEPARTMENT OF TRANSPORT & COMMUNITY SAFETY
LIMPOPO TRAFFIC TRAINING COLLEGE
CONSTRUCTION OF FENCE

Brought Forward <u>Mixing of concrete</u> No hand mixing of concrete will be allowed on site <u>Galvanised</u> All references to "galvanised" shall mean <i>hot dipped galvanised</i> to the relevant specified SABS specification <u>Wire mesh</u> Wire mesh to be in accordance with SANS 1373 Wire mesh shall be of type, height and wire diameter as specified and tied to each straining wire with of 2mm diameter galvanised mild steel binding wire Vertical ends of wire mesh shall be tied to each straining post with 2mm diameter galvanized mild steel binding wire taken around the post and through each weld mesh opening All wire mesh shall be in long strips. The use of short and off-cut lengths will not be permitted <u>Wire (General)</u> All wire to be galvanised in accordance with SANS 675 <u>Straining wires</u> All wire to be galvanised in accordance with SANS 675 and of type as specified Straining wires shall be tied to 10mm diameter straining eye bolts at one end with other end four times wrapped around and tied to straining, corner, draw, end and gate posts All bolts, nuts and washers shall be of galvanised mild steel <u>Bolts, etc</u>			R R
Carried Forward Section No. 2 Bill No. 1 Fence LIMPOPO PROVINCE			

DEPARTMENT OF TRANSPORT & COMMUNITY SAFETY
LIMPOPO TRAFFIC TRAINING COLLEGE
CONSTRUCTION OF FENCE

Brought Forward <u>Posts, standards, stays, etc</u> All posts, stays and standards, etc. to: a) be of galvanised round mild steel tubular section in accordance with SANS 763; b) have a 2mm thick domed pressed steel end caps welded to top ends of posts; c) have a base plate with size and thickness as specified welded to bottom ends of posts; d) have holes drilled for wires in correct positions as specified <u>Gates</u> All gates to: a) be of galvanised round mild steel tubular section in accordance with SANS 763; b) be with all joints welded all round the construction at intersections; c) descriptions of gates shall be deemed to include all necessary hinges, washers, bolts, locking bolts, plates and chains, etc <u>Tendered rates</u> Tendered rates shall include for the supply and delivery of all materials, labour, erection of fence, all earthwork activities, concrete, shuttering, tools, plant, paintwork and anything else necessary to complete the fence No additional claims in this regard will afterwards be entertained <u>SPECIFIC SPECIFICATION FOR SECURITY FENCING</u> Carried Forward Section No. 2 Bill No. 1 Fence LIMPOPO PROVINCE			R R
---	--	--	-------------------------

DEPARTMENT OF TRANSPORT & COMMUNITY SAFETY
LIMPOPO TRAFFIC TRAINING COLLEGE
CONSTRUCTION OF FENCE

Brought Forward <u>Concrete bases</u> All posts and stays shall be embedded in 15MPa/19mm concrete bases of not less than the following dimensions: a) Strainer, corner, draw, end and gate posts: 400 x 400 x 900mm deep b) Stays: 300 x 300 x 450mm deep <u>Weld mesh wire</u> Weld mesh wire shall be 1,80m high of 2,50mm wire diameter lightly galvanised wire with 50 x 50mm openings, complete with straining wires <u>Straining wires</u> Five strands of 4mm diameter galvanised straining wires shall be evenly space up the vertical of the weld mesh wire and strained between posts <u>Flat wrap razor wire security coil</u> The fence shall be provided with continuous galvanised flat wrap razor wire security coils tied to fence with 2mm diameter galvanised mild steel binding wire as follows: a) 500mm diameter flat wrap razor wire security coil at overhang with loops of coil tied to barbed straining wires <u>Standards</u> Standards to be manufactured of bitumen dipped mild steel Y-section standards and not less than 2700mm long vertically with a 450mm raking overhang at an angle of 45°. Standards shall be driven 900mm deep into ground and tied to wire strands with a double strand of 2mm diameter galvanised wire All standards shall be evenly spaced at maximum 3m centres as to present a uniform appearance			R
Carried Forward Section No. 2 Bill No. 1 Fence LIMPOPO PROVINCE			R

DEPARTMENT OF TRANSPORT & COMMUNITY SAFETY
LIMPOPO TRAFFIC TRAINING COLLEGE
CONSTRUCTION OF FENCE

Brought Forward <u>Stays</u> Stays to be manufactured of 48mm diameter x 3mm wall thickness steel tubular section and not less than 1800mm long with 150 x 150 x 2mm base plate welded to bottom end and other end flattened for a length of 100mm, once holed for and including 10mm diameter x 125mm long galvanised bolt complete with nut and washer and flattened end bent 45° to form 135° internal angle Stays shall be fixed to all strainer, corner, end and gate posts with and including 10mm diameter bolt All stays shall be hot dipped galvanised <u>Straining, corner, end and gate posts</u> Straining, end and gate posts to be manufactured of 101mm diameter x 3mm wall thickness steel tubular section and not less than 2400mm long vertically with a 450mm raking overhang at an angle of 45° Corner posts to be manufactured of 101mm diameter x 3mm wall thickness steel tubular section and not less than 2400mm long vertically with a 450mm raking overhang at an angle of 35° All straining, end, gate and corner posts shall be fitted with a domed pressed steel end cap and 230 x 230 x 2mm based plate welded to top and bottom ends of posts respectively and shall be eight times holed through both walls for straining wires and/or 10mm diameter eye bolts All posts shall be seven times holed through both walls for wires or bolts Straining posts to be evenly spaced at maximum 30m centres or to be erected at all points of large changes in ground level grade and/or in any such other position as indicated on the drawings				R
Carried Forward Section No. 2 Bill No. 1 Fence LIMPOPO PROVINCE				R

DEPARTMENT OF TRANSPORT & COMMUNITY SAFETY
LIMPOPO TRAFFIC TRAINING COLLEGE
CONSTRUCTION OF FENCE

Brought Forward			R
All straining, end, gate and corner posts shall be <i>hot dipped galvanised</i>			
<u>FENCING</u>			
<u>Fencing</u>			
<u>Welded mesh fence. 1.8 meter height; 2.5mm thickness.</u>			
<u>Weight, 70 kg. Size</u>			
1	Welded security fence 1,80m high	m	400
2	Straining post 1800mm high including concrete base	No	80
3	Inclined stay 1800mm long with one end bolted to post and other end with sole plate in and including concrete base	No	22
4	Corner post 1800mm high vertically with 45 overhang with cap and other end with sole plate in and including concrete base	No	16
5	Gate 900mm x 1200mm high	No	1
Carried to Final Summary			R
Section No. 2			
Bill No. 1			
Fence			
LIMPOPO PROVINCE			

Carried to Form of Tender