


RESTRICTED



DENEL PMP

SPECIFICATION FOR BAR STEEL BASED ON BS 970:1983 ALLOY 230M07

DOCUMENT No.: **750 2106**

ISSUE 3

INFORMATION
DATE 2023-04-20
COPY NO
ISSUED 6. L CUP

DBS: **B11**
CODE No.: **07750210607** (Ball core)

**MASTER
COPY**

(1508.doc)

RESTRICTED

DVTDM

RESTRICTED

BAR STEEL BASED ON BS 970:1983 ALLOY 230M07

APPROVAL PAGE

COMPILED BY

I Pretorius
Configuration Control

2009-11-27
Date

APPROVED BY

HJ van Eck
Acceptance Authority

2010-01-28
Date

HD Vermaak
Production Manager

2010-01-28
Date

ORIGINAL SIGNED

AMENDMENT HISTORY

Issue	Details	Job No	Done by	Date
1	Specification updated and type in word format.	E2/255/09SA	I.P.	2009-11-19
2	Change Alloy 220A07 to Alloy 230M07.	E2/058/17MC	I.P.	2017-06-29
3	Update specification.	E2/057/18MC	I.P. 	2018-07-02

INFORMATION

DATE 2023-04-20
COPY NO
ISSUED BY L CUP

MASTER
COPY

TABLE OF CONTENTS

PARA	SUBJECT	PAGE No
1.	SCOPE	4
2.	APPLICABLE DOCUMENTS	4
3.	REQUIREMENTS	4
3.1	General material requirements	4
3.1.1	Product characteristics	4
3.1.2	Chemical, mechanical and metallurgical properties	4
3.1.2.1	Chemical composition (Cast Analysis)	4
3.1.3	Workmanship	5
4.	QUALITY ASSURANCE PROVISIONS	5
4.1	Responsibility for inspection	5
4.2	Special test and examinations	5
4.3	Quality conformance inspection	5
4.3.1	Lot information	5
4.4	Test Method	6
5.	PREPARATION FOR DELIVERY	6
5.1	Packing	6
5.2	Package marking	6
5.3	Documentation for delivery	6
6.	NOTES	7

INFORMATION
DATE 2023-04-20
COPY NO
ISSUED BY L CUP

**MASTER
COPY**

BAR STEEL BASED ON BS 970:1983 ALLOY 230M07**1. SCOPE**

- 1.1 This specification covers bar steel based on BS 970:1983 Alloy 230M07 or equivalent that conforms to this specification.

2. APPLICABLE DOCUMENTS

- 2.1 BS 970 : 1983 : Part 1 : General inspection and testing procedures and specific requirements for carbon, carbon manganese, alloys and stainless steels.

3. REQUIREMENTS**3.1 General material requirements**

The material shall be supplied as free cutting bright bar in the as drawn condition.

3.1.1 Product characteristics

3.1.1.1 The material shall be supplied as bars with plain ends in lengths of $3 \text{ m} \pm 0,2 \text{ m}$.

3.1.1.2 The diameter shall be $10,87 \text{ mm} +0,00 \text{ mm}$.
 $-0,05 \text{ mm}$.

3.1.1.3 Out of roundness shall not exceed $0,025 \text{ mm}$.

3.1.1.4 Straightness deviation shall not exceed $1,5 \text{ mm/metre}$.

3.1.2 Chemical, mechanical and metallurgical properties**3.1.2.1 Chemical composition (Cast Analysis)**

ELEMENT	SPECIFICATION (%)
Carbon (C)	0,15 maximum
Silicon (Si)	0,25 maximum
Manganese (Mn)	0,90 – 1,30
Phosphorus (P)	0,070 maximum
Sulphur (S)	0,25 – 0,35

INFORMATION

DATE 2023-04-20
COPY NO
ISSUED BY L CUP

**MASTER
COPY**

3.1.3 Workmanship

3.1.3.1 The material must be free from handling marks and rust. Surface defects up to a maximum depth of 2% of the nominal diameter will be acceptable.

3.1.3.2 The material must be free from cracks.

4. QUALITY ASSURANCE PROVISIONS4.1 Responsibility for inspection

4.1.1 Unless otherwise specified in the contract or order, the supplier is responsible for the performance of all inspection requirements as specified herein.

4.1.2 Except as otherwise specified, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements.

4.1.3 The purchaser or his representative reserves the right of inspection of Laboratory Certificates of raw materials and components used for the manufacture of the material.

4.1.4 The supplier shall be responsible for making available to the purchaser all facilities necessary if required, for inspection of the material.

4.1.5 The supplier will be responsible for the implementation of an applicable quality management system to assure the appropriate quality of the product. The purchaser reserves the right to audit the supplier's production facilities at all times to ascertain whether quality requirements are being met.

4.2 Special tests and examinations

Not applicable.

4.3 Quality conformance inspection4.3.1 Lot information

A lot shall consist of one or more batches of material produced by one manufacturer in accordance with the same specifications under one continuous set of operating conditions. All material must be of the same cast or heat.

If the quantity is such that more than one cast is required, material of the same cast shall be grouped together. Each case or bundle shall be clearly identifiable as to the relevant cast number.

The supplier shall ensure that all deliveries to the end user are fully traceable by lot number and that identification records be supplied to the end user to match lot numbers with inspection records.

INFORMATION

DATE 2023-04-20

COPY NO

ISSUED BY L CUP

MASTER
COPY

4.4 Test methods

4.4.1 Diameter and roundness shall be measured with a 60° V-micrometer.

5. PREPARATION FOR DELIVERY5.1 Packing

5.1.1 To be strapped in bundles suitable for forklift handling using 4 evenly spaced steel straps. The maximum mass shall not exceed 1 000 kg unless otherwise agreed between the supplier and purchaser.

5.1.2 In the case of an overseas supplier the bundles shall be packed in a seaworthy condition using suitable wooden boxes secured by steel straps. The gross mass of the strapped boxes may not exceed 1 100 kg.

5.1.3 If containers are used for transportation of the material, open top containers must be used. The wooden boxes must be properly stacked in the container with spaces of ± 150 mm between them.5.2 Package marking

All bundles, boxes and/or containers to be legibly and durably marked with the following details on suitable labels:

5.2.1 Document and order number.

5.2.2 Name of supplier.

5.3 Documentation for delivery

The following documents must be forwarded with each consignment of material:

5.3.1 The original specification, which accompanied the order in the case of a single consignment or the final consignment of, staggered deliveries.

5.3.2 A certificate of conformance/analysis stating all the results of the tests conducted by the supplier during manufacture and final acceptance.

INFORMATION

DATE 2023-04-20

COPY NO

ISSUED BY L DUP

MASTER
COPY

RESTRICTED

BAR STEEL BASED ON BS 970:1983 ALLOY 230M07

- 5.3.3 Certificate of acceptance issued by the end user or his duly representative or a letter from the end user for the release of the consignment for shipment in the case of an overseas supplier.
- 5.3.4 The supplier's delivery note shall clearly state the relevant order and document number.

6. NOTES

If the supplier of the material is not the original manufacturer, the full name and address of the manufacturer must be supplied in writing during tender.

INFORMATION

DATE 2023-04-20
COPY NO
ISSUED 6 L DUP

MASTER
COPY