



MUNICIPAL NOTICE NO: 013 of 2022
TENDER NO: 8/2/RNM0350

CONSTRUCTION OF HIBBERDENE MARKET STALLS - WARD 13

CIDB CLASSIFICATION 3CE OR HIGHER

Name of Tenderer:

This tender closes at 12h00 on Wednesday 09 MARCH 2022 at the offices of the Ray Nkonyeni Municipality located at 10 Connor Street, Port Shepstone

NO LATE SUBMISSIONS WILL BE CONSIDERED

BID AMOUNT R _____

Issued by:

RAY NKONYENI MUNICIPALITY
P O Box 5
Port Shepstone
4240
Tel: 039 688 2000
Fax: 039 682 0327
Email: khulekani.msomi@rnm.gov.za

Prepared By:

ILISO CONSULTING (PTY) LTD t/a NAKO ILISO
ILISO Building
Derby Downs Office Park
11 Derby Place
Westville
3630
Tel: 031 266 2600
Fax: 031 266 2616
Email: clintk@iliso.com

CONTENTS

TENDER NOTICE AND INVITATION TO TENDER	3
F.1 STANDARD CONDITIONS OF TENDER	5
F.2 TENDERER'S OBLIGATIONS	11
F.3 EMPLOYER'S UNDERTAKINGS	14
F.4 STANDARD SPECIFICATIONS	20
F.5 PROJECT SPECIFICATIONS	21
F.6 PARTICULAR SPECIFICATION: PES - ENVIRONMENTAL MANAGEMENT SPECIFICATION	48
F.7 PARTICULAR SPECIFICATION PE- THE CLIENT'S PRE-CONSTRUCTION AND HEALTH PLAN	49
F.8 PARTICULAR SPECIFICATION – QMS: EMPLOYER'S AGENT'S QUALITY MANAGEMENT SPECIFICATION	68
C1: AGREEMENTS AND CONTRACT DATA	75
C1.1 Form of Offer and Acceptance	75
A: Offer	75
B: Acceptance	77
C: Schedule of Deviations	78
D: Confirmation of Receipt	80
C2 PRICING DATA	81
RNM / MBD 1TENDERER INFORMATION	99
F.9 EVALUATION OF TENDER OFFERS	104
C4.2.2: CONTRACT DATA (Applicable to this contract)	108
RNM / MBD 2 TAX CLEARANCE REQUIREMENTS	118
Schedule of Work Carried out by the Tenderer	119
Details of Key Personnel	120
Registration with CIDB	122
Record of Addenda to Tender Documents	123
BBBEE COMPLIANCE CERTIFICATE	124
Company Registration Documents	125
Identity Documents of Shareholders/Directors/Members	126

RNM/ MBD 3.1 PRICING SCHEDULE – FIRM PRICES (PURCHASES).....	127
RNM/ MBD 3.2 PRICE ADJUSTMENTS	128
RNM / MBD 4 DECLARATION OF INTEREST.....	129
RNM / MBD 5.1 CONTRACT FORM – PAST EXPERIENCE.....	131
RNM / MBD 5.2 CONTRACT FORM – PAST EXPERIENCE WITH RAY NKONYENI MUNICIPALITY..	132
RNM/MBD 9 CERTIFICATE OF INDEPENDENT BID DETERMINATION	145
LOCALITY PLAN	150
DRAWINGS	151



TENDER NOTICE AND INVITATION TO TENDER

CONSTRUCTION OF HIBBERDENE'S MARKET STALLS– WARD 13 MUNICIPAL NOTICE NO: 013 of 2022 TENDER NO: 8/2/RNM0350

Bids are hereby invited to tender for **CONSTRUCTION OF HIBBERDENE'S MARKET STALLS– WARD 13** within Ray Nkonyeni Municipality as specified in the under-mentioned bid document. Tenderers who are registered with the Construction Industry Development Board (CIDB) with a classification grading of **3CE or higher**, are eligible to submit a tender and will be considered for award.

Bid documents can be downloaded for free from the e-tenders portal <https://etenders.treasury.gov.za> or documents can also be obtained from Ray Nkonyeni Municipality website www.rnm.gov.za, on Friday **18 February 2022**

A NON-COMPULSORY VIRTUAL CLARIFICATION MEETING WILL BE HELD BY THE DEPARTMENT OF TECHNICAL SERVICES ON THE 25 February 2022 at 10h00. Bidders willing to participate in the meeting must send their email addresses to Amanda Goqo at amanda.gogo@rnm.gov.za or Bridget Turrel at bridget.turrel@rnm.gov.za no later than the 23 February 2022, 16h00.

Fully completed Bid documents, with two (2) copies of the original document in a sealed envelope, must be clearly marked with the relevant Bid Number as follows: - **TENDER NO: 8/2/RNM0350 – CONSTRUCTION OF HIBBERDENE'S MARKET STALLS – WARD 13.** Completed Bids (**Original and 2 copies**) must be deposited in the bid box, situated in the foyer of the Municipal Offices at 10 Connor Street, Port Shepstone, no later than **Wednesday 09 MARCH 2022 at 12h00 midday**, after closure, the tender will not be open in public.

STAGE 1: PRE-QUALIFYING CRITERIA

LOCAL CONTENT

- Bidder will be disqualified if the Declaration Certificate and Annex C (Local Content Declaration Summary Schedule) are not submitted as part of the Bid.
- **Steel** **100%**

For the stipulated minimum threshold for local production and content, refer to MBD 6.2

PREFERENTIAL POINTS (B-BBEE)

- Bidders must be Level (01) B-BBEE status level

STAGE 2: FUNCTIONALITY

The Functionality will comprise of the following based on the criteria indicated in the respective tender returnable: Attach all supporting documentation for the following table.

Criterion	Possible Full Points
Company experience	30
Qualifications and experience of Site Agent	20
Experience of Foreman	20
Project method Statement	20
Total Possible Points	90

Bidders must score a minimum of 60% to pass functionality evaluation.

STAGE 3: FINANCIAL OFFER AND PREFERENCE

The evaluation will be 80/20 Preference Point System for Financial Offer and Preference. The Preferential Procurement Policy Framework Act, 2000, (PPPFA) (Act No.5 of 2000) applies to this tender.

All technical queries must be directed to **Ms Amanda Goqo** of Ray Nkonyeni Municipality by no later than three days before tender closure on **TEL NO.: 039 688 2155** or **EMAIL ADDRESS: amanda.goqo@rnm.gov.za**

NOTE TO BIDDERS ON BID CONDITIONS:

- The Supply Chain Management Policy of Ray Nkonyeni Municipality will apply. The Council reserves the right not to accept the lowest bid or any bid and reserves the right to accept the whole or part of the bid, or to reject all bids and cancel the notice to tender.
- Bids that are submitted late, incomplete, unsigned or by facsimile, electronically or not completed in black ink will be rejected and not accepted for further evaluation.
- Members or Directors of Companies or Service Providers who are state employees are not allowed to bid or quote.
- The bidder who will be awarded the contract must sub-contract 10% of works to the local Small, Medium and Micro-sized Enterprises (SMMEs) in accordance with approved Ray Nkonyeni SCM Policy
- Unsuccessful bidders will be informed of the tender outcome through Municipal website. Aggrieved unsuccessful bidders will be allowed to lodge, within fourteen (14) days of the decision or action, a written objection or complaint to the Office of the Municipal Manager through email mm@rnm.gov.za or fax number 0865297195. Complaints or objections received after fourteen (14) days of the date of the notice will not be entertained.
- Bids submitted are to be valid for a period of 120 days.

NB: FAILURE TO SUBMIT TWO (2) COPIES WILL RESULT IN DISQUALIFICATION.

Ray Nkonyeni Municipality
SM Mbili Municipal Manager
P O Box 5
Port Shepstone
4240

F.1 STANDARD CONDITIONS OF TENDER

F.1.1 Tender Data

The Conditions Of Tender are the Standard Conditions of Tender as contained in Annex F of the September The legislated Standard Conditions of Tender as published in Board Notice 62 of 2004 in Government Gazette 2647 of 9 June 2004 and amended by:

- a. Board Notice 67 of 2005 in Government Gazette No 27831 of 22 July 2005;
- b. Board Notice 99 of 2005 in Government Gazette No 28127 of 14 October 2005;
- c. Board Notice 93 of 2006 in Government Gazette No 29138 of 18 August 2006;
- d. Board Notice 8 of 2008 in Government Gazette No 30692 of 1 February 2008; and
- e. Board Notice 12 of 2009 in Government Gazette No. 31823 of 30 January 2009.

are for ease of reference included herein in their entirety. In case of any discrepancies, the gazetted version takes precedence.

The standard conditions of tender are included separately after the Tender Data

Each item of data given below is cross-referenced to the Clause in the Standard Conditions of Tender to which it mainly applies.

Clause No.	Description
F.1.1	The Employer is Ray Nkonyeni Municipality
F.1.2	The tender documents issued by the employer comprise: - Tender Notice and Invitation to Tender - F.1 Standard Conditions of Tender - F.2 Tender's Obligations - F.3 Employer's Undertakings - F.4 Standard Specifications - F.5 Project Specifications - F.6 Particular Specifications: PES – Environmental Management Specifications - F.7 Particular Specifications: PE – The Client's Pre-construction and Health Plan - F.8 Particular Specifications: QMS – Employer's Agent's Quality Management Specification - C.1 Form of Offer - C.2 Pricing Data - C.3 Pricing Schedule - RNM/MBD 1 Tenderer Information - F.9 Evaluation of Tender Offers - C4.2.2 Contract Data - RNM/MBD 3.1 Pricing Schedule – Firm Prices (Purchases) - RNM/MBD 3.2 Pricing Adjustment - RNM/MBD 4 Declaration of Interest - RNM/MBD 5.1 Contract Form – Past Experience - RNM/MBD 3.2 Contract Form – Past Experience With Ray Nkonyeni Municipality - RNM/MBD 6.1 Preference Points Claim Form - RNM/MBD 8 Declaration of Bidder's Past Supply Chain Management Practices - RNM/MBD 9 Certificate of Independent Bid Determination - Locality Map - Drawings

Clause No.	Description
F.1.4	The Employer's Agent's details are as follows: Name: ILISO Consulting (Pty) Ltd. t/a NAKO ILISO Address: ILISO Building, Derby Downs Office Park, 11 Derby Place Westville, 3630 Tel N°: +27 31 266 2600 Fax N°: +27 31 266 2616 Contact Person: Clint G. Koopman Email: clintk@iliso.com
F.2.1	The following tenders who are registered with the CIDB, or are capable of being so registered prior to the evaluation of submissions, are eligible to submit tenders. a) contractors who have a contractor grading designation equal to or higher than a contractor grading designation determined in accordance with the sum tendered for a 3CE class of construction work; b) Joint ventures are eligible to submit tenders provided that: 1. Every member of the joint venture is registered with the CIDB; 2. the lead partner has a contractor grading designation in the CE class of work 3. The combined contractor grading designation calculated in accordance with the Construction Industry Board Regulations is equal to or higher than a contractor grading designation determined in accordance with the sum tendered for 3CE class of construction or a value determined in accordance Regulation 25 (1B) or 25(7A) of the Construction Industry Development Regulations.
F2.7	The arrangements for a non compulsory virtual briefing meeting are: The arrangements for a non compulsory virtual briefing meeting are: Location <u>Msoft team by Invitation after attendance request made to Amanda.goqo@rnm.gov.za no later than 16h00, 23 February 2022.</u> Date <u>Friday, 25 February 2022 at 10h00.</u> Starting Time <u>10h00</u> <i>The briefing will be virtual there will be no site visits, however location will be shared for bidders to view the site.</i>
F2.12	Alternative tender do not apply
F.2.13.5 F2.15.1	The employer's address for delivery of tender offers and identification details to be shown on each tender offer package are as follows: Location of Tender Box: Foyer of Ray Nkonyeni Local Municipality Offices Physical Address: 10 Connor Street, Port Shepstone Tender Documents to be TENDER NUMBER 8/2/RNM0350 – CONSTRUCTION OF HIBBERDENE'S MARKET STALLS - WARD 13 (Original and 2 copies) Endorsed:
F.2.13/F.3.5	A two-envelope procedure will not be followed.
F.2.15	The closing date and time for submission of tender offers is 09 MARCH 2022 at 12h00 midday
F.2.15	Telephonic, telegraphic, telex, facsimile or e-mailed tender offers will not be acceptable.
F.2.16	The tender offer validity period is 120 days from the tender closing date
F.2.23	The tenderer is required to submit with his tender: 1) Either a certified copy of the Certificate of Contractor Registration issued by the Construction Industry Development Board or a copy of the application Form for registration in terms of the Construction Industry Development Board Act (Form F006). 2) Certified Copies of company registration documents. 3) An original valid Tax Clearance issued by the South African Revenue Services. 4) Certified Copies of ID documents of Shareholders/Members/Directors of the business enterprises. 5) Proof of Preference Points Claimed
	Time: 12h00

Date:	Wednesday, 09 MARCH 2022
Location:	Tender Box, Foyer of Ray Nkonyeni Local Municipality Offices, 10 Connor Street, Port Shepstone

Clause No.	Description														
F.3.11	The procedure for the evaluation of responsive tenders is Method 4 with the 80/20 Preference Point System. The total score awarded will be the addition of the three scores for quality, price and preference. Method 4: Financial Offer, Quality and Preferences <u>(a) Quality</u> The score for quality is to be calculated using the following formula: $W_q=W_2\times S_o/M_s$ where: W_2 is the percentage score given to quality and equals 35 S_o is the score for quality allocated to the submission under consideration M_s is the maximum possible score for quality in respect to the submission The quality will comprise scores for the following based on criteria indicated in the respective tender returnable: - A maximum of 30 points will be awarded for demonstrated experience with respect to undertaking construction of stucutral steel and general building works - A maximum of 20 points will be awarded for relevant qualifications and demonstrated experience of the proposed Site Agent. - A maximum of 20 points will be awarded for qualifications and demonstrated experience of the proposed Site Foreman. - A maximum of 20 points will be awarded for the Project method Statement. <u>Score quality, rejecting all tender offers that fail to score the minimum number of 60% (21 out of 35) of the points for quality stated in the tender data. Point system for functionality will be as per the table below:</u> <table><tr><th>Key aspect of criterion</th><th>Evaluation criterion</th><th>Points</th><th>Verification method</th></tr><tr><td rowspan="3">The company has successfully completed other projects of similar nature in past five years.</td><td>5 or more Projects in Structural Steel and or General building works.</td><td>30</td><td>Attached Appointment letters and Completion Certificates for the same projects.</td></tr><tr><td>4 - 3 Projects in Structural Steel and or General building works.</td><td>20</td><td>Attached Appointment letters and Completion Certificates for the same projects.</td></tr><tr><td>2 - 1 Projects in Structural Steel and or General building works.</td><td>10</td><td>Attached Appointment letters and Completion Certificates for the same projects.</td></tr></table>	Key aspect of criterion	Evaluation criterion	Points	Verification method	The company has successfully completed other projects of similar nature in past five years.	5 or more Projects in Structural Steel and or General building works.	30	Attached Appointment letters and Completion Certificates for the same projects.	4 - 3 Projects in Structural Steel and or General building works.	20	Attached Appointment letters and Completion Certificates for the same projects.	2 - 1 Projects in Structural Steel and or General building works.	10	Attached Appointment letters and Completion Certificates for the same projects.
Key aspect of criterion	Evaluation criterion	Points	Verification method												
The company has successfully completed other projects of similar nature in past five years.	5 or more Projects in Structural Steel and or General building works.	30	Attached Appointment letters and Completion Certificates for the same projects.												
	4 - 3 Projects in Structural Steel and or General building works.	20	Attached Appointment letters and Completion Certificates for the same projects.												
	2 - 1 Projects in Structural Steel and or General building works.	10	Attached Appointment letters and Completion Certificates for the same projects.												

	Site Agent personnel with at least a minimum qualification of a National Diploma (NQF6) or equivalent built environment foreign Qualifications to be accompanied by verification from SAQA.	NQF level 6 or Higher with 7 years or more experience in construction of similar Projects.	20	Attached CV With Certified Copy of Qualification with traceable reference.
		NQF level 6 or Higher with 6-5 years experience in construction of similar Projects.	10	Attached CV With Certified Copy of Qualification with traceable reference.
		NQF level 6 or Higher with 4-1 year experience in construction of similar Projects .	5	Attached CV With Certified Copy of Qualification with traceable reference.
	Site Foreman personnel with at least a minimum experience in Building related Projects	7 years or More experience in construction of similar projects	20	Attached CV With Certified traceable References.
		6 -4 years experience in construction of similar projects	10	Attached CV With Certified traceable References.
		3-1 years experience in construction of similar projects	5	Attached CV With Certified traceable References.
	Project Method Statement: It must include the following sub- headings: -Project initiation -Status Quo/ informants report -Concept viability -Construction time frames -Cash Flow Projections -Health and Safety	Method statement met all the requirements.	20	Project Plan and Project Profile, brief submission.
		Acceptable method statement. Only provided limited information.	10	Project Plan and Project Profile, brief submission.
		No Submission.	0	Project Plan and Project Profile, brief submission.

	<u>(b) Financial Offer</u> The financial offer will be scored using the following formula $Nf = W1 \times [1 - (P - P_m) / P_m]$ where: W1 = 80 for financial values equal to or above R30 000 and up to R50,000 000 (inclusive of VAT) of all responsive tenders received, and 90 for financial values over R50,000 000; P_m = the value of the comparative offer of the most favourable tender; P = the value of the comparative offer under consideration <u>(c) Preferences</u> Up to 20 points (for financial values up to R50 000 000) or 10 points (for financial values over R50 000 000) will be awarded to tenderers who are found to be eligible for the preference claimed. Points will be awarded to Tenderers for attaining the BBBEE status level of contribution as per the Preferential Procurement Policy Framework Act, 2000: Preferential Procurement Regulations, 2011 as detailed below. <table border="1"> <thead> <tr> <th>BBBEE Status Level Contributor</th><th>Number of Points (80/20 Principle)</th></tr> </thead> <tbody> <tr><td>1</td><td>20</td></tr> <tr><td>2</td><td>18</td></tr> <tr><td>3</td><td>14</td></tr> <tr><td>4</td><td>12</td></tr> <tr><td>5</td><td>8</td></tr> <tr><td>6</td><td>6</td></tr> <tr><td>7</td><td>4</td></tr> <tr><td>8</td><td>2</td></tr> <tr><td>Non-Compliant Contributor</td><td>0</td></tr> </tbody> </table>	BBBEE Status Level Contributor	Number of Points (80/20 Principle)	1	20	2	18	3	14	4	12	5	8	6	6	7	4	8	2	Non-Compliant Contributor	0
BBBEE Status Level Contributor	Number of Points (80/20 Principle)																				
1	20																				
2	18																				
3	14																				
4	12																				
5	8																				
6	6																				
7	4																				
8	2																				
Non-Compliant Contributor	0																				
F.3.13.1	Tender offers will only be accepted if: - the tenderer has in his or her possession an original valid Tax Clearance Certificate issued by the South African Revenue Services or has made arrangements to meet outstanding tax obligations - the tenderer is registered with the Construction Industry Development Board in an appropriate contractor grading designation, by tender closing date; - the tenderer is not in arrears for more than 3 months with the municipal rates and taxes and municipal services charges; - the tenderer or any of its directors is not listed on the Register of Tender Defaulters in terms of the Prevention and Combating of Corrupt Activities Act of 2004 as a person prohibited from doing business with the public sector; - the tender has not - abused the Employer's Supply Chain Management System; or - failed to perform on any previous contract and has been given a written notice to this effect; and - has completed the Compulsory Enterprise Questionnaires and there are no conflicts of interest which may impact on the tenderer's ability to perform the contract in the best interest of the employer or potentially compromise the tender process.																				
F.3.18	The number of paper copies of the signed contract to be provided by the employer is one original plus one original duplicate.																				

APPENDIX: STANDARD CONDITIONS OF TENDER

(These Standard Conditions of Tender have been reproduced, without any changes, from Appendix A of the CIDB Standardized Construction Procurement Documentation for Employer's Agenting Construction Works (5 August 2005))

F.1.1 Actions

The Employer and each tenderer submitting a tender offer shall comply with these Conditions of Tender. In their dealings with each other, they shall discharge their duties and obligations, as set out in F.2 and F.3, timeously and with integrity, and behave equitably, honestly and transparently.

The employer and the tenderer and all their agents and employees involved in the tender process shall avoid conflicts of interest and where a conflict of interest is perceived or known, declare any such interest in their tender submissions. Employees, agents and advisors of the employer shall declare any conflict of interest to whoever is responsible for overseeing the procurement process at the start of any deliberations relating to the procurement process or as soon as they become aware of such conflict, and abstain from any decisions where such conflict exists or recuse themselves from the procurement process, as appropriate.

- Note
- 1) A conflict of interest may arise due to a conflict of roles which might provide an incentive for improper acts in some circumstances. A conflict of interest can create an appearance of impropriety that can undermine confidence in the ability of the person to act properly in his or her position even if no improper acts result.
 - 2) Conflicts of interest in respect of those engaged in the procurement process include direct, indirect or family interests in the tender or outcome of the procurement process and any personal bias, inclination, obligation, allegiance or loyalty which would in any way affect any decision taken.

The employer shall not seek and a tenderer shall not submit a tender without having a firm intention and the capacity to proceed with the contract.

F.1.2 Tender documents

The documents issued by the Employer for the purpose of a tender offer are listed in the Tender Data.

F.1.3 Interpretation

The Tender Data and additional requirements contained in the tender schedules that are included in the returnable documents are deemed to be part of the Conditions of Tender.

The Conditions of Tender, the Tender Data and tender schedules which are only required for tender evaluation purposes, will not form part of any contract arising from the invitation to tender.

For the purposes of these conditions for the calling for expressions of interest, the following definitions apply:

- (a) **conflict of interest** means any situation in which
 - i) someone in a position of trust has competing professional or personal interest which make it difficult to fulfil his or her duties impartially;
 - ii) an individual or organization is in a position to exploit a professional or official capacity in some way for their personal or corporate benefit; or
 - iii) Incompatibility or contradictory interests exist between an employee and the organization which employs that employee.
- (b) **comparative offer** means the tenderer's financial offer after the factors of non-firm

Prices, all unconditional discounts and any other tendered parameters that will affect the value of the financial offer have been taken into consideration

- (c) **corrupt practice** means the offering, giving, receiving or soliciting of anything of value to influence the action of the employer or his staff or agents in the tender process; and
- (d) **fraudulent practice** means the misrepresentation of the facts in order to influence the tender process or the award of a contract arising from a tender offer to the detriment of the employer, including collusive practices intended to establish prices at artificial levels
- (e) **Organization** means a company, firm, enterprise, association or other legal entity, whether incorporated or not, or a public body
- (f) **Quality (functionality)** means the totality of features and characteristics of a product or service that bear on its ability to satisfy stated or implied needs.

F.1.4 Communication and Employer's agent

Each communication between the Employer and a Tenderer shall be to or from the Employer's agent only, and in a form, that can be read, copied and recorded. Writing shall be in the English language. The Employer will not take any responsibility for non-receipt of communications from or by a Tenderer. The name and contact details of the Employer's agent are stated in the Contract Data.

F.1.5 The Employer's right to accept or reject any tender offer

F.1.5.1 The Employer may accept or reject any variation, deviation, tender offer, or alternative tender offer, and may cancel the tender process and reject all tender offers at any time before the formation of a contract. The Employer will not accept or incur any liability to a Tenderer for such cancellation and rejection, but shall give reasons for such action upon written request to do so.

F.1.5.2 After the cancellation of a tender process or the rejection of all tender offers, the employer may abandon the proposed procurement and re-issue a similar tender notice and invitation to tender not less than six months after the closing date for tender offers or have it performed in another manner at any time.

F.1.6 Procurement Procedures

F.1.6.1 General

Unless otherwise stated in the tender data, a contract will, subject F.3.13, be concluded with the tenderer who in terms of F.3.11 is the highest ranked or the tenderer scoring the highest number of tender evaluation points, as relevant, based on the tender submissions that are received at the closing time for tenders.

F.1.6.2 Competitive Negotiation Procedure

F.1.6.2.1 Where the tender data require that the competitive negotiation procedure is to be followed, tenderers shall submit tender offers in response to the proposed contract in the first round of submissions. Notwithstanding the requirements of F.3.4, the Employer shall announce only the names of the tenderers who make a submission. The requirements of F.3.8 relating to the material deviations or qualifications which affect the competitive positions of tenderers shall not apply.

F.1.6.2.2 All responsive tenderers, or not less than three responsive tenderers that are highest ranked in terms of the evaluation method and evaluation criteria stated in the data, shall be invited in each round to enter the competitive negotiations, based on the principle of

equal treatment and keeping confidential the proposed solutions and associated information. Notwithstanding the provisions of F.2.17, the Employer may request that tenders be clarified, specified and fine-tuned in order to improve a tenderer's competitive position provided that such clarification, specification, fine-tuning and additional information does not alter any fundamental aspects of the offers or impose substantial new requirements which restrict or distort competition or have a discriminatory effect.

F.1.6.2.3 At the conclusion of each round of negotiations, tenderers shall be invited by the Employer to make a fresh tender offer, based on the same evaluation criteria, with or without adjusted weightings. Tenderers shall be advised when they are to submit their best and final offer.

F.1.6.2.4 The contract shall be awarded in accordance with the provisions of F.3.11 and F.3.13 after tenderers have been requested to submit their best and final offer.

F.1.6.3 Proposal Procedure using two stage system

F.1.6.3.1 Option 1

Tenderers shall in the first stage submit technical proposals and, if required, cost parameters around which a contract may be negotiated. The Employer shall evaluate each responsive submission in terms of the method of evaluation stated in the tender data, and in the second stage negotiate a contract with the tenderer scoring the highest number of evaluation points and award the contract in terms of these conditions of tender.

F.1.6.3.2 Option 2

F.1.6.3.2.1 Tenderers shall submit in the first stage only technical proposals. The Employer shall invite all responsive tenderers to submit tender offers in the second stage, following the issuing of procurement documents.

F.1.6.3.2.2. The Employer shall evaluate tenders received during the second stage in terms of the method of evaluation stated in the tender data, and award the contract in terms of these conditions of tender.

F.2 TENDERER'S OBLIGATIONS

The Tenderer shall comply with the obligations hereafter:

F.2.1 Eligibility

Submit a tender offer only if the Tenderer satisfies the criteria stated in the Tender Data and if the Tenderer, or any of his principals, is not under any restriction to do business with the Employer.

F.2.2 Cost of tendering

Accept that the Employer will not compensate the Tenderer for any costs incurred in the preparation and submission of a Tender Offer, including the costs of any testing necessary to demonstrate that aspects of the offer comply with requirements.

F.2.3 Check documents

Check the tender documents on receipt for completeness and notify the Employer of any discrepancy or omission.

F.2.4 Confidentiality and copyright of documents

Treat as confidential all matters arising in connection with the tender. He shall use and copy the documents issued by the Employer only for the purpose of preparing and submitting a Tender Offer in response to the invitation.

F.2.5 Reference documents

Obtain, as necessary for submitting a Tender Offer, copies of the latest versions of Standards, Specifications, Conditions of Contract and other publications, which are not attached but which are incorporated into the tender documents by reference.

F.2.6 Acknowledge addenda

Acknowledge receipt of addenda to the tender documents, which the Employer may issue, and if necessary apply for an extension to the closing time stated in the Tender Data if necessitated as a result of the addenda and in order to take the addenda into account.

F.2.7 Site visit and clarification meeting

A non compulsory clarification meeting will be held at which tenderers may familiarize themselves with aspects of the proposed work, services or supply, and raise questions. Details of the meeting are stated in the Tender Data.

F.2.8 Seek clarification

Request clarification of the tender documents, if necessary, by notifying the Employer at least five working days before the closing time for submission of tenders stated in the Tender Data.

F.2.9 Insurance

Be aware that the extent of insurance to be provided by the Employer (if any) might not be for the full cover required in terms of the Conditions of Contract identified in the Contract Data. The Tenderer is advised to seek qualified advice regarding insurance.

F.2.10 Pricing the Tender Offer

- F.2.10.1 Include in the rates, prices, and the tendered total of the prices all duties, taxes (except Value Added Tax, VAT), and other levies payable by the successful tenderer, such duties, taxes and levies being those applicable 14 days before the closing time for submission of tenders stated in the Tender Data.
- F.2.10.2 Show VAT payable by the Employer separately as an addition to the tendered total of the prices.
- F.2.10.3 Provide rates and prices that are fixed for the duration of the contract and not subject to adjustment except as provided for in the conditions of contract identified in the contract data
- F.2.10.4 State the rates and prices in Rand unless instructed otherwise in the Tender Data. The Conditions of Contract identified in the Contract Data may provide for part payment in other currencies.

F.2.11 Alterations to documents

Not make any alterations or additions to the tender documents, except to comply with instructions issued by the Employer, or alterations or additions necessary to correct errors made by the Tenderer. All signatories to the Tender Offer shall initial all such alterations. Erasures and the use of masking fluid are prohibited.

F.2.12 Alternative Tender Offers

- F.2.12.1 Alternative tender do not apply.

F.2.13 Submitting a Tender Offer

- F.2.13.1 Submit one Tender Offer only, either as a single tendering entity or as a member in joint venture, to provide the whole of the works, services or supply identified in the Contract Data, unless stated otherwise in the Tender Data.
- F.2.13.2 Return all returnable documents to the Employer after completing them in their entirety, by writing in black ink.
- F.2.13.3 Submit the Tender Offer communicated on paper as an original plus the number of copies stated in the Tender Data, with an English translation of any documentation in a language other than English.
- F.2.13.4 Sign the original and all copies of the Tender Offer where required in terms of the Tender Data. The Employer will hold all authorized signatories liable on behalf of the Tenderer. Signatories for tenderers proposing to contract as joint ventures shall state which of the signatories is the lead partner whom the Employer shall hold liable for the purpose of the Tender Offer.
- F.2.13.5 Seal the original and each copy of the Tender Offer as separate packages marking the packages as "ORIGINAL" and "COPY". Each package shall state on the outside the

Employer's address and identification details stated in the Tender Data, as well as the Tenderer's name and contact address.

F.2.13.6 Where a two-envelope system is required in terms of the tender data, place and seal the returnable documents listed in the tender data in an envelope marked "financial proposal" and place the remaining returnable documents in an envelope marked "technical proposal". Each envelope shall state on the outside the employer's address and identification details stated in the tender data, as well as the tenderer's name and contact address.

F.2.13.7 Seal the original tender offer and copy packages together in an outer package that states on the outside only the Employer's address and identification details as stated in the Tender Data.

F.2.13.8 Accept that the Employer will not assume any responsibility for the misplacement of premature opening of the Tender Offer if the outer package is not sealed and marked as stated.

F.2.14 Information and data to be completed in all respects

Accept that tender offers, which do not provide all the data or information requested completely and in the form required, may be regarded by the Employer as being non-responsive.

F.2.15 Closing time

F.2.15.1 Ensure that the Employer receives the Tender Offer at the address specified in the Tender Data not later than the closing time stated in the Tender Data. Proof of posting shall not be accepted as proof of delivery. The Employer will not accept Tender Offers submitted by telegraph, telex, facsimile or e-mail, unless stated otherwise in the Tender Data.

F.2.15.2 Accept that, if the Employer extends the closing time stated in the Tender Data for any reason, the requirements of the Conditions of Tender apply equally to the extended deadline.

F.2.16 Tender Offer validity

F.2.16.1 Hold the Tender Offer(s) valid for acceptance by the Employer at any time during the validity period stated in the Tender Data after the closing time stated in the Tender Data.

F.2.16.2 If requested by the Employer, consider extending the validity period stated in the Tender Data for an agreed additional period.

F.2.16.3 Accept that a tender submission that has been submitted to the employer may only be withdrawn by giving the employer's agent written notice before the closing time for tenders that a tender is to be withdrawn.

F.2.17 Clarification of Tender Offer after submission

Provide clarification of a Tender Offer in response to a request to do so from the Employer during the evaluation of Tender Offers. This may include providing a breakdown of rates or prices and correction of arithmetical errors by the adjustment of certain rates or item prices (or both). No change in the total of the prices or substance of the Tender Offer should be sought, offered, or permitted. The total of the prices stated by the Tenderer shall be binding upon the Tenderer.

F.2.18 Provide other material

F.2.18.1 Provide, on request by the Employer, any other material that has a bearing on the Tender Offer, the Tenderer's commercial position (including notarized joint venture agreements), preferencing arrangements, or samples of materials, considered necessary by the Employer for the purpose of a full and fair risk assessment. Should the Tenderer not provide the material, or a satisfactory reason as to why it cannot be provided, by the time for submission stated in the Employer's request, the Employer may regard the Tender Offer as being non-responsive.

F.2.18.2 Dispose of samples of materials, where required.

F.2.19 Inspections, tests and analyses

Provide access during working hours to premises for inspections, tests and analyses as provided for the in the Tender Data.

F.2.20 Submit securities, bonds, policies, etc.

If requested, submit for the Employer's acceptance before formation of the contract, all securities, bonds, guarantees, policies and certificates of insurance required in terms of the Conditions of Contract identified in the Contract Data.

F.2.21 Check final draft

Check the final draft of the contract provided by the Employer within the time available for the Employer to issue the contract.

F.2.22 Return of other tender documents

If so instructed by the Employer, return all retained tender documents within 28 days after the expiry of the validity period stated in the Tender Data.

F.2.23 Certificates

Include in the tender submission or provide the Employer with any certificates as stated in the Tender Data.

F.3 EMPLOYER'S UNDERTAKINGS

F.3.1 Respond to clarification

Respond to a request for clarification received up to five (5) working days before the tender closing time stated in the Tender Data and notify all tenderers who drew procurement documents.

F.3.2 Issue addenda

If necessary, issue addenda, which may amend or amplify the tender documents, to each Tenderer during the period from the date of the Tender Notice until Three (3) days before the tender closing time stated in the Tender Data. If, as a result of the issuing of

addenda, a Tenderer applied for an extension to the closing time stated in the Tender Data, the Employer may grant such extension and shall then notify all tenderers who drew documents.

F.3.3 Return late Tender Offers

Return Tender Offers received after the closing time stated in the Tender Data, unopened (unless it is necessary to open a tender submission to obtain a forwarding address), to the Tenderer concerned.

F.3.4 Opening of tender submissions

F.3.4.1 Unless the two-envelope system is to be followed, open valid tender submissions in the presence of Tenderers' agents who choose to attend at the time and place stated in the Tender Data. Tender submissions for which acceptable reasons for withdrawal have been submitted will not be opened.

F.3.4.2 No public meeting shall be held after the opening of tender submissions, due to the Covid 19 regulations.

F.3.4.3 Make available the name of each Tenderer whose Tender Offer is opened, the total of his prices, preferences claimed, if applicable, and time for completion (if any) for the main Tender Offer only.

F.3.5 Two-envelope system

F.3.5.1 Where stated in the Tender Data that a **Two-Envelope System** is to be followed, open only the technical proposal of valid tenders in the presence of Tenderers' agents who choose to attend at the time and place stated in the Tender Data and announce the name of each Tenderer whose technical proposal is opened.

F.3.5.2 Evaluate the quality of the technical proposals offered by Tenderers, then advise Tenderers who remain in contention for the award of the contract of the time and place when the financial proposals will be opened. Open only the financial proposals of Tenderers who score in the quality evaluation more than the minimum number of points for quality stated in the Tender Data, and announce the score obtained for the technical proposals and the total price and any preferences claimed. Return unopened financial proposals to Tenderers whose technical proposals failed to achieve the minimum number of points for quality.

F.3.6 Non-disclosure

Not to disclose to Tenderers, or to any other person not officially concerned with such processes, information relating to the evaluation and comparison of Tender Offers, the final evaluation price and recommendations for the award of a contract, until after the award of the contract to the successful tenderer.

F.3.7 Grounds for rejection and disqualification

Determine whether there has been any effort by a Tenderer to influence the processing of Tender Offers and instantly disqualify a Tenderer (and his Tender Offer) if it is established that he engaged in corrupt or fraudulent practices.

F.3.8 Test for responsiveness

F.3.8.1 Determine, on opening and before detailed evaluation, whether each Tender Offer properly received:

- (a) complies with the requirements of the Conditions of Tender;
- (b) has been properly and fully completed and signed, and
- (c) is responsive to the other requirements of the tender documents.

F.3.8.2 Regard a responsive tender as one that conforms to all the items, conditions, and specifications of the tender documents without material deviation or qualification. A material deviation or qualification is one which, in the Employer's opinion, would

- (a) detrimentally affect the scope, quality, or performance of the works, services or supply identified in the scope of work;
- (b) change the Employer's or the Tenderer's risks and responsibilities under the contract, or
- (c) affect the competitive position of other tenderers presenting responsive tenders, if it were to be rectified.

Reject a non-responsive Tender Offer, and do not allow it to be subsequently made responsive by correction or withdrawal of the non-conforming deviation or reservation.

F.3.9 Arithmetical errors

F.3.9.1 Check responsive Tender Offers for arithmetical errors, correcting them in the following manner:

- Where there is a discrepancy between the amounts in figures and in words, the amount in words shall govern.
- If a Bill of Quantities (or Schedule of Quantities or Schedule of Rates) applies and there is an error in the line item total resulting from the product of the unit rate and the quantity, the line item total shall govern and the rate shall be corrected. Where there is an obviously gross misplacement of the decimal point in the unit rate, the line item total as quoted shall govern, and the unit rate shall be corrected.
- Where there is an error in the total of the prices, either as a result of other corrections required by this checking process or in the Tenderer's addition of prices, the total of the prices shall govern and the Tenderer will be asked to revise selected item prices (and their rates if a Bill of Quantities applies) to achieve the tendered total of the prices.

F.3.9.2 Notify the tenderers of all errors or omissions that are identified in the tender offer and invite the tenderer to either confirm the tender offer as tendered or accept the corrected total of prices.

F.3.9.3 Consider the rejection of a Tender Offer if the Tenderer does not correct or accept the correction of his arithmetical errors in the manner described in F.3.9.1.

F.3.10 Clarification of a Tender Offer

Obtain clarification from a Tenderer on any matter that could give rise to ambiguity in a contract arising from the Tender Offer.

F.3.11 Evaluation of Tender Offers

F.3.11.1 Appoint an evaluation panel of not less than three persons. Reduce each responsive Tender Offer to a comparative offer and evaluate it using the tender evaluation methods that are indicated in the Tender Data and described as methods 1, 2, 3 and 4.

F.3.11.2 Method 1: In the case of a Financial Offer:

- Rank Tender Offers from the most favourable to the least favourable comparative offer.
- Recommend the highest ranked tenderer for the award of the contract, unless there are compelling and justifiable reasons not to do so.

F.3.11.3 Method 2: In the case of a Financial Offer and Preferences:

- Score tender evaluation points for each Financial Offer.
- Confirm that tenderers are eligible for the preferences claimed and, if so, score tender evaluation points for preferencing.
- Calculate total number of tender evaluation points (T_{EV}) in accordance with the following formula:

$$T_{EV} = N_{FO} + N_P$$

where: N_{FO} is the number of tender evaluation points awarded for the financial offer made in accordance with F.3.11.6.1;

N_P is the number of tender evaluation points awarded for preferences claimed in accordance with F.3.11.6.2.

- Rank Tender Offers from the highest number of tender evaluation points to the lowest.
- Recommend the Tenderer with the highest number of tender evaluation points for the award of the contract, unless there are compelling and justifiable reasons not to do so.

F.3.11.4 Method 3: In the case of a Financial Offer and Quality:

- Score quality, rejecting all Tender Offers that fail to score the minimum number of points for quality stated in the Tender Data, if any.
- Score tender evaluation points for each financial offer.
- Calculate total number of tender evaluation points (T_{EV}) in accordance with the following formula:

$$T_{EV} = N_{FO} + N_Q$$

where: N_{FO} is the number of tender evaluation points awarded for the financial offer made in accordance with F.3.11.6.1;

N_Q is the number of tender evaluation points awarded for quality offered in accordance with F.3.11.6.3.

- Rank Tender Offers from the highest number of tender evaluation points to the lowest.
- Recommend the Tenderer with the highest number of tender evaluation points for the award of the contract, unless there are compelling and justifiable reasons not to do so.

F.3.11.5 Method 4: In the case of a Financial Offer, Quality and Preferences:

- Score quality, rejecting all Tender Offers that fail to score the minimum number of points for quality stated in the Tender Data, if any.
- Score tender evaluation points for each financial offer.
- Confirm that Tenderers are eligible for the preferences claimed and, if so, score tender evaluation points for preferencing.
- Calculate total number of tender evaluation points (T_{EV}) in accordance with the following formula:

$$T_{EV} = N_{FO} + N_P + N_Q$$

where: N_{FO} is the number of tender evaluation points awarded for the financial offer made in accordance with F.3.11.6.1;

N_P is the number of tender evaluation points awarded for preferences claimed in accordance with F.3.11.6.2.

N_Q is the number of tender evaluation points awarded for quality offered in accordance with F.3.11.6.3.

- Rank Tender Offers from the highest number of tender evaluation points to the lowest.
- Recommend the Tenderer with the highest number of tender evaluation points for the award of the contract, unless there are compelling and justifiable reasons not to do so.

F.3.11.6 Score financial offers, preferences and quality, as relevant, to two decimal places.

F.3.11.6.1 **Scoring financial offers**

Score the financial offers of the remaining responsive tender offers using the following formula:

$$N_{fo} = W_1 \times A$$

Where N_{fo} = is the number of tender evaluation points awarded for the financial offer;

W_1 = is the maximum possible number of tender evaluation points awarded for the financial offer as stated in the Tender Data;

A = is the number calculated using the formula and option described in Table T1 as stated in the tender data.

TABLE T1 - FORMULAE FOR THE VALUE OF A

FORMULA	BASIS FOR COMPARISON	VALUE OF "A"	
		Option 1	Option 2
1	Highest price or discount	$[1+(P-P_m) / P_m]$	P/P_m
2	Lowest price or percentage commission/fee	$[1-(P-P_m) / P_m]$	P_m/P

P_m = is the comparative offer which is the most favorable

P = is the comparative offer of the tender under consideration

F.3.11.6.2. Scoring Preferences

Confirm that tenderers are eligible for the preferences claimed in accordance with the provisions of the tender data and reject all claims for preferences where tenderers are not eligible for such preferences.

Calculate the total number of tender evaluation points for preferences claimed in accordance with the provisions of the tender data.

F.3.11.6.3. Scoring quality (functionality)

Score quality in each of the categories in accordance with the Tender Data and calculate the total number of tender evaluation points for quality using the formula:

$$N_Q = W_2 \times S_o / M_s$$

Where S_o is the score for quality allocated to the submission under consideration
 M_s is the maximum possible score for quality in respect of a submission; and
 W_2 is the maximum possible number of tender evaluation points awarded for the quality as stated in the tender data

F.3.12 Insurance provided by the Employer

If requested by the proposed successful Tenderer, submit for the Tenderer's information the policies or certificates of insurance (or both) which the Conditions of Contract identified in the Contract Data require the Employer to provide.

F.3.13 Acceptance of Tender Offer

F.3.13.1 Accept the Tender Offer only if the Tenderer

- a) Is not under restrictions, or has principals who are under restrictions, preventing participating in the employer's procurement
- b) Can, as necessary and in relation to the proposed contract, demonstrate that he or she possesses the professional and technical qualifications, professional and technical competence, financial resources, equipment and other physical facilities, managerial capability, reliability, experience and reputation, expertise and the personnel to perform the contract.
- c) Has the legal capacity to enter the contract,
- d) Is not insolvent, in receivership, bankrupt or being wound up, has his affairs administered by a court or a judicial officer, has suspended his business activities, or is subject to legal proceedings in respect of any of the foregoing,
- e) Complies with the legal requirements, if any, stated in the tender data.

F.3.13.2 Notify the successful Tenderer of the Employer's acceptance of his Tender Offer by completing and returning one copy of the Form of Offer and Acceptance before the expiry of the validity period stated in the Tender Data, or agreed additional period. Provided that the Form of Offer and Acceptance does not contain any qualifying statements, it will constitute the formation of a contract between the Employer and the successful Tenderer as described in the Form of Offer and Acceptance.

F.3.14 Notice to unsuccessful Tenderer

After the successful Tenderer has acknowledged the Employer's notice of acceptance, notify other Tenderers that their Tender Offers have not been accepted.

F.3.15 Prepare contract documents

If necessary, revise documents that shall form part of the contract and that were issued by the Employer as part of the tender documents to take account of:

- addendum issued during the tender period;
- inclusion of some of the returnable documents;
- other revisions agreed between the Employer and the successful Tenderer, and
- the Schedule of Deviations attached to the Form of Offer and Acceptance, if any.

F.3.16 Issue final contract

Prepare and issue the final draft of contract documents to the successful Tenderer for acceptance as soon as possible after the date of the Employer's signing of the Form of Offer and Acceptance (including the Schedule of Deviations, if any). Only those documents that the Conditions of Tender require the Tenderer to submit, after acceptance by the Employer, shall be included.

F.3.17 Complete Adjudicator's Contract

Unless alternative arrangements have been agreed or otherwise provided for in the contract, arrange for both parties to complete formalities for appointing the selected adjudicator at the same time as the main contract is signed.

F.3.18 Provide copies of the contracts

Provide to the successful Tenderer the number of copies stated in the Tender Data of the signed copy of the Contract as soon as possible after completion and signing of the Form of Offer and Acceptance.

F.3.19 Transparency in the procurement process

F3.19.1 The CIDB prescripts require that tenders must be advertised and be registered on the cidb i.Tender system.

F3.19.2 The employer must adopt a transparency model that incorporates the disclosure and accountability as transparency requirements in the procurement process.

F3.19.3 The transparency model must identify the criteria for selection of projects, project information template and the threshold value of the projects to be disclosed in the public domain at various intervals of delivery of infrastructure projects

F3.19.4 The client must publish the information on a quarterly basis which contains the following information:

- Procurement planning process
- Procurement method and evaluation process
- Contract type
- Contract status
- Number of firms tendering
- Cost estimate
- Contract title
- Contract firm(s)
- Contract price
- Contract scope of work

- Contract start date and duration
- Contract evaluation reports

- F3.19.5 The employer must establish a Consultative Forum which will conduct a random audit in the implementation of the transparency requirements in the procurement process.
- F3.19.6 Consultative Forum must be an independent structure from the bid committees.
- F3.19.7 The information must be published on the employer's website.
- F 3.19.8 Records of such disclosed information must be retained for audit purposes.

F.4 STANDARD SPECIFICATIONS

The standard specifications on which this contract is based are Standards South Africa's Standardized Specifications for Civil Employer's Agenting Construction SABS 1200.

Although not bound in nor issued with this Document, the following Sections of the Standardized Specifications of SABS 1200 shall form part of this Contract:

AA	1986	:	GENERAL
C	1980	:	SITE CLEARANCE (As amended 1982)
D	1988	:	EARTHWORKS (As amended 1990)
DA	1988	:	EARTHWORKS (SMALL WORKS)
DB	1989	:	EARTHWORKS (PIPE TRENCHES)
DM	1981	:	EARTHWORKS (ROADS, SUBGRADE)
LB	1983	:	BEDDING (PIPES)
LD	1982	:	SEWERS
G	1982	:	CONCRETE
GE	1984	:	PRECAST CONCRETE
H	1990	:	STRUCTURAL STEELWORK
HC	1988	:	CORROSION PROTECTION OF STRUCTURAL STEELWORK
LE	1982	:	STORMWATER DRAINAGE
MJ	1984	:	SEGMENTED PAVING
MK	1983	:	KERBING AND CHANNELLING

The following SANS -specifications are also referred to in this document and the Contractor is advised to obtain them from Standards South Africa (a division of SABS) in Pretoria.

SANS 1921 (2004): Construction and Management Requirements for Works Contracts

- Part 1: General Employer's Agenting and Construction Works; and
- Part 2: Accommodation of Traffic on Public Roads Occupied by the Contractor.

F.5 PROJECT SPECIFICATIONS

The project specification is covered in the following sections:

ITEM	DESCRIPTION
F.5.1	STATUS
F.5.2	PROJECT SPECIFICATION PORTION 1 - GENERAL
PS-1	Project Description
PS-2	Overview and Details of Contract
PS-3	Description of Site and Access
PS-4	Nature of Ground and Subsoil Conditions
PS-5	Construction and Management Requirements
PS-6	Construction Programme
PS-7	Site Facilities Available
PS-8	Site Facilities Required
PS-9	Existing Services
PS-10	Requirements for Accommodation of Traffic
PS-11	Occupational Health and Safety
PS-12	Adverse Weather Conditions
PS-13	Site Meetings and Reporting
	PROJECT SPECIFICATION PORTION 2
PSA	General
	PARTICULAR SPECIFICATIONS
PES	Environmental Specification
PE	The Client's Pre-Construction and Health Plan

F.5.1 STATUS

The Project Specification, consisting of two parts, forms an integral part of the contract and supplements the Standard Specifications.

Part A contains a general description of the works, the site and the requirements to be met.

Part B contains variations, amendments and additions to the Standardized Specifications and, if applicable, the Particular Specifications.

In the event of any discrepancy between a part or parts of the Standardized or Particular Specifications and the Project Specification, the Project Specification shall take precedence. In the event of a discrepancy between the Specifications, (including the Project Specifications) and the drawings and / or the Bill of Quantities, the discrepancy shall be resolved by the Employer's Agent before the execution of the work under the relevant item.

F.5.2 PROJECT SPECIFICATION PORTION 1: SABS 1200 PS: GENERAL

PS-1 PROJECT DESCRIPTION

PS-1.1 Employer's objectives

This contract forms is for the Construction of New Trader Stall Structure/s in Ward 13 of Ray Nkonyeni Municipality.

The description of the contract contained in the Scope of Work is merely an outline of the Contract Works and shall not limit the work to be carried out by the Contractor under this Contract. Details of some of the major items are given in this section and approximate detailed quantities for each type of work to be carried out in accordance with the Contract Documents are included in the Bill of Quantities.

PS-1.2 Overview of the Works

The project is located in the central Hibberdene area of Ward 13, under Ray Nkonyeni Local Municipality within Ugu District. Which is approximately 22km North-East of Port Shepstone. The site is accessed off the R102, via Miami Road.

The structures to be constructed are trader stall infrastructure as to facilitate the trading of goods for local community vendors. The structures comprise of reinforced concrete pad footing foundations, with a structural steel canopy/covering. The vendors will trade off a reinforced suspended concrete slab, inclusive of a common storage facility to service the resident vendors with masonry trader stands.

The Hibberdene site is split into 2 sub-sites:

Sub-site A: Construction of new platforms (suspended, taking into consideration natural topography of the site) to accommodate for trader stalls on the new platform/structure.

Sub-site B: Refurbishment of the existing structure and addition of a covered seating area to accommodate for an eating facility/area. Refurbishments to include upgrade to the stormwater infrastructure, ablution facilities and general finishes.

Structural layout drawings illustrates the overview of the scope of works:

- 2100208-STRU-0002-T_A
- 2100208-STRU-0003-T_A

Civil layout drawings illustrates the overview of the scope of works:

- 2100208-CIVIL-200-T-A Earthworks Layout & Sections

- 2100208-CIVIL-201-T-A Sewer Plan Layout
- 2100208-CIVIL-202-T-A Stormwater Plan Layout

PS-1.3 Extent of the Works

The work that is to be carried out under the contract is as provided for in the Bill of Quantities, Drawings and project particular specifications. However, if during the course of construction conditions are found to differ from those anticipated, the Employer's Agent reserves the right to modify the scope of the work to suit the prevailing conditions and circumstances. Variations introduced in this manner will be dealt with in accordance with the General Conditions of Contract 2015.

The work to be undertaken by the Contractor includes, but is not limited to, the following:

PS-1.3.1 General

The following general items will be included in the contract:

- The establishment on site of the Contractor's campsite;
- The supply of plant, labour, tools, equipment and materials necessary to complete the work;
- Setting out of the works;
- Accommodation of traffic and maintaining temporary deviations;
- Clearing and grubbing of the site;
- Landscaping and finishing off of the site on completion of the works.

PS-1.3.2 Earthworks layers:

The following earthworks will be undertaken under this contract

- Restricted excavation for foundations and footings in all materials and use for backfill, embankment or dispose.
- Ripping and compacting in-situ subgrade to 95% Mod AASHTO
- Importation and construction of a G5 layer to 98% Mod AASHTO

PS-1.3.3 Concrete & reinforcement :

- Erection of formwork
- Tying of reinforcement
- Casting of RC foundations, RC suspended slabs and RC surface bed.
- Construction of mass concrete counter slabs

PS-1.3.4 Masonry :

- Construction of trader stands

PS-1.3.5 Structural Steelwork:

- Erection of structural steel sections

PS-1.3.6 Ancillary works:

Ancillary works under the contract will include:

- Construction of concrete paving

PS-1.4 Employer's Agenting

PS-1.4.1 Employer's design

All designs and drawings were conducted in strict accordance with SANS code/s and other relevant standard code/s of practice and manuals.

PS-1.4.2 Design Brief and procedures

Any design required to be carried out by the contractor shall be in accordance with the Standard and Special Specifications applicable to this contract as set out in Section F.5.2.

PS-1.4.3 Drawings

Refer to the last section of this tender document.

PS-2 OVERVIEW AND DETAILS OF CONTRACT

In order to allow competition and opportunities for available surfacing options, reinforced concrete pavement surfacing may be undertaken through a nominated subcontract as part of this contract. The subcontract may be done through a call for competitive quotations.

Labour Intensive works comprise the activities described in SANS 1921-5, Earthworks Activities which are to be performed by hand, and its associated specification data. Such work shall be constructed using local workers who are temporarily employed in terms of this Scope of Work.

PS-3 DESCRIPTION OF SITE AND ACCESS

PS-3.1 Access

The project is located in the central Hibberdene area of Ward 13, under Ray Nkonyeni Local Municipality within Ugu District. Which is approximately 22km North-East of Port Shepstone. The site is accessed off the R102, via Miami Road.

PS-3.2 Limitations

In arriving at his rates the tenderer/contractors must take note of the following limitations that characterise the site of the roads. These must be taken into account in pricing and during construction of the roads.

- The roads are already operational. Construction activities should allow for continuous access to the users. The successful contractor will take full responsibility for this and is expected to allow for it by construction of the road in half widths and/or by the construction and maintenance of detours.
- The project is urgent and the tenderer/contractor must complete the works as soon as possible. An estimated construction period of **FOUR MONTHS** has been allowed. Tenderers will be allowed to tender other competitive periods by indicating so in the section of alternatives and amendments in the returnables.

PS-4 NATURE OF GROUND AND SUBSOIL CONDITIONS

For details of nature of ground and subsoil conditions are provided as part of this document.

PS-5 CONSTRUCTION AND MANAGEMENT REQUIREMENTS

PS-5.1 General

The Contractor is referred to SANS 1921: 2004: Construction and Management Requirements for Works Contracts, Part 1: General Employer's Agenting and Construction Works, and Part 2:

Accommodation of Traffic on Public Roads. These specifications shall be applicable to the contract under consideration and the Contractor shall comply with all requirements relevant to the project.

Certain aspects however require further attention as described hereafter.

PS-5.2 Quality Assurance (QA) *(Read with SANS 1921 – 1: 2004 clause 4.4)*

The Contractor will be solely responsible for the production of work that complies with the Specifications to the satisfaction of the Employer's Agent. To this end it will be the full responsibility of the Contractor to institute an appropriate Quality Assurance (QA) system on site. The Employer's Agent will audit the Contractor's quality assurance (QA) system on a regular basis to verify that adequate independent checks and tests are being carried out and to ensure that the Contractor's own control is sufficient to identify any possible quality problems which could cause a delay or failure.

The Contractor shall ensure that efficient supervisory staff, the required transport, instruments, equipment and tools are available to control the quality of his own workmanship in accordance with his QA-system. His attention is drawn to the fact that it is not the duty of the Employer's Agent or the Employer's Agent's representative to act as foreman or surveyor.

The Employer's Agent's Quality Management System that will be used during Construction in conjunction with the contractor's Quality Assurance System on site is detailed under section, **PARTICULAR SPECIFICATIONS QMS.**

PS-5.3 Management and disposal of water *(Read with SANS 1921 - 1 : 2004 clause 4.6)*

The Contractor shall pay special attention to the management and disposal of water and stormwater on the site. It is essential that all completed works or parts thereof are kept dry and properly drained. Claims for delay and for repair of damage caused to the works as a result of the Contractor's failure to properly manage rain and surface water, will not be considered.

PS-5.4 Disposal of spoil or surplus material *(Read with SANS 1921 - 1 : 2004 clause 4.10)*

The Contractor shall dispose all surplus and unsuitable material in legal spoil areas identified by the Employer's Agent. These spoil areas will be within 5km distance from the site. No overhaul will be paid for disposing of unsuitable material in the designated areas within 5km from the site.

PS-5.5 Testing *(Read with SANS 1921 – 1 : 2004 clause 4.11)*

PS-5.5.1 Process control

The Contractor shall arrange for all tests required for process control to be done by a laboratory acceptable to and approved by the Employer's Agent.

The Contractor may establish his own laboratory on site or he may employ the services of an independent commercial laboratory. Whatever method is used, the Contractor must submit the results of tests carried out on materials and workmanship when submitting work for acceptance by the Employer's Agent. The costs for these tests shall be deemed to be included in the relevant rates and no additional payment will be made for testing as required.

PS-5.5.2 Acceptance control

The process control test results submitted by the Contractor for approval of materials and workmanship may be used by the Employer's Agent for acceptance control. However, before accepting any work, the Employer's Agent may have further control tests carried out by a laboratory of his choice. The cost of such additional tests will be covered by a provisional sum provided in the schedule of quantities, but tests that failed to confirm compliance with the specifications, will be for the account of the Contractor.

PS-5.6 Survey beacons *(Read with SANS 1921 - 1 : 2004 clause 4.15)*

The Contractor shall take special precautions to protect all permanent survey beacons or pegs such as bench-marks, stand boundary pegs and trigonometrical beacons, regardless whether such

beacons or pegs were placed before or during the execution of the Contract. If any such beacons or pegs have been disturbed by the Contractor or his employees, the Contractor shall have them replaced by a registered land surveyor at his own cost.

PS-5.7 Existing Services *(Read with SANS 1921 - 1 : 2004 clause 4.17)*

The Contractor shall make himself acquainted with the position of all existing services before any excavation or other work likely to affect the existing services is commenced.

The Contractor will be held responsible for any damage to known existing services caused by or arising out of his operations and any damage shall be made good at his own expense. Damage to unknown services shall be repaired as soon as possible and liability shall be determined on site when such damage should occur.

PS-5.8 Management of the environment *(Read with SANS 1921 - 1 : 2004 clause 4.19)*

The Contractor shall pay special attention to the following :

(a) Natural Vegetation

The Contractor shall confine his operation to as small an area of the site as may be practical for the purpose of constructing the works.

Only those trees and shrubs directly affected by the works and such others as the Employer's Agent may direct in writing shall be cut down and stumped. The natural vegetation, grassing and other plants shall not be disturbed other than in areas where it is essential for the execution of the work or where directed by the Employer's Agent.

(b) Fires

The Contractor shall comply with the statutory and local fire regulations. He shall also take all necessary precautions to prevent any fires. In the event of fire the Contractor shall take active steps to limit and extinguish the fire and shall accept full responsibility for damages and claims resulting from such fires which may have been caused by him or his employees.

PS-5.9 Overhaul

No payment will be made for overhaul on this contract unless provision is made thereof in specific items.

PS-5.10 Security

The Contractor shall provide security watchmen for the contract as he deems fit at no extra cost for the Employer. The Contractor must ensure that all his employees as well as the *employees of his subcontractors are able to identify themselves as members of the construction team.*

PS-6 CONSTRUCTION PROGRAMME

PS-6.1 Preliminary programme

It is a specific requirement for all construction works for this project to be completed by 30 June 2022. The Contractor shall include with his tender a preliminary programme on the prescribed form to be completed by all Tenderers. The programme shall be in the form of a simplified bar chart with sufficient details to show clearly how the works will be performed within the time for completion as stated in the Contract Data.

The Contractor shall be deemed to have allowed fully in his tendered rates and prices as well as in his programme for all possible delays due to normal adverse weather conditions and special non-working days as specified in the Special Conditions of Contract, in the Project Specifications and in the Contract Data.

No additional payments, other than through scheduled items, will be made for these stoppages/disruptions/constraints.

The completion period of the contract is to be tendered by the tenderer and is expected not to exceed 16 weeks or June 30 2022, whichever date is earlier.

PS-6.2 Programme in terms of Clause 5.6 of the General Conditions of Contract

It is essential that the construction programme, which shall conform in all respects to Clause 5.6 of the General Conditions of Contract 2015, be furnished within the time stated in the Contract Data. The preliminary programme to be submitted with the tender shall be used as basis for this programme. The Contractor's attention is also drawn to clause 5.7.3 of the General Conditions of Contract 2015.

PS-7 SITE FACILITIES AVAILABLE

PS-7.1 Contractor's camp site and depot *(Read with SANS 1921 - 1 : 2004 clause 4.14)*

The Contractor will be permitted to locate his offices, storage facilities, workshops, latrines, etc, on a site approved by the Employer's Agent, in liaison with the community and the owners of farms traversed by the contract or any other appointed representatives. Temporary buildings and fencing are to be neat and presentable and the surrounding areas must at all times be kept in a neat, clean and orderly condition. The Contractor must not cut down or damage any trees nor make any excavation without the written permission of the Employer's Agent and will be required to restore the site to its original condition on completion of the Works.

All buildings and latrines shall be in accordance with the Local Authority and State Health regulations and shall be kept in a clean, sanitary condition to the satisfaction of the Employer's Agent.

PS-7.2 Accommodation of Employees

No employees except for security guards will be allowed to sleep or be accommodated on the site in urban areas.

No housing is available for the Contractor's employees and the Contractor shall make his own arrangements to house his employees and to transport them to site.

No informal housing or squatting will be allowed.

The Contractor shall provide the necessary ablution facilities at his camp site and the site of the works for the use of his employees. Chemical toilets only will be allowed where temporary facilities have to be provided.

PS 7.3 Source of Water Supply

The Contractor shall make his own arrangements for the supply of water for construction purposes. The source of water shall be subject to the approval of the Employer's Agent.

Should the contractor's source of water be Ugu District Municipality, the contractor will be required to ensure that the water account with Ugu District Municipality is in good standing prior to the issue of completion certificate. The Employer's Agent will withhold any payments until arrears are cleared with Ugu District Municipality.

PS 7.4 Source of Power Supply

The power supply authority is Eskom. The Contractor will be required to make his own arrangements with, and pay all the requisite connection and consumption charges to Eskom for whatever temporary power supplies he may require for his use on the site and his tender will be held to include for all such costs and charges.

PS-8 SITE FACILITIES REQUIRED FOR THE EMPLOYER'S AGENT

PS 8.1 Temporary/Permanent Offices

The Contractor will not be required to provide a temporary furnished office for use by the Employer's Agent.

PS 8.2 Laboratory Facilities

The Contractor will not be required to provide a testing laboratory on site for use by the Employer's Agent.

PS 8.3 Sanitary Facilities

All latrines shall conform to the requirements of the Local Authority and shall be subject to approval by the Employer's Agent. All sanitary fees and charges due under the Local Authority or State Health Regulations or bylaws shall be paid by the Contractor. Throughout the progress of the contract, all latrines shall be maintained by the Contractor in a clean, sanitary condition to the satisfaction of the Employer's Agent

PS 8.4 Parking Facilities

The Contractor will be not be required to provide covered parking for the Employer's Agent.

PS 8.5 Employer's Agent's Transport

The Contractor will not be required to provide transport for the Employer's Agent's staff.

PS 8.6 Security

The Contractor will be responsible for providing adequate security for the Works and for the site establishment. All costs associated with the provision of security staff shall be borne by the Contractor and should be allowed for in the rates tendered for items in the Schedule of Quantities. No additional payments will be made for security measures taken during the contract period, other than through the schedule items in the Schedule of Quantities.

PS 8.7 Survey Equipment

The contractor shall provide, if needed, the following survey equipment to the Employer's Agent throughout the duration of the contract:

- A dumpy level
- Measuring tape
- An assistant, when required, to assist the Employer's Agent to operate survey equipment, when provided

PS-9 GENERAL SITE FACILITIES REQUIREMENTS

PS 9.1 Existing Services

PS 9.1.1 Care, Damage and Protection

Known services will be indicated in the tender and contract documents. The Contractor will be responsible for identifying all services with the relevant Service Providers.

The Contractor shall familiarize himself with all services and expose them at the start of the Contract to verify their position and establish their depths.

No additional payment will be made to the Contractor for identifying and locating services. Therefore the Contractor will have to include the costs thereof in the scheduled items in the Schedule of Quantities.

Any information regarding existing services is given in good faith and without guarantee.

PS 9.1.2 Blasting

No blasting will be permitted within 10m of any structure, pipeline or service unless the Contractor can satisfy the Employer's Agent that his proposed blasting methods and controls are such that no damage will be caused to the adjoining structure, pipeline or service. In any event the Employer's Agent will require the Contractor to plan and execute each blast in such a manner as to ensure that no damage will be caused to any structure, pipeline or service. In addition, the Employer's Agent will require vibro-recordings to be taken at no additional cost to the Employer. No blasting is to be carried out in Eskom servitudes or wayleaves unless the Eskom authorities have been advised in writing three weeks prior to blasting. Where blasting is done adjacent to Eskom power lines, the Contractor shall arrange for a representative of Eskom to be present prior to and during any blast.

PS 9.1.3 Environmental Aspects

The Contractor will be required to plan and undertake his work in a manner that minimises its impact on the natural environment. Trees and other vegetation shall, wherever possible, be left undisturbed. Trees that are marked by the Employer's Agent shall not be damaged and in the event of the Contractor doing so, a penalty will be deducted from monies due to the Contractor.

Every effort shall be made by the Contractor to prevent pollution of the adjacent areas and river and to reduce the noise, dust and fumes emanating from his construction activities.

PS 9.1.4 Dealing with Water

Where necessary, the Contractor shall construct temporary drainage channels to divert ground water from his excavation and excess water must be pumped out.

No compensation for any variation of the actual conditions during construction from the data given will be considered. Neither will additional compensation be considered for data omitted or inaccurately given.

The rates tendered shall allow for the requirements of this clause and all incidentals.

PS 9.2 Servitudes and Rights of Way

The Employer will, where necessary, obtain permanent servitudes and rights of way along the road routes indicated on the tender drawings. New servitudes will only be registered after completion of the Works.

PS 9.3 Dealing with Damaged Services

In the event of any service being damaged or accidentally disconnected for any reason, the Contractor shall immediately contact the relevant authority for instruction and shall report the occurrence of the incident. The damage is to be repaired as soon as possible to the approval of the Employer's Agent and the authority. The Contractor will be held responsible for paying all costs incurred by the authority or himself as a result of each such incident, where relevant.

PS 9.4 Accommodation of Traffic

The Contractor shall ensure the safe and expeditious passage of traffic at all times and shall provide all necessary temporary road traffic signs, barricades, flagmen, etc to safeguard the travelling public. Any detours or bypasses constructed by the Contractor shall be adequately signposted, as per the South African Road Traffic Signs Manual, and maintained in such a manner as to provide safe and easy passage of traffic.

PS 9.5 Spoil Material

No indiscriminate spoiling of material will be allowed. All surplus or unsuitable material shall be spoiled, levelled and spread in designated areas as directed by the Employer's Agent. All haul will be regarded as freehaul.

PS 9.6 Finishing and Tidying and Defects Liability Period

On no account must rubble and spoil materials, other materials, equipment or unfinished operations be allowed to accumulate in such a manner as to unnecessarily impede the activities of other Contractors or Authorities.

Finishing and tidying must not simply be left until the end of the construction period. The Contractor will be entitled, subject to prior agreement with the Employer's Agent and within reasonable limits, to request that work in a particular area and/or work of a particular discipline, be inspected for partial completion. The specified defects liability period in respect of any specific section of the Works shall commence on the date on which the relevant section is accepted by the Employer's Agent as being completed, i.e. fully commissioned, including finishing and tidying.

On completion of the Contract the Contractor shall ensure that all materials used in the construction of the temporary Site office, workshop and storage yard are removed from Site. Waste materials such as construction debris and soil contaminated with oil and fuel are to be disposed of at the solid waste disposal site used approved by the Employer's Agent. Prior to the handover of the Site to the Employer, the Contractor and the Employer's Agent will conduct a post construction audit to determine if any additional measures that are to be taken. The Completion Certificate will only be issued after this stage.

PS 9.7 Employee Accommodation

Refer to Subclause 3.2.1 of Section A of Part 2 and Subclause 1.2.1 of Section A of Part 3 of SABS 0120.

The Contractor shall conform in all respects with the provisions of any Act, Regulations or By-Law of the Ray Nkonyeni Municipality, which may be applicable to employee accommodation. Save for a security guard on active duty, no employees may be housed on Site or the Contractor's campsite after normal working hours.

PS 9.8 Employment of Local Labour

The Employer has determined that 100% of the Contractor's unskilled labour force shall be made up from the local community. A labour sub-committee (of a Project Steering Committee) comprising representatives of the community and other stakeholders will be responsible for the recruitment of all local labour. The Contractor will be required to provide details of the numbers of semi-skilled and unskilled workers he will require, together with their anticipated starting dates. The PSC through its labour sub-committee will then make this labour available to the Contractor.

A minimum of 50% of the local labour shall comprise of women and, where appropriate, disabled labour shall be employed. It is a requirement that tenderers acquaint themselves fully with requirements for registration with Unemployment Insurance Fund.

The Employer requires that the successful contractor registers all labour with the Unemployment Insurance Fund. The local labour rate has been determined at R196 per day per labourer (based on a 8 hour working day at R24.50/hour) or R196.00 per task. The task for excavation by hand has been agreed at 2,4 m³/day (e.g. 0,76 m x 1,0 m x 3,15 m).

During project execution, the successful contractor will be required to provide progress reports indicating to what level these requirements have been met.

PS 9.9 Frequency of Labour Wages Payments

The contractor will be required to pay labour on a fortnightly/monthly basis

PS 9.10 Training and Capacity Building

During project execution, it is the desire of the Employer that an identified number of community members receive appropriate level of non accredited training in either roadworks activities or construction management activities. Within 14 days of appointment, the successful contractor will be required to provide, together with his method statement, a proposal for consideration by the Project Steering Committee for activities in which the community members can receive training. This proposal will be considered by the Project Steering Committee after which the Contractor will be given an instruction on the training to provide. Training will be provided to local labour that is already in the employ of the contractors as per clause PS 9.8. It must be noted that the Contractor will be required to pay the labour based on their daily rates indicated in PS 9.8.

The contractor will be required to provide a training diary and report indicating the following to be updated monthly:

- Details of persons receiving training
- What areas there have been trained in
- Performance of the trainees
- Further training still to be done

Should the contractor fail to provide this training, the Employer reserves the right to seek training from alternative sources. In that case, the cost of the training sought will be deductible from any monies due to the contractor.

PS 9.11 PORTION OF WORK CONSTRUCTED USING LABOUR INTENSIVE METHODS

The Ray Nkonyeni Municipality intends to use all construction contracts as a tool for creating employment opportunities for the local communities. It is therefore imperative that, as far as possible, work is done using the labour pool recruited in accordance PS9.9. As a minimum, the following activities are to be undertaken using labour intensive methods:

- Clearing and grubbing
- Removal of trees/hedges/fences
- Excavations for foundations
- Construction of kerbing and channelling
- Drainage structures

PS-10 REQUIREMENTS FOR ACCOMMODATION OF TRAFFIC

PS-10.1 General

The Contractor will be responsible for the safe and easy passage of public traffic past and on sections of roads of which he has occupation or where work has to be done near traffic.

Accommodation of traffic, where applicable shall comply with SANS 1921-2: 2004: Construction and Management Requirements for Works Contracts, Part 2: Accommodation of Traffic on Public Roads occupied by the Contractor. The Contractor shall obtain this specification from Standards South Africa if accommodation of traffic will be involved on any part of the construction works.

PS-10.2 Basic Requirements

The travelling public shall have the right of way on public roads, and the Contractor shall make use of approved methods to control the movement of his equipment and vehicles so as not to constitute a hazard on the road.

The Contractor shall ensure that all road signs, barricades, delineators, flagmen and speed controls are effective and that courtesy is extended to the public at all times.

Failure to maintain road signs, warning signs or flicker lights, etc, in a good condition shall constitute ample reason for the Employer's Agent to suspend the work until the road signs, etc, have been repaired to his satisfaction.

The Contractor may not commence constructional activities affecting existing roads before adequate provision has been made to accommodate traffic in accordance with the requirements of this document and the South African Road Traffic Signs Manual.

The Contractor shall construct and maintain all temporary drainage works necessary for temporary deviations.

The Contractor shall provide and grant access to persons whose properties fall within or adjoin the area in which he is working.

PS-10.3 Traffic Safety Officer

Where warranted by traffic conditions on or near the site, the Contractor shall nominate a suitable member of his staff as traffic safety officer to be responsible for the arrangement and maintenance of all the measures for the accommodation of traffic for the duration of the project. Duties of the traffic safety officer shall be as set out in SANS 1921 Part 2 and shall also be in compliance with the Occupational Health and Safety Act No 85 of 1993 and the Construction Regulations 2003.

PS-10.4 Payment

The Contractor's tendered rates for the relevant items in the Bill of Quantities shall include full compensation for all possible additional costs which may arise from this, and no claims for extra payment due to inconvenience as a result of the modus operandi will be considered.

Items that may be considered for payment are specified in SABS 1200 Standardized Specifications and the related project specification.

PS-11 OCCUPATIONAL HEALTH AND SAFETY *(Read with SANS 1921 - 1: 2004 clause 4.14)*

PS-11.1 General statement

It is a requirement of this contract that the Contractor shall provide a safe and healthy working environment and to direct all his activities in such a manner that his employees and any other persons, who may be directly affected by his activities, are not exposed to hazards to their health and safety. To this end the Contractor shall assume full responsibility to conform to all the provisions of the Occupational Health and Safety Act No 85 and Amendment Act No 181 of 1993, and the OHS Act 1993 Construction Regulations 2003 issued on 18 July 2003 by the Department of Labour.

For the purpose of this contract the Contractor is required to confirm his status as mandatory and employer in his own right for the execution of the contract by entering into an agreement with the Employer in terms of the Occupational Health and Safety Act by executing the Agreement form C1.2.4 included in Section C1: Agreements and Contract Data.

PS-11.2 Health and Safety Specifications and Plans to be submitted at tender stage

(a) Employer's Health and Safety Specification

The Employer's Health and Safety Specification will be included in the tender documents as part of the Project Specifications.

(b) Tenderer's Health and Safety Plan

The successful Tenderer shall, on receipt of notification that he has been awarded the contract, submit without delay his own documented Health and Safety Plan for the execution of the work under the contract. His Health and Safety Plan must at least cover the following:

- (i) a proper risk assessment of the works, risk items, work methods and procedures in terms of Regulations 7 to 28;
- (ii) pro-active identification of potential hazards and unsafe working conditions;
- (iii) provision of a safe working environment and equipment;
- (iv) statements of methods to ensure the health and safety of subcontractors, employees and visitors to the site, including safety training in hazards and risk areas (*Regulation 5*);
- (v) monitoring health and safety on the site of works on a regular basis, and keeping of records and registers as provided for in the Construction Regulations;
- (vi) details of the Construction Supervisor, the Construction Safety Officers and other competent persons he intends to appoint for the construction works in terms of Regulation 6 and other applicable regulations; and
- (vii) details of methods to ensure that his Health and Safety Plan is carried out effectively in accordance with the Construction Regulations 2003.

The Contractor's Health and Safety Plan will be subject to approval by the Employer, or amendment if necessary, before commencement of construction work. The Contractor will not be allowed to commence work, or his work will be suspended if he had already commenced work, before he has obtained the Employer's written approval of his Health and Safety Plan.

Time lost due to delayed commencement or suspension of the work as a result of the Contractor's failure to obtain approval for his safety plan, shall not be used as a reason to claim for extension of time or standing time and related costs

PS-11.3 Cost of compliance with the OHS Act Construction Regulations

The rates and prices tendered by the Contractor shall be deemed to include all costs for conforming to the requirements of the Act, the Construction Regulations and the Employer's Health and Safety Specification as applicable to this contract. Should the Contractor fail to comply with the provisions of the Construction Regulations, he will be liable for penalties as provided in the Construction Regulations and in the Employer's Health and Safety Specification.

Items that may qualify for remuneration will be specified in the Safety Specifications included or in the Project specifications.

PS-12 ADVERSE WEATHER CONDITIONS

In terms of Clause 5.12 of the General Conditions of Contract 2015, extension of time will be considered for **abnormal rainfall**. The numbers of days per month on which work is expected not to be possible as a result of **normal rainfall**, and for which the Contractor shall make provision in his tendered rates, prices and programme, are listed in Table PS-12.1 hereafter. Only the number of days lost as a result of adverse weather conditions, exceeding the number of days listed in Table PS-12.1, will qualify for consideration of extension of time. During the execution of the Works, the Employer's Agent's Representative will certify a day lost due to abnormal rainfall and adverse weather conditions only:

- if no work was possible on the relevant working day on any item which is on the critical path according to the latest approved construction programme; or
- if less than 30% of the work force and plant on site could work during that specific working day.

Extension of time as a result of abnormal rainfall and adverse weather conditions shall be calculated monthly being equal to the number of working days certified by the Employer's Agent's Representative as lost due to rainfall and adverse weather conditions, less the number of days allowed for as in Table PS-12.1, which could result in a negative figure for certain months. The total extension of time as a result of abnormal climatic conditions for which the Contractor may apply, shall be the cumulative algebraic sum of the monthly extensions. Should the sum thus obtained be negative, the extension of time shall be taken as nil.

TABLE PS-12.1: Expected Number of Working Days Lost Per Month Due to Normal Rainfall

MONTH	Expected number of working days lost as result of normal rainfall
January	*5
February	5
March	4
April	1
May	1
June	1
July	1
August	2
September	3
October	4
November	
December	5
TOTAL	32 days

(The figures in Table PS-12.1 are based on information obtained from the Weather Bureau, Department of Environment Affairs, Durban. The average monthly rainfall figures quoted, are included for information only, and shall not be taken into consideration for calculation of extension of time. The number of working days lost for December and January allows for the builders' holidays from 11 December to 4 January.)

PS-13 SITE MEETINGS AND REPORTING

The Contractor will be required to attend site meetings organised by the Employer's Agent. In these meetings he (the Contractor) will be required to provide progress reports and other reports to monitor the outputs of the contractor, as may be required from time to time, to be presented in a format prescribed by the Employer's Agent. The frequency of such meetings will be monthly, as a minimum. However the frequency can be reviewed, depending on the progress of the contract.

The Employer will be present at such meetings.

F.6 PARTICULAR SPECIFICATION: PES - ENVIRONMENTAL MANAGEMENT SPECIFICATION

PS EMP ENVIRONMENTAL MANAGEMENT PLAN

The environmental management specification applicable to this contract is included in this section of these documents.

The Environmental Management Specification must be adhered during construction. The Employer's Agent will notify the Contractor of a breach of specification and supply a time period within which remedial action will need to be carried out. Should the time period elapse then the penalty will be imposed and the sum deducted from the following month's certificate.

At the time of tender the Contractor shall nominate two people who will be responsible for ensuring that the Contractor's team and sub-contractors comply with the environmental management requirements of this contract. While the positions are only part time, these staff members will be called upon from time to time to deal with any events that are not in compliance with the specifications.

F6.1 INTRODUCTION

F.6.1.1 SCOPE

This specification is additional to the South African Bureau of Standards Standardised Specification for Civil Engineering Contracts and must be read in conjunction with the said specification.

This specification covers the principles, responsibilities and requirements generally applicable to implement effective environmental management during the execution of any construction contract. The aim of this specification is to ensure that construction activities are conducted in an environmentally and socially responsible manner.

F.6.1.2 INTERPRETATIONS

This specification contains clauses that are generally applicable to the implementation of effective environmental management on construction contracts. Interpretations of, and variations to, this specification are set out in the project specification.

F.6.1.2.1 Supporting specifications:

Reference is made to the SABS 1200 standards which are to be read in conjunction with this specification. All aspects of these SABS requirements which are relevant to environmental management during construction contracts will apply.

F.6.1.2.2 Principles

The following principles should be considered at all times during construction phase activities:

- The Environment is considered to be composed of both biophysical and social components.
- Construction is a disruptive activity and all due consideration must be given to the environment, particularly the social environment, during the execution of a project to minimise the impact on affected parties.
- Minimisation of areas disturbed by construction activities will minimise many of the construction related environmental impacts of the project and reduce rehabilitation requirements and costs.
- As minimum requirements, all relevant standards relating to international, national, provincial and local legislation, as applicable, shall be adhered to. This includes requirements relating to waste emissions (e.g. hazardous, airborne, liquid and solid), waste disposal practices, noise regulations, road traffic ordinance etc.
- All effort should be made to minimise, reclaim or recycle 'waste' material.

F.6.1.3 DEFINITIONS

For the purpose of this specification, the definitions given in SABS 1200

shall apply. Additional definitions which shall apply to this specification are

as follows:

Environmental Control Officer: Either an Employer's staff member or an Environmental Consultant assigned to the project on a part or full-time basis. The Environmental Control Officer will be part of the Project staff and will advise the Engineer on all environmental matters relating to the works, in terms of this specification and the project specification, if applicable.

Environmental Officer: Either an Employer's employee (e.g. Quality Assurance Inspector) or Consultant designated to monitor the implementation and compliance with the environmental specifications and environmental management plan on a daily basis.

Cleared surface: “surface vegetation” as referred to in SABS 1200 C 2.3 will be deemed to be any woody or herbaceous vegetation but exclude grasses, sedges, rushes and reeds. Clearing and grubbing shall for the purpose of this specification mean the removal of all woody and herbaceous vegetation including stumps, but excluding grass and groundcover vegetation.

Engineer: Is to read Engineer or Supervisor (in the case of the NEC contract), whichever is applicable to the Contract.

Interested and Affected Parties (IAP): All persons who may be affected by the project either directly or indirectly, or who have an interest or stake in the area to be affected by the project. IAPs include landowners, tribal or local authorities, public interest groups etc.

Liquid Waste Stream: Any reagent solutions, fuels, oils, greases, contaminated run-off, sewerage and wash water, etc.

Open Trench: Open trench will, for the purpose of this specification, be deemed to include: clearing and grubbing; stripping of topsoil; trenching; placing of bedding; pipe-laying; placing of selected fill; backfilling to ground level; removing excess material; construction of cross berms to channel water (if required); and replacement of topsoil to final finished level (refer to Figure 1: Appendix A).

Progressive Reinstatement: Reinstatement of disturbed areas to topsoil profile on an ongoing basis, immediately after selected construction activities (e.g. backfilling of a trench) are completed. This allows for passive rehabilitation (i.e. natural recolonisation by vegetation) to commence. See also ‘Open Trench’ and ‘Rehabilitation’.

Project Manager: The person responsible for co-ordinating and integrating activities across multiple, functional lines.

Rehabilitation: Rehabilitation is defined as the return of a disturbed area to a state which approximates the state (where possible) which it was before disruption. Rehabilitation for the purposes of this specification is aimed at post-reinstatement revegetation of a disturbed area and the ensurance of a stable land surface. Revegetation should aim to accelerate the natural succession processes so that the plant community develops in the desired way, i.e. promote rapid vegetation establishment.

Riparian vegetation: Vegetation occurring on the banks of a river or stream (i.e. vegetation fringing a water body). In this specification, riparian vegetation in terms of removal, storage and replacement (see F.63 17.1 and F.63 17.2), is only applied to sedge, grass, ground-cover, reed, bulrush, or herbaceous component of riparian vegetation and excludes the woody component.

Sedges: Grass-like plants growing in wetland/ marshy areas or adjacent to water.

Subsoil: Subsoil is the soil horizons between the topsoil horizon and the underlying parent rock. Subsoil often has more clay-like material than the topsoil. Subsoil is of less value to plants, in terms of nutrient (food) and oxygen supply, than topsoil. When subsoil is exposed it tends to erode fairly easily.

Timeous: At least 5 working days prior to an activity.

Topsoil: This is defined as the A horizon of the soil profile. Topsoil is the upper layer of soil from which plants obtain their nutrients for growth. It is often darker in colour, due to the organic (humic) fraction. Topsoil is deemed for the purposes of this specification as the layer of soil from the surface to the specified depth required for excavation (see F.63 5.3, relevant SABS 1200 clause and project specification). Where topsoil is referred to, it is deemed to be both the soil and grass / ground cover fraction. (see ‘Cleared Surface’)

Veld: This is defined for the purpose of this specification as unimproved natural vegetation areas (e.g. grasslands).

Water body: Any open body of water including streams, dams, rivers, lakes, and the sea.

Wetland Vegetation: Vegetation which is indicative of a wetland environment - for example, sedges, rushes, reeds, hydrophilic grasses and ground-covers, but for the purposes of this specification excludes woody

species.

Wetland: A seasonally, temporally, or permanently wet area which also may exhibit a specific vegetation community. It is often marshy in character.

Xeriscaping: Landscaping with vegetation which has a low water usage. The objective is to conserve as much water as possible, whilst still beautifying an area (i.e. conservation and aesthetics). Concept embraces utilising indigenous as opposed to exotic plants.

F.6.1.4 ABBREVIATIONS

DWAF : Department of Water Affairs and Forestry
ECO : Environmental Control Officer
EMP : Environmental Management Plan
EMPR : Environmental Management Programme Report
EO : Environmental Officer
IAPs : Interested and Affected Parties
IEM : Integrated Environmental Management
MSDS : Material Safety Data Sheet
NEC : New Engineer Contract or The Engineering and Construction Contract

 : Indicates the project specification must be referred to, to clarify the clause.

F.6.1.5 DRAWINGS

Drawings referred to in this specification are included in C4.4 Drawings of Section C4 Site Information.

F.6.1.6 FORMS

Forms referred to in this specification are attached to this environmental specification.

F.6.1.7 CONDITIONS OF CONTRACT

F.6.1.7.1 Duties and Powers of the Project Manager

The Project Manager is ultimately responsible for ensuring compliance with the environmental specification and upholding the Employer's Environmental Policy on a project.

The Project Manager:

- arranges information meetings for or consults with IAPs about the impending construction activities;
- may on the recommendation of the Engineer and /or Environmental Officer order the Contractor to suspend any or all works on site if the Contractor or his SubContractor/supplier fails to comply with the said specifications;
- maintains a register of complaints and queries by members of the public at the site office as per attached pro-forma. This register is forwarded to the Environmental Control Officer on a monthly basis.

F.6.1.7.2 Duties and Powers of the Engineer / Supervisor (NEC)

The Engineer or Supervisor is responsible for:

- enforcing the environmental specification on site;
- monitoring compliance with the requirements of the specification;
- assessing the Contractor's environmental performance in consultation with the Environmental Officer from which a brief monthly statement of environmental performance is drawn up for record purposes;

- documenting, in conjunction with the Contractor, the state of the site prior to construction activities commencing. This documentation will be in the form of photographs or video record.

F.6.1.7.3 Duties and Powers of the Environmental Control Officer

The Environmental Control Officer:

- briefs the Contractor about the requirements of the Environmental Specification and/ or Environmental Management Plan, as applicable;
- advises the Project Manager and Engineer/ Supervisor about the interpretation, implementation and enforcement of the Environmental Specification and other related environmental matters;
- attends site meetings, as necessary;
- monitors the Contractor's compliance with this specification and the project environmental specification as applicable;
- undertakes periodic audits of the effectiveness of the environmental specifications on the site;
- communicates environmental policy issues to the Project Manager;
- provides technical advice relating to environmental issues to the Engineer/ Supervisor and Project Manager;
- reports on the performance of the project, in terms of environmental compliance.

F.6.1.7.4 Duties and Powers of the Environmental Officer

The Environmental Officer:

- attends site meetings;
- monitors the site for compliance with the Environmental Specification and EMP;
- reports on the performance of the project in terms of environmental compliance to the ECO and Project Manager as per the pro-forma attached;
- liaises with the ECO on matters of policy and those requiring clarity and advice.

F.6.1.7.5 Extent of the Contractor's Obligations

The Contractor is required to:

- provide information on previous environmental management experience and company environmental policy;
- supply method statements for all activities requiring special attention as specified and/or requested by the Project Manager, Environmental (Control) Officer and/or Engineer during the duration of the Contract;
- be conversant with the requirements of this environmental specification and the project specification as applicable;
- brief his staff about the requirements of the environmental specification;
- comply with requirements of the Environmental (Control) Officer in terms of this specification and the project specification, as applicable, within the time period specified;
- ensure any sub-Contractors/ suppliers who are utilised within the context of the contract comply with the environmental requirements of the Employer, in terms of the specifications. The Contractor will be held responsible for non-compliance on their behalf;
- bear the cost of any delays, with no extension of time granted, should he or his Sub-Contractors/ Suppliers contravene the said specifications such that the Engineer orders a suspension of work. The suspension will be enforced until such time as the offending party(ies), procedure, or equipment is corrected;
- bear the costs of any damages/ compensation resulting from non-adherence to the said specifications or written site instructions;
- comply with all applicable legislation in terms of 7.6 below;
- ensure that he informs the engineer timeously of any foreseeable activities which will require input from the Environmental (Control) Officer.

The Contractor will conduct all activities in a manner that minimizes disturbance to directly affected residents and the public in general, and foreseeable impacts on the environment.

F.6.1.7.6 Compliance with Applicable Laws

The supreme law of the land is “The Constitution of the Republic of South Africa”, which states:

“Every person shall have the right to an environment which is not detrimental to his or her health or well being”

Laws applicable to protection of the environment in terms of Environmental Management (and relating to construction activities) include but are not restricted to:

Animals Protection Act, Act No 71 of 1962
Atmospheric Pollution Prevention Act, No 45 of 1965
Conservation of Agricultural Resources Act, No 43 of 1983
Environmental Conservation Act, No 73 of 1989
Environmental Planning Act, Act No 88 of 1967
Fertilisers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, No 36 of 1947
Forest Act, No 122 of 1984
Forest and Veld Conservation Act, Act No 13 of 1941
Hazardous Substances Act, No 15 of 1973
Lake Areas Development Act No 34 of 1975
Land Survey Act, No 9 of 1921
Minerals Act, No 50 of 1991
Mountain Catchment Act, No 63 of 1970
National Monuments Act, No 28 of 1969
National Parks Act, No 57 of 1976
National Resources Development Act, Act no 51 of 1947
Occupational Health and Safety Act, No 85 of 1993
Provincial and Local Government Ordinances and Bylaws
Soil Conservation Act, Act No 76 of 1969
Water Act, No 54 of 1956
Water Services Act No 108 of 1997
and all regulations framed thereunder and amendments there to.

F.6.1.7.7 Compliance with the Environmental Specification

The Contractor is deemed not to have complied with the Environmental Specification if:

- within the boundaries of the site, site extensions and haul/ access roads there is evidence of contravention of clauses;
- if environmental damage ensues due to negligence;
- the Contractor fails to comply with corrective or other instructions issued by the Project Manager or Engineer within a specified time,
- the Contractor fails to respond adequately to complaints from the public.

Application of a penalty clause will apply for incidents of non-compliance. The penalty imposed will be per incident. Unless stated otherwise in the project specification, the penalties imposed per incident or violation will be:

Failure to demarcate working servitudes	R1000
Working outside of the demarcated servitude	R2000
Failure to strip topsoil with intact vegetation	R1000
Failure to stockpile topsoil correctly	R500
Failure to stockpile materials in designated areas	R500
Pollution of water bodies (including increased suspended solid loads)	R1000
Failure to control stormwater runoff	R1000
Failure to provide adequate sanitation	R500

Unauthorised removal of woody vegetation	R2000
Failure to erect temporary fences	R500
Failure to provide adequate waste disposal facilities and services	R500
Failure to reinstate disturbed areas within the specified time-frame	R3000
Failure to rehabilitate disturbed areas within the specified time-frame	R3000
Any other contravention of the project specific specification	R400
Any other contravention of the particular (general) environmental specification	R300

F.6.2 SITE ESTABLISHMENT AND HOUSEKEEPING

F.6.2.1 LAYOUT

The Contractor will take into account any of the limitations identified in the project specification with regard to establishment of site, in particular the location of access routes, and establishment layout.

Notwithstanding the provision of a project specification, the Contractor will provide the Project Manager and Environmental Control Officer with a layout design of the site indicating the position of all of the following, as applicable: offices, ablution facilities, storage areas, workshops, laboratories, batching plant, particulate matter stockpile area (i.e. soil/ granular chemicals/ cement fines etc), waste disposal facilities, hazardous substances storage area, access routes, etc. This layout plan is to be submitted prior to site establishment for acceptance. Any changes to this plan require review by the Project Manager in conjunction with the ECO.

The Contractor will take into account prevailing wind directions when designing the site layout to minimise impacts due to dust, unpleasant odours etc.

The Contractor will take into account the positions of residences when designing the site layout in order to minimise noise impacts on the residents.

Site security lighting is to be positioned such that the direct beam is focused away from residential properties and does not pose a nuisance or danger to road users.

No site establishment will be allowed within 100 m of a water body or drainage channel or on a flood plain unless approved by the Environmental (Control) Officer or specified in the project specification.

F.6.2.2 SITE CLEARANCE

No trees or shrubs may be removed without the prior permission of the Environmental Officer, unless in keeping with the final site reinstatement and rehabilitation plan.

Topsoil is to be stripped from all areas where permanent or temporary structures and access roads are to be constructed. Topsoil conservation is to be in terms of clause F.6.3 5.3 of this document.

F.6.2.3 SERVICES

F.6.2.3.1 Sanitation

Portable chemical toilets are to be utilised at site unless a connection to sewer is possible or a proper septic tank system is installed. In the case of the septic tank, the installation will require the relevant approvals from the local authority and will require removal upon completion of the contract, unless otherwise directed.

Sanitation facilities will be located within 100 m from any point of work, but not closer than 50 m to a water body.

F.6.2.3.2 Solid Waste Facilities

Facilities for solid waste collection are to be provided. These are to be at least a 200 l drum and clearly identified as the point for waste disposal.

Waste is to be separated into paper, glass and metal with separate collection points for each. The Contractor will ensure that the appropriate recycling Contractors receive this waste.

The Contractor is to institute a daily litter collection programme. The collected waste is to be disposed of regularly and proportionately to its generation at a site designated for waste disposal.

No burning will be permitted on any site unless by approved incineration methods and in a low risk fire area. In the case of incineration, ash is to be co-disposed with spoil in a designated spoil dump.

No burying of waste will be allowed on any site.

F.6.2.3.3 Cooking and Heating Facilities

No open fires will be allowed anywhere on site.

Contained fires (i.e. in a fire drum) will be allowed for heating and cooking only in designated areas, in other cases cooking is restricted to gas or electrical equipment.

F.6.2.4 FUELS, HAZARDOUS SUBSTANCES AND OTHER LIQUID POLLUTANTS

F.6.2.4.1 Storage and handling

All potentially hazardous raw and waste materials are to be handled by trained staff and stored on site in accordance with manufacturer's instructions and relevant legal requirements. The product MSDS is to be lodged with the Engineer.

Storage and handling areas for fuels, lubricants, chemicals and other hazardous substances are to be paved with concrete to prevent accidental contamination of the soil. Alternatively, an impermeable liner may be placed beneath above-ground storage tanks. The integrity of the liner is to remain intact for the duration of the contract, until removal.

Open storage vessels, for example shutter lubricant drums, are to be stored under cover to prevent 'splash' contamination.

All storage areas are to be bunded (with at least sandbags) and have a peripheral collection drain, with oil interceptors (if required).

The bunded area is to be sufficiently large to contain a spillage equivalent to the volume of one container of the substances stored.

All products to be dispensed from 200 litre drums will be done so with appropriate equipment, and not dispensed by tipping of the drum.

Daily checks are to be conducted on the dispensing mechanism of above-ground storage tanks to ensure the timeous identification of faults.

Collection containers (e.g. drip trays) are to be placed under all dispensing mechanisms of hydrocarbon or hazardous liquid substances to ensure contamination from leaks and dispensing is contained.

The dispensing mechanism of diesel and petrol storage tanks is to be stored in a container when not in use.

F.6.2.4.2 Control of pollutants

A drainage diversion system is to be installed to divert runoff from areas of potential pollution, e.g. batching area, vehicle maintenance area, workshops, chemical and fuel stores, etc if applicable.

Contaminated runoff and waste water is to be directed into a collection system (e.g. sump, attenuation dam, PVC porta-ponds etc.) for treatment or collection and disposal. The final collection point (e.g. sump) is to be PVC lined.⁸⁵⁹

Collected contaminated runoff/ wastewater is to be pumped out of the final collection point and disposed of at an appropriate landfill site. Sump liners are to be treated in the same manner.

The treated waste water, effluent and contaminated runoff may require analysis prior to discharge as detailed in the project specification or instructed by the Environmental Officer.

Details regarding proposed methods for treatment of pollutants are to be submitted to the Environmental (Control) Officer for acceptance upon award of the Contract.

Any spillages, irrespective of their size, are to be contained and cleaned up immediately. The Pollution Control section may provide technical assistance for clean-up, if required. No spills may be hosed down into a stormwater drain or sewer.

Use of specialised cleanup techniques and/ or products may be required depending on the spill. This will be instructed by the Environmental Control Officer. These will be to the Contractor's cost.

F.6.2.5 GENERAL

Site staff are not permitted to use any open water body or other natural water source (e.g. springs) for purposes of bathing, or the washing of clothes, machinery or vehicles. Nor draw water from a spring without the permission of the community utilising that spring.

F.6.2.6 MEASUREMENT AND PAYMENT

Measurement and payment for compliance with clauses F.6.2.1 to 5 of the specification are deemed to be fully included in the Contractor's rates for fixed and time related Preliminary and General Items scheduled under SABS 1200 A or AA.

F.6.3 CONSTRUCTION

F.6.3.1 CONSTRUCTION METHODS AND PROGRAMME

F.6.3.1.1 Construction Method

The Contractor will provide method statements for construction activities (14 working days prior to the activity commencing) relating to the following environments and those listed in the project environmental specification, unless methods have been prescribed in this or the project environmental specification:

- rivers, streams, or any other open water body;
- wetlands;
- access roads (see F.6.3.13 below);
- steep slopes (i.e. steeper than 1:4) or less if friable material is present;
- indigenous bush/ forest;
- close proximity (i.e. 50 m or less) to a residential dwelling;
- drilling and/or blasting of rock.

If a construction method employed by the Contractor is not environmentally acceptable to the Employer, the Contractor may be instructed to cease the utilisation of that method in favour of a more environmentally acceptable one, proposed either by himself or the Employer.

F.6.3.1.2 Construction Programme

The Contractor will programme construction so as to minimise the impact on the environment and provide this programme to the Environmental Control Officer for perusal and acceptance at the onset of the contract period. The Environmental Control Officer is to be made aware of any amendments to the construction programme or alterations to the scope of work in order that their impacts on the environment can be assessed.

The Contractor (through the Project Manager) will ensure that all affected landowners/ authorities are advised of the proposed programme at the beginning of the contract period.

F.6.3.2 AREAS OCCUPIED / DEMARCATION OF SITE

Routes for temporary access and haul roads are to be located within the approved demarcated areas and vehicle movement is to be confined to these roads. Movement of vehicles outside the designated working areas is not permitted without authorisation from the Engineer.

All construction activities are restricted to working areas designated on the drawings and/or demarcated and approved by the Engineer. Materials including spoil are stockpiled at designated areas.

Any areas disturbed outside of the demarcated areas or without permission of the Environmental (Control) Officer or Engineer will be subject to reinstatement and rehabilitation (as per F.6.4 below) to the Contractor's cost.

In terms of pipeline projects, a general maximum working servitude width of 15 m will apply for machine excavation unless otherwise indicated in the project specification. A maximum width of 6 m will apply for manual excavation. These maximum working servitude widths may vary depending on the sensitivity of the environment, as detailed in the project specification.

In sensitive biophysical environments, for example wetlands, indigenous forest / bush, pristine natural grasslands, and sensitive social environments, as defined in the project specification or by the Environmental Control Officer, the working servitude is reduced as indicated in the project specification.

The working servitude shall contain all construction related activities, including, stockpiling of materials, placing of toilets, vehicle movement areas, etc.

Demarcation of linear projects (executed with machine excavation) and features (e.g. pipelines, access roads, etc.) will be by means of wooden stakes. These stakes will be at least 1 m high, painted white and placed at least every 15 m, on either side of the linear feature, in all areas where works are occurring. Progressive movement of stakes is required as linear projects progress.

In the case of a fenced site, the boundary fences will be denoted as the outermost limit of the site, but internal areas may be demarcated with stakes as above. The site boundaries of non-fenced, but 'contained' projects are to be delineated using stakes or temporary fencing, depending on the hazard which that site poses.

F.6.3.3 SUPPLY OF WORKS FACILITIES

No water may be abstracted from water bodies for the purposes of construction, without approval of the Engineer in consultation with the Environmental Control Officer.

F.6.3.4 CLEANLINESS

SANS 1200 AD, clause 5.2.4, second sentence, is to read: "No rubbish or debris shall be deposited below the full supply level (FSL)."

F.6.3.5 SITE CLEARANCE

F.6.3.5.1 Clearance

Spoil sites will require clearing and grubbing in addition to those areas in terms of SANS 1200 C 5.1.

The site shall only be cleared immediately prior to construction activities commencing i.e. at the last practicable stage.

No trees or indigenous shrubs may be removed without the prior permission of the Environmental (Control) Officer, unless in keeping with the final site reinstatement and rehabilitation plan.

F.6.3.5.2 Disposal of materials

Material obtained from clearing and grubbing operations shall be disposed of at appropriate municipal disposal facilities. They are not to be disposed of as per Paragraph 1 of Sub-clause 3.1 of SANS 1200 C.

Wood obtained from clearing and grubbing operation remains the property of the landowner/ community and must be stacked at sites designated by relevant person. The Contractor will be required to remove and dispose of any wood from site at a designated site for vegetation disposal, should the landowner/ community not require it.

All tree trunks and branches of diameter greater than 50mm are to be cut into lengths not exceeding 2400mm.

Brush wood (i.e. < 50mm diameter) is to be disposed of, or utilised as specified in the project specification or upon instruction of the Engineer.

F.6.3.5.3 Conservation of topsoil

The Contractor is required to strip topsoil (as defined in this specification) together with grass, groundcover and sedges from all areas where permanent or temporary structures are located, construction related activities occur, and access roads are to be constructed, etc. The depth to which topsoil will be stripped shall be 200mm unless stated otherwise in the project specification.

Topsoil is to be handled twice only - once to strip and stockpile, and secondly to replace, level, shape and scarify.

Topsoil is to be replaced along the contour.

Topsoil is to be replaced by direct return (i.e. replaced immediately on the area where construction is complete), rather than stockpiling it for extended periods. This is feasible for progressive construction (e.g. pipelines), but not necessarily so for reservoirs, site establishments, dams, etc.

Topsoil stockpiles are not to exceed 2 m in height.

Topsoil stockpiles are to be maintained in a weed free condition (i.e. no 'broad-leaved' plants regarded as weeds in terms of the Conservation of Agricultural Resources Act No 43 of 1989, or those plants regarded as a 'general nuisance in the area' are to be growing on the stockpiles). The Environmental Control Officer will provide guidance as to which plants are weeds and require removal.

The stockpiles are not to be contaminated with sub-soil, or any other waste material.

Topsoil may not be compacted in any way, nor may any object be placed or stockpiled on it.

Topsoil may not be compacted in any way, nor may any object be placed or stockpiled on it.

Topsoil which is to be stockpiled for periods exceeding 4 months is to be vegetated. In summer a mixture of *Eragrostis tef* (Teff) and *Eragrostis curvula* (Weeping Lovegrass) (ratio 1:2) is to be applied at an application rate of 6 kg/ha, unless otherwise instructed in the project specification.

In winter, a mixture of *Lolium multiflorum* (Annual/Italian Rye grass) and *Eragrostis curvula* (Weeping Lovegrass) (ratio 1:1) is to be applied at an application rate of 6kg/ha (see F.6.4 5.3 for sowing times), unless otherwise instructed in the project specification. Fertiliser is to be applied as per F.6.4 5.2.

F.6.3.5.4 Cutting of trees

Any tree branches which require removal are to be properly pruned and sealant applied to the cut surface, if required.

The Contractor's attention is drawn to Sub-clause 5.2.3.3 of SANS 1200 C with respect to work in indigenous forests.

Any indigenous trees or bush which require removal in terms of the project, and which have not been identified in the project specification or EMP, are to be timeously indicated to the Environmental Officer prior to work affecting them.

F.6.3.5.5 Landscape Preservation and Conservation of Flora

Notwithstanding Clause 5.7 of SANS 1200 C, the Contractor will be required to transplant designated plants to alternative locations as specified in the project specification or identified by the Environmental Control Officer, upon the instruction of the Engineer.

Transplanting shall be undertaken by employing the following method:

Removal

- Mark the orientation of the tree/shrub (for example, the north-facing side of the trunk indicated by a small arrow made with indelible ink) trunk. Do not scratch a mark on the surface of the trunk;
- Delineate a circle from the trunk with a radius equivalent to the drip-line of the tree, or as indicated by the Environmental Control Officer on site;
- Excavate the tree with an intact rootball.

Replanting

A hole 500mm larger in diameter than the anticipated rootball must be prepared in advance of the tree removal in order that the tree can be replanted immediately;

- The tree must be positioned as per its original orientation;
- A planting method known as 'puddling' must be employed. This method involves the addition of soil and water simultaneously to expels air from the planting hole. Place the tree in its new hole, making sure the top surface of the rootball is level with the ground level. Place a hose pipe in the hole and leave it running whilst extra soil is added around the rootball;
- 'Compact' the tree in the hole and attach tree stays for stabilisation.

Silencer units on equipment and vehicles are to be maintained in good working order.

Construction activities are to be confined to normal working hours (07h30 - 17h00) Mondays to Saturdays, except for the activities designated to be carried out at night.

F.6.3.7.1 Appropriate use of plant

The Contractor will at all times use plant which is appropriate to the task in order to minimise the extent of damage to the environment.

F.6.3.8 DEALING WITH WATER ON WORKS

F.6.3.8.1 Disinfection of Potable Water Infrastructure

Disinfection water is to be neutralised before release of this water to the environment.

F.6.3.8.2 Discharge of water from site

Any water which is discharged from site is to comply with the relevant Water Quality Guidelines implemented by DWS.

Water discharged to the stormwater / sewer system may only be done so with the permission of the relevant local authority.

F.6.3.9 CONTROL OF EROSION

Surface erosion protection measures will be required to prevent erosion where slopes are steeper than 1:8 on all soil types.

Erosion protection measures required may include all or some of the below, as specified in the project specification or upon instruction of the Engineer in conjunction with the Environmental (Control) Officer:

- use of groundcover or grass
- construction of cut off berms (earth and/or rockpack) - these are to be angled across the contour and normally would approximate an angle of 30° from the bisector of the contour.
- placing of brush wood on bare surface;
- pegging of wattle trunks or branches along the contour;
- hard landscaping, e.g. use of Loffelstein walls, ground anchors, gabions etc.

Scour chambers are to be fitted with energy dissipaters, or the jet of water directed onto a protected (i.e. grouted stone pitching/ rock pack/ reno mattress) area to dissipate water velocity and to control and prevent erosion.

Storm water drainage measures might be required on site to control runoff and prevent erosion.

F.6.3.10 CONTROL OF POLLUTION

No waste in a solid, liquid or gaseous state shall be emitted from or spilled on the site without the approval of the Engineer.

No mixed concrete shall be deposited directly onto the ground prior to placing. A board or other suitable platform is to be provided onto which the mixed concrete can be deposited whilst it awaits placing.

Excess concrete from mixing shall be deposited in a designated area awaiting removal to an approved landfill site.

The Contractor will contain wash water from cement mixing operations, by directing the water into a sump for collection. The material contained in the sump will be removed to an appropriate landfill site.

No concrete rubble shall be present at the site.

Liquid wastes will not be disposed of to storm water drains. They may be disposed of to sewer only if permitted by (local council) legislation.

In the event of pollution of a water body (including sediment loading), the Contractor will provide alternative water supply to users of that water body until the quality of the water body is restored to its previous unpolluted state. For the sake of this clause, pollution is deemed to be a state which is substandard to the normal quality of the water body, but is not necessarily in contravention of the South African Water Quality guideline standards for a prescribed activity.

Any ancillary damages resulting from pollution of a water body will be repaired / remediated at the Contractor's cost.

Where, due to construction requirements, pollution of a water body may potentially occur, the Contractor is to ensure adequate measures (e.g. attenuation/ settlement dams / oil absorbent products) are in place to prevent pollution. A method statement is to be provided to this effect (see F.6.3 1).

F.6.3.11 CONTROL OF FIRE

The Contractor will ensure he has the necessary fire fighting equipment on site in terms of SANS 1200. This will include at least rubber beaters when working in 'veld' areas, and at least one fire extinguisher of the appropriate type when welding activities are undertaken, irrespective of the site.

F.6.3.12 USE AND MAINTENANCE OF ACCESS FACILITIES

F.6.3.12.1 Responsibility

The Project Manager [not the Contractor (SANS 1200 AD 5.3.1)] will be responsible for obtaining permission for temporary and permanent rights of way over all private property affected by project activities.

The Project Manager will ensure that the Contractor has kept a photographic record of all access facilities and that these are reinstated to a state not worse than upon commencement of the project and to the satisfaction of the landowner (not withstanding that the project's objective is not to upgrade landowners' access roads).

F.6.3.12.2 Fencing

Temporary fencing is to consist of 1.2 m bonnox fencing, or similar, suitably tensioned and supported on 1.8 m fencing standards at 3 m intervals, with all necessary straining posts and stays.

All temporary fencing as indicated by the Engineer is removed on completion of the contract.

F.6.3.12.3 New Access Roads

Any construction roads created for execution of the project are to be designed to incorporate adequate drainage and water attenuation structures.

Any access roads which incorporate 'cut and fill' aspects and/or which are to be surfaced during construction are to be authorised by the Environmental Control Officer and Project Manager. Prior to construction of the road, the Contractor will be required to provide a sketch plan of the road layout (referenced to local topographic, natural and man-made structures). Slope steepness, road width, drainage structures and their frequency will need to be documented and accompany the sketch layout.

Construction access roads may not be wider than that necessary (maximum width 4 m) for movement of vehicles in one direction only. Should two way traffic be required, points people are to control vehicle movement on the 'single lane' road or passing bays are to be used where specified in the project specification or as identified by the Engineer in conjunction with the Environmental Control Officer, unless otherwise stated in the project specification.

The cut and fill slopes of permanent roads will require grassing, as specified in the project specification or by the Environmental Control Officer, to increase stability and reduce aesthetic impacts. Hard landscaping may be required as per the project specification.

Temporary construction roads will require rehabilitation on completion of construction activities for which they were required. These roads will require rehabilitation as per F.6.4 4 or as specified in the project specification. In the case of access 'tracks', only ripping to loosen compaction will be required unless otherwise stated by the Environmental Control Officer or project specification.

Access roads created by the project may only remain unrehabilitated on written request of the landowner, with his acceptance of the state of the road and a clause that the landowner accepts all responsibility for the road and its state.

F.6.3.12.4 Maintenance of Existing Access Roads

The Contractor will record, photographically, the state of existing roads which are to be used for access, prior to plant utilising these roads.

During the contract period, the Contractor will ensure that all existing water attenuation and drainage structures are maintained in a state in which they can optimally perform their function.

Upon completion of the construction period, the Contractor will ensure that the access roads are returned to a state not worse than prior to construction commencing.

F.6.3.13 BORROW PITS

Where the Contractor is required to import material this shall be from commercial sources or borrow areas specified in the project specification.

The Contractor may source material from alternative borrow pits provided: the site location; method of winning material and reinstatement and rehabilitation are environmentally acceptable and approved by the Environmental Control Officer.

In this regard, the Contractor shall give the Environmental Control Officer in writing, 30 days prior to opening up alternative borrow pits the following information for acceptance:

- quantities of borrow material required;
- method statement for excavation of material including depth and extent of excavation;

- anticipated 'active life' of the borrow area;
- proposal for reinstatement and rehabilitation of borrow area, including final profile;
- written approval from the landowner/ relevant authority that material may be removed from their land subject to their stated conditions, requirements, and royalties, and if the proposal is acceptable to the Environmental Control Officer.

Development and rehabilitation of borrow pit areas are likely to include the following activities (but these must not be regarded as exhaustive):

- Stripping and stockpiling of topsoil as per F.6.3 5.3 of this specification;
- Removal (to nominal depth of 500mm) and stockpiling of sub-soil;
- Infill of borrow pit with spoil material;
- Contouring of borrow pit to approximate natural topography and/ or reduce erosion impacts on the site;
- Placement of excavated subsoil over spoil material;
- Placement of stripped topsoil on subsoil;
- Grassing of topsoil in terms of clause F.6.4 4 of this specification.

The Contractor is to familiarise himself with the requirements of the Minerals Act No 50 of 1991 in terms of borrow pit development, and the requirements of the EMPR, as applicable.

F.6.3.14 SPOIL SITES

Where the Contractor is required to spoil material, spoil sites must be identified which are environmentally acceptable and approved by the ECO, unless spoil site areas have been identified in the project specification, in which case these will be the designated spoil sites.

If no spoil sites have been previously identified together with reinstatement and rehabilitation criteria, the Contractor is to provide the following information to the ECO at least 30 days prior to requiring sites to spoil material:

- the location, description of and access to alternative sites identified in order that they may be assessed;
- the quantity of material to be spoiled;
- the type of material to be spoiled (i.e. blast rock/ excavated rock/ soft shale/ subsoil etc.);
- the proposed method of spoiling;
- the proposed reinstatement and rehabilitation plan including final profile;
- written approval from the landowner/ relevant authority that material may be spoilt on land subject to their stated conditions and requirements and if the proposal is acceptable to the ECO.

Development and rehabilitation of spoil areas are likely to include the following activities (but these must not be regarded as exhaustive):

- Stripping and stockpiling of topsoil as per F.6.3 5.3 of this specification;
- Removal (to nominal depth of 500mm) and stockpiling of sub-soil;
- Placement of spoil material;
- Contouring of spoil site to approximate natural topography and/ or reduce erosion impacts on the site;
- Placement of excavated subsoil over spoil material;
- Placement of stripped topsoil on subsoil;

Grassing of topsoil in terms of clause F.6.4 4 of this specification.

F.6.3.15 NUISANCE

F.6.3.15.1 Dust

At all times the Contractor shall control dust on the site, access roads, borrow pits and spoil dumps with water, chemical soil stabilisers or temporary surfacing as specified in the project specification or upon CONSTRUCTION OF HIBBERDENE'S MARKET STALLS – WARD 13

instruction of the Engineer.

Dust control shall be sufficient so as not to have significant impacts in terms of the biophysical and social environments. These impacts include visual pollution, decreased safety due to reduced visibility, health aspects, and ecological impacts due to dust particle accumulation.

On gravel or earth roads, vehicle speeds may not exceed 30km per hour.

F.6.3.15.2 Noise

The operational layout of the construction site is to be designed to control and reduce noise from source (see clause F.6.2 1).

Machinery and vehicle silencer units are to be maintained in good working order. Offending machinery and/or vehicles will be banned from use on site until they have been repaired.

Construction activities generating output levels of 85 dB(A) or more (excessively noisy), in residential areas, are to be confined to working hours (08h00 - 17h00) Mondays to Fridays only.

'Normal' or 'noisy' working hours may only be extended with the prior written approval of the Project Manager, who has been notified, at least 7 days in advance, of the impending work requiring extension.

The Project Manager will ensure that the neighbours are timeously forewarned of imminent noisy activities.

Should community complaints be received with regard to noise generation, the Contractor will, at the discretion of the Project Manager and Environmental Control Officer, provide an independent and registered noise monitor to undertake a survey of noise output levels from site, and implement measures to reduce noise to legislated levels.

F.6.3.15.3 Visual

All site establishment components, as well as equipment, will be positioned to limit visual intrusion to neighbours (see clause F.6.2 1 above).

The type and colour of roofing and cladding materials are to be selected to reduce reflection.

Security lighting (both temporary and permanent) and lighting required for specific works activities must be placed such that it is not a nuisance to residents and the general public.

F.6.3.15.4 Interference with neighbours and public

No construction staff may approach site neighbours, for whatever reason, without the knowledge and permission of the Project Manager.

Complaints from neighbours and public with regard to interference from contract staff will be regarded in a serious light, and the offender(s) may be subject to disciplinary action.

F.6.3.15.5 Disruption of Services

Disruption of services, e.g. road access, water and electricity, must be kept to a minimum at all times.

Where service disruption is unavoidable, the Contractor is to advise the Project Manager (at least 7 days in advance), who in turn will timeously warn the affected parties.

F.6.3.16 SPECIAL ENVIRONMENTS

F.6.3.16.1 Wetlands

Pipeline trenches which traverse wetlands shall be constructed as specified in the project specification. The Contractor will submit a method statement for work in wetland areas as per F.6.3 1.1

Construction may not permanently alter the surface or subsurface flow of water through the wetland.

The Contractor shall submit a method statement for review at least 14 days prior to commencing construction in a wetland.

The Contractor will remove all wetland vegetation with their root ball intact. This vegetation is to be kept moist at all times. It is to be placed in the shade and covered with moistened hessian cloth until replanting, which is to be undertaken immediately surface reinstatement is complete.

No construction materials may be stockpiled in any wetland areas.

The pre-construction profile of the wetland shall be returned to one similar as before construction, with no created "ridge or channel" features present.

River/ stream courses

The Contractor shall submit a method statement for review 14 days prior to commencing construction. The method statement should highlight (but not be confined to) the following issues:

- detailed plan of crossing including pipe protection works;
- how water flow will be diverted during construction (if applicable);
- containment of contaminated runoff and waste water;
- width of working servitude (if not already detailed in project specification);
- final expected profile of river/ stream banks;
- reinstatement and rehabilitation of river/ stream banks.

The Contractor will remove herbaceous riparian vegetation as indicated in the project specification or by the Environmental Control Officer, with their root ball intact. This vegetation is to be kept moist by means of placing it in the shade, covered with moistened hessian cloth until it is replanted.

The Contractor shall not modify the banks or bed of a water course unless as specified in the project specification.

Rocks for use in gabion baskets/reno mattresses may not be obtained from a water course.

The Contractor will not pollute any water body as a result of construction activities (see also F.63 11).

The Contractor shall not cause any physical damage to any aspects of a water course, other than those necessary to complete the works as specified and in accordance with the accepted method statement

Where a stream or river-crossing requires the diversion of water, a method statement is to be provided to the Environmental Control Officer in this regard for review.

F.6.4 REINSTATEMENT AND REHABILITATION

Scope: The intention of this section is to ensure that the condition of the areas disturbed by the project are returned to a state that approximates what they were before the project or better, within reason. The concept of progressive reinstatement is fundamental to cost effective (both financial and environmental) rehabilitation of a site. This concept must be followed at all times. Where landscaping is utilised, the concept is to utilise and restore indigenous plants to the site, in terms of the concept of xeriscaping.

Reinstatement will be required for all areas disturbed by the project. For pipeline projects, this will include the full working servitude, not just the top of actual excavation as per SANS 1200 DB (subclause 5.9.1.1)

Reinstatement and rehabilitation will ensure that all areas disturbed by the project are returned, within reason, to a state not worse than before the project commenced.

The Contractor will reinstate and rehabilitate all disturbed areas outside of the demarcated working area (as defined in terms of clause F.6.3 2 or the project specification) at his own cost and to the satisfaction of

the Environmental Control Officer and Project Manager.

F.6.4.1 HOUSEKEEPING

All areas are to be cleared of rubble associated with construction. This includes the removal of surplus materials, excavation and disposal of consolidated waste concrete and concrete wash water, litter, etc.

All soil contaminated by hydrocarbons, for example from leaking machines, refuelling spills etc., is to be excavated to the depth of contaminant penetration, placed in 200 litre drums and removed to an appropriate landfill site.

F.6.4.2 FINISHING

F.6.4.2.1 Final Grading

Final levels of all disturbed areas are, where feasible in terms of the project requirement, to be consistent with the natural topography of the area. In certain instances, it will be acceptable to reinstate rock onto a works area (e.g. pipeline servitude), provided that that rock does not exceed 250mm in maximum dimension and is placed in a manner consistent with the natural surrounds as indicated by the Environmental Control Officer and Project Manager.

All drainage lines affected by construction are to be reinstated to approximate their original profile. Where this is not feasible due to technical constraints, the profile is to be agreed upon by the Environmental Control Officer and Project Manager.

All compacted (disturbed) areas (including stockpile areas) are to be ripped (along contour) to a depth of 150mm prior to the replacement of topsoil.

F.6.4.2.2 Topsoiling

Topsoil is to be replaced to a minimum depth of 100mm.

Topsoil is not to be compacted, but once replaced is to be scarified (to a depth of 50mm) consistent with the natural contour.

If insufficient topsoil is available, subsoil or similar material may be used that may be a suitable substrate after addition of soil improving substances e.g. compost, pH rectifiers (lime or gypsum) etc. Soil testing may be required at an approved facility.

F.6.4.3 REINSTATEMENT OF WATER COURSES AND WETLAND AREAS

The Contractor will ensure that water course banks are returned to their original profile unless the project specification states otherwise.

The surface reinstatement of wetland areas is to ensure that no depressions remain which could act as channels for preferential water flow thereby affecting the hydrological regime of the wetland.

The Contractor will preserve all riparian and wetland vegetation for use in rehabilitation of those environments. This vegetation is to be kept moist at all times. It is to be placed in the shade and covered with moistened hessian cloth until replanting, which is to be undertaken immediately surface reinstatement is complete.

Plants are to be, as nearly as possible, replanted in areas from which they were removed.

F.6.4.4 VEGETATION RE-ESTABLISHMENT

The Contractor will ensure that all areas disturbed by contract activities are revegetated to the specified standard.

This standard is deemed to be an 85 % cover with no areas in excess of 0.04 m² / m² remaining unvegetated.

Revegetation shall match the vegetation type which previously existed (e.g. kikuyu pastures are to be returned to kikuyu pasture; 'veld' grass to 'veld' grass, etc.), unless stated otherwise in the project specification.

Prior to re-grassing, and if required:

- the area is to be scarified or ripped (along contour) to a depth of 50mm to loosen compaction.
- weeds present on site are to be removed.

Re-grassing, where required, will be either by means of seeding, instant turf (sods), sprigs or plugs as specified in the project specification or as specified by the ECO.

Where sprigs or plugs are utilised, they are to be planted at 200mm centres. The fertiliser shall be applied as per F.6.4 5.2. During summer, 25mm of irrigation shall be applied each week until reasonable (60%) ground cover has been obtained. During winter 15mm of irrigation shall be applied each week until reasonable (60%) ground cover has been obtained. The amount of irrigation to be applied will make up the difference between rainfall recorded on site and minimum requirement. Where instant turf is utilised, it shall be laid as specified in the project specification. The fertiliser shall be applied as per F.6.4 5.2. During summer, 25mm of irrigation shall be applied each week until all the turf is visibly growing. During winter 15mm of irrigation shall be applied each week until all the turf is visibly growing. The amount of irrigation to be applied will make up the difference between rainfall recorded on site and minimum requirement.

Grassing shall be undertaken by a specialist grassing Sub-Contractor, unless permission is granted otherwise by the Engineer upon receipt of a written motivation from the Contractor.

The Contractor shall state in writing when the regassing operation will commence and its expected duration (dates).

Grassing in 'veld' areas is to be undertaken as per F.6.4 5 below. *Cynodon dactylon* species may be excluded or substituted from this mixture at the discretion of the Environmental Control Officer, or as specified in the project specification. The seed bulk may be made up with the *Eragrostis tef*.

F.6.4.5 "VELD GRASS" GRASSING SPECIFICATION

The area to be grassed should be estimated and converted to hectares, e.g. 100m X 100m = 10 000m² = 1ha. All fertilizer and seeding rates used in this specification are with respect to hectares.

F.6.4.5.1 Regional areas

For re-grassing three distinctive areas exist. These are defined as:

- the Coastal area (a narrow band running from the coast to ≈15km inland of the coast)
- the Coastal hinterland (a broad band (≈50km wide), generally defined as westwards of the coastal belt, and below 800m a.s.l.)
- the area above ≈ 800m a.s.l. (also called Midlands area).

F.6.4.5.2 Fertiliser

Standard 2:3:2 (N:P:K) fertiliser shall be used on all sites.

The rate of application will be:

- 200 kg/ha in the Coastal Hinterland areas, and
- 300 kg/ha in the Midlands and Coastal areas.

F.6.4.5.3 Planting times

Summer (includes Spring) is considered to be between the 1 September and 28 (29) February.

Winter (includes Autumn) is considered to be between 1 March and 31 August.

Re-grassing will be undertaken (as far as possible) in summer as germination and establishment of grasses is most effective, assuming reasonable spring rains.

Vegetation re-establishment is likely in many cases to be held off until this suitable growing season.

Hydroseeding with a winter mix will only be specified where regrassing is urgently required and cannot wait until the summer season. In this case irrigation will be required as per F.6.4 5.4 below.

F.6.4.5.4 Establishment and maintenance

During summer, 25mm of irrigation shall be applied each week until reasonable (60%) ground cover has been obtained.

During winter (where annual rye grass is specified) 15mm of irrigation shall be applied each week until reasonable (60%) ground cover has been obtained. If rapid establishment is required, additional watering may be necessary as specified in the project specification.

The amount of irrigation to be applied will make up the difference between rainfall recorded on site and the minimum requirement.

F.6.4.5.5 Grass Seed Selection and Application Rates

The specific seed selection and application rates for each of the defined areas are covered separately, as follows.

F.6.4.5.5.1 Coastal area

Summer mix (1 September - 28 February)

Grass species	Common name	General application rate (kg/ha)
Eragrostis tef	Teff	5
Eragrostis curvula	Weeping lovegrass	10
Chloris gayana	Rhodes grass	10
Digitaria eriantha	Smuts' fingergrass	5
Total		30

.Winter mix (1 March - 31 August)

Grass species	Common name	General application rate (kg/ha)
Lolium multiflorum cultivar – Midmar	Annual/Italian rye grass	10
Eragrostis curvula	Weeping lovegrass	10
Chloris gayana	Rhodes grass	5
Total		25

F.6.4.5.5.2 Coastal hinterland.

Summer mix (1 September - 28 February)

Grass species	Common name	General application rate (kg/ha)
Eragrostis tef	Teff	5
Eragrostis curvula	Weeping lovegrass	10
Chloris gayana	Rhodes grass	10
Cenchrus ciliaris	Blue buffalo grass	2
Cynodon dactylon	Couch/KWeek/Star grass	10
Total		37

Winter mix (1 March - 31 August)

Grass species	Common name	General application rate (kg/ha)
Lolium multiflorum cultivar – Midmar	Annual/Italian rye grass	10
Eragrostis curvula	Weeping lovegrass	10
Chloris gayana	Rhodes grass	5
Cenchrus ciliaris	Blue buffalo grass	2
Cynodon dactylon	Couch/KWeek/Star grass	3
Total		30

F.6.4.5.5.3 Midlands area

Summer mix (1 September - 28 February)

Grass species	Common name	General application rate (kg/ha)
Eragrostis tef	Teff	4
Eragrostis curvula	Weeping lovegrass	10
Chloris gayana	Rhodes grass	10
Digitaria eriantha	Smuts' fingergrass	2
Cynodon dactylon	Couch/KWeek/Star grass	2
Paspalum notatum	Lawn paspalum	2
Total		30

Winter mix (1 March - 31 August)

Grass species	Common name	General application rate (kg/ha)
Lolium multiflorum cultivar – Midmar	Annual/Italian rye grass	10
Eragrostis curvula	Weeping lovegrass	10
Chloris gayana	Rhodes grass	5
Paspalum notatum	Lawn paspalum	2.5
Total		27.5

F.6.4.5.6 Seeding methods

Two methods are recommended, namely hydroseeding and hand-broadcasting. The required method shall be as specified in the project specification.

All seed supplied should be labelled in accordance with the Government Seed Act No. 20 of 1961 and the Contractor shall be required to produce such certification, if requested by the Engineer.

F.6.4.5.6.1 Hydroseeding

The Grassing Contractor shall be conversant with this method.

Cellulose pulp (consisting of either wood shavings, shredded straw, shredded paper or cotton waste) shall be added to the mix to be applied at a rate of 250 kg/ha.

In addition to the cellulose pulp, compost (consisting of either chicken litter, kraal manure, sugar cane filter cake or mushroom compost) shall be incorporated at a rate of 5m³/ha (≈100 X 50kg fertiliser bags/ha).

F.6.4.5.6.2 Hand-broadcasting

Fertiliser, at the appropriate rate, is to be distributed by hand in a manner to ensure that there is an even spread of fertiliser over the site. This is to be done prior to seeding.

The seed mix is to be weighed and made up in an appropriately large container which shall be stirred to ensure no settling out of the grass seed, and a uniform distribution of the different types of seed.

The seed is to be distributed by hand in a regular grid broadcasting manner to ensure that there is an even spread of grass over the entire site.

The area seeded is to be raked over once the seed and fertiliser have been applied to incorporate these elements into the topsoil.

F.6.4.5.7 General

Where there is a possibility of neighbourhood livestock grazing a rehabilitated site these should, as far as is practicable, be excluded for the first 3 months of re-grassing.

F.6.4.6 LANDSCAPING

Landscaping of the site may be required as indicated in the project specification.

Compensatory planting of trees or shrubs may be required should the transplantation of such not be successful in terms of F.6.3 5.5 or due to plants removed in terms of F.6.3 5.4

Planting of trees will be in accordance with the following method:

- All tree holes shall be square in plan;

- Tree holes shall be a minimum of 600mm by 600mm square by 700mm deep;
- Holes are to be backfilled with excavated soil in a ratio of 3:1 with compost. The compost is to be weed free and have been composted at temperatures in the order of 65°C. Where possible, any available topsoil should be placed in the hole at the level where the tree rootball will rest. A handful (half-a-cup) of each Superphosphate and 2.3.2 should be mixed into the soil-compost mix; the tree holes are to be backfilled to the point where the tree and its rootball are in the desired position. The tree is to be removed temporarily and the hole filled with water and allowed to drain away. This operation of watering and draining should be repeated at least four times in order that the surrounding ground and hole are thoroughly moist. The tree is then to be replaced and the remaining soil replaced;
- All trees shall be tied (using a tree tie) to a suitable timber stake planted in the ground to a depth of at least 500mm. The stake shall have a minimum diameter of 35mm and shall be at least 300mm higher than the planted tree;
- Water retaining basins of at least 500mm diameters are to be formed around each tree;
- The Contractor is to apply at least 10 litres of water per tree per fortnight for a period of at least 3 months.

The planting of shrubs will be in accordance with the tree planting method with the exception that the holes are to be a minimum of 400mm by 400mm square by 500mm deep, and that the tree stakes and ties are not required.

F.6.4.7 ALIEN PLANT CONTROL

All sites disturbed by construction activities will be monitored for colonisation by invasive alien plant species.

The Environmental Control Officer will identify those plants which require removal during both the construction and maintenance period, for the Contractor's action.

The Environmental Control Officer will provide advice as to effective methods of removal and control of alien plant species.

PUBLIC COMPLAINTS REGISTER

DATE	COMPLAINANTS NAME	DESIGNATION/ AFFILIATION	REASON FOR COMPLAINT	ACTION TAKEN	ACTION BY	ACTION BY DATE	ACHIEVED BY DATE	DATE REFERRED TO NW environmental control officer

MONITORING OF COMPLIANCE WITH ENVIRONMENTAL SPECIFICATIONS

PROJECT NAME:

.....

CONTRACT NUMBER:

.....

PROJECT MANAGER:

.....

ENGINEER'S REPRESENTATIVE / SUPERVISOR:

.....

CONTRACTOR:

.....

CONTRACT PERIOD:

.....

(including start and completion dates):

PERIOD COVERED:

.....

REPORT PREPARED BY:

.....

Signature

ENVIRONMENTAL CONTROL OFFICER REPORT

PROJECT NAME:

CONTRACT N°

DATE OF SITE INSPECTIONS DURING REPORTING PERIOD:

Specification Breach	Spec. No.	Remedial Action Recommended	Due Date	Authority Responsible	Action Taken

PUBLIC COMPLAINTS

Complainant	Designation/ Affiliation	Date of complaint	Reason for Complaint	Action taken and date

GOOD PERFORMANCE REPORT

List any aspects of the Contract in which the Contractor is performing well and beyond that which is required in terms of the specification.

F.7 PARTICULAR SPECIFICATION PE- THE CLIENT'S PRE-CONSTRUCTION AND HEALTH PLAN

PE1. INTRODUCTION

PE1.1 Purpose and Scope

This document describes the procedure upon which the COMPANY shall comply with the requirements set out in the client's Health and Safety Specification.

This document defines the Management System that is implemented by the COMPANY for the management of Health and Safety on the project, which includes ensuring subcontractor compliance with the same standards.

The aim of this document is to present the safety aspects that will be controlled and managed on the project.

(a) Reference Documents

- Occupational Health and Safety Act, (Act No. 85 of 1993)
- Compensation for Occupational Injury and Diseases Act.
- Client Health and Safety Specification.
- Construction Regulations 2003.
- The Construction Kit. (CD)

PE1.2 Definitions

The following definitions will apply to the Safety Management Plan, acronyms given hereunder shall apply:

Construction / Building Work (as defined by the Occupational Health and Safety Act: Construction Regulations 2003):

Means any work in connection with –

- a) The erection, maintenance, alteration, renovation, repair, demolition or dismantling of or an addition to a building or any similar structure;
- b) The installation, erection, dismantling or maintenance of a fixed plant where such work includes the risk of a person falling;
- c) The construction, maintenance, demolition or dismantling of any bridge, dam, canal, road, railway, runway, sewer or water reticulation system or any similar civil Employer's Agenting structure; or
- d) The moving of earth, clearing of land or making of an excavation or work on any similar type of work.

Hazard Identification and Risk Assessment and Risk Control (HRA)

Means a documented plan, which identifies hazards, assesses the risks and detailing the control measures and safe working procedures, which are to be used to mitigate and control the occurrence of hazards and risks during construction or operation phases.

Site

Means the area in the possession of the Contractor for the construction of the works. Where there is no demarcated boundary it will include all adjacent areas, which are reasonably required for the activities for the Contractor, and approved for such use by the Employer's Agent and/or client.

The Act

Means, unless the context indicates otherwise, the Occupational Health and Safety Act, 1993 (ACT N°. 85 of 1993) and Regulations promulgated there under. (OHSA)

Hazard

Means a source of or exposure to danger (source which may cause injury or damage to persons, or property)

Risk

Means the probability or likelihood that a hazard can result in injury or damage.

Contractor's Responsible Person (S)

Means any person appointed in writing by the Contractor to supervise construction or building work. The appointment shall be as required by the OHSA which shall stipulate health and safety responsibilities, area of responsibility and the proposed duration of the project.

Hazardous Chemical Substance (HCS)

Means any toxic, harmful, corrosive, irritant or asphyxiant substance, or a mixture or substances for which an occupational exposure limit is prescribed, or an occupational exposure limit is not prescribed, but which creates a hazard to health.

Construction Plant (TEM)

Encompasses all types of plant including but not limiting to, cranes, piling frames, boring machines, excavators, dewatering equipment and road vehicles with or without lifting equipment.

Contractor

Means "subcontractor".

Health and Safety Program

Encompasses the The COMPANY safety planning spreadsheet.

Health and Safety Plan (HSP)

The content of this document which will be made available on site for inspection by an inspector, Technical Officer, Agent, subcontractor, employee, registered employee organisation, health and safety representative, or member of the health and safety committee.

Health and Safety File

Describes the safety file holding all records on health and safety for the project, which shall be available at all, times for evaluation, and copy of which will be forwarded to the client upon completion of the project.

PE1.3 Responsibilities

(a) Notification of Intention to Commence Construction Work

The Provincial Director of the Department of Labour shall be notified by the appointed safety consultant to the COMPANY, immediately upon receipt of the Letter of Acceptance of project commencement in accordance with the following requirements:

- The demolition of a structure exceeding a height of 3 meters; or
- The use of explosives to perform construction work; or
- The dismantling of fixed plant at a height greater than 3 meters; or
- The work exceeds 30 days or will involve more than 300 person days of construction work; and
- Includes excavation work deeper than 1 meter; or
- Includes working at a height greater than 3 meters above ground or a landing.

A copy of the notification letter to the Provincial Director shall be forwarded to client for their records and shall be made available to an Inspector, Project Employer's Agent or employee.

(b) Assignment of Contractor's Responsible Persons to Supervise Health and Safety on Site

The Contracts Manager and Site Agent shall ensure copies of all the appointment letters of the responsible persons appointed on site will be made available to the client and that all legal appointments shall be conducted in accordance with the requirements set out in the **OHSA** and Client specifications. The above shall also be imposed upon all subcontractors.

(c) Safety Officer Appointment

A part-time Health and Safety consultant shall be appointed upon commencement of the project.

The safety officers shall be tasked with monthly inspections of the site, the results of which shall be forwarded to the client or his appointed representative.

(d) Risk Assessment Competent Person

The Project Manager shall appoint a competent person in writing at commencement of the project to control the risk assessment process on site. A copy of the risk assessment appointment is attached with duties and responsibilities defined. **(Annexure E)**

(e) Competency for Contractor's Responsible Persons

The Project Manager acknowledges that all management personnel (responsible for health and safety) shall undergo a half-day Health and Safety Management Course, which is to be arranged and conducted by the appointed safety consultant prior to commencement of activities on site.

(f) Health and Safety Representatives

At least one (1) Health and Safety Representative shall be nominated, elected and trained to carry out his / her functions in his / her area of responsibility. This will include areas where less than fifty (50) employees are engaged in activity. Employees elected shall be designated in writing for a specific area and period of time.

The designated persons shall conduct monthly inspections within their area of responsibility, the records shall be kept for auditing and that deviations recorded are reported to the responsible supervisor within the designated persons area so that appropriate action can be taken.

The designated person/s shall be permitted to participate in the Health and Safety Committee Meetings.

PE1.4 Objectives And Targets

- Compliance with the COMPANY Health and Safety Policy.
- Everyone is responsible for organising accident prevention at his or her own level on site.
- Safety training is important.
- Prevention.
- Working safely ensures your job.
- The COMPANY management commits itself to the objectives and targets.
- Disabling Injury Frequency Rate (DIFR) of 2.0 or less.
- 90% compliance on monthly Health and Safety Audits.
- Compliance with the legal requirements set out in the Occupational Health and Safety Act, Act 85 of 1993, (OHSA) and Regulations.
- Compliance with the Client's Safety Specification for Construction.

PE1.5 Planning And Procedure

The procedures to be used for the project are to be in accordance with the Safety Manual in use in the COMPANY under the guidance of the appointed safety consultant.

The sub-headings covered under the Safety Manual are as follows:

- Administration
- Appointments
- Safety Committees
- Registers, checklists and permits
- Incident Management
- Emergency Planning
- Contractors
- Risk Assessments
- Audits
- Hazardous substance control
- Training
- Mining Requirements
- Roads Requirements
- Planning

PE 1.6 Implementation Of The Occupational Health And Safety Specification

The COMPANY is committed to implementing client specific safety specification on the project and is committed see that this forms an integral part of the project. It is our intention to make this specification part of other Contractors and Suppliers operating procedures.

PE1. 7 Application of the Health and Safety Specification

(g) Compensation of Occupational Injuries and Diseases Act, Act No. 130 of 1993 (COIDA)

The letter of good standing will be available on site for reference purposes as proof of good standing.

The COMPANY shall ensure all Contractors also comply with the above requirements defined in the COIDA.

(h) Occupational Health and Safety Policy

The COMPANY Health and Safety Policy is attached for reference purposes. **(Annexure A)**

(i) Hazard Identification Risk Assessment

The Contract Manager shall ensure the Site Agent shall prior to the commencement of any construction work perform Hazard Identification, and the assessed risks shall form part of the health and safety plan applied on site.

A copy of the HRA shall be made available for viewing to the client.

The Site Agent shall ensure that all HRA's conducted will be conveyed to all personnel and contractors through the site training program and that these training sessions will be presented by the competent person regarding the hazard and related work procedures before any work commences.

The HRA Team that will be established will comprise members as follows:

- Health and Safety Representative(s),
- Health and Safety Committee Member(s)
- Management Representative / Site Agent

Attached in the form of **Annexure C and D**, the Hazardous Task Identification and (HTI) and format of the Risk Assessment (RA) is included.

Method statements form part of the Risk Process and will conducted in accordance with the Risk Process described above.

Based on the activities carried out on all projects Hazard Investigation and Risk Assessments (HRA's) will be done. Examples of which are:

- Site Establishment
- Demolition works
- Excavation
- Concrete works
- Lifting operations
- Hand held tools
- Motorised Equipment

(j) Health and Safety Committee

The Project shall convene a health and safety committee meeting monthly. All members required to be in attendance shall be notified of such meeting by means of a formal agenda.

The Site Agent shall ensure an attendance register and minutes are kept for auditing purposes, and that a copy of the minutes be circulated to all members in attendance well before convening the next meeting and within 7 days, a copy of the minutes will be forwarded to the project Employer's Agent.

Members of the committee shall include the following and are not limited to:

- Safety Consultant. (When available)
- Contractor's site representative. (Supervisory level)
- Contractor's site representatives. (Operating level)
- Project Employer's Agent nominated representative. (Co-opted status)

(k) Health and Safety Training

Training of personnel is a legal requirement and a necessity and is acknowledged as such. The Training Planning Matrix shall be provided upon request.

Induction Training

Induction training shall be attended with the Client as well as the COMPANY Induction program requirements and records of attendance kept to prove the same.

The COMPANY Induction format is attached for reference purposes. **(Annexure E)**

Awareness Training

Weekly awareness training shall be conducted using the COMPANY Toolbox Talk documents, which shall be conducted by the site supervisors. **(Annexure F)**

Competency

Training identified through the Risk Assessment Process and conducted through this process shall be kept on file as proof of competency and training. (This may include operators)

First Aid and Health & Safety Representative Training

All safety representatives elected and designated, including first aiders, shall be trained should they not already be in possession of a valid certificate of training proving competence.

General Record Keeping

The Site Agent shall ensure that all the Health and Safety records, required by both the Occupational Health and Safety Act, 85 of 1993 and Regulations are kept for reference purposes and auditing.

Further to the requirements set out above, the Site Agent will also maintain records that may be defined through the risk assessment process, for auditing purposes.

In accordance with the requirements set out in the Construction Regulations 2003 and the requirement set out in Client Specification the Site Agent shall ensure that a copy of all Health and Safety records generated during the course of construction, be handed over to the Project Employer's Agent upon completion of construction.

Statistics

The Site Agent shall ensure injury and incident records (Near Hits, First Aid, Medical cases, Disabling Lost Time Incidents), training etc. referred to above are kept on site. All documents shall be made available to the client for inspection including the Department of Labour's Inspectors as required by the Occupational Health and Safety Act, 85 of 1993.

The statistics formula as listed below shall be adhered to.

$$\text{DIFR (Disabling Injury Frequency Rate)} = \frac{\text{DI's} \times 1\,000\,000}{\text{Man-hours}}$$

$$\text{DISR (Disabling Injury Severity Rate)} = \frac{\text{Days Lost} \times 1\,000}{\text{Manhours}}$$

General Inspection, Monitoring and Reporting

The COMPANY shall comply with the requirements set out by the client. We have attached a safety management plan upon which the dates of inspections and training and awareness will be entered, conducted and monitored.

The COMPANY shall keep all records of inspections and investigations undertaken during the contract for the specified legal period as defined in the OHSA and Regulations.

Internal Audits

Internal audits shall be conducted a minimum once per month by the project Employer's Agent, as well as the appointed safety consultant.

The Results shall be tabled and discussed at the Health and Safety Committee meetings.

The Audits to be conducted by the appointed safety consultant shall be conducted on the audit schedule attached as per **Annexure G**.

Records of the audits shall be forwarded to the Project Employer's Agent and shall be filed on site for reference purposes.

(l) Incentives

No incentive scheme is being identified unless required by the client.

(m) Penalties

Non-compliance with the client safety specifications can result in work stoppages and possible expulsion from site until the problem has been remedied including costs.

(n) Emergency Procedures

The Site Agent shall make available to the Project Employer's Agent a detailed Emergency Plan to tie into the evacuation plan already in place on the client's premises.

First Aid Box and Contents

The Site Agent shall ensure that all working areas are adequately provided with first aid attendants whether there are fifty (50) employees or less engaged on the contract. The First Aid attendant shall be trained in accordance with the requirements set out in the OHSA with recognised and accredited service providers as defined above.

Proof of training attended (certificate) shall be attached to the written acceptance of appointment. It will be the first aid attendant's responsibility to ensure the contents of the first aid boxes are monitored and inspections recorded on the contents of the first aid box register.

The first aid box shall be adequately stocked by The COMPANY at all times and will be accessible to all.

Accident and Incident Reporting and Investigation

Should accident investigation need to be conducted, the Project Manager shall appoint a competent person in writing to conduct the said investigation. The procedure to be followed will be in accordance with the OHSA requirement on the Annexure 1 – Recording and Investigation of Incident form.

The Site Agent shall ensure that the results of all investigations are communicated to the employees engaged through incident recall and prescribed meetings. The Site Agent shall ensure that the investigations are kept for record purposes in accordance with the prescribed requirements set out in the OHSA and the company specific procedures.

Should there be an incident, the Project Employer's Agent shall be notified within 48-hours if required by the client, of the occurrence. It is acknowledged that the client reserves the right to participate in all investigations into accidents or incidents.

Hazards and Potentially Hazardous Situations

The Site Agent shall ensure that all other contractors or contractors are warned of hazardous or potentially hazardous situations, which may prevent them from effectively performing their duties, which includes the placement of adequate warning signs.

(o) Personal Protective Equipment and Clothing

The COMPANY shall comply with OHSA requirements to provide PPE.

The Site Agent shall through the Risk Assessment process identify the specific PPE needs per activity and then issue the PPE accordingly. (Reference to the OHSA General Safety Regulation 2 – Employer to provide Personal Protective Equipment)

Should PPE be lost or stolen, then the employee will be issued with a new set of PPE.

Should PPE be worn out or damaged, the user shall return the worn or damaged PPE and will be issued with a replacement set. Training in the use of this shall be provided.

Overalls and hardhats shall be identifiable. (Principal Contractor different from the contractors)

PPE shall be provided to visitors as well.

(p) Safety Signage

The Site Agent in conjunction with the appointed safety consultant shall assess the Health and Safety Signage requirement in conjunction with the Risk Assessments conducted and will place the signage at strategic positions on the site works.

The COMPANY shall also maintain the signage to ensure its effectiveness at all times and under all conditions. Signage, which cannot be repaired, shall be replaced.

(q) Permits

- The COMPANY shall ensure that access to site works is restricted to construction personnel.
- All attempts will be made to restrict spectator access.
- Access to the site shall be by the Project Employer's Agents (Clients) authorisation on the prescribed form. (Permits and ID cards shall be issued by the client)
- Special permits for hot work and isolation permits shall be applied for to the Project Employer's Agent prior to commencing with the activity.

(r) Contractors and Suppliers

The Site Agent shall enter into an Agreement with Mandatary in terms of Section 37(2) of the Occupational Health and Safety Act, 85 of 1993, with all contractors appointed by The COMPANY is entered into.

The Contracts Manager will ensure the contractors are issued with the Client Safety Specification where reasonably practicable including any the COMPANY contractor pack for the project, should they not be contained in the Client Safety Specification.

The COMPANY shall assist and ensure the contractors engaged comply with all of these requirements and adhere to the requirements set out in the OHSA. Contractors will be stopped from working in the event of unsafe conditions and activities being observed.

All contractors shall be covered by the COMPANY Safety Plan and will be issued the same.

(s) Health and Safety in Practice

Excavations

The Site Agent shall ensure that all activities involving excavations, shoring, dewatering or drainage, a safe working procedure is submitted to the project Employer's Agent for approval prior to work commencing. Excavation work exceeding the specified depth as stipulated in the OHSA regulations, shall comply with the following requirements:

- a) The excavations are inspected before the shift starts, after heavy rain (inclement weather) and after any major condition which may effect the excavations stability and the findings are to be recorded and kept;
- b) All excavations regardless of the depth shall be adequately barricaded to prevent persons falling into the excavation;
- c) The safe working procedure shall be communicated to all employees who may be effected by the work; and
- d) The safe working procedures shall be enforced and maintained by the appointed excavation supervisor at all times.
- e) For high-risk activities, all personnel working in the excavation shall be attached by means of a lifeline.
- f) Material excavated shall be removed from the point of excavation.
- g) Ensure stability of adjoining structures.

Demolition

No demolition work is being envisaged on this project.

Explosives and Blasting

No blasting activities are envisaged on this project.

Stacking of Materials and Housekeeping

The Site Agent shall ensure that all stacking will be supervised by a person competent to supervise over the activities, and that clearly defined and allocated storage areas are provided for and identified, and that materials being stored within this area are stacked in accordance with sound stacking principles of sort-by-sort, access to be maintained, level surface, and the height will not exceed three times the base width.

Housekeeping shall be maintained in accordance with the client requirements at all times.

(t) Hazardous Chemical Substances

The Site Agent shall ensure the necessary training and information regarding the use and storage of HCS is provided, and that the use and storage of HCS is carried out as prescribed by the HCS Regulations.

Furthermore, the Site Agent shall ensure that all chemicals brought to site have a Material Safety Data Sheet (MSDS) and the users are made aware of the Occupational hazards and precautions that need to be taken when using the chemical.

The First Aider shall be made aware of the MSDS and how to treat HCS incidents appropriately.

Access to all HCS records shall be afforded to the project Employer's Agent at all times.

Fuel / Diesel

- Bulk storage areas shall be demarcated, secured and sign posted with the relevant warning pictograms.
- Bulk storage areas shall be bunded.
- Re-fuelling shall be conducted in designated re-fuelling areas only.
- Spill-kits shall be available at all times in these designated areas.
- The surface of the bunded areas and walls shall be of impermeable material.
- The bunded area shall be sloped towards a collection pit.

Asbestos

No asbestos is to be used on this Project.

(u) Plant and Machinery

Construction Plant

- All plant shall comply with the OHS Act requirements in relation to operation and maintenance thereof.
- Service and maintenance of the vehicles shall be of a high standard at all times.
- All plant shall subject to design be fitted with back-up alarms and audible indicating devices.
- The COMPANY shall ensure that all construction plants moving parts are adequately protected.
- Pre-start inspections shall be conducted on all motorised equipment daily, deviations of such inspections shall be recorded.

- Construction plant identified for use shall be operated by a trained and authorised operator.
- All construction plant shall be operated under the direct supervision of a person competent to identify potential hazards in the work he is conducting.
- Work involving the use of construction plant shall be conducted in accordance with an approved Risk Assessment.
- The Site Agent shall ensure all operators are equipped with the necessary PPE namely; safety shoes, overall, safety glasses, and gloves.
- Plant shall be fitted with an extinguisher where practicable.
- Washing shall be conducted in the designated washing areas.

The COMPANY shall ensure the all equipment moving to and from site is adequately secured, and that all contractors abide by this requirement.

Transport of Personnel

- Safe vehicular transport shall be provided for personnel working on the project to the workplace, which shall include proper seating, side restraints and cover.
- No personnel shall be permitted to travel on any plant or equipment on the site works.
- Road safety principles shall be adhered to on and off site.

Vessels under Pressure (VuP) or Gas Bottles

The COMPANY shall ensure they comply at all times with the requirements of Vessels under Pressure Regulations, with specific reference to the following:

- Ensuring all Equipment owned and hired-in Vessels under pressure, comply with the 36-month pressure vessel inspection, and a certificate of testing is available on site.
- Ensuring that all personnel who shall use this equipment are competent and trained.
- Ensuring the users of this equipment are issued with the required PPE.
- Ensuring the area is adequately identified as a noise area and warnings are posted.
- Ensuring daily pre-start inspections are carried out on all the equipment and the findings recorded.
- Ensuring the correct fire prevention and fighting equipment is available at all times.
- Noise levels where possible shall be kept within reasonable operating norms.

Fire Equipment

The Site Agent shall ensure the following all fire equipment to be used on site comply with the following:

- Extinguishers shall be placed in positions to ensure fast and easy access is maintained at all times.
- Placement of all extinguishers shall be depicted with the required pictograms.
- Extinguishers shall be serviced once annually, and after discharge or visible signs of depressurisation.
- The Site Agent shall ensure all employees are adequately trained in the safe use of the extinguishers.
- The Site Agent shall ensure a person is appointed to inspect the extinguishers on a monthly basis and the results of which are to be entered into a register designed for that purpose.

Hired Plant and Machinery

The Site Agent shall ensure the following criteria is adhered to when considering hired plant and machinery:

- Only approved hire companies shall supply equipment to the site.
- Hired plant shall be checked for safety compliance prior to being accepted for use on site.

- Should hired equipment be accompanied by an operator, The COMPANY shall ensure that the operators competency be verified and the operator undergo an induction training session.
- The Site Agent shall ensure the operators of hired plant attend weekly toolbox talks in conjunction with The COMPANY site personnel.
- The Site Agent shall ensure that all operators are equipped with the required PPE before commencing work on site.

Scaffolding / Working at heights / Fall Protection

Work involving scaffolding and work at heights shall comply with the requirements set out in the Construction regulations 2003 pertaining to these activities with reference to the SABS 085 code of practice.

Fall protection planning shall be done in conjunction with the risk assessment process.

All scaffold shall be erected under the control of a person trained and appointed to conduct such scaffold erection.

Falsework / Formwork for Structures

Work involving scaffolding and work at heights shall comply with the requirements set out in the Construction regulations 2003 pertaining to these activities with reference to the SABS 085 code of practice.

Lifting Machinery and Tackle

The Site Agent shall ensure that the use of Lifting Machinery and Tackle is done in accordance with the requirements of the Regulations, which include but is not limited to the following:

- Lifting machinery and tackle to be used on site shall be marked with the Maximum Mass Load (MML), which is the safe limit in which the equipment may be used.
- Inspections on Lifting Machines and Lifting Tackle shall be inspected once per month on the register provided and the findings recorded.
- Daily pre-start checks shall also be conducted on all Lifting Machinery and Tackle.
- Records shall be kept of all lifting machinery and tackle inspections and Load Tests.
- Load tests shall be conducted a minimum of once per annum, and a certificate of compliance shall be kept on record.
- A valid logbook shall be maintained for all lifting machinery, which will comply with a minimum six-monthly service and maintenance.
- Lifting machinery shall be operated under supervision at all times with a trained banksman who shall inspect all tackle before each lift.
- All lifting equipment operators shall be trained once every two years and a copy of such training shall be attached to the appointment, which is to be made on site.
- The Operators shall be tested for medical fitness.

Ladders and Ladder Work

The following requirements shall be complied with regarding Ladders and Ladder work:

- Ladders shall be clearly numbered, and inspected on the register provided.
- A competent person shall be identified and appointed as the ladder inspector.
- Where aluminium ladders cannot be used, then wooden ladders shall be straight grained, unpainted to allow for proper inspection of the grain for cracking.
- Ladders shall be secured at the top and chocked at the base to prevent slipping.
- Where chocking of the base is not possible, then the user shall ensure that the ladder is held in position by another employee when ascending the ladder.

- Ladders shall be inspected a minimum once per month by the person appointed as the ladder inspector.
- Proper storage shall be provided for all ladders when not in use.

General Machinery

In accordance with General Machinery Regulation 2(1), The COMPANY shall:

- Ensure a competent person be appointed as defined in the above clause from the Occupational Health and Safety Act, 85 of 1993 and Regulations, to service and maintain all machinery in use on site.
- The COMPANY shall appoint additional competent persons to assist the competent person mentioned above in accordance with General Machinery Regulation 2(7)(a), as and when required.
- The COMPANY shall ensure that records are maintained of all services conducted.

Lighting and Power

The Site Agent shall ensure lighting circuits and power circuits are fitted with suitable earth leakage systems in accordance with the client, which will include the following activities:

- Earth leakage system will be tested monthly.
- Malfunctions shall be repaired immediately or replaced.
- Lighting shall be so positioned as not to interfere with construction activities.

Portable Electrical Tools / Explosive Power Tools

The Site Agent shall ensure the following procedure is adhered to regarding Portable Electrical Tools and Explosive Powered tools:

- Minimum compliance with legislation.
- Only competent persons shall be permitted to conduct routine and monthly inspections on the equipment.
- Persons competent to inspect the equipment shall be appointed in writing.
- Persons who are trained to operate such equipment shall be appointed and shall be the only authorised person to operate the equipment.
- The Site Agent shall ensure operation of the equipment is in accordance with the approved Risk Assessment and Safe Working Procedure set out.
- All users shall undergo regular awareness training to ensure compliance.
- The Site Agent shall ensure the required PPE and clothing is provided and maintained.

Public Health and Safety

In the interests of public safety, The COMPANY shall ensure that all persons who may be affected by the work being conducted on site are informed and kept aware of the dangers, which may arise from the work being conducted on site.

This awareness shall be in the form of posters and inductions for visitors to site and warning signs.

Night Work

Night work shall only be conducted upon approval of the project Employer's Agent, with the same safety standard being applied for these activities as with day work activities.

Facilities for Safe Keeping / eating areas

The COMPANY shall ensure that adequate facility is provided for the personnel on site. The area shall be provide the following:

- Sufficient seating;
- Seating under cover;
- Protected change room;
- Toilets.
- Hand wash facility.
- Potable water.

No food preparation shall be conducted on site and designated eating areas will be made to allow adequate seating.

Waste bins shall be strategically placed and cleared regularly.

ANNEXURE A (Safety Policy)

CONTRACTOR TO PROVIDE WITH HEALTH AND SAFETY FILE AS REQUIRED

ANNEXURE B (HTI)

HAZARDOUS TASK IDENTIFICATION (HTI)													
Ser no:	INFORMATION REQUIRED	DETAILS								SIGNATURE		Key Table	
1	Name of contract:											0=	NONE
2	Date prepared:											1=	LOW
3	Prepared by:											2=	MEDIUM
4	Name of person approving:											3=	HIGH
Risk Assessment (RA) Code	LIST OF ALL STANDARD TASKS	What is the future potential that this task can cause further....								Total Score	Rating	Doc Required	
		Is it a new or unusual task?	Is it a dangerous task?	Personal injury	Health risk	Impact on the environment	Property damage	Fire	Has the task caused previous injury / loss?				
RA-1	Site clearing - manual labour & small tools	1	1	1	1	1	1	1	0	7	LOW RISK	MST	
RA-2	Site clearing - using mechanical means									0	LOW RISK	MST	
RA-3	Site establishment - FSM erection / dismantling									0	LOW RISK	MST	
RA-4	Site establishment - Container store / office offload									0	LOW RISK	MST	
RA-5	Excavations - using manual labour									0	LOW RISK	MST	
RA-6	Excavations using motorised plan									0	LOW RISK	MST	
RA-7	Excavations - working inside < 1.5 metres									0	LOW RISK	MST	
RA-8	Excavations - working inside > 1.5 metres									0	LOW RISK	MST	
RA-9	Batching plants - erection / dismantle									0	LOW RISK	MST	
RA-10	Batching plants - general working and operation									0	LOW RISK	MST	
RA-11	Concrete mixing - using manual labour									0	LOW RISK	MST	
RA-12	Concrete mixing - using mechanical means									0	LOW RISK	MST	
RA-13	Concrete pours - using lifting machinery (Cranes etc)									0	LOW RISK	MST	
RA-14	Concrete pours - using motorised plant (dumpers etc)									0	LOW RISK	MST	
RA-15	Concrete pours - using mechanical pump									0	LOW RISK	MST	
RA-16	Lifting Equipment - Tower crane erection / dismantle									0	LOW RISK	MST	
RA-17	Lifting Equipment - Tower crane operation									0	LOW RISK	MST	
RA-18	Lifting Equipment - Mobile crane operation									0	LOW RISK	MST	
RA-19	Lifting Equipment - Telescopic handler operation									0	LOW RISK	MST	
RA-20	Lifting Equipment - Forklift operation									0	LOW RISK	MST	
RA-21	Lifting Equipment - using lifting tackle									0	LOW RISK	MST	
RA-22	Formwork - general erection / dismantling									0	LOW RISK	MST	
RA-23	Formwork - lifting and placing large panels									0	LOW RISK	MST	
RA-24	Formwork - work on support decks									0	LOW RISK	MST	
RA-25	Scaffolding - erect / dismantle small scaffolds < 2 m									0	LOW RISK	MST	
RA-26	Scaffolding - erect / dismantle large scaffolds > 2 m									0	LOW RISK	MST	
RA-27	Scaffolding - use of mobile scaffolds									0	LOW RISK	MST	
RA-28	Scaffolding - dismantling of scaffolding									0	LOW RISK	MST	
RA-29	Demolition - using small electric breakers									0	LOW RISK	MST	
RA-30	Demolition - using compressed air breakers									0	LOW RISK	MST	
RA-31	Demolition - using motorised mechanical means									0	LOW RISK	MST	
RA-31	Demolition - using explosives / blasting operations									0	LOW RISK	MST	
RA-33	Trades - Brickwork operations									0	LOW RISK	MST	
RA-34	Trades - Plastering operations									0	LOW RISK	MST	
RA-35	Trades - Painting operations									0	LOW RISK	MST	
RA-36	Trades - Ceiling operations									0	LOW RISK	MST	
RA-37	Trades - Roofing installations									0	LOW RISK	MST	
RA-38	Trades - glazing installations									0	LOW RISK	MST	
RA-39	Trades - Tiling operations									0	LOW RISK	MST	
RA-40	Trades - carpentry (Doors / windows)									0	LOW RISK	MST	
RA-41	Trades - Metal work (Doors / windows)									0	LOW RISK	MST	
RA-42	Trades - Steel erection									0	LOW RISK	MST	
RA-43	Trades - plumbing									0	LOW RISK	MST	



ANNEXURE C (Risk Assessment)

RISK ASSESSMENT									
TASK / ACTIVITY NAME:		AREA:				SAFE WORKING PROCEDURE			
Ser No.	Task Steps	Risks identified	Rating				SWP Required	Immediate Action Required	
			A	B	C	D			
			Probability	Severity	Frequency	Risk Score			
1			4	4	6	14	HIGH RISK	✓	
2			6	6	6	18	HIGH RISK	✓	
3			4	4	6	14	HIGH RISK	✓	
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									

Methods Used to Minimise Risk		Most Critical Hazards		Control Methods		RA Committee	
						Name:	Sign:
Engineering Risk Out	☐	Fatigue	☐	PPE Selection	☐	Codes of Practice	☐
Use of Specialized PPE	☐	Speed	☐	PPE Issue Records	☐	Supervisory Controls	☐
Introduce Specialized Controls	☐	Engine Failure	☐	Signs at Area of Use	☐	Training of Personnel	☐
Training	☐		☐	Safety Talks	☐	Training Records	☐
	☐		☐	Safe Work Procedures	☐		☐
	☐		☐		☐	Approved:	Sign:
	☐		☐		☐		☐

A		B		C		D	
Probability an accident may occur	Severity	Hazard Frequency	Risk Score / Criticality	14 to 18	High Risk	8 to 13	Medium Risk
6 Inevitable	6 Fatal and Permanent Dis	6 Arises every shift	14 to 18	14 to 18	High Risk	8 to 13	Medium Risk
4 Probable	4 DLT (50 000 - 499 999)	4 Arises every week	8 to 13	8 to 13	Medium Risk	0 to 7	Low risk
2 Highly improbable	2 Medical Case (10 000 - 49)	2 Arises every month	0 to 7	0 to 7	Low risk		
0 No injury / loss	0 First Aid Case	0 Arises every year					

Probability		Severity		Frequency	
6	4	18	16	14	12
6	4	18	16	14	12
2	0	6	4	2	0

ANNEXURE D (Safety Induction)

SAFETY INDUCTION		
OHS Act 85 of 1993 Sections 8 & 14		
Requirements: Every employer is required to take all reasonable measures to ensure that the requirements of the OHS Act, and regulations are observed. The general duties of employees are to carry out lawful instructions and to obey the Company's safety rules and procedures prepared in accordance with the provisions of the Act and Regulations. For this process to begin and to be formalized it is necessary for all employees to be formally inducted into the safety procedures and the completion thereof, formally acknowledged by both employer and employee.		
ITEM COVERED	DONE YES/NO	REMARKS
Explain Company Policy / Site Safety Rules Provide copies of same		
Explain Section 14 of the Act		
Explain the use of Personal protective Equipment and procedures. Re: Issuing and maintenance		
Explain the meaning of symbolic signs		
Explain the procedure in the event of injury		
Explain the use of facilities and toilets		
Explain the danger of moving machinery. (DUMPER, MIXER, SKILLSAW, GRINDER Etc.)		
Explain the danger of hazardous substances (PETROL, DIESEL, OIL, GAS, PAINT Etc.)		
Explain specific Job Duties and Requirements		
Introduce : Supervisor, safety Representatives, First Aider		
<i>This confirms that the above named acknowledges that he/she has been instructed in the safety items listed above and has received the necessary protective clothing / equipment to use in the performance of his/her work.</i>		
<u>INDUCTION OFFICER / TRAINER</u>		
Signature	Designation	Date
<u>ACCEPTANCE</u>		
I, _____ hereby acknowledge receipt of and accept and understand the requirements of this induction.		
Signature	Designation	Date
		

99

**PROJECT SPECIFIC OCCUPATIONAL HEALTH AND
SAFETY SPECIFICATION**

FOR

COVID-19 SITE CONDITIONS

MANAGED ON BEHALF OF

**RAY NKONYENI
MUNICIPALITY (THE
“EMPLOYER”)**

ANNEXURE F (Audit Schedule)

KEY ROLE PLAYER

EMPLOYER

Principal Agent:

Civil Engineer

Environmental Control Officer

Health and Safety Agent

PRINCIPAL CONTRACTOR

Contracts Manager

Site Agent

H&S Officer

Other:

TABLE OF CONTENTS

1. LIST OF ABBREVIATIONS	104
2. DEFINITIONS	105
3. KEY REFERENCES	105
4. INTRODUCTION.....	105
4.1. PURPOSE.....	106
4.2 IMPLEMENTATION OF THE PROJECT SPECIFIC COVID-19 OCCUPATIONAL HEALTH AND SAFETY SPECIFICATIONS	106
4.2.1 Roles And Responsibilities of Health and Safety Officers	106
5. BASELINE RISK ASSESSMENT	107
5.1 SUMMARY OF RISKS IDENTIFIED DURING DESIGN AND IMPLEMENTATION	107
5.2 RE- INTRODUCTION TO THE WORK PLACE AFTER LOCKDOWN	107
6. SITE SPECIFIC HEALTH AND SAFETY PROCEDURES	107
6.1 DEMOGRAPHICS.....	107
6.1.1 Age of Employee	108
6.1.2 Health status	108
6.1.3 Socio economic status / Unskilled labour	108
6.1.4 Accommodation	108
6.2 ORIGIN OF LABOUR AND TRANSPORTATION	108
6.2.1 Public Transportation across borders/towns/cities	109
6.2.2 Contractor provided transportation across borders/towns/cities	109
6.3 SOCIAL DISTANCING	109
6.3.1 Tasks that require more than 1 person to complete	109
6.3.2 Access/Egress of Site, Welfare Facilities, Meeting Areas	110
6.4 ALCOHOL AND DRUG TESTING	111
6.5 MEDICAL SURVEILLANCE	111
6.6 ABLUTION FACILITIES	111
6.7 SECURITY ACCESS	112
6.7.1 Staggered access to site;	112
6.8 PROCUREMENT AND STORAGE FOR COVID-19 PPE AND GENERAL SUPPLIES	112
6.9 WASTE MANAGEMENT FOR COVID-19 WASTE	113
6.9.1 Disposal of any gloves, masks	113
6.9.2 Paper towels	113
6.9.3 Disinfectant solution	113

6.9.4Wastewater	113
6.10SIGNAGE	113
6.10.1Access rules	114
6.10.2Notices/Posters with protocols	114
6.11EMERGENCY PLANNING	114
6.11.1First aid	115
6.11.2Evacuation plans	115
6.11.3Isolation of potentially infected workers	115
6.12PERSONAL PROTECTIVE EQUIPMENT (PPE)	115
6.12.1Masks	115
6.12.2Face Shields	115
6.12.3Overalls	116
6.12.4Hand Gloves	116
6.13CONSEQUENCE MANAGEMENT	116
6.13.1Change Management	116
6.13.2Succession Planning	117
6.13.3Consequences	117
6.14WELFARE FACILITIES	117
6.14.1Clean, storage for food and personal belongings	117
6.14.2No personal belongings to be kept on site	117
6.14.3No communal drinking facilities (shared cups etc.)	118
6.14.4Larger meeting areas/ preferably use technology (Skype, Zoom, Microsoft teams):	118
6.14.5Eating areas	118
6.15ADEQUATE RESOURCING OF PROJECTS	118
<u>7. CONTRACTUAL CONSIDERATIONS</u>	119
7.1 GENERAL CONSIDERATIONS	119
7.2APPLICABLE GENERAL CONDITIONS OF CONTRACT	119
7.2.1GCC 2015	119
7.2.2GCC 2010	121

ANNEXURES

ANNEXURE A:	BASIC RISK ASSESSMENT
ANNEXURE B:	TYPICAL BILL OF QUANTITIES
ANNEXURE C:	PPE ISSUE REGISTER
ANNEXURE D:	COVID-19 QUESTIONNAIRE & DECLARATION

1. LIST OF ABBREVIATIONS

BRA	Baseline Risk Assessments
BEPs	Built Environment Professionals
BoQ	Bill of Quantities
PSHSS	Project Specific Health and Safety Specifications
COIDA	Compensation of Injuries and Diseases Act
CR	Construction Regulations
DEL	Department of Employment and Labour
H&S	Health and Safety
OHSA	Occupational Health and Safety Act No. 85 of 1993 (as amended)
PPE	Personal Protective Equipment
PC	Principal Contractors
SSHSS	Site Specific H&S Specification

2. DEFINITIONS

The Employer: The Ray Nkonyeni Municipality

The Act: Means, unless the context indicates otherwise, the Occupational Health and Safety Act, No. 85 of 1993 and Regulations promulgated thereunder, as amended

COVID-19: Means, the Novel Coronavirus (2019-n Cov2) which is an infectious disease caused by a virus that has previously not been scientifically identified in humans which emerged in 2019 and was declared a global pandemic by WHO in 2020

WHO: Means, The World Health Organisation

3. KEY REFERENCES

The following key references apply to the specifications:

- Occupational Health and Safety Act No. 85 of 1993 and Regulations (as amended)
- Government Gazette No. 43257 dated 29 April 2020 titled COVID-19 Occupational Health and Safety Measures in Workplaces COVID-19 (C19 OHS), 2020
- Regulation 10 (8) of the Regulations issued in Terms of Section 27 (2) of The Disaster Management Act, 2002 (ACT No. 57 of 2002).
- The Disaster Management Act, 2002 (Act No. 57 of 2002), as amended

4. INTRODUCTION

The recent Regulations promulgated under the National Disaster Management Act, and the lockdown of 26 March 2020 have closed all construction projects except for those involved with essential infrastructure services and emergency facility preparedness. The Covid-19 pandemic has catapulted the role of health and safety (H&S) into the forefront of all activities. Going forward as the lockdown is slowly lifted, the construction industry will be required to focus as never before to protect the vulnerable who are often at the forefront of any project.

Construction projects range in size and complexity, occur in rural communities and cities, where the population is dense, or there is very little activity. Irrespective of the nature of the work, workers remain exposed to the typical risks and hazards that are typical of construction. Working at heights, confined spaces, breaking, cutting and grinding to name a few. High levels of hard physical labour and long hours of work are typical, over and above the risk of contracting Covid-19. As such the Occupational Health and Safety Act No 85 of 1993 and its Regulations require to be complied with. More specifically, the Construction Regulations of 2014 remain applicable and must be adhered to in order to protect the workers.

The Construction Regulations are very specific regarding the roles of stakeholders, namely the employer, designers and contractors. Each of these categories have very specific roles and responsibilities and cover both the built environment professionals (BEPs) and contractors. Each have roles in terms of H&S as per the existing arrangements over and above their contractual and monitoring duties on a project.

This H&S specification is based on Annexure 2 (Guideline for the Construction Sector Relating to Health and Safety and COVID-19) of the Construction Sector Reactivation Protocols prepared by the Construction COVID-19 Rapid Response Task Team and dated 26 April 2020.

4 PURPOSE

The purpose of this specifications is to specifically manage the operations of Construction work projects during the confirmed 2020 Covid1-19 Novel Corona Virus to ensure that employees are well informed and equipped to take all possible measures to prevent the spread and contain the virus as far as possible and reasonably practicable when performing their duties on site.

5 IMPLEMENTATION OF THE PROJECT SPECIFIC COVID-19 OCCUPATIONAL HEALTH AND SAFETY SPECIFICATIONS

These H&S specifications will form an integral part of the Contract and are in addition to Project Specific Health and Safety Specifications (PSHSS) already in place and included at tender stage. Where there is conflict of interpretation between the specifications, the Covid-19 specifications shall take precedence.

No work may commence without written approval of the revised H&S plan by the H&S Agent, or the responsible person in the MISA. Subsequent to approval, the contractor's activities on site will be monitored through regular H&S audits and Non-conformances will be issued and penalties or work stoppage will be issued where appropriate.

5.1.1 Roles And Responsibilities of Health and Safety Officers

The PC's Health and Safety Officer (HSO) will be required to undertake the following amongst other activities:

- HSO officers will ensure that they carry out the COVID 19 awareness and ensure that all employees receive the message and understand what to do and how to do it. The training awareness will include training of Security officers on what to do when receiving employees to the premises.
- HSO officers must ensure that before letting any employees inside the premises/site camp, they issue them with face masks and sanitise their hands before passing through the gate.
- Screening questionnaire will be completed before employees can be allowed to gain access to the premises.
- The Employer specifications and requirements will be implemented accordingly.
- Ensure hand sanitizer and hand soap is available at all times and issued to all including training on proper usage.
- Undertake employee awareness campaigns on how the virus is spread from one person to another and also train them on how to prevent the spreading of the virus.
- Conduct regular toolbox talks to ensure that employees are always reminded of correct behaviour and handling of PPE provided.
- Ensure that employees who are suspected to have the symptoms are isolated immediately and the Department of Health immediately notified of such. While waiting the HSO officer must ensure that the isolated victim is entirely kept away from other employees, this will help to lessen to spread the virus.

5. BASELINE RISK ASSESSMENT

5.1 SUMMARY OF RISKS IDENTIFIED DURING DESIGN AND IMPLEMENTATION

The existing Baseline Risk Assessment (BRA) will require to be amended to take into account risks related to the potential spread of the Covid-19 virus. A typical risk assessment schedule is provided in ANNEXURE A for use by the Contractor.

Examples of risk factors include but are not limited to the following:

- Lack of financial resources by Employer;
- Employer not enforcing financial resources for projects;
- Transportation, to, from and on sites;
- Manual labour for physical tasks and tasks that will not allow for social distancing;
- Workers arriving at work with a temperature or other symptoms of Covid-19;
- Management of isolating potentially infected workers, and tracing of family/contacts;
- The lack of clean ablution facilities;
- The lack of clean welfare facilities where workers congregate for lunch break;
- Lack of cleaning and hand washing facilities;
- Confined working areas;
- Too few emergency supplies, first aiders and first aid boxes;
- Sanitization of frequently used environments throughout the working day;
- The need to continually monitor site activities;
- Underlying chronic diseases and age of workers (experienced workers);
- Specialised contractors having older workers, or need to cross borders, and
- Rural projects, or small/private projects ignoring the current legislation.

5.2 RE- INTRODUCTION TO THE WORK PLACE AFTER LOCKDOWN

Employees returning to the first day of work after the lockdown to answer a wellness questionnaire with the HSO at the entrance to the main building or site camp. Upon successful completion of the questionnaire (If satisfactory) the employee will be allowed to proceed to his/ her work area. All employees will attend a mandatory re-induction (Revised induction for COVID- 19 awareness including new measures to be taken).

A COVID 19 Risk assessment will be communicated to all employees to highlight activities and areas considered "hot spots"

6. SITE SPECIFIC HEALTH AND SAFETY PROCEDURES

6.1 DEMOGRAPHICS

It will be incumbent upon the PC to establish a suitable and sufficient procedures for the identification of potentially infected employees and workers, the management of exposure to the corona virus on the project, including visitors and suppliers. Including a response plan for persons suspected of being infected with or exposed the virus. The procedure is to be applicable to all levels of management and supervision, employees and local labour.

As part of this procedure, the contractor is to maintain a register of all employees and workers on the project, including sub-contractor employees and workers, keeping records of the following information as a minimum (note the NIOH document that is currently available):

6.1.1 Age of Employee

The procedure is to take cognizance of the vulnerability of older workers and make provision for additional or more frequent screening of workers above a specified age. A certificate of fitness should be available to make the worker fit for duty, and should be available on site at all times.

6.1.2 Health status

A detailed record of all current and previous health conditions, specifically those identified as creating a higher risk for contracting Covid-19, to be kept for all workers. The procedure is to make provision for stringent testing procedures and management of exposure to the virus for workers with higher vulnerability due to underlying health conditions. Such records are confidential and will remain with the Occupational Health facility. A certificate of fitness must be available for each worker on site, including management and contractors.

6.1.3 Socio economic status / Unskilled labour

The procedure is to consider the socio-economic status and skill level of workers, taking cognizance of the fact that these may have an impact on the worker's level of exposure to the virus outside of the workplace and the risk of being asymptomatic carriers of the virus to the project/site.

6.1.4 Accommodation

Where accommodation is provided by the contractor/sub-contractor, factors to be considered in the procedure include, *inter alia*:

- Density of occupants to allow for adequate social distancing (minimum 1.5m) in sleeping and dining quarters;
- Restriction on the number of persons using the same sanitary/hygiene facilities;
- Provision of dedicated crockery and cutlery for each occupant, together with a procedure for effective cleaning and safe storage of same and a prohibition on the sharing of utensils;
- Dedicated facilities for safekeeping of personal belongings and abovementioned utensils for each person. Such facilities are to allow for total segregation of belongings and must be easy to sanitize. Provision of such facilities for safekeeping to be accompanied with a procedure for the use and sanitizing of the storage facility to reduce the risk of cross- contamination;
- Facilities for accommodation provided by the contractor to have in place stringent procedures for personal hygiene, ongoing maintenance of sanitizing and social distancing, and
- Additional rules to include a prohibition on the sharing of clothing, towels and other personal belongings, as well as the laundering of clothing for multiple persons at the same time.

6.2 ORIGIN OF LABOUR AND TRANSPORTATION

Where a return to work will necessitate travel between provinces and cities for employees and workers to return to the project, the PC is to have a procedure for, or provide transport for the return of workers to minimize the risk of exposure to the virus while in transit. While this is difficult to control by the PC, induction training needs to include such information so workers can protect

themselves. Where on-site transportation is done, a policy needs to be available for how such transportation will be made safe and limit any opportunity for cross infection. If possible the PC could provide their own transportation for their workers.

Parking areas for public and private vehicles need to be considered. Hand cleaning facilities when entering gates, doors, and security entrances.

6.2.1 Public Transportation across borders/towns/cities

The contractor to source/recommend a transport service provider that complies with all travel restrictions and requirements as gazetted by the government, *inter alia*:

- Maximum occupancy of vehicles to allow for social distancing;
- Vehicle sanitized before passengers board;
- Passengers provided with hand sanitizer and face masks prior to boarding;
- Vehicle sanitized before boarding, and hand sanitizer provided to passengers prior to boarding, after each stop where passengers leave the vehicle for comfort breaks, and
- Frequent hand sanitizing is recommended during transit.

6.2.2 Contractor provided transportation across borders/towns/cities

Where the contractor provides transportation across borders/towns/cities to assist workers to return to work, provision is to be made for an adequate number of vehicles to comply with the maximum occupancy as in (a) above, and all such vehicles provided will be subject to the same requirements as abovementioned.

Since it will not be practicable to separate belongings and luggage in either instance mentioned above, the contractor's procedures must make provision for the sanitizing of personal belongings and luggage on arrival at the final destination.

6.3 SOCIAL DISTANCING

Social distancing has been shown to be an effective method to slow down the spread of the corona virus. It will be incumbent on the contractor to ensure that the construction site and facilities are set up in such a way that it will be possible as far as is practicable to maintain the required social distancing of a minimum of 1 metre between persons when at work.

6.3.1 Tasks that require more than 1 person to complete

Where it is not possible to maintain the required distance between workers due to the nature of the work activity, e.g. curb laying, confined working areas, rebar tying, preparing wire cages, the contractor will be required to implement, maintain and enforce a procedure to adequately protect such workers against potential infection with the corona virus. This includes but is not limited to:

- Providing adequate supplies of suitable PPE such as face masks, task specific gloves, safety glasses, disposable/additional coveralls;
- PPE used during multi-person activities to be exchanged immediately after the task is completed;

- Sealed bins to be provided for disposable PPE such as masks, disposable coveralls, disposable gloves, etc.;
- Sealable bags provided to each person for keeping PPE requiring laundering, such as gloves and overalls, and
- Sanitising/washing facilities provided for immediate sanitizing of hard hats, safety glasses, shoes, safety harnesses etc. on completion of multi-person tasks.

All the above to be utilized when breaking for lunch or leaving the site, and before commencing with the next or new work activity.

6.3.2 Access/Egress of Site, Welfare Facilities, Meeting Areas

The PC is to ensure there is suitable and adequate provision to minimize the risk of persons who may be infected with Covid-19 entering the site, the spread of the virus between persons who work on or visit the site and the risk of potentially contaminated persons leaving the site and accessing public spaces or going home to their families. To achieve this, the contractor is required to implement, inter alia the following measures:

- Persons accessing the site in groups to maintain social distancing of at least 1 metre while waiting to access the site;
- Persons waiting to access the site to be segregated from the public where required by the provision of dedicated, prominently identified public pedestrian walkways situated in such a way that social distancing is maintained between site personnel and the public;
- Screening of each person who enters the site with a no-touch infrared thermometer;
- Means of (fully) sanitizing each person and their belongings, who access and leave the site;
- Dedicated facilities for safekeeping of personal for each person. Such facilities are to allow for total segregation of belongings and must be easy to sanitize. Provision of such facilities for safekeeping to be accompanied with a procedure for the use and sanitizing of the storage facility to reduce the risk of cross-contamination;
- Toolbox talks to be conducted outdoors when possible in order for persons to maintain social distancing. Where inclement weather does not allow for this, toolbox talks to be conducted with smaller groupings of workers in a sheltered area large enough to maintain social distancing, and
- Eating areas to be set up in such a way that the maximum number of persons who will use the area at any one time are able to maintain the required social distancing of 1 metre. Should this not be practicable, meal times are to be staggered on a rotational basis to avoid contact between persons.

****This guideline is not an exhaustive list and the contractor is encouraged to develop rigorous control measures and procedures to safeguard all persons accessing or working on the site against the risk of Covid-19.***

Where possible remote means of monitoring such as use of drones or security cameras to monitor site conditions and to do site inspections could be considered.

6.4 ALCOHOL AND DRUG TESTING

Alcohol testing may only be done using single use test units, and must be disposed of in the appropriate contaminated waste. Drug testing will only be done by an occupational health facility either using urine or blood sampling. A protocol will be drawn up by the PC to manage this with the occupational health service being used.

6.5 MEDICAL SURVEILLANCE

The normal requirements of pre-placement, periodic and exit medicals will remain, with the Occupational health service providing a methodology of how they will be including factors relating to Covid-19. No lung functions or peak flows will be done until deemed safe to do so by the South African Thoracic Society.

It is preferable that occupational health service providers use a cloud-based record keeping service to ensure easy tracking and tracing. Free apps such as Square 1 is such an example.

Any person who contracts the virus may need to be reported to the Compensation Commissioner as an occupational disease where their work is to monitor and in contact with others. Such details are provided in the Compensation for Injuries and Diseases Act (COIDA).

Isolation of workers who have a temperature or any symptoms, and removal to the closest facility for testing and treatment, through the numbers provided. The PC is to ensure their policy on this includes such information.

Workers will be required to complete COVID-19 questionnaires prior to returning to site. Any worker with any symptoms is not to return to work, or notify the PC of same.

6.6 ABLUTION FACILITIES

Ablution facilities are an essential facility that must be available for workers across a site. Facilities are a high risk area and increased cleaning regimes are required to be introduced. A policy on how this will be done is required, that will cover both portable and permanent facilities. The following are considerations, which include, *inter alia*:

- Portable toilets to be provided at a 1:10 ratio
- Cleaners to continually clean and have a formal cleaning regime
- Hand washing facilities (soap and water, paper towel) to be available where possible, and if not, to provide hand sanitizer
- Induction training to educate to ensure all users are hand washing correctly
- Flush toilets preferably 1:15 unless increased cleaning regime present;
- Restrict the number of people using toilet facilities at any one time e.g. use a welfare attendant;
- Wash hands before and after using the facilities;
- Enhance the cleaning regimes for toilet facilities particularly door handles, locks and the toilet flush;

- Portable toilets should be avoided wherever possible, but where in use these should be cleaned and emptied more frequently;
- Provide suitable and sufficient rubbish bins for hand towels with regular removal and disposal that need to be managed as hazardous waste;
- Introduce staggered start and finish times to reduce congestion and contact at all times;
- Consider increasing the number or size of facilities available on site if possible, and
- Provide suitable and sufficient rubbish bins in these areas with regular removal and disposal.

6.7 SECURITY ACCESS

Public access to site is to be limited at all times, and non-essential visitors are not to be allowed entry. There is required to be staggered access at all times. The following aspects are to be included in a policy document as to how such issues will be managed, inter alia:

6.7.1 Staggered access to site;

The PC should consider the following:

- Introduce staggered start and finish times to reduce congestion and contact at all times;
- Monitor site access points to enable social distancing – consideration for the number of access points, either increase to reduce congestion or decrease to enable monitoring;
- 50-100mm deep trough to be placed at entrances to site. Disinfectant is to be placed in the trough and all shoes coming onto site or leaving site will be disinfected, without wetting shoes themselves;
- Remove or disable entry systems that require skin contact e.g. fingerprint scanners or biometric system;
- Require all workers to wash or clean their hands before entering or leaving the site;
- Ensure social distancing between people waiting to enter site;
- Regularly clean common contact surfaces in reception, office, access control and delivery areas e.g. scanners, turnstiles, screens, telephone handsets, desks, particularly during peak times;
- Reduce the number of people in attendance at site inductions and consider holding them outdoors wherever possible, and
- Drivers should remain in their vehicles if the load will allow it and must wash or clean their hands before unloading goods and materials.

6.8 PROCUREMENT AND STORAGE FOR COVID-19 PPE AND GENERAL SUPPLIES

The following is to be implemented by PC: Availability of personal protective equipment PPE is an imperative and should be available at all times. Where this is not so, the work related to the activity will be stopped until adequate supplies are available.

- Storage of PPE is to be tightly controlled, with records of issue. Damaged PPE is to be managed in the usual way, but all to be disposed of as if contaminated.

6.9 WASTE MANAGEMENT FOR COVID-19 WASTE

Waste management arrangements to be updated to include provision for the disposal of additional waste generated due to preventative measures implemented. All waste to be managed as hazardous waste.

6.9.1 Disposal of any gloves, masks

The contractor shall dispose of all used gloves and masks as hazardous waste and provide sealable bags and containers for the safe disposal of this waste.

6.9.2 Paper towels

The contractor shall provide adequate supplies of paper towels on site. At points where these towels are provided lined waste bins to be placed in order to collect all used towels and then to be disposed of in hazardous waste.

6.9.3 Disinfectant solution

The contractor to provide adequate supplies of disinfectant on site where the use of water and soap for cleaning is not practical. If disinfectant dispensers are not refilled it should be disposed with other hazardous waste.

6.9.4 Wastewater

Wastewater at washing points, toilets, and bathrooms to be contained in a drainage system that prevent surface spills. If wastewater is contained in waste buckets it must be sealed when removed and disinfected after it is cleaned.

6.10 SIGNAGE

The PC is to review all current signs and notices displayed on site. The PC is to avoid conflicting messages/notices that have been in place prior to lockdown and review according. Typical signage that can be displayed on site is shown in Figure 1

Figure 1: Typical Signage



6.10.1 Access rules

The contractor shall install additional signage with site rules specific to the prevention of spreading the COVID-19 virus at the access control points of the site.

6.10.2 Notices/Posters with protocols

Notices and posters shall be placed and installed to raise awareness and regarding protocols to be followed on site. These notices and posters shall be placed conspicuously at various points on the site including the following places:

- Entrance
- Site notice board
- Site Office
- Eating areas
- Next to toilets and bathrooms
- Hand washing stations
- Storerooms

6.11 EMERGENCY PLANNING

An updated emergency plan is to be completed that is in line with the current Regulations of the National Disaster Management Act.

6.11.1 First aid

Extra gloves, and disinfectants are to be available, first aiders are to be issued with at least FFPT2 masks should they be required to respond

6.11.2 Evacuation plans

Evacuation plans should consider social distancing.

6.11.3 Isolation of potentially infected workers

The emergency plan is to consider how anyone who arrives on site and displays any of the symptoms, or has a raised temperature.

6.12 PERSONAL PROTECTIVE EQUIPMENT (PPE)

The hierarchy of control applies with the use of PPE. Specific regard for the type and usage, training and control is to be outlined in the policies and procedures.

6.12.1 Masks

Masks are compulsory for all employees; personnel and professional team members, reducing the potential of inhaled COVID-19 droplets. For general administration purposes, for essential staff on site only, cloth masks may be worn. N95 masks are only to be worn by first aiders or high risk workers, due to the national shortage thereof.

All employees to have access to N95 or FFPT2 masks when required, only in instances of HIGH RISK OF EXPOSURE

All N95 and FFPT2 masks to be disposed with or after 1 day's use. Induction is to include training on the correct use of face masks.

Cloth face masks to be used on entering and leaving the site. It is advised that each worker is supplied with at least 3 cloth face masks. This would assist ensuring that the masks are hygienic (1 on the face; 1 in the wash and 1 as a backup).

The PC must ensure that sufficient stock is at all-time available on site. This will also have depended on the type of mask being issued.

All disposable masks are biological waste and must be properly disposed of. This must be disposed in container (locked) or in bags to be either removed as medical biological waste by registered service provider.

CLEARLY IDENTIFIABLE BINS INDICATING BIOLOGICAL WASTE TO BE PROVIDED

6.12.2 Face Shields

The principal contractor could also look at options such as full face shields for preventing spreading of virus through eyes. This would assist the employee who is doing hard physical work to breathe more easily but still protecting the mouth, eyes and nose.

Face shields should be cleaned daily before the shift and at the end of the shift. Proper cleaning agents/disinfectant must be used. Face shields should be issued to employees and no sharing is allowed.

6.12.3 Overalls

All employees must be issued with 3 overalls (1 overall wearing; 1 overall in the wash and one as the backup). This will ensure that the employee will be able to wear clean hygienic overalls. This must form part of the COVID-19 training for all employees.

6.12.4 Hand Gloves

It is preferable that surgical gloves are not worn unless indicated and workers trained in the proper use thereof. Gloves must only be used when the activity demand the wearing of specific type of hand gloves. This will be directed by the PC risk assessment.

Site office personnel need to be made aware of the risks in the office environment, this include to handling of documents and plans. These employees could be issued with the appropriate hand gloves or sufficient hand wash / sanitising facilities must be available in the site office.

6.13 CONSEQUENCE MANAGEMENT

6.13.1 Change Management

Each Principal contractor / contractors to ensure that regular information pertaining to COVID 19 and or any Health and Safety matters is distributed to ensure that required measures / controls is timeously addressed. There are various information platforms available to the Principal Contractor and or employee that can assist in keeping them informed. These include *inter alia*:

- Local Authority / Legislation
- World Health Organizations
- Health Care Departments / Health Care Professional's / Centre's / Hospitals
- Public Service Announcements – National News

Each contractor is responsible and required to keep his or her employees informed by means but not limited by conducting the following;

- Awareness campaigns -i.e. posters within work places
- Daily site task Inspections (DSTIs)
- Toolbox talks / Daily briefings
- Meetings
- Company policies / procedures / Employee Wellbeing interaction
- Company newsletters
- Telecommunications – Cell phones Apps / e-mail

6.13.2 Succession Planning

Employees who is performing specialize work/activities (including plant operators) must be identified. These positions must have alternative employees that could perform these activities. This could mean additional training for these employees.

Key personnel on site should also have competent alternative employees that could perform these functions when needed. Where possible administrative staff should be working from home to limit any opportunistic exposure.

It is very important to understand that the availability of certain essential products and material may not always be available and thus proper planning must be in place to ensure that the activities on site are not interrupted.

Proactive planning must be in place to ensure that the following are ordered and available:

- PPE (cloth face masks, face shields, overalls)
- Hand sanitizers with at least 60% alcohol content
- Disinfectants and cleaning materials

6.13.3 Consequences

When non-compliance activities are noted, that activity will be stopped. Should the remedial actions not take place the site will be shut down till the corrective actions have been implemented.

Employees that do not work according to the SSHSS and SSHSP must be disciplined according to the company's disciplinary codes and practices.

Supervisory employees on site must ensure compliance, and when non-conformances are noted disciplinary actions should also be followed.

PCs should note that they could be fined and even according to the Disaster Management Act, arrested.

6.14 WELFARE FACILITIES

The PC shall adapt arrangements regarding the provision of welfare facilities to be in line with Government guidelines and requirements.

6.14.1 Clean, storage for food and personal belongings

The PC to provide lockable storage for all employees on site, which shall be disinfected daily. Training and awareness to address procedures and the importance of good hygiene practice.

6.14.2 No personal belongings to be kept on site

Apart from extra clean personal clothing no other personal belongings allowed on site accept if kept in locker provided by the PC.

6.14.3 No communal drinking facilities (shared cups etc.)

The PC to provide adequate supplies of bottled water to all employees on site. Empty bottles to be disposed of as normal waste. Training and awareness to address procedures and the importance of good hygiene practice.

6.14.4 Larger meeting areas/ preferably use technology (Skype, Zoom, Microsoft teams):

The PC is to limit the number of employees at all activities to the minimum required to do the work in a safe manner. Where possible meetings must be held in open areas limited to essential personnel. Technological alternatives to be exploited for meeting attendance if possible. Training and awareness to address procedures and the importance of social distancing.

6.14.5 Eating areas

The PC is to limit the number of employees at all activities to the minimum. Stagger lunchbreaks and resting periods for work teams. Training and awareness to address procedures and the importance of good hygiene practice and social distancing.

Workers are required to stay on site once they have entered it and not use local shops. Dedicated eating areas should be identified on site to reduce food waste and contamination.

- Break times should be staggered to reduce congestion and contact at all times.
- Hand cleaning facilities or hand sanitiser should be available at the entrance of any room where people eat and should be used by workers when entering and leaving the area;
- Workers should be asked to bring pre-prepared meals and refillable drinking bottles from home;
- Social distancing to be applied whilst eating and avoid all contact;
- Where catering is provided on site, it should provide pre-prepared and wrapped food only;
 - Payments should be taken by contactless card wherever possible;
 - Crockery, eating utensils, cups etc. should be disposable if supplied;
- Drinking water should be provided with enhanced cleaning measures of the tap mechanism introduced;
- Tables should be cleaned and disinfected between each use;
- All rubbish should be put straight in the bin and not left for someone else to clear up;
- All areas used for eating must be thoroughly cleaned at the end of each break and shift, including chairs, door handles, vending machines and payment devices.

6.15 ADEQUATE RESOURCING OF PROJECTS

The PC will be required to price for the additional H&S related items that have arisen as a result of the Covid-19 pandemic and the regulations promulgated under the Disaster Management Act 2002 (Act No. 57 of 2002), as amended. The Bill of Quantities (BoQ) provided to the PC needs to

take into account the requirements that have been identified in the BRA and the SSHSS. Contractors need to be able to price for the requirements and the appropriate BEP to assess the suitability of the items and pricing thereof.

A typical example of a H&S BoQ that would be adapted is included as Annexure B. The BoQ is not exhaustive and is dependent much on the amended BRA as approved by the Employer or his Principal agent. Should risk factors change, amendments will need to be made to the BoQ.

7. CONTRACTUAL CONSIDERATIONS

7.1 GENERAL CONSIDERATIONS

Before considering the provisions of the common construction contracts in detail, the following general recommendations are made:

1. Should payment certificates not have been issued during the period of lockdown, they should be issued as soon as possible after recommencement of works, but no later than the end of May 2020.
2. The lockdown period will give rise to various typical force majeure claims and contractors will be entitled to submit extension of time claims for the period of the lockdown. These will be evaluated by the Principal Agent in accordance with the situation/conditions on site during the lockdown.
3. The Covid-19 epidemic and the continued lockdown regulations may have a further and continued impact to contractors after site re-opening. Those impacts will have to be assessed by the contractors and further claims for resulting delays to the project programmes may need to be considered.
4. Where time limits are applicable to claims and claim notifications, such time period should only be calculated from, at the earliest, the date on which the relevant construction site re- opens.
5. It is recommended that all claims arising from the lockdown be submitted and resolved as soon as possible after recommencement and well before any applicable time limits.
6. Any disputes emerging in regard to claims should be resolved expeditiously in accordance with the provisions in the contract.

7.2 APPLICABLE GENERAL CONDITIONS OF CONTRACT

The following clauses in the General condition of contract are noted which are considered applicable to the Covid-19 Lockdown:

7.2.1 GCC 2015

1. Clause 5.12.1 provides that the contractor is entitled to an extension of time for the completion of the works if "circumstances of any kind whatsoever" will delay the achievement of practical completion of the works.
2. Clause 5.12.2.4 specifically lists "any disruption which is entirely beyond the contractor's control" as a circumstance entitling the contractor to an extension of time. A contractor will accordingly be entitled to an extension of time for delays caused by the lockdown and other circumstances resulting from Covid-19.
3. In terms of clause 5.12.3, if an extension of time is granted the contractor shall be paid such additional time-related general items as are appropriate.

4. Clause 5.12.4 provides that instead of granting an extension of time, if feasible, the contractor may be requested to accelerate the rate of progress to achieve practical completion and will be paid for the costs of such acceleration.
5. A contractor may also be entitled to a claim for extension of time with adjusted value in terms of clause 5.4.3 if an instruction to commence work was issued to the contractor but the employer was unable to fulfil its obligation to give the contractor access and possession of site due to the limitations imposed during lockdown.
6. However, once the contractor has been given possession of the site, a claim under clause 5.4.3 would not be applicable.
7. Covid-19 may also fall within the definition of "excepted risk" and in particular the reference to "epidemic plague" set out in clause 8.3.1.7.
8. In terms of clause 8.3.2, the contractor is entitled to an extension of time and can recover additional costs where the contractor suffers a delay or loss directly or indirectly caused by an "excepted risk".
9. Clause 9.1.2 read with clause 9.1.4 provides that the contractor is entitled to claim additional costs, which are not covered by the additional time-related general items, caused by "a state of emergency, riot, commotion politically motivated sabotaged acts of terrorism or disorder" and "any such event beyond the control of the contractor" that materially affects the execution of the works.
10. Clause 9.1.4 requires the contractor to notify the engineer within 14 days of becoming aware of such increase in cost.
11. In terms of clause 6.8.4 the contractor is entitled to any additional costs, which are not covered by the additional time-related general items, if at any time within 28 days before the closing of tender or thereafter, any act, ordinance, regulation or by-law is amended and this results in additional cost to the contractor.
12. In terms of clause 10, the contractor is required to submit its claim for any extension of time or additional payment as follows:
 - (a) the contractor must submit its claim to the engineer in accordance with the specified requirements, within 28 days after the circumstance or event giving rise to such claim; and
 - (b) if the event giving rise to a claim is of an ongoing nature, the contractor is additionally required to deliver updated monthly claims to the engineer and submit its final claim within 28 days after the end of the event or circumstance.
13. The parties may deliver a written notice of dispute to each other and the engineer of any dispute provided that the dispute arises from a rejected claim and it is delivered within 28 days of the event giving rise to the dispute.
14. The dispute shall be referred to adjudication unless an amicable settlement is contemplated. The parties may agree to settle any claim or any dispute amicably with the help of an impartial third party. If the other party rejects amicable settlement in writing or does not respond to the invitation within 14 days or if the amicable settlement is unsuccessful the dispute shall be referred to adjudication.
15. Either party is entitled to disagree with any decision of the Adjudication Board and refer the matter to arbitration or court proceedings, whichever is applicable in terms of the contract provided that a party disputes the adjudicator's decision not before 28 days or after 56 days from receipt of the decision.

7.2.2 GCC 2010

1. The contract provisions are the same in effect save for clause 8.3.1.7 relating to the excepted risk which is not part of GCC 2010.
2. The contractor may also be entitled to a claim for extension of time with adjusted value and additional costs in terms of clause 5.4.3, 5.10.1 and 5.11.2 as explained above in the GCC 2015 version. These clauses have the identical operation as in the 2015 version.
3. The clause numbering and content of the GCC 2010 dispute resolution process runs parallel to that of the GCC 2015, save that the 2010 version provides that the parties may deliver a written notice of dispute to each other and the engineer of any dispute provided that the dispute arises from an **unresolved claim** (and not a rejected claim as recorded in the 2015 version).

7.2.3 NEC 3

1. Clause 60.1 defines a compensation event as:
"An event which stops the contractor completing the services or stops the contractor completing the services by the date shown on the accepted programme and:
 - *which neither party could prevent;*
 - *an experienced consultant would have judged at the contract date to have such a small chance of occurring that it would have been unreasonable for him to have allowed for it; and*
 - *is not one of the other compensation events stated in this contract;*
2. A contractor must notify the project manager of a compensation event in accordance with clause 61.3 which provides that if the contractor has not given notice of the compensation event within eight weeks of becoming aware of the event, it will not be entitled to a change in the prices, the completion date or a key date (unless the project manager should have notified the event to the contractor but did not).
3. If the project manager does not respond to the contractor's notice timeously, it will be deemed to have accepted the existence of a compensation event.
4. If the employer does not respond to the contractor's abovementioned notice, it will be deemed to have accepted the existence of a compensation event.
5. The employer will then instruct the contractor to submit quotations which could impact the contract price and/or completion date.
6. Where the employer decides that the effects of a compensation event are too uncertain to be forecast reasonably, it must state assumptions about the event in its instruction to the contractor to submit quotations. Assessment of the event will then be based on these assumptions. If any of them is later found to have been incorrect, the employer must give notice of a correction.
7. In terms of clause 63, a delay to the completion date is assessed as the length of time that, due to the compensation event, planned completion is later than the planned completion shown on the accepted programme.
8. The NEC3 makes provision for a risk register which is "a register of the risks which are listed in the contract Data and the risks which the project manager or the contractor has notified as an early warning matter. It includes a description of the risk and a description of the actions which are to be taken to avoid or reduce the risk."

9. It is recommended that Covid-19 and the Disaster Management Regulations and their impact be included in the Risk Register.
10. In terms of clause 16.1 the contractor and the project manager will give an early warning by notifying the other as soon as either becomes aware of any matter which could:
 - increase the total of the prices;
 - delay completion;
 - delay meeting a key date; or
 - impair the performance of the works in use.
11. The contractor may give an early warning by notifying the project manager of any other matter which could increase its total cost.
12. The project manager then enters early warning matters in the risk register. Early warning of a matter for which a compensation event has previously been notified is not required.
13. In terms of clause 16.3, the parties will then hold a risk reduction meeting in order to:
 - make and consider proposals for how the effect of the registered risks can be avoided or reduced;
 - seek solutions that will bring an advantage to those affected;
 - decide on the action to be taken in accordance with the contract; and
 - decide which risks have been avoided or have passed and can be removed from the Risk Register.
14. The NEC3 series of contracts mandate adjudication as a dispute resolution procedure. An adjudicator is appointed by the parties in terms of an NEC Adjudicator's Contract.
15. The adjudication procedure is included either in section 9 of the core clauses or under Option W1 (Dispute Resolution).
16. The contracts provide that a party referring a matter to an adjudicator must do so on notice, and within the time periods specified in the adjudication table. The table refers to four categories of disputes and specifies which party may refer each category to adjudication and the timelines for doing so.
17. Where the adjudicator's decision includes assessment of additional cost or delay caused to the contractor, he makes his assessment in the same way as a compensation event is assessed.
18. The adjudicator's decision is binding unless and until revised by the tribunal (arbitration or litigation as selected by the parties in the contract data), alternatively it is binding if a party does not notify the other party of his intention to refer the matter to the tribunal within 4 weeks of the adjudicator's decision. The adjudicator's decision will be enforceable as a contractual obligation.
19. The dispute may not be referred to the tribunal if the matter has not first been referred to the adjudicator.

ANNEXURE A

BASIC RISK ASSESSMENT

BASELINE RISK ASSESSMENT							LOW	MED	HIGH		
							W	D	H		
							1	4	12		
							2	6	18		
							3	8	27		
Risk Rating multiplier: Low = 1; Medium = 2; High = 3				PREPARED BY:							
Note: This is a broad overview of the activities expected and available during the design stage of the project. Key issues will be addressed during the construction stage, and may be updated during this time. Consolidation of activities where overlap or applicable throughout the project (plant, material or other common activities). Compliance with all the applicable legislation is required. Penalties for non-compliances will be applied where issues not addressed as per the H&S Specification (as amended).											
REFERENCES/ABBREVIATIONS: OHS Act Occupational Health and Safety Act (applies overall); GAR = General Administration Regulations; GSR = General Safety Regulations; HBR = Hazardous Biological Regulations; CR = Construction Regulations; HCSR = Hazardous Chemical Substances Regulations; FR = Facilities Regulations; EIR = Electrical Installation Regulations; DMR = Driven Machinery Regulations; PER = Pressure Equipment Regulations; RTA = Road Traffic Safety Act; SANS = 1200 (unless stated) SANS 10085 = Access Scaffolding; SANS 10083 = Audiometry standards; SANS 1300, 10142, 10400 & 2001 = Building & Electrical Standards; SARTSM = South African Roads and Traffic Signs Manual; PC = Principal Contractor;											
			Baseline design: RAW RISK				Baseline Design: Residual risk				
LEGAL REF	DESIGN ASPECTS PRESENT	DESCRIBE THE METHODS AND ACTIVITIES USUALLY PROVIDED BY THE PC AND CONTRACTOR	LIKELY CONSEQUENCES OF AN ACCIDENT	FREQUENCY OF EXPOSURE	PROBABILITY OF HARM	RISK RATING AND RISK CATEGORY	CATEGORY EXTRA CONTROL MEASURES NECESSARY TO REDUCE RISK/ REDESIGN LIKELY	LIKELY CONSEQUENCES OF AN ACCIDENT	FREQUENCY OF EXPOSURE	PROBABILITY OF HARM	RISK RATING AND RISK CATEGORY

ANNEXURE B

TYPICAL TO COVID-19 RELATED OCCUPATIONAL HEALTH AND SAFETY BILL OF QUANTITIES

See attached BOQ

ANNEXURE C

PPE ISSUE REGISTER

LOCATION / SITE NAME: **COMPANY NAME:**

ISSUED

BY:

												ENTER NAME AND SURNAME & SIGN BELOW EACH ITEM RECEIVED
Gloves	Hard Hat	Overhaul	Safety Boots	Reflective Vest	Safety Glasses	Dust Mask	Earplugs	Safety Harness	Welding Gloves	Welding Helmet/Glasses	Welding Apron	ENTER NAME AND SURNAME

ANNEXURE D

COVID-19 QUESTIONNAIRE & DECLARATION

Contractor Name: _____

Important : Please note that this is an individual Questionnaire.

Site/Work Area: _____

Employee Name and Surname: _____

Date: _____

Line Manager: _____

Symptomatic Screening Questionnaire	Yes	No
Have you experienced symptoms of flu or had flu in the past two weeks?		
Have you experienced any coughing or breathing abnormalities lately?		
Do you currently have a fever or have you been experiencing symptoms of a fever? (Red eyes, burning sensation)		
In the last 14 days, have you come into contact with any person that has displayed symptoms or tested positive for COVID 19?		
Have you travelled outside the borders of South- Africa lately?		
Have you been tested for COVID 19?		

Personal Commitment

1. I Will further to the above , declare any immediate changes in my health to my line manager
2. I will Adhere to all the guidelines set out by Thermaire & Ampair in the COVID 19 management plan
3. I will maintain good hygiene practices
4. I will maintain social distance from employees at all times
5. I will utilize PPE and sanitizer provided at all times.
6. I will ensure that shared equipment, as far as reasonably practicable, has been sanitized before handover to other employees.

I, _____ Declare that the document is a true statement of my current health and hereby will adhere to all guidelines set out.

Employee Signature _____

Temperature reading If available (Refer to health practitioner if above 38 degrees Celsius		
Employee Cleared for entrance (Circle)	Yes	No

Questionnaire reviewed by:

F.8 PARTICULAR SPECIFICATION – QMS: EMPLOYER’S AGENT’S QUALITY MANAGEMENT SPECIFICATION

CONSTRUCTION QUALITY ASSURANCE PROCEDURES (CQAP)

QMS1. INTRODUCTION

The Employer’s Agent subscribes to a Quality Management System accredited by a number of certification bodies including ISO 9001 (2015).

This document/specification summarises the Quality Control Procedures used by the Employer’s Agent in the Quality Assurance and Control on site works. These procedures are to be used by Employer’s Agent’s Representative Staff (i.e. ER and his assistants) and the Contractor’s staff on the following commonly encountered sites;

- Building Works

The procedures have been developed as “intellectual” property of the Employer’s Agent and may only be used on sites managed by the Employer’s Agent. Any other use is subject to consent/agreement with the Employer’s Agent.

All references to approval by the Employer’s Agents and/or his Representative(s) require that the Contractor (via the Site Agent) initiates the necessary request for approval). In addition the Contractor will be required to maintain a copy of all records as required by this Specification.

The application of the procedures will be agreed as appropriate between the Contractor’s Site Agent and the Employer’s Agent (or his Representative) at the commencement of construction activities,.

It will be deemed that the Contractor has incorporated in his programme and completion period and pricing, the necessary requirements to comply with this Specification fully.

1.1 Elements of Site Quality Assurance

The elements of Site Quality Assurance comprise the following:

- general elements that apply to all sites and
- site specific elements that are specific to sites and may be dependent on the type of construction.

QMS2 GENERAL ELEMENTS APPLICABLE TO ALL SITES

2.1 Construction Quality Control Organization

This section presents the requirements of key site personnel involved on construction sites, i.e. Employer’s Agent’s Representative (ER) staff and Contractor’s staff. The following quality assurance procedures for site quality assurance personnel should be followed:

2.1.1 Employer's Agent's Quality Assurance Personnel

The following ER staff appointments' procedure should be followed to ensure the right superintendence on contracts:

Item	Activity	Remarks	Responsible Party	Approval by
1	Appointment of Employer's Agent for contracts	Stated in contract data	Employer's Agent	Employer
2	Supervision staffing arrangements	Proposed prior to construction work	Employer's Agent	Employer
3	Site staff	Proposal for site personnel including CV's	Employer's Agent	Employer
4	Roles	Delegation of powers by Employer's Agent	Employer's Agent	Employer's Agent

The site staff will comprise the Employer's Agent's Representative (ER) and ER's assistants (Field Officers):

a) Employer's Agent's Representative (ER)

The ER is the primary point of contact for the Employer's Agent on all construction management issues. The ER will monitor and approve each contractor's quality submittal to ensure that the project is meeting the specifications and requirements. The ER will manage the implementation of the CQAP at the project sites with assistance from Field Officers appointed by the Employer's Agent.

b) ER Assistants/Field Officers (FO's)

Field Officers (FOs) are responsible to the ER and support the ER's management of the CQAP. The FOs will monitor the day-to-day activities of the contractor. This includes ensuring that contractors comply with the drawings and specifications, applicable SABS standards, good workmanship, and the CQC requirements. As part of this effort, FOs will:

- conduct independent inspections to verify the quality of the work;
- participate in contractor inspections;
- review test and inspection reports; and
- ensure that the required documentation is submitted.

The FOs will be alert to detect, record, and report any deviation from the contract documents, including calling any deficient item to the attention of the ER and the contractors' Site Agents. The FOs will keep accurate and detailed records of the contractor's performance and progress, delivery of materials, and other pertinent matters, including the daily inspection report.

2.2 Contractor's Quality Assurance Personnel

The contractors are responsible for the quality control of their constructed work product as well as the necessary inspections and tests required to ensure that their work complies with the contract documents.

2.2.1 Contractor's Site Staff

The contractors' Site Agents are the primary point of contact for the Contractors on all construction management issues. The Site Agents must be full-time on site for the contractors. The Site Agents must have full authority to institute any and all actions necessary for the successful implementation of the CQC program to ensure compliance with the drawings and technical specifications.

The following procedures apply with respect to appointment of the contractor's key personnel:

Aspect	Remarks	Approval By	When
Appointment of Site Agent	As per tender for quality based evaluated tenders	Employer's Agent	Prior to commencement of construction
Appointment of Site Forepersons	As per tender for quality based evaluated tenders	Employer's Agent	Prior to commencement of construction

2.3 Site Establishment

The Employer's Agent's Representative shall inspect and approve/disapprove contractor's site establishment using Quality Procedure Form QC 01.

2.4 General

The Site Agent is required to complete the necessary 1-2 page forms requesting for approval of the following General Items. Thereafter the ER must undertake the following general items as appropriate:

1	Confirm "Permission to Occupy" has been received from the relevant authority.
2	"Handover of Site" to Contractor to be confirmed in writing.
3	Inspect and approve Site Establishment (Form QC 01).
4	Setup Site Files/Filing System.
5	Ensure a copy of the Contract Document is retained on Site by the Contractor.
6	Ensure a full set/s of approved drawings is/are retained on Site by the Contractor.
7	Maintain a Drawing Register.
8	Ensure a copy of the latest Contract Program is clearly displayed on Site.
9	Establish Quality Assurance Procedures and carry out inspections as and when required.
10	Issue Site Instructions as and when required.
11	Ensure Safety File, including Dept. of Labour notification, is up to date and on Site and all relevant regulations, including issuing of PPE, are strictly adhered to.
12	Ensure all relevant information is recorded in a daily Site Diary and counter signed.
13	Hold regular Work Meetings with the Contractor.
14	Hold regular Site Meetings with the Client, Professional Team and the Contractor.

15	Maintain a copy of the Environmental Record of Decision on Site
----	---

QMS3 SITE SPECIFIC QUALITY ASSURANCE PROCEDURES

Quality assurance inspections and testing will be used to verify the adequacy and effectiveness of the contractor's quality control program. The Employer's Agent's Quality Assurance Personnel detailed above will provide inspection and supervision within the scope of work, which includes monitoring of the following construction activities:

- Manufacture of materials
- Transporting and off-loading and storage of construction materials
- Inspection of construction activities, including:
 - Reinforced Concrete Structures
 - Building Works

The Contractor will be required to formally request for inspection for any activity which he deems to be complete before proceeding to the next stage of the whole operation. Formal requests must be filled in the relevant **QC** Form.

Contractor Deficiency Correction

When material, performed work or installation is found to be deficient and/or does not meet the project specifications, the Employer's Agent's QA personnel will assure deficiency correction is implemented. In addition to results of an inspection being recorded on the relevant **QC Form**, in the event of inspection failure, the Employer's Agent's QA personnel will fill in **Form QC 008 "Failure Report"**, to record the deficiencies. A copy of this report will be handed over to the Contractor's Site Agent. The Contractor will implement corrective actions to remedy work that is not in accordance with the drawings and specifications. The corrective actions will include removal and replacement of deficient work using methods approved by the ER. Removal must be done in a manner that does not disturb work that meets QC/QA criteria; otherwise, the disturbed material must also be removed and replaced. Replacement must be done in accordance with the corresponding technical specifications. Replacement will be subjected to the same scope of QC/QA inspection and testing as the original work. If the replacement work is not in accordance with the drawings and specifications, the replacement work will be removed, replaced, re inspected and re-tested.

Activities which specifically require approval before the next stage can proceed are as detailed in this section.

3.1 Reinforced Concrete Works

The ER is responsible for ensuring the following quality assurance procedure is followed, **as a minimum**:

1	Inspect & Approve Setting Out (Form QC 001).
2	Inspect & Approve Excavations (Form QC 008).
3	Inspect & Approve Backfilling to Excavations (Form QC 009).
4	Inspect & Approve Excavations prior to Blinding (Form QC 010).
5	Inspect & Approve Cast Concrete (Form QC 016).
6	Inspect & Approve Structure prior to Concreting (Form QC 015).
7	Inspect & Approve Cast Concrete (Form QC 016).

8	Inspect & Approve Backfilling to Excavations (Form QC 009).
---	---

Copies of the Employer's Agent's forms are available for inspection at the offices of The Employer's Agent cc.

3.2 Building Works

The ER is responsible for ensuring the following quality assurance procedure is followed, **as a minimum**:

1	Inspect & Approve Setting Out (Form QC 001).
2	Inspect & Approve Excavations (Form QC 008).
3	Inspect & Approve Backfilling to Excavations (Form QC 009).
4	Inspect & Approve Excavations prior to Blinding (Form QC 010).
5	Inspect & Approve Cast Concrete (Form QC 016).
6	Inspect & Approve Foundations prior to Concreting (Form QC 011).
7	Inspect & Approve Cast Concrete (Form QC 016).
8	Inspect & Approve Sub Structure Brickwork (Form QC 012).
9	Inspect & Approve Foundations prior to Surface Bed Concreting (Form QC 013).
10	Inspect & Approve Cast Concrete (Form QC 016).
11	Inspect & Approve Superstructure Brickwork (Form QC 014).
12	Ensure relevant Certificates are received/issued for the roof structure.

Copies of the Employer's Agent's forms are available for inspection at the offices of the Employer's Agent.

QMS4 DOCUMENTATION

4.1 Overview

An effective CQA Plan depends largely on recognition of all construction activities that should be monitored and on assigning responsibilities for the monitoring of each activity. This is most effectively accomplished and verified by the documentation of quality assurance activities. The ER will document that quality assurance requirements have been addressed and satisfied. The ER will provide the Employer's Agent with signed descriptive remarks, data sheets, and inspection reports to verify that monitoring activities have been carried out. The ER will also maintain, at the job site, a complete file of Drawings and Technical Specifications, a CQA Plan, test procedures, daily diaries, and other pertinent documents.

4.2 Daily Site Diary

A daily construction site diary will be prepared and signed by each Site Agent and the ER. The diary will include a summary of the contractor's daily construction activities. At a minimum, the daily construction diary will include the following information:

- Date, project name, location, and other identification
- Description of weather conditions, including temperature, cloud cover, and rainfall
- Reports on any meetings held and their results
- Record of visitors to site
- Locations of construction underway during that day
- Equipment and personnel working in each activity, including subcontractors
- Descriptions of work being inspected
- Decisions made regarding approval of units of material or of work, and corrective actions to be taken
- Description of problems or delays and resolution
- Communications with contractor staff
- Construction activities completed and/or in progress
- Signature of the diary preparer

The daily site diary will be routed on a daily basis to the project QC/QA files and will be maintained as part of the permanent project record.

4.3 Control of Quality Records

The ER verifies QA record accuracy and maintains copies of all quality-related documentation. This includes, but may not be limited to:

- Daily construction QA records;
- Inspection reports;
- Non-conformance (Failure) reports;
- Material receiving reports; and
- Monitoring and test data.

These records will be stored in files maintained in the project document control files. All original documents pertaining to QC information will be maintained in the project file located at the site. All records shall be available for inspection and audit, at any time, by the Employer's Agent and/or the Employer or their Agents

C1: AGREEMENTS AND CONTRACT DATA

C1.1 Form of Offer and Acceptance

A: Offer

The Employer, identified in the Acceptance signature block, has solicited offers to enter into a Contract for the procurement of:

TENDER No.: 8/2/RNM0350

CONSTRUCTION OF HIBBERDENE'S MARKET STALLS - WARD 13

The Tenderer, identified in the Offer signature block, has examined the documents listed in the Tender Data and addenda thereto as listed in the returnable schedules, and by submitting this offer has accepted the conditions of tender.

By the representative of the tenderer, deemed to be duly authorized, signing this apart of this form of offer and acceptance, the tenderer offers to perform all of the obligations and liabilities of the contractor under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the conditions of contract identified in the contract data.

THE OFFERED TOTAL PRICE INCLUSIVE OF VALUE ADDED TAX (VAT) IS

.....
.....

..... Rand (in words);
R(in figures),

This offer may be accepted by the employer by signing the Acceptance part of this Form of Offer and Acceptance and returning one copy of this document to the tenderer before the end of the period of validity stated in the tender data, whereupon the tenderer becomes the party named as the contractor in the conditions of contract identified in the contract data.

This quote/tender is valid for the period of **120 days**.

These prices quoted are firm and escalation will be stated separately.

**HAS A CERTIFIED COPY OF A TAX CERTIFICATE WITH A PIN NUMBER BEEN ATTACHED?
YES/NO**

I/We certify that the abovementioned information is correct and that we have due knowledge of the requirements of this Bid and have examined the document, Form of Bid, Specifications and requirements. We further agree that this Bid and the acceptance thereof by Council shall constitute a legal binding contract

Dated at _____ on this _____ day of _____

Authorised Signature (Tenderer)

Print Name (Tenderer)

CIDB Registration N°:.....

As Witnesses:

1) _____

2) _____

For the Ray Nkonyeni Municipality:

SM Mbili
Municipal Manager

As Witnesses:

1) _____

2) _____

** The Council reserves the right not to accept the lowest or any tender and also reserves the right to accept part of a tender.*

Carry TOTAL forward to Cover Page for Tender Opening purposes only.

Signed on behalf of the Tenderer: (Signature)

Date:

Tenderer's Name: (Company Name)

B: Acceptance

By signing this part of this form of offer and acceptance, the employer identified below accepts the tenderer's offer. In consideration thereof, the Employer shall pay the Contractor the amount due in accordance with the conditions of contract identified in the contract data. Acceptance of the tenderer's offer shall form an agreement, between the employer and the tenderer upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.

The terms of the contract, are contained in

C1	Agreements and contract data, (which includes this agreement)
C2	Pricing data
F.4 - F.8	Scope of work
F.10	Locality Map
F.11	Drawings

and drawings and documents or parts thereof, which may be incorporated by reference into Parts C1 to Drawings above.

Deviations from and amendments to the documents listed in the tender data and any addenda thereto as listed in the tender schedules as well as any changes to the terms of the offer agreed by the tenderer and the employer during this process of offer and acceptance, are contained in the schedule of deviations attached to and forming part of this agreement. No amendments to or deviations from said documents are valid unless contained in this schedule.

The tenderer shall within two weeks after receiving a completed copy of this agreement, including the schedule of deviations (if any), contact the employer's agent (whose details are given in the contract data) to arrange the delivery of any bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the conditions of contract identified in the contract data. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this agreement.

Notwithstanding anything contained herein, this agreement comes into effect on the date when the tenderer receives one fully completed original copy of this document, including the schedule of deviations (if any). Unless the tenderer (now contractor) within five working days of the date of such receipt notifies the employer in writing of any reason why he cannot accept the contents of this agreement, this agreement shall constitute a binding contract between the parties.

Signature:

Name: (in capitals)

Capacity:

Name of Employer (organisation):

Address:
.....

Witness:

Signature: **Name:**

Date:

C: Schedule of Deviations

Notes:

1. The extent of deviations from the tender documents issued by the employer prior to the tender closing date is limited to those permitted in terms of the conditions of tender.
2. A tenderer's covering letter shall not be included in the final contract document. Should any matter in such letter, which constitutes a deviation as aforesaid, become the subject of agreements reached during the process of offer and acceptance, the outcome of such agreement shall be recorded here.
3. Any other matter arising from the process of offer and acceptance either as a confirmation, clarification or change to the tender documents and which it is agreed by the Parties becomes an obligation of the contract shall also be recorded here.
4. Any change or addition to the tender documents arising from the above agreements and recorded here, shall also be incorporated into the final draft of the Contract.

Subject _____
Details _____

Subject _____
Details _____

Subject _____
Details _____

Subject _____
Details _____

Subject _____
Details _____

By the duly authorised representatives signing this agreement, the employer and the tenderer agree to and accept the foregoing schedule of deviations as the only deviations from and amendments to the documents listed in the tender data and addenda thereto as listed in the tender schedules, as well as any confirmation, clarification or changes to the terms of the offer agreed by the tenderer and the employer during this process of offer and acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the tender documents and the receipt by the tenderer of a completed signed copy of this agreement shall have any meaning or effect in the contract between the parties arising from this Agreement.

FOR THE TENDERER:

Signature:

Name:

Capacity:

Tenderer: **(Name and address of organisation)**

.....

Witness :

Signature:

Name:

Date:

FOR THE EMPLOYER

Signature:

Name:

Capacity:

Employer: **(Name and address of organisation)**

.....

Witness :

Signature:

Name:

Date:

D: Confirmation of Receipt

The Tenderer, (now Contractor), identified in the Offer part of this Agreement hereby confirms receipt from the Employer, identified in the Acceptance part of this Agreement, of one fully completed original copy of this Agreement, including the Schedule of Deviations (if any) today:

The(day) of(month) 20.....(year)
at(place)

For the Contractor:

.....
Signature

.....
Name

.....
Capacity

Signature and Name of Witness:

.....
Signature

.....
Name

C2 PRICING DATA

PD1 PRICING INSTRUCTIONS

- 1 The Conditions of Contract, the Contract Data, the Specifications (including the Project Specifications) and the Drawings shall be read in conjunction with the Bill of Quantities.
- 2 The Bill comprises items covering the Contractor's profit and costs of general liabilities and of the construction of Temporary and Permanent Works.

Although the Tenderer is at liberty to insert a rate of his own choosing for each item in the Bill, he should note the fact that the Contractor is entitled, under various circumstances, to payment for additional work carried out and that the Employer's Agent is obliged to base his assessment of the rates to be paid for such additional work on the rates the Contractor inserted in the Bill. Clause 8 of each Standardized Specification, and the measurement and payment clause of each Particular Specification, read together with the relevant clauses of the Project Specifications, all set out which ancillary or associated activities are included in the rates for the specified operations.

- 3 Descriptions in the Bill of Quantities are abbreviated and may differ from those in the Standardized and Project Specifications. No consideration will be given to any claim by the Contractor submitted on such a basis. The Bill has been drawn up generally in accordance with the latest issue of Civil Employer's Agenting Quantities¹. Should any requirement of the measurement and payment clause of the appropriate Standardized or Project Specification(s) be contrary to the terms of the Bill or, when relevant, to the Civil Employer's Agenting Quantities, the requirement of the appropriate Standardized, Project, or Particular Specification as the case may be, shall prevail.
- 4 Unless stated to the contrary, items are measured net in accordance with the Drawings without any allowance having been made for waste.
- 5 The amounts and rates to be inserted in the Bill of Quantities shall be the full inclusive amounts to the Employer for the work described under the several items. Such amounts shall cover all the costs and expenses that may be required in and for the construction of the work described, and shall cover the costs of all general risks, profits, taxes (but excluding value-added tax), liabilities and obligations set forth or implied in the documents on which the Tender is based.
- 6 The tenderer must complete the schedule of quantities in full. Items against which no price is entered are to be considered as incomplete and invalidate the tender. Items against which **N/A, left blank** or – (dash) is entered are to be considered as incomplete and will also invalidate the tender. Items against which **Nil or zero (0)** is entered are to be considered to be fully priced and the tenderer will provide the items in questions as specified at zero (0) or **Nil** price

Rates are to be inserted in **BLACK ink**. Any amendments must be neatly crossed and initialled. The use of correction ink is **NOT** permitted.

The Tenderer shall also fill in a rate against the items where the words "rate only" appear in the amount column. Although no work is foreseen under these items and no quantities are consequently given in the quantity column, the tendered rates shall apply should work under these items actually be required.

A Tenderer is **NOT PERMITTED** to group a number of items together and tender one sum for such group of items. **IF THIS IS DONE IT WILL RENDER THE TENDER INVALID.**

The tendered rates, prices and sums shall, subject only to the provisions of the Conditions of Contract, remain valid irrespective of any change in the quantities during the execution of the Contract.

The standard system of measurement of civil engineering quantities published by the South African Institution of Civil Engineers.

- 7 The quantities of work as measured and accepted and certified for payment in accordance with the Conditions of Contract, and not the quantities stated in the Bill of Quantities, will be used to determine payments to the Contractor. The validity of the Contract shall in no way be affected by differences between the quantities in the Bill of Quantities and the quantities certified for payment.

Ordering of materials are not to be based on the Bill of Quantities, but only on information issued for construction purposes.

- 8 For the purposes of this Bill of Quantities, the following words shall have the meanings hereby assigned to them:

Unit	:	The unit of measurement for each item of work as defined in the Standardized, Project or Particular Specifications
Quantity	:	The number of units of work for each item
Rate	:	The payment per unit of work at which the Tenderer tenders to do the work
Amount	:	The quantity of an item multiplied by the tendered rate of the (same) item
Sum	:	An amount tendered for an item, the extent of which is described in the Bill of Quantities, the Specifications or elsewhere, but of which the quantity of work is not measured in units

- 9 The units of measurement indicated in the Bill of Quantities are metric units. The following abbreviations may appear in the Bill of Quantities:

mm	=	millimetre
m	=	metre
km	=	kilometre
km-pass	=	kilometre-pass
m ²	=	square metre
m ² -pass	=	square metre-pass
ha	=	hectare
m ³	=	cubic metre
m ³ -km	=	cubic metre-kilometre
kW	=	kilowatt
kN	=	kilonewton
kg	=	kilogram
t	=	ton (1 000 kg)
%	=	per cent
MN	=	meganewton
MN-m	=	meganewton-metre
PC Sum	=	Prime Cost Sum
Prov Sum	=	Provisional Sum

PD2 QUANTITIES REFLECTED IN THE SCHEDULE

The quantities given in the Bill of Quantities are estimates only, and subject to re-measuring during the execution of the work. The Contractor shall obtain the Employer's Agent's detailed instructions for all work before ordering any materials or executing work or making arrangements for it.

The Works as finally completed in accordance with the Contract shall be measured and paid for as specified in the Bill of Quantities and in accordance with the General and Special Conditions of Contract, the Specifications and Project Specifications and the Drawings. Unless otherwise stated, items are measured net in accordance with the Drawings, and no allowance has been made for waste.

The validity of the contract will in no way be affected by differences between the quantities in the Bill of Quantities and the quantities finally certified for payment.

The Employer reserves the right, during the execution of the works, to adjust the stated Provisional Sum amounts upwards or downwards according to the work actually done under the item, or the item may be omitted altogether, without affecting the validity of the Contract.

PD3 MATERIALS AND BRAND NAMES

Items that contain materials or products of special make with names of manufacturers are to be taken as samples of what will be required. Subject to the Employer/Employer's Agent approval, the Contractor may, at his discretion, offer similar products of other make if the equivalent quality of the specified materials is obtained.

In this case, the Contractor shall submit a description and/or drawing showing all technical conditions, characteristics, make, type and address of Manufacturer, etc., of the materials offered as alternatives.

	Brought Forward			R
4	Hard rock	m ³	3	
	<u>Extra over all excavations for carting away</u>			
5	Surplus material from excavations and/or stock piles on site to a dumping site to be located by the Contractor	m ³	64	
	<u>EXCAVATION, FILLING, ETC OTHER THAN BULK</u>			
	<u>Excavation in earth not exceeding 2m deep</u>			
6	Reduce levels under surface bed	m ³	4	
7	Reduced levels under paving	m ³	18	
8	Strip footing between columns	m ³	54	
9	Retaining wall footing	m ³	8	
10	Thickening out under edge of retaining wall footing	m ³	1	
11	Column bases	m ³	171	
12	Thickening out under surface bed	m ³	2	
13	Compacted soil pads (under concrete beam)	m ³	3	
	<u>Extra over excavations in earth for excavation in</u>			
14	Soft rock	m ³	10	
15	Hard rock	m ³	5	
	<u>Compaction of surfaces</u>			
16	Compaction of ground surface under floors, etc. including scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 93% Mod. AASHTO density	m ²	343	
	<u>Extra over all excavations for carting away</u>			
17	Surplus material from excavations and/or stock piles on site to a dumping site to be located by the contractor	m ³	116	
	Carried Forward			R
	Bill No. 3 Earthworks PROPOSED NEW TRADING STALLS HIBBERDENE			

	Brought Forward			R
	<u>Risk of collapse of excavations</u>			
18	Sides of trench and hole excavations not exceeding 1,5m deep	m ²	463	
	<u>Keeping excavations free of water</u>			
19	Keeping excavations free of all water other than subterranean water		Item	
	<u>Earth filling obtained from the excavations and/or prescribed stock piles on site compacted to 93% Mod AASHTO density</u>			
20	Backfilling to trenches, holes, etc	m ³	144	
	<u>Cement stabilized filling</u>			
21	Behind retaining walls	m ³	20	
	<u>Earthfilling (G5) supplied by the contractor compacted to 98% Mod AASHTO density</u>			
22	In compacted soil pads	m ³	58	
23	Under surface beds, etc	m ³	4	
	<u>Earthfilling (G6) supplied by the contractor compacted to 95% Mod AASHTO density</u>			
24	Under pavings, etc	m ³	18	
	<u>Prescribed density tests on filling</u>			
25	"Modified AASHTO Density" test	No	10	
	<u>SOIL POISONING</u>			
	<u>Insecticide (certificate to be issued by contractor)</u>			
26	To surfaces under paving	m ²	120	
27	To surfaces under surface bed	m ²	29	
28	To bottoms and sides of trenches, holes, etc	m ²	625	
	<u>RETAINING WALL STRUCTURE</u>			
	Carried Forward			R
	Bill No. 3 Earthworks PROPOSED NEW TRADING STALLS HIBBERDENE			

Item No		Quantity	Rate	Amount
	<u>BILL NO. 4</u> <u>CONCRETE, FORMWORK AND REINFORCEMENT</u> NOTE: Tenderers are advised to study the Model Preambles for Trades before pricing this Bill NOTE: Unless otherwise stated herein, all items in this Bill shall be deemed to be a fixed price for the duration of this project			
	<u>SUPPLEMENTARY PREAMBLES</u> <u>Cost of tests</u> The costs of making, storing and testing of concrete test cubes as required under Clause 7 "Tests" of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the Structural Engineer. The testing shall be undertaken by an independent firm or institution nominated by the Contractor to the approval of the Structural Engineer. (Test cubes are measured separately) <u>Over excavation</u> Sides of groundbeams, pad foundations and strip footings will not have any formwork. Over excavation must be backfilled with soilcrete, and should a trench, etc . be dug too wide, the Engineer is to decide whether to allow the Contractor to fill the extra width with concrete or to shutter. The cost of the extra excavation, soilcrete, concrete or shuttering is for the Contractor's account			
	Carried Forward		R	
	Bill No. 4 Concrete, formwork and reinforcement PROPOSED NEW TRADING STALLS HIBBERDENE			

Formwork

Descriptions of formwork shall be deemed to include use and waste only (except where described as "left in" or "permanent"), for fitting together in the required forms, wedging, plumbing and fixing to true angles and surfaces as necessary to ensure easy release during stripping and for reconditioning as necessary before re-use

The vertical strutting shall be carried down to such construction as is sufficiently strong to afford the required support without damage and shall remain in position until the newly constructed work is able to support itself

Formwork to soffits of solid slabs etc. shall be deemed to be to slabs not exceeding 250mm thick unless otherwise described

Formwork to sides of bases, pile caps, ground beams, etc. will only be measured where it is prescribed by the Engineer for design reasons. Formwork necessitated by irregularity or collapse of excavated faces will not be measured and the cost thereof shall be deemed to be included in the allowance for taking the risk of collapse of the sides of the excavations, provision for which is made in "Earthworks"

UNREINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES**15MPa/19mm concrete**

1	Blinding layers	m ³	5
---	-----------------	----------------	---

REINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES**30MPa/19mm concrete**

2	Retaining wall footing	m ³	4
---	------------------------	----------------	---

3	150 x 80mm High concrete nib cast on edge of retaining wall footing complete with necessary formwork, etc	m	13
---	---	---	----

REINFORCED CONCRETE

Carried Forward

R

Bill No. 4

Concrete, formwork and reinforcement

**PROPOSED NEW TRADING STALLS
HIBBERDENE**

	Brought Forward			R	
	<u>30MPa/19mm concrete</u>				
4	Strip footing for walls between columns	m ³	7		
5	Surface beds	m ³	5		
6	Column bases	m ³	18		
7	Columns in foundations	m ³	4		
8	Beams	m ³	10		
9	Slabs	m ³	23		
	<u>TEST BLOCKS</u>				
10	Making and testing 150 x 150 x 150mm concrete strength test cubes	No	12		
	<u>CONCRETE SUNDRIES</u>				
	<u>Finishing top surfaces of concrete smooth with a power float</u>				
11	Surface beds, slabs, post tension slabs, etc	m ²	184		
	<u>SMOOTH FORMWORK</u>				
	<u>Smooth formwork to sides</u>				
12	Square columns in foundations not exceeding 1,5m high	m ²	18		
13	Square columns in foundations exceeding 1,5m and not exceeding 3,5m high	m ²	49		
14	Edges, risers, ends and reveals not exceeding 300mm high or wide	m	268		
	<u>Smooth formwork to sides and soffits</u>				
15	Beams propped up exceeding 1,5m and not exceeding 3,5m high	m ²	136		
	<u>Smooth formwork to soffits</u>				
16	Slabs propped up exceeding 1,5m and not exceeding 3,5m high	m ²	93		
	Carried Forward			R	
	Bill No. 4 Concrete, formwork and reinforcement PROPOSED NEW TRADING STALLS HIBBERDENE				

Item No		Quantity	Rate	Amount
	<u>BILL NO. 5</u> <u>PRECAST CONCRETE</u> NOTE: Tenderers are advised to study the Model Preambles for Trades before pricing this Bill NOTE: Unless otherwise stated herein, all items in this Bill shall be deemed to be a fixed price for the duration of this project			
	<u>SUPPLEMENTARY PREAMBLES</u> <u>General</u> Where kerbstones, blocks, etc. are laid in ground descriptions shall be deemed to include necessary excavation, filling in and ramming.			
	<u>PRECAST CONCRETE</u> <u>Paving of "Corobrik Flagstone Natural Grey" 440 x 440 x 40mm thick paver (colour: charcoal) with open joints on 20mm thick river sand bed with sand and cement mixture swept into joints</u>			
1	Paving in stack bond pattern	m ²	120	
	<u>Precast concrete kerbing</u>			
2	150mm Wide x 300mm high concrete road kerb including all necessary cutting, excavations, backfilling and ramming, 25MPa/19mm unreinforced concrete haunching behind joints, with joints between blocks bedded and pointed in cement mortar	m	15	
	<u>Precast concrete slab</u>			
3	Polished precast concrete slab overall size 1030 x 1410 x 100mm thick complete with Mesh ref 245 reinforcement (40mm from top) and chamfered edges fixed on top of U-shaped brick walls (U-shaped brick walls elsewhere measured)	No	32	
	Carried Forward		R	
	Bill No. 5 Precast concrete PROPOSED NEW TRADING STALLS HIBBERDENE			

Item No		Quantity	Rate	Amount
	<u>BILL NO. 6</u> <u>MASONRY</u> NOTE: Tenderers are advised to study the Model Preambles for Trades before pricing this Bill NOTE: Unless otherwise stated herein, all items in this Bill shall be deemed to be a fixed price for the duration of this project			
	<u>SUPPLEMENTARY PREAMBLES</u> <u>BRICKWORK</u> <u>Sizes in descriptions</u> Where sizes in descriptions are given in brick units, "one-brick" shall represent the length and "half-brick" the width of a brick <u>Face bricks</u> Bricks shall be ordered timeously to obtain uniformity in size and colour <u>Pointing</u> Descriptions of recessed pointing to fair face brickwork and face brickwork shall be deemed to include square recessed, hollow recessed, weathered pointing, etc. <u>Samples</u> Samples of all masonry building units, except those for walls described as "load bearing", shall consist of a minimum of 6 units. Samples of building units to be used in walls described as "load bearing" shall consist of 30 units from every 30 000 units delivered to site.			
	<u>FOUNDATIONS</u>			
	Carried Forward		R	
	Bill No. 6 Masonry PROPOSED NEW TRADING STALLS HIBBERDENE			

	Brought Forward			R
	<u>Brickwork of NFP bricks in class II mortar</u>			
1	One brick wall	m ²	33	
	<u>SUPERSTRUCTURE</u>			
	<u>Brickwork of NFP bricks in class II mortar</u>			
2	Half brick wall	m ²	47	
3	One brick wall	m ²	104	
	<u>Brick reinforcement</u>			
4	Brick reinforcement 75mm wide built into brick walls with sufficient laps at end joints, angles and intersections (measured net)	m	479	
5	Brick reinforcement 150mm wide built into brick walls with sufficient laps at end joints, angles and intersections (measured net)	m	844	
	<u>BRICKWORK SUNDRIES</u>			
	<u>Galvanised hoop iron cramps, ties, etc</u>			
6	Hoop iron ties 1.2 x 35 x 530mm long with one end shot pinned to concrete and other end built into brickwork	No	112	
	<u>FACED BRICKWORK</u>			
	<u>External face bricks "Corobrik Firelight Travetine FBX" pointed with square recessed horizontal and vertical joints</u>			
7	Extra over ordinary brickwork for facing and pointing in stretcher bond	m ²	228	
8	Extra over face brickwork for face brick-on-edge coping on top of one brick wall	m	73	
	Carried to Final Summary			R
	Bill No. 6			
	Masonry			
	PROPOSED NEW TRADING STALLS			
	HIBBERDENE			

Item No		Quantity	Rate	Amount
	<u>BILL NO. 7</u>			
	<u>WATERPROOFING</u>			
	NOTE: Tenderers are advised to study the Model Preambles for Trades before pricing this Bill			
	NOTE: Unless otherwise stated herein, all items in this Bill shall be deemed to be a fixed price for the duration of this project			
	<u>DAMPPROOFING OF WALLS AND FLOORS</u>			
	<u>One layer of 375 micron "Consol Plastics Brikgrip DPC" embossed damp proof course</u>			
1	In walls	m ²	10	
	<u>One layer of 250 micron USB green waterproof sheeting sealed at laps and ends with pressure sensitive tape</u>			
2	Under surface beds, ramps, steps, etc	m ²	29	
	Carried to Final Summary			R
	Bill No. 7 Waterproofing PROPOSED NEW TRADING STALLS HIBBERDENE			

Item No		Quantity	Rate	Amount
	<u>BILL NO. 9</u> <u>STRUCTURAL STEELWORK</u> NOTE: Tenderers are advised to study the Model Preambles for Trades before pricing this Bill NOTE: Unless otherwise stated herein, all items in this Bill shall be deemed to be a fixed price for the duration of this project			
	<u>SUPPLEMENTARY PREAMBLES</u> All dimensions and levels to be checked on site prior to construction. Any discrepancies to be reported to the engineer Fabrication and erection of steelwork to be in accordance with national building regulations and SANS1200: Part 2, Section H-1990 A complete set of shop drawings shall be submitted to the engineer for approval before fabrication commences. These drawings will be scrutinised to ensure adequate end connections and member sizes only. Dimensional accuracy is the sole responsibility of the contractor All cold formed hollow sections and hot rolled structural steelwork to be grade '350W' unless otherwise noted If splices in steel members are required for transport or manufacture, proposals for this must be submitted to the engineer for approval Base plates shall be grouted with a minimum 25mm thick cementitious non-shrink grout (40MPa) All welding to be minimum 6mm continuous fillet welds unless otherwise noted All bolts shall be grade 8.8 and hot dip galvanised Unless otherwise noted, and a minimum of 2 bolts per connection All structural steel work to be hot dipped galvanised as per ISO 1461:2009			
	Carried Forward		R	
	Bill No. 9 Structural Steel PROPOSED NEW TRADING STALLS HIBBERDENE			

Brought Forward			R
Corrosion protection for all structural steel members should be applied in strict accordance to manufacturer's specifications			
Bolts, nuts and washers are deemed to be included in descriptions			
Descriptions of L-shaped and U-shaped anchor bolts shall be deemed to include bending, threading, nuts and washers and embedding in concrete			
Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete			
<u>THE FOLLOWING IN GALVANISED STRUCTURAL STEEL ROOF STRUCTURE</u>			
1	10mm Thick baseplates	t	0.14
2	25mm Thick 40MPa non shrink grout under baseplates	m ²	2
3	M20 HIT-RE 500 Holding down bolts with HIT-V injection mortar	No	80
4	127 x 4.5mm Circular hollow section columns (13.596kg/m)	t	0.59
5	127 x 4.5mm Circular hollow section stub columns (13.596kg/m)	t	0.23
6	127 x 4.5mm Circular hollow section rafter rolled to 6m radius (13.596kg/m)	t	1.17
7	Splayed cut to rafter ends	No	40
8	127 x 4.5mm Circular hollow section bracing (13.596kg/m)	t	0.64
9	76.2 x 2.5mm Circular hollow section purlins (4.544kg/m)	t	1.46
10	76.2 x 2.5mm Circular hollow section bracing (4.544kg/m)	t	0.20
11	16mm Diameter hanger rods (1.58kg/m)	t	0.20
12	Connection plates	t	0.51
13	Galvanised grade 8.8 bolts	t	0.07
Carried to Final Summary			R
Bill No. 9 Structural Steel PROPOSED NEW TRADING STALLS HIBBERDENE			

Item No		Quantity	Rate	Amount
	<u>BILL NO. 10</u>			
	<u>METALWORK</u>			
	NOTE: Tenderers are advised to study the Model Preambles for Trades before pricing this Bill			
	NOTE: Unless otherwise stated herein, all items in this Bill shall be deemed to be a fixed price for the duration of this project			
	<u>GALVANIZED STEEL HANDRAILS, BALUSTRADES, ETC</u>			
	<u>Welded grab rails fixed on top of one brick wall</u>			
1	42.86mm External diameter 2.5mm thick continuous pipe rails	m	73	
2	Extra over for closing ends	No	12	
3	Extra over for L-intersection	No	5	
	<u>ALUMINIUM DOORS</u>			
	<u>Purpose made powder coated aluminium lockable louvre door (colour: Charcoal Grey)</u>			
4	Aluminium double louvre door to fit opening in one brick wall overall size 870mm wide x 690mm high in two equal panes consisting of 76 x 20mm aluminium outer frame, 45 x 45mm aluminium inner frame with 45 x 60mm kickplate, with 30 x 30mm Y-louvre system inserts, complete with two sets of "Dorma" aluminium heavy duty hinges and "Dorma" aluminium pull ring with 25mm backset "Cisa" roller latch lock	No	32	
	Carried to Final Summary			
	Bill No. 10 Metalwork PROPOSED NEW TRADING STALLS HIBBERDENE			
			R	

Item No		Quantity	Rate	Amount
	<u>BILL NO. 12</u> <u>PLUMBING AND DRAINAGE (PROVISIONAL)</u> Note: Tenderers are advised to study the Model Preambles for Trades before pricing this Bill Note: Unless otherwise stated herein, all items in this Bill shall be deemed to be a fixed price for the duration of this project			
	<u>SUPPLEMENTARY PREAMBLES</u> EXPOSED CONCRETE SURFACES Exposed surfaces of concrete stormwater channels, cover slabs, inspection eye marker slabs, gulley tops, cleaning eye tops, catchpits, inspection chambers, etc shall be finished smooth with plaster EXCAVATIONS No claim for rock excavation will be entertained unless the contractor has timeously notified the quantity surveyor thereof prior to backfilling "Soft rock" and "hard rock" shall be as defined in "Earthworks" LAYING, BACKFILLING, BEDDING, ETC OF PIPES Pipes shall be laid and bedded and trenches shall be carefully backfilled in accordance with manufacturers' instructions PIPE TRENCH FILLING All pipe trenches shall be filled with a 100mm thick bedding cradle of selected granular material complying to 301 and compacted to 90% Mod AASHTO density, 20-50mm thick loose sandy material, 300mm thick selected granular material complying to 3.2 and compacted to 90% Mod AASHT density with the balance of the trench filled material from the excavations compacted to 93% Mod AASHTO density EXPOSED CONCRETE SURFACES Exposed surfaces of concrete stormwater channels, cover slabs, inspection eye marker slabs, gulley tops, cleaning eye tops, catchpits, inspection chambers, etc shall be finished smooth with plaster			
	Carried Forward		R	
	Bill No. 12 Plumbing and drainage PROPOSED NEW TRADING STALLS HIBBERDENE			

	Brought Forward			R
	Where no manufacturers' instructions exist pipes shall be laid in accordance with clauses 5.1 and 5.2 of each of the following: SABS 1200 L : Medium-pressure pipelines LD : Sewers LE : Stormwater drainage Pipe trenches etc shall be backfilled in accordance with clauses 3, 5.5, 5.6, 5.7 and 7 of SABS 1200 DB : Earthworks (Pipe trenches) Pipes shall be bedded in accordance with clauses 3.1 to 3.4.1, 5.1 to 5.3 and 7 of SABS 1200 LB : Bedding (Pipes). Unless otherwise described bedding of rigid pipes shall be class B bedding			
	<u>SEWER DRAINAGE</u>			
	<u>Marley heavy duty Class 34 solid wall uPVC pipes</u>			
1	160mm Pipes laid in and including trenches not exceeding 1m deep including backfilling	m	30	
2	160mm Pipes laid in and including trenches exceeding 1m and not exceeding 2m deep including backfilling	m	16	
	<u>Extra over uPVC pipes for fittings</u>			
3	160mm Bend	No	2	
4	160mm Junction	No	2	
5	160mm ABC cleaning eye	No	2	
	<u>Testing</u>			
6	Testing drainage pipe system		Item	
	<u>THE FOLLOWING IN PRE-FABRICATED MANHOLES</u>			
	<u>Excavate in earth for and including circular type precast concrete manhole formed of 150mm thick 25MPa/19mm mass concrete bottom with manhole shaft formed of 1,25m diameter (internal) precast concrete rings with joints sealed with Expandite Butyl 300 with root inhibitor with and including precast concrete cover slab 150mm thick in midblocks and precast concrete spacer slab with opening for and including heavy duty concrete manhole cover lockable lid set in cement mortar and sealed in tallow and with fine mass concrete 25 Mpa/19mm benching in bottom floated smooth with falls to and including channels, bends, junctions, etc and finished on all exposed surfaces with 25mm thick granolithic with angles rounded, etc.</u>			
7	Manhole not exceeding 1,00m deep	No	2	
	Carried Forward			R
Bill No. 12 Plumbing and drainage PROPOSED NEW TRADING STALLS HIBBERDENE				

Bill No	FINAL SUMMARY	Page No	Amount
1	Preliminaries	1	
2	Alterations	2	
3	Earthworks	6	
4	Concrete, formwork and reinforcement	10	
5	Precast concrete	12	
6	Masonry	14	
7	Waterproofing	15	
8	Roof Coverings	16	
9	Structural Steel	18	
10	Metalwork	19	
11	Plastering	20	
12	Plumbing and drainage	23	
13	Paintwork	24	
14	Budgetary Allowances	25	
	SUB-TOTAL		R
	Contingencies	Item	250,000.00
	Budgetary allowance of R42 000.00 (Forty two thousand rand) for the appointment of a Community Liaison Officer (CLO) to be deducted in part or in whole if not required	Item	42,000.00
	SUB-TOTAL		R
	ADD: VALUE ADDED TAX (VAT) @ 15 %		R
	Carried to Form of Tender		R
	PROPOSED NEW TRADING STALLS HIBBERDENE		

STANDARD FORMS

THIS BID IS SUBJECT TO THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT THIS BID WILL BE EVALUATED AND ADJUDICATED ACCORDING TO THE FOLLOWING CRITERIA:

Relevant specifications
Value for money
Capability to execute the contract
PPPFA & associated regulations

NB: NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE

ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS

NB!!!! Please attach copies of the following documents. Failure to provide the following duly completed and up to date documents and certified where applicable will lead to automatic disqualification.

1. Returnable Schedules required for the tender evaluation process

- | | |
|---|----------------------|
| A. : Tax Pin Number issued by the South African Revenue Services. | <input type="text"/> |
| B. : Company registration documents | <input type="text"/> |
| C. : CSD Registration | <input type="text"/> |
| D. : CIDB registration certificate | <input type="text"/> |
| E. : B-BBBE Status Verification Certificate / Sworn Affidavit | <input type="text"/> |
| F. : JV Agreement | <input type="text"/> |

2. Other documents required only for tender evaluation purposes

- | | |
|---|----------------------|
| G. : Form of intent to provide a performance guarantee | <input type="text"/> |
| H. : Certificate of Attendance at a Tender site meeting | <input type="text"/> |
| I. : Record of Addenda to Tender Documents | <input type="text"/> |
| J. : Certificate of Authority for Joint Ventures / Close Corporation/ Partnership/ Company/ Sole Proprietor (Certified copies of Identity Documents in the case of Sole Proprietor) | <input type="text"/> |
| K. : Registration Certificates of entities – Joint Ventures / Close Corporation/ Partnership/ Company/ Sole proprietor | <input type="text"/> |
| L. : Compulsory Enterprise Questionnaire | <input type="text"/> |
| M. : Schedule of the Tenderer's Experience | <input type="text"/> |
| N. : Format of Curriculum Vitae | <input type="text"/> |
| O. : Proposed Amendments, Qualifications and Alternatives | <input type="text"/> |
| P. : Schedule of Subcontractors | <input type="text"/> |
| Q. : Schedule of Plant and Equipment | <input type="text"/> |
| R. : Copy of the Workmen's Compensation Registration Certificate (or proof of payment of contributions in terms of the Compensation for Occupational Injuries and Diseases Act No. 130 of 1993) | <input type="text"/> |

3. Other documents that will be incorporated into the contract

- | | |
|---|----------------------|
| S. : Execution Programme | <input type="text"/> |
| T. : Contractors's Health and Safety Declaration | <input type="text"/> |
| U. : Contractor's Safety Plan | <input type="text"/> |
| V. : Proforma Notification form in terms of the Occupational Health and Safety Act 1993, Construction Regulations, 2003 | <input type="text"/> |

BIDDERS DETAILS

RNM / MBD 1

RAY NKONYENI MUNICIPALITY STANDARD FORM FOR BIDS				
YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE RAY NKONYENI MUNICIPALITY				
BID NUMBER:	8/2/RNM0350	CLOSING DATE:	9 MARCH 2022	CLOSING TIME: 12H00
DESCRIPTION	CONSTRUCTION OF HIBBERDENE'S MARKET STALLS - WARD 13			
THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (MBD7).				
BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT 10 Connor Street, Port Shepstone, 4240				
SUPPLIER INFORMATION				
NAME OF BIDDER				
POSTAL ADDRESS				
STREET ADDRESS				
TELEPHONE NUMBER	CODE		NUMBER	
CELLPHONE NUMBER				
FACSIMILE NUMBER	CODE		NUMBER	
E-MAIL ADDRESS				
VAT REGISTRATION NUMBER				
TAX COMPLIANCE STATUS	TCS PIN:		OR CSD No:	
B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE [TICK APPLICABLE BOX]	☐ Yes ☐ No		B-BBEE STATUS LEVEL SWORN AFFIDAVIT ☐ Yes ☐ No	
[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/ SWORN AFFIDAVIT (FOR EMES & QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]				
ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	☐ Yes ☐ No [IF YES ENCLOSE PROOF]		ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?	☐ Yes ☐ No [IF YES, ANSWER PART B:3]
TOTAL NUMBER OF ITEMS OFFERED			TOTAL BID PRICE	R
SIGNATURE OF BIDDER			DATE	
CAPACITY UNDER WHICH THIS BID IS SIGNED				

BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO:		TECHNICAL INFORMATION MAY BE DIRECTED TO:	
DEPARTMENT	SUPPLYCHAIN MANAGEMENT	DEPARTMENT	TECHNICAL SERVICES
CONTACT PERSON	MR BONGANI MFENQA	CONTACT PERSON	AMANDA GOQO
TELEPHONE NUMBER	039 312 8304	TELEPHONE NUMBER	039 688 2155
E-MAIL ADDRESS	Bongani.mfenga@rnm.gov.za	E-MAIL ADDRESS	Amanda.goqo@rnm.gov.za

PART B TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. **ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED-(NOT TO BE RE-TYPED) OR ONLINE**
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
- 1.4. THE BID OFFER MUST BE SIGNED BY A PERSON AUTHORIZED TO SIGN ON BEHALF OF THE BIDDER;
- 1.5. A BIDDER WHO SUBMITTED A BID AS A JOINT VENTURE HAS INCLUDED AN ACCEPTABLE JOINT VENTURE AGREEMENT WITH HIS/HER BID;
- 1.6. ONLY A CONSOLIDATED B-BBEE CERTIFICATE, ISSUED BY A SANAS APPROVED VERIFICATION AGENCY, WILL BE ACCEPTABLE FOR THE CLAIMING OF PREFERENCE POINTS WHERE BIDDERS SUBMITTED THEIR BID AS A JOINT VENTURE / CONSORTIUM;
- 1.7. A BIDDER WHO IS A JOINT VENTURE HAS INCLUDED MBD 4, 8 & 9 FOR EACH ENTITY IN THE JOINT VENTURE / CONSORTIUM WITH HIS/HER BID
- 1.8. THE BIDDER OR A COMPETENT AUTHORISED REPRESENTATIVE OF THE CONTRACTOR WHO SUBMITTED THE BID HAS ATTENDED THE COMPULSORY CLARIFICATION MEETING OR SITE INSPECTION;

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VIEW THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR THE TAX COMPLIANCE STATUS (TCS) CERTIFICATE OR PIN MAY ALSO BE MADE VIA E-FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE WWW.SARS.GOV.ZA.
- 2.4 FOREIGN SUPPLIERS MUST COMPLETE THE PRE-AWARD QUESTIONNAIRE IN PART B:3.
- 2.5 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.6 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.7 WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.

3. QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS

- 3.1. IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?
☐ YES ☐ NO
- 3.2. DOES THE ENTITY HAVE A BRANCH IN THE RSA?
☐ YES ☐ NO
- 3.3. DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA?
☐ YES ☐ NO

3.4. DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA?

☐ YES ☐ NO

3.5. IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?

☐ YES ☐ NO

IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 ABOVE.

NB: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID. NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE.

SIGNATURE OF BIDDER:

.....

CAPACITY UNDER WHICH THIS BID IS SIGNED:

.....

DATE:

.....

F.9 EVALUATION OF TENDER OFFERS

F.9.1 The procedure for evaluation of responsive Tender Offers will be **Method 4: (Financial Offer, preferences and quality (functionality))** with the 80/20 Preference Point System. Score quality, rejecting all Tender Offers that fail to score the minimum number of points for quality stated in the Tender Data. The total score awarded will be the addition of the two scores for price and preference.

Method 4: Financial Offer, Quality and Preferences

(a) Quality

The score for quality is to be calculated using the following formula:

$$W_Q = W_2 \times S_0 / M_S$$

where:

W_2 is the percentage score given to quality and equals

S_0 is the score for quality allocated to the submission under consideration

M_S is the maximum possible score for quality in respect to the submission

The quality will comprise scores for the following based on criteria indicated in the respective tender returnable:

- I. A maximum of **30 points** will be awarded for demonstrated experience of the proposed company.
- II. A maximum of **20 points** will be awarded for qualifications and demonstrated experience of the proposed Site Agent.
- III. A maximum of **20 points** will be awarded for qualifications and demonstrated experience of the proposed Site Foreman.
- IV. A maximum of **20 points** will be awarded for demonstrated experience with respect to undertaking construction of structural steel and reinforced concrete structures.

Score quality, rejecting all tender offers that fail to score the minimum number of **60%** of points for quality stated in the tender data. Point system for functionality will be as per the table below:

Key aspect of criterion	Evaluation criterion	Points	Verification method
The company has successfully completed other projects of similar nature in past five years.	5 or more Projects in Structural Steel and or General building works.	30	Attached Appointment letters and Completion Certificates for the same projects.
	4 - 3 Projects in Structural Steel and or General building works.	20	Attached Appointment letters and Completion Certificates for the same projects
	2 - 1 Projects in Structural Steel and or General building works.	10	Attached Appointment letters and Completion Certificates for the same projects.
Site Agent personnel with at least a minimum qualification of a National Diploma (NQF6) or equivalent built environment foreign Qualifications to be accompanied by verification from SAQA.	NQF level 6 or Higher with 7 years or more experience in construction of similar Projects.	20	Attached CV With Certified Copy of Qualification with traceable reference.
	NQF level 6 or Higher with 6-5 years experience in construction of similar Projects.	10	Attached CV With Certified Copy of Qualification with traceable reference.
	NQF level 6 or Higher with 4 -1 year experience in construction of similar Projects.	5	Attached CV With Certified Copy of Qualification with traceable reference.
Site Foreman personnel with at least a minimum experience in Building related Projects	7 years or More experience in construction of similar projects.	20	Attached CV With Certified traceable References.
	6 -4 years experience in construction of similar projects.	10	Attached CV With Certified traceable References
	3-1 year experience in construction of similar projects.	5	Attached CV With Certified traceable References
Project Method Statement: It must include the following sub- headings: -Project initiation -Status Quo/ informants report -Concept viability -Construction time frames -Cash Flow Projections -Health and Safety	Method statement met all the requirements.	20	Project Plan and Project Profile, brief submission.
	Acceptable method statement. Only provided limited information.	10	Project Plan and Project Profile, brief submission.
	No Submission.	0	Project Plan and Project Profile, brief submission.

(b) Financial Offer

The financial offer will be scored using the following formula

$$Nf = W1 \times [1 - (P - P_m) / P_m]$$

where:

- W1 = **80** for financial values up to R 50,000,000.00 (inclusive of VAT) of all responsive tenders received, and **90** for financial values over R 50,000,000.00;
- P_m = the value of the comparative offer of the most favourable tender;
- P = the value of the comparative offer under consideration

The Ray Nkonyeni Municipality subscribes to the Preferential Procurement Policy Framework Act 2000 (Act No 5 of 2000), which gives preference to bids from emerging contractors or joint venture with emerging contractors.

In the application of the 90/10 preference point system, if all bids received are below R 50,000,000.00, the bid must be cancelled. If one or more of the acceptable bid(s) received are above the R 50,000,000.00 threshold, all bids received must be evaluated on the 90/10 preference point system.

(c) Preferences

Up to **20** points (for financial values up to R 50,000,000.00) or **10** points (for financial values over R 50,000,000.00) will be awarded to tenderers who complete the preferencing schedule and who are found to be eligible for the preference claimed.

(d) Preferences

The Ray Nkonyeni Municipality subscribes to the Preferential Procurement Policy Framework Act 2000 (Act No 5 of 2000), which gives preference to bids from emerging contractors or joint venture with emerging contractors.

Scoring of points for B-BBEE status level Contributor

Points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below.

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

F.9.2 Acceptance of Tender Offer

- F9.2.1** Tender Offers will only be accepted on condition that:
- (a) The tender offer is signed by a person authorized to sign on behalf of the Tenderer;
 - (b) A valid Certified copy of a tax certificate with a pin number, or a photocopy of the original certificate, certified by a commissioner of oaths, is included with his tender;
 - (c) Tenderer's declaration of compliance with the Occupational Health and Safety Act No. 85 of 1993 and the Construction Regulations 2014 as well as the Tenderer's health and safety plan, is included with his tender submission;
 - (d) A Tenderer who submitted a tender as a Joint Venture has included an acceptable Joint Venture Agreement with his tender;
 - (e) The Tenderer or a competent authorized representative of the Contractor who submitted the tender has attended the compulsory clarification meeting or site inspection;
 - (f) The Contractor who submits the tender has been registered with the Construction Industry Development Board in accordance with the Construction Industry Development Board Act No. 38 of 2000 and the Regulations 2003 promulgated in terms of the Act in a appropriate contract grading designation;

F9.3 Copies of Contract

The number of paper copies of the signed contract to be provided by Ray Nkonyeni Municipality is **ONE**.

C3.2: CONTRACT DATA
C3.2.1: CONDITIONS OF CONTRACT

TABLE OF CONTENTS	PAGE NO.
C3.2.1.1 GENERAL CONDITIONS OF CONTRACT	C8
C3.2.1.2 SPECIAL CONDITIONS OF CONTRACT	C8
C3.2.1.2.1 GENERAL	C8
C3.2.1.2.2 AMENDMENTS TO THE GCC 2010	C8

C3.2.1 CONDITIONS OF CONTRACT

C3.2.1.1 GENERAL CONDITIONS OF CONTRACT

This Contract will be based on the “General Conditions of Contract for Construction Works, Second Edition, 2015”, issued by the South African Institution of Civil Engineer’s Agenting (abbreviated title: “GCC 2015”).

It is agreed that the only variations from the GCC 2015 are those set out hereafter under “C3.2.1.2 SPECIAL CONDITIONS OF CONTRACT”.

C3.2.1.2 SPECIAL CONDITIONS OF CONTRACT

C3.2.1.2.1 GENERAL

These Special Conditions of Contract (SCC) form an integral part of the Contract. The Special Conditions of Contract shall amplify, modify or supersede, as the case may be, the General Conditions of Contract 2010 to the extent specified below, and shall take precedence and shall govern.

The clauses of the Special Conditions hereafter are numbered "SCC" followed in each case by the number of the applicable clause or subclause in the General Conditions of Contract 2015, and the applicable heading, or (where a new special condition that has no relation to the existing clauses is introduced) by a number that follows after the last clause number in the General Conditions, and an appropriate heading.

C3.2.1.2.2 AMENDMENTS TO THE GENERAL CONDITIONS OF CONTRACT

The following are variations to the General Conditions of Contract for Construction Works, Second Edition(2015)

Ref. Clause

SCC1.	Definitions, Interpretations and General Provisions
SCC1.1.1.1	Re-word the sub-clause as follows: “Agreed” means agreed by the Employer, or the Employer’s Agent acting on behalf of the Employer and the Contractor.
SCC1.2	Delivery of Notices Add the following to the sub-clause:
SCC1.2.3	Sent by facsimile or e-mail or any like communication
SCC1.2.4	Posted to the addressee and delivered by the Postal Authorities
SCC1.2.5	Delivered by a courier

Ref. Clause

SCC4.6	Copyright Delete the second paragraph in its entirety.(4.6.2)
SCC4.7	Fossils, etc Add the words “or traditional importance (such as burial sites)” between the words “interest” and

“discovered” in the second line

SCC7.6.3. Removal of Improper Work and Materials

Add new sub-clause 7.6.3.3

Where the Employer’s Agent considers that either or both sub-clauses above apply to an event of a serious nature, he shall have the right to involve the Employer in the matter, In which case he will arrange a joint meeting between the Employer, the Employer’s Agent and the Contractor before giving any instructions to the Contractor”

SCC4.4 Subcontracting

Add new sub-clause 4.4.7

The Contractor shall be required to subcontract at least **10%** of the of Works, in rand value of the Project, to local subcontractors from **Ray Nkonyeni Municipality** Jurisdiction. Failure to find suitable subcontractors in this region will lead to recruiting from the required subcontractors from the Ugu District Jurisdiction. Further be advised that the applicable labour rate for local labour are as follows

	Rate/Hour	Rate/ Day
UNSKILLED WORKER	24.50	196.00
SKILLED WORKER	32.81	262.48
CLO	33.80	270.04

Add new sub-clause 4.4.9

The Contractor shall enforce clause 4.4.8 on all his subcontractors and be liable for compliance.

Add new sub-clause 4.4.10

Notwithstanding Clause 4.4.7, the Contractor shall request a list of subcontractors from the Ray Nkonyeni Municipality and Ugu District Municipality Data Base for selection and identifying suitable subcontractors. All subcontractors including the local unregistered subcontractors should be assessed by the Contractor for suitability for the Works, as the Contractor shall remain liable for the same.

Add new sub-clause 4.4.11

Facilitation of all the above clauses must be done in liason with the Employer’s Agent and relevent Social Facilitation Structures put in place.

C3.2.1.2.2 AMENDMENTS TO THE GCC 2015

SCC 6.8.2 Application of Contract Price Adjustment Factor

Add the following to the end of subclause 6.8.2:

“Referring to the “CONTRACT PRICE ADJUSTMENT SCHEDULE” on page 93 of the GCC 2015, delete the four consecutive paragraphs describing the symbols “L”, “P”, “M” and “F” respectively, and replace them with the following:

“L” is the “Labour Index” and shall be the Consumer Price Index for the province and applicable area as stated in the Contract Data as published in Table 14 of the “Additional tables” of the Statistical release P0141 of Statistics South Africa.

“P” is the “Plant Index” and shall be the Producer Price Index for “Civil Employer’s Agenting plant” as published in Table 4 of the Statistical release P0151 of Statistics South Africa.

“M” is the “Materials Index” and shall be the Producer Price Index for the “Building and construction - Civil Employer’s Agenting” industry as published in Table 3 of the Statistical release P0151 of Statistics South Africa.

“F” is the “Fuel Index” and shall be the Producer Price Index for “Diesel fuel - Coast and Witwatersrand” as published in Table 4 of the Statistical release P0151 of Statistics South Africa.”

C4.2.2: CONTRACT DATA (Applicable to this contract)

PART A: DATA PROVIDED BY THE EMPLOYER

The following contract specific data are applicable to this contract.

REFERENCE	CONTRACT SPECIFIC DATA PROVIDED BY THE EMPLOYER
1.	GENERAL
Clause 1.1.1.13:	The Defects Liability Period is 12 months .
Clause 1.1.1.14:	The time for Completing the Contract is <u>may not exceed 16 weeks</u> from the Commencement Date or 30 June, whichever is earlier, including non-working days and special non-working days.
Clause 1.1.1.26:	Pricing Strategy: The Contract is to be a Re-measurement Contract.
Clause 1.1.1.15:	Name of Employer: Ray Nkonyeni Municipality
Clause 1.1.1.16:	Name of Employer’s Agent: NAKO ILISO
Clause 1.2.1.2:	Address of Employer’s Agent: Physical ILISO Building Derby Downs Office Park 11 Derby Place Westville 3630 Email clintk@iliso.com Telephone: 031 266 2600 Fax No.: 031 266 2616
3.	EMPLOYER’S AGENT
Clause 3.1.3:	The Employer’s Agent is required to obtain the specific approval of the Employer for any expenditure in excess of the Contract Price.

REFERENCE	CONTRACT SPECIFIC DATA PROVIDED BY THE EMPLOYER
5. Clause 5.3.1: Clause 5.3.2: Clause 5.8.1 Clause 5.13.1: Clause 5.16.3:	TIME AND RELATED MATTERS The Contractor shall commence executing the Works within 28 days of the Commencement Date. The documents required before commencement with Works execution are: • Health and Safety Plan (Refer to Clause 4.3) • Initial Programme (Refer to Clause 5.6) • Security (Refer to Clause 6.2) • Insurance (Refer to Clause 8.6) • Form C1.4 'Agreement in terms of Section 37(2) of the Occupational Health and Safety Act No. 85 of 1993' to be signed by the Contractor and the Employer (refer to Clause 4.3 of the GCC 2015 and to paragraph E9. CONTRACTOR'S RESPONSIBILITIES in Part E of C3.3 Particular Specifications in the project specifications) • Cash Flow in correlation with programme • Environmental Management Plan • Proof of current vendor license with RAY NKONYENI Municipality The abovementioned documentation required before commencement with Works execution is to be submitted within 14 days of the Commencement Date. The non-working days are Sundays. The special non-working days are the construction industry year end break and the following statutory public holidays as declared by National Government: New Year's Day, Human Rights Day, Good Friday, Family Day, Freedom Day, Workers' Day, Youth Day, National Women's Day, Heritage Day, Day of Reconciliation, Christmas Day and the Day of Goodwill. The construction industry year end break commences on the first working day after 11 December and ends on the first working day after 2 January of the following year. The penalty for failing to complete the Works is 0,05% of the total Tender Sum per day, up to a maximum limit of twenty-five thousand rand per day (R25000,00 per day). The latent defects period is 10 years.

REFERENCE	CONTRACT SPECIFIC DATA PROVIDED BY THE EMPLOYER
REFERENCE	CONTRACT SPECIFIC DATA PROVIDED BY THE EMPLOYER
6.	PAYMENT AND RELATED MATTERS
Clause 6.2.1:	The security to be provided by the Contractor shall be: 10% of the Accepted Contract Price.
Clause 6.5.1.2.3:	The percentage allowance to cover overhead charges is 15%.
Clause 6.8.2:	The value of the certificates issued shall NOT be adjusted in accordance with the Contract Price Adjustment Schedule
Clause 6.8.3:	Price adjustments for variations in the costs of special materials are not allowed.
Clause 6.10.1.5:	The percentage advance on materials not yet built into the Permanent Works is 80%.
Clause 6.10.3:	The percentage retention on the amounts due to the Contractor is 10%. A Retention Money Guarantee is not permitted.
8.	RISKS AND RELATED MATTERS
Clause 8.6.1.1.2:	The value of materials supplied by the Employer to be included in the insurance sum is <u>nil</u> .
Clause 8.6.1.1.3:	The amount to cover professional fees for repairing damage and loss to be included in the insurance sum is <u>nil</u> .
Clause 8.6.1.2:	Special Risks Insurance issued by SASRIA is required.
Clause 8.6.1.3:	The limit of indemnity for liability insurance is <u>R5 000 000,00 (five million rands only)</u> for any single liability claim. Liability insurance shall include spread of fire risk.
10.	CLAIMS AND DISPUTES
Clause 10.4.2, 10.7.1:	Failing Amicable Settlement, unresolved Disputes shall be referred to Arbitration.

REFERENCE	CONTRACT SPECIFIC DATA PROVIDED BY THE EMPLOYER

No contract will be awarded to a person who has failed to submit an Certified copy of a tax certificate with a pin number from the South African Revenue Service (“SARS”) certifying that the taxes of that person to be in order or that suitable arrangement have been made with SARS.

NB!!!! Please attach copies of the following documents. Failure to provide the following duly completed and up to date documents and certified where applicable will lead to automatic disqualification.

- **Company registration documents.**
- **ID documents of directors/owners/members/shareholders.**
- **Certified copy of a tax certificate with a pin number**
- **Past experience (1) & (2)**
- **Declarations.**
- **Joint Venture agreement**

I certify that I have the appropriate authority to furnish the above-mentioned information and that the above information is correct at the time of completion.

Name:	Signature:
Designation:	Date:

**RAY NKONYENI MUNICIPALITY
NOTICE No.: 013 OF 2022
TENDER No.: 8/2/RNM0350**

CONSTRUCTION OF HIBBERDENE'S MARKET STALLS - WARD 13

Signatories for firms must establish their authority thereto by attaching a duly signed and dated copy of the relevant resolution of the ⁽¹⁾Directors/Partners/Members to this form, or by the completion of this form.

RESOLUTION

By resolution of the ⁽¹⁾Board of Directors / Partners / Members passed at a meeting held on

.....(date), at(place)

.....(name of signatory)

whose signature appears below, has been duly authorised to sign all documents in connection with the Tender for;

Contract 8/2/RNM0350 and any contract which may arise therefrom on behalf of :-

.....
(Name Of Tenderer In Block Capitals)

SIGNED ON BEHALF OF THE FIRM :-

(1)..... (Director/Partner/Member)

(2)..... (Director/Partner/Member)

(3)..... (Director/Partner/Member)

(4)..... (Director/Partner/Member)

SIGNATURE OF AUTHORISED SIGNATORY :-

SIGNATURE
(On behalf of TENDERER)

DATE:

Tenderers are to note that failure to comply with this requirement will render their tender invalid.

RNM / MBD 2 TAX CLEARANCE REQUIREMENTS

It is a condition of bid that the taxes of the successful bidder must be in order, or that satisfactory arrangements have been made with South Africa Revenue Services (SARS) to meet the bidder's tax obligation.

In order to meet the requirements bidders are required to complete in full the attached TCC1 "Application for a Tax Clearance Certificate" and submit it to any SARS branch office nationally. The Tax Clearance Certificate Requirements are also applicable to foreign bidders / individuals who wish to submit bids.

SARS will then furnish the bidder with a Tax clearance Pin that will be valid for a period of 1 (one) year from date of approval / issue.

The Certified copy of a tax certificate with a pin number **must** be submitted together with the bid.

In the bids where consortia / joint ventures / sub-contractors are involved, each party must submit a separate Tax Clearance Certificate.

Copies of the TCC "Application for a "Tax Clearance Pin" forms are available from any SARS branch office nationally or on the website www.sars.gov.za

Applications for the Tax Clearance Certificate may also be made via eFiling. In order to use this provision, taxpayers will need to register with SARS as eFilers through the website www.sars.gov.za.

Schedule of Work Carried out by the Tenderer

The Tenderer shall list below the last ten civil engineering contracts of a similar nature awarded to him. This information is material to the award of the Contract. The tenderer's relevant experience must be supported by appointment letters and completion certificates for at least (3) projects. Failure to submit both appointment letters and completion certificates will result into tenderer scoring zero (0)

EMPLOYER (Name, Tel No and Fax No)	CONSULTING ENGINEER (Name, Tel No and Fax No)	NATURE OF WORK	VALUE OF WORK	YEAR OF COMPLETION

SIGNATURE:DATE:
(of person authorised to sign on behalf of the Tenderer)

Details of Key Personnel

Tenderers shall provide details of the Site Agent(s) and General Foreman's experience in work of a similar nature to that for which their tender is submitted.

Failure to complete this schedule may result in the tender not being considered.

(a) Site Agent

SITE AGENT	NAME:			
CONTRACT & CLIENT	NATURE OF WORK	POSITION HELD	VALUE OF WORK	YEAR COMPLETED

(b) Foreman

GENERAL FOREMAN	NAME:			
CONTRACT & CLIENT	NATURE OF WORK	POSITION HELD	VALUE OF WORK	YEAR COMPLETED

DATE:

SIGNATURE OF TENDERER :.....

Tenderers are to attach (to this page) certified copies of the relevant NQF Qualifications for the following personnel:

- ***Site Agent***
- ***Foreperson***

Registration with CIDB

Contractor is to attach a copy(ies) of Contractor's Certificate of Registration with CIDB or alternatively furnish the CIDB registration no. and details in the space provided. This information will be verified with the CIDB via the CIDB website. It is the tenderer/contractor's responsibility to ensure that their details are displayed on the CIDB website. If in joint venture, details of all members require to be furnished.

Name of Contractor or JV Member	CIDB registration No.	Category and class of registration, eg 1 CE

My/Our failure to submit the certificate(s) or furnish the required details, with my / our tender document will lead to the conclusion that I am / we are not registered with the CIDB and therefore not eligible to tender.

Record of Addenda to Tender Documents

We confirm that the following communications received from the Engineer before the submission of this tender offer, amending the tender documents, have been taken into account in this tender offer:

	Date	Title or Details
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		

Attach additional pages if more space is required.

Signed: Date:

Name: Position:

SIGNATURE: **DATE:**
(of person authorised to sign on behalf of the Tenderer)

BBBEE COMPLIANCE CERTIFICATE

Tenderers are required to attach an original or certified copy of their BBBEE compliance certificate on this page or in the case of a joint venture, a joint certificate for the individual firms making up the joint venture, should they wish to claim for scores for BBBEE Compliance.

Company Registration Documents

Tenderers are to attach certified copies of company registration documents (eg CK Documents) to this page.

Identity Documents of Shareholders/Directors/Members

Tenderers are to attach certified copies of ID Documents of Members/Directors to this page

RNM/ MBD 3.1 PRICING SCHEDULE – FIRM PRICES (PURCHASES)

NOTE: ONLY FIRM PRICES WILL BE ACCEPTED. NON-FIRM PRICES (INCLUDING PRICES SUBJECT TO RATES OF EXCHANGE VARIATIONS) WILL NOT BE CONSIDERED

IN CASES WHERE DIFFERENT DELIVERY POINTS INFLUENCE THE PRICING, A SEPARATE PRICING SCHEDULE MUST BE SUBMITTED FOR EACH DELIVERY POINT

Name of Bidder.....	Bid Number.....
Closing Time	Closing Date

RNM/ MBD 3.2 PRICE ADJUSTMENTS

A NON-FIRM PRICES SUBJECT TO ESCALATION

- As per GCC 2015 Clause 6.8.2 and detailed on page 92 of the GCC

B PRICES SUBJECT TO RATE OF EXCHANGE VARIATIONS

- Please furnish full particulars of your financial institution, state the currencies used in the conversion of the prices of the items to South African currency, which portion of the price is subject to rate of exchange variations and the amounts remitted abroad.

PARTICULARS OF FINANCIAL INSTITUTION	ITEM NO	PRICE	CURRENCY	RATE	PORTION OF PRICE SUBJECT TO ROE	AMOUNT IN FOREIGN CURRENCY REMITTED ABROAD
				ZAR=		
				ZAR=		
				ZAR=		
				ZAR=		
				ZAR=		
				ZAR=		

- Adjustments for rate of exchange variations during the contract period will be calculated by using the average monthly exchange rates as issued by your commercial bank for the periods indicated hereunder: (Proof from bank required)

AVERAGE MONTHLY EXCHANGE RATES FOR THE PERIOD:	DATE DOCUMENTATION MUST BE SUBMITTED TO THIS OFFICE	DATE FROM WHICH NEW CALCULATED PRICES WILL BECOME EFFECTIVE	DATE UNTIL WHICH NEW CALCULATED PRICE WILL BE EFFECTIVE

RNM / MBD 4 DECLARATION OF INTEREST

(Please circle the applicable answer)

1. No bid will be accepted from persons in the service of the state*. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the bidder or their authorised representative declare their position in relation to the evaluating/adjudicating authority and/or take an oath declaring his/her interest.

- 2 In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

Full Name.....

Identity Number:.....

Company Registration Number:.....

Tax Reference Number:.....

VAT Registration Number:

Are you presently in the service of the state* YES / NO

If so, furnish particulars.

.....

.....

Have you been in the service of the state for the past twelve months? YES / NO

If so, furnish particulars.

.....

.....

Do you, have any relationship (family, friend, other) with persons in the service of the state and who may be involved with the evaluation and or adjudication of this bid? YES / NO

* SCM Regulations: "in the service of the state" means to be –

(a) a member of –

- (i) any municipal council;
- (ii) any provincial legislature; or
- (iii) the national Assembly or the national Council of provinces;

(b) a member of the board of directors of any municipal entity;

(c) an official of any municipality or municipal entity;

(d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);

(e) a member of the accounting authority of any national or provincial public entity; or

(f) an employee of Parliament or a provincial legislature.

If so, furnish particulars.

.....
.....

Are you, aware of any relationship (family, friend, other) between a bidder and any persons in the service of the state who may be involved with the evaluation and or adjudication of this bid? **YES / NO**

If so, furnish particulars.

.....
.....

Are any of the company's directors, managers, principle shareholders or stakeholders in service of the state? **YES / NO**

If so, furnish particulars.

.....
.....

Are any spouse, child or parent of the company's directors, managers, principle shareholders or stakeholders in service of the state? **YES / NO**

If so, furnish particulars.

.....
.....

CERTIFICATION

I, _____ THE UNDERSIGNED CERTIFY THAT THE
INFORMATION FURNISHED ON THIS DECLARATION FORM IS CORRECT.

ACCEPT THAT THE COUNCIL MAY ACT AGAINST ME SHOULD THIS DECLARATION PROVE TO BE FALSE.

SIGNATURE

DATE

POSITION

NAME OF BIDDER

RNM /MBD 5.1 CONTRACT FORM – PAST EXPERIENCE

Bidders must furnish hereunder details of similar works / service, which they have satisfactorily completed in the past. The information shall include a description of the works, the contract value and the name of the employer.

EMPLOYER	NATURE OF WORK	VALUE OF WORK	DURATION AND COMPLETION DATE	EMPLOYER CONTACT NO

DATE

SIGNATURE OF BIDDER

RNM /MBD 5.2

CONTRACT FORM – PAST EXPERIENCE WITH RAY NKONYENI MUNICIPALITY

Bidders must furnish hereunder details of similar works / service, which they have satisfactorily completed in the past. The information shall include a description of the works, the contract value and the name of the employer.

PREVIOUS AND / OR CURRENT PROJECTS UNDERTAKEN WITH RNM

PROJECT NAME	VALUE OF WORK	CONTRACT START DATE	ANTICIPATED / ACTUAL COMPLETION DATE

DATE

SIGNATURE OF BIDDER

RNM /MBD 5.3

SCHEDULE OF PLANT AND EQUIPMENT

It is important that the Tenderer be able to demonstrate that he/she has adequate plant and equipment to efficiently execute the proposed scope of works.

The Tenderer's response to this section will be used in determining functionality score for the tender offer.

(a) Details of important equipment that is owned by **and is immediately available for this contract.**

Quantity	Description	Size	Capacity

Attach additional pages if more space is required.

(b) Details of important equipment that will be hired, or acquired for this contract if my/our tender is acceptable.

Quantity	Description	Size	Capacity

Attach additional pages if more space is required.

The tenderer to attach certified copies to prove ownership and/or hire as required for functionality on this page.

METHOD STATEMENT

The tenderer to attach Project Method Statement to

RNM/ MBD 6.1
PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL
PROCUREMENT REGULATIONS 2017

This preference form must form part of all bids invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

GENERAL CONDITIONS

1.1 The following preference point systems are applicable to all bids:

- the 80/20 system for acquisition of goods or services for Rand value equal to or above R30 000 and up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for acquisition of goods or services with a Rand value above R50 000 000 (all applicable taxes included).

1.2 The value of this bid is estimated to exceed/not exceed R50 000 000 (all applicable taxes included) and therefore the.....system shall be applicable.

1.3 Preference points for this bid shall be awarded for:

- (a) Price; and
- (b) B-BBEE Status Level of Contribution.

1.3.1 The maximum points for this bid are allocated as follows:

POINTS

1.3.1.1 PRICE

.....

1.3.1.2 B-BBEE STATUS LEVEL OF CONTRIBUTION

Total points for Price and B-BBEE must not exceed

100

1.4 Failure on the part of a bidder to fill in and/or to sign this form and submit a B-BBEE Verification Certificate from a Verification Agency accredited by the South African Accreditation System (SANAS) or a Registered Auditor approved by the Independent Regulatory Board of Auditors (IRBA) or an Accounting Officer as contemplated in the Close Corporation Act (CCA) together with the bid, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.

1.5 The purchaser reserves the right to require of a bidder, either before a bid is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

2. DEFINITIONS

- (a) **“B-BBEE”** means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) **“B-BBEE status level of contributor”** means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) **“bid”** means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) **“Broad-Based Black Economic Empowerment Act”** means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) **“EME”** means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) **“functionality”** means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) **“prices”** includes all applicable taxes less all unconditional discounts;
- (h) **“proof of B-BBEE status level of contributor”** means:

1)	Status level certificate issued by an authorized body or person;	B-BBEE
2)	affidavit as prescribed by the B-BBEE Codes of Good Practice;	A sworn
3)	requirement prescribed in terms of the B-BBEE Act;	Any other
- (i) **“QSE”** means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (j) **“rand value”** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

3. POINTS AWARDED FOR PRICE

3.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20

$$P_s = 80 \left(1 - \frac{P_t - P_{\min}}{P_{\min}} \right)$$

Where

- P_s = Points scored for comparative price of bid under consideration
- P_t = Comparative price of bid under consideration
- $P_{\min}$ = Comparative price of lowest acceptable bid

4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

- 4.1 In terms of Regulation 5 (2) and 6 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

5. BID DECLARATION

- 5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:

6. B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1

- 6.1 B-BBEE Status Level of Contributor: . =(maximum of 10 or 20 points)
(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.

7. SUB-CONTRACTING

- The bidders shall make provision to subcontract at least 30% of the Works, in rand value of the Project, to local subcontractors from Ray Nkonyeni Municipality and or Ugu District Municipality Jurisdiction.

8. DECLARATION WITH REGARD TO COMPANY/FIRM

- 8.1 Name of company/firm:.....
- 8.2 VAT registration number:.....
- 8.3 Company registration number:.....
- 8.4 TYPE OF COMPANY/ FIRM

- ☐ Partnership/Joint Venture / Consortium
- ☐ One person business/sole propriety
- ☐ Close corporation
- ☐ Company
- ☐ (Pty) Limited

[TICK APPLICABLE BOX]

8.5 DESCRIBE PRINCIPAL BUSINESS ACTIVITIES

.....

.....

.....

.....

.....

8.6 COMPANY CLASSIFICATION

- ☐ Manufacturer
- ☐ Supplier
- ☐ Professional service provider
- ☐ Other service providers, e.g. transporter, etc.

[TICK APPLICABLE BOX]

8.7 Total number of years the company/firm has been in business:.....

8.8 I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the B-BBE status level of contributor indicated in paragraphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may be required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct;
- iv) If the B-BBEE status level of contributor has been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have –
 - (a) disqualify the person from the bidding process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram*

- (e) *partem* (hear the other side) rule has been applied; and
- (f) forward the matter for criminal prosecution.

WITNESSES

- 1.
- 2.

.....
SIGNATURE(S) OF BIDDERS(S)

DATE:

ADDRESS

.....

.....

RNM/MBD 6.2

DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS

This Municipal Bidding Document (MBD) must form part of all bids invited. It contains general information and serves as a declaration form for local content (local production and local content are used interchangeably).

Before completing this declaration, bidders must study the General Conditions, Definitions, Directives applicable in respect of Local Content as prescribed in the Preferential Procurement Regulations, 2017 and the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Summary Schedule), D (Imported Content Declaration: Supporting Schedule to Annex C) and E (Local Content Declaration: Supporting Schedule to Annex C)].

1. General Conditions

- 1.1. Preferential Procurement Regulations, 2017 (Regulation 9) makes provision for the promotion of local production and content.
- 1.2. Regulation 9.(1) prescribes that in the case of designated sectors, where in the award of bids local production and content is of critical importance, such bids must be advertised with the specific bidding condition that only locally produced goods, services or works or locally manufactured goods, with a stipulated minimum threshold for local production and content will be considered.
- 1.3. Where necessary, for bids referred to in paragraph 1.2 above, a two stage bidding process may be followed, where the first stage involves a minimum threshold for local production and content and the second stage price and B-BBEE.
- 1.4. A person awarded a contract in relation to a designated sector, may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.5. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SATS 1286: 2011 as follows:

$$LC = [1 - x / y] * 100$$

Where

x is the imported content in Rand

y is the bid price in Rand excluding value added tax (VAT)

Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by the South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid as required in paragraph 4.1 below.

The SABS approved technical specification number SATS 1286:2011 is accessible on <http://www.thedti.gov.za/industrial development/ip.jsp> at no cost.

- 1.6. A bid may be disqualified if this Declaration Certificate and the Annex C (Local Content Declaration: Summary Schedule) are not submitted as part of the bid documentation;

2. Definitions

- 2.1. **“bid”** includes written price quotations, advertised competitive bids or proposals;
- 2.2. **“bid price”** price offered by the bidder, excluding value added tax (VAT);
- 2.3. **“contract”** means the agreement that results from the acceptance of a bid by an organ of state;
- 2.4. **“designated sector”** means a sector, sub-sector or industry that has been designated by the Department of Trade and Industry in line with national development and industrial policies for local production, where only locally produced services, works or goods or locally manufactured goods meet the stipulated minimum threshold for local production and content;
- 2.5. **“duly sign”** means a Declaration Certificate for Local Content that has been signed by the Chief Financial Officer or other legally responsible person nominated in writing by the Chief Executive, or senior member / person with management responsibility(close corporation, partnership or individual).
- 2.6. **“imported content”** means that portion of the bid price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or its subcontractors) and which costs are inclusive of the costs abroad (this includes labour and intellectual property costs), plus freight and other direct importation costs, such as landing costs, dock duties, import duty, sales duty or other similar tax or duty at the South African port of entry;
- 2.7. **“local content”** means that portion of the bid price which is not included in the imported content, provided that local manufacture does take place;
- 2.8. **“stipulated minimum threshold”** means that portion of local production and content as determined by the Department of Trade and Industry; and
- 2.9. **“sub-contract”** means the primary contractor's assigning, leasing, making out work to, or employing another person to support such primary contractor in the execution of part of a project in terms of the contract.

3. The stipulated minimum threshold(s) for local production and content (refer to Annex C of SATS 1286:2011) for this bid is/are as follows:

Description of services, works or goods	Stipulated minimum threshold
---	------------------------------

Steel	100%
-------	------

4. Does any portion of the services, works or goods offered have any imported content?

(Tick applicable box)

YES		NO	
-----	--	----	--

- 4.1 If yes, the rate(s) of exchange to be used in this bid to calculate the local content as prescribed in paragraph 1.5 of the general conditions must be the rate(s) published by the SARB for the specific currency at 12:00 on the date of advertisement of the bid.

The relevant rates of exchange information is accessible on www.reservebank.co.za.

Indicate the rate(s) of exchange against the appropriate currency in the table below:

Currency	Rates of exchange
US Dollar	
Pound Sterling	
Euro	
Yen	
Other	

NB: Bidders must submit proof of the SARB rate (s) of exchange used.

5. Where, after the award of a bid, challenges are experienced in meeting the stipulated minimum threshold for local content the dti must be informed accordingly in order for the dti to verify and in consultation with the Accounting Officer / Accounting Authority provide directives in this regard.

LOCAL CONTENT DECLARATION
(REFER TO ANNEX B OF SATS 1286:2011)

LOCAL CONTENT DECLARATION BY CHIEF FINANCIAL OFFICER OR OTHER LEGALLY RESPONSIBLE PERSON NOMINATED IN WRITING BY THE CHIEF EXECUTIVE OR SENIOR MEMBER/PERSON WITH MANAGEMENT RESPONSIBILITY (CLOSE CORPORATION, PARTNERSHIP OR INDIVIDUAL)

IN RESPECT OF BID NO.

ISSUED BY: (Ray Nkonyeni Municipality):

NB

- 1 The obligation to complete, duly sign and submit this declaration cannot be transferred to an external authorized representative, auditor or any other third party acting on behalf of the bidder.
- 2 Guidance on the Calculation of Local Content together with Local Content Declaration Templates (Annex C, D and E) is accessible on http://www.thedti.gov.za/industrial_development/ip.jsp. Bidders should first complete Declaration D. After completing Declaration D, bidders should complete Declaration E and then consolidate the information on Declaration C. **Declaration C should be submitted with the bid documentation at the closing date and time of the bid in order to substantiate the declaration made in paragraph (c) below.** Declarations D and E should be kept by the bidders for verification purposes for a period of at least 5 years. The successful bidder is required to continuously update Declarations C, D and E with the actual values for the duration of the contract.

I, the undersigned, (full names),
do hereby declare, in my capacity as
of(name of bidder entity), the

following:

- (a) The facts contained herein are within my own personal knowledge.
- (b) I have satisfied myself that:
 - (i) the goods/services/works to be delivered in terms of the above-specified bid comply with the minimum local content requirements as specified in the bid, and as measured in terms of SATS 1286:2011;
- (c) The local content percentages (%) indicated below has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E which has been consolidated in Declaration C;

Bid price, excluding VAT (y)	R
Imported content (x), as calculated in terms of SATS 1286:2011	R
Stipulated minimum threshold for local content (paragraph 3 above)	
Local content %, as calculated in terms of SATS 1286:2011	

If the bid is for more than one product, the local content percentages for each product contained in Declaration C shall be used instead of the table above. The local content percentages for each product has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E.

- (d) I accept that the Ray Nkonyeni Municipality has the right to request that the local content be verified in terms of the requirements of SATS 1286:2011.
- (e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. I also understand that the submission of incorrect data, or data that are not verifiable as described in SATS 1286:2011, may result in the Ray Nkonyeni Municipality imposing any or all of the remedies as provided for in Regulation 13 of the Preferential Procurement Regulations, 2011 promulgated under the Preferential Policy Framework Act (PPPFA), 2000 (Act No. 5 of 2000).

SIGNATURE: _____

DATE: _____

WITNESS No. 1 _____

DATE: _____

WITNESS No. 2 _____

DATE: _____

Annex C

Local Content Declaration - Summary Schedule

Note: VAT to be excluded from all calculations

(C1)	Tender No.
(C2)	Tender description:
(C3)	Designated product(s)
(C4)	Tender Authority:
(C5)	Tendering Entity name:
(C6)	Tender Exchange Rate:
(C7)	Specified local content %

Pula		EU		GBP	
------	--	----	--	-----	--

[illegible]

(C20) Total tender value	R 0		
--------------------------	-----	--	--

(C21) Total Exempt imported content	R 0
-------------------------------------	-----

(C22) Total Tender value net of exempt imported content	R 0
---	-----

(C23) Total Imported content	R 0
------------------------------	-----

(C24) Total local content	R 0
---------------------------	-----

(C25) Average local content % of tender	
---	--

Signature of tenderer from Annex B

Date:		
-------	--	--

Annex D

Imported Content Declaration - Supporting Schedule to Annex C

[illegible]

A. Exempted imported content

Calculation of imported content

Summary

[illegible]

(D19) Total exempt imported value	R 0
-----------------------------------	-----

**This total must correspond with
Annex C - C 21**

B. Imported directly by the Tenderer

Calculation of imported content

Summary

[illegible]

(D32) Total imported value by tenderer	R 0
--	-----

C. Imported by a 3rd party and supplied to the Tenderer

Calculation of imported content

Summary

[illegible]

(D45) Total imported value by 3rd party	R 0
---	-----

D. Other foreign currency payments

Calculation of foreign currency payments

Summary of payments

[illegible][illegible]

Signature of tenderer from Annex B

(D53) Total of imported content & foreign currency payments - (D32), (D45) & (D52) above	R 0
--	-----

**This total must correspond with
Annex C - C 23**

Date:

SATS 1286.2011

Annex E

Local Content Declaration - Supporting Schedule to Annex C

(E1)	Tender No.	
(E2)	Tender description:	
(E3)	Designated products:	
(E4)	Tender Authority:	
(E5)	Tendering Entity name:	

Note: VAT to be excluded from all calculations

Local Products (Goods, Services and Works)	Description of items purchased	Local suppliers	Value
	(E6)	(E7)	(E8)
(E9) Total local products (Goods, Services and Works)			

(E10) **Manpower costs** (Tenderer's manpower cost)

(E11) **Factory overheads** (Rental, depreciation & amortisation, utility costs, consumables etc.)

(E12) **Administration overheads and mark-up** (Marketing, insurance, financing, interest etc.)

(E13) Total local content

This total must correspond with Annex C - C24

Signature of tenderer from Annex B

Date:

RNM/MBD 8 DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES

- 1 This Municipal Bidding Document must form part of all bids invited.
- 2 It serves as a declaration to be used by municipalities and municipal entities in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse of the supply chain management system.
- 3 The bid of any bidder may be rejected if that bidder, or any of its directors have:
 - a) abused the municipality's / municipal entity's supply chain management system or committed any improper conduct in relation to such system;
 - b) been convicted for fraud or corruption during the past five years;
 - c) willfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or
 - d) been listed in the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004).
- 4 In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

Item	Question	Yes	No
4.1	Is the bidder or any of its directors listed on the National Treasury's Database of Restricted Suppliers as companies or persons prohibited from doing business with the public sector? (Companies or persons who are listed on this Database were informed in writing of this restriction by the Accounting Officer/Authority of the institution that imposed the restriction after the <i>audi alteram partem</i> rule was applied). The Database of Restricted Suppliers now resides on the National Treasury's website(www.treasury.gov.za) and can be accessed by clicking on its link at the bottom of the home page.	Yes ☐	No ☐
4.1.1	If so, furnish particulars:		
4.2	Is the bidder or any of its directors listed on the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004)? The Register for Tender Defaulters can be accessed on the National Treasury's website (www.treasury.gov.za) by clicking on its link at the bottom of the home page.	Yes ☐	No ☐

Item	Question	Yes	No
4.2.1	If so, furnish particulars:		
4.3	Was the bidder or any of its directors convicted by a court of law (including a court of law outside the Republic of South Africa) for fraud or corruption during the past five years?	Yes ☐	No ☐
4.3.1	If so, furnish particulars:		
4.4	Does the bidder or any of its directors owe any municipal rates and taxes or municipal charges to the municipality / municipal entity, or to any other municipality / municipal entity, that is in arrears for more than three months?	Yes ☐	No ☐
4.4.1	If so, furnish particulars:		
4.5	Was any contract between the bidder and the municipality / municipal entity or any other organ of state terminated during the past five years on account of failure to perform on or comply with the contract?	Yes ☐	No ☐
4.7.1	If so, furnish particulars:		

CERTIFICATION

I, THE UNDERSIGNED (FULL NAME)

CERTIFY THAT THE INFORMATION FURNISHED ON THIS DECLARATION FORM TRUE AND CORRECT.

I ACCEPT THAT, IN ADDITION TO CANCELLATION OF A CONTRACT, ACTION MAY BE TAKEN AGAINST ME SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....

Signature

.....

Date

.....

Position

.....

Name of Bidder

RNM/MBD 9 CERTIFICATE OF INDEPENDENT BID DETERMINATION

1. This Municipal Bidding Document (MBD) must form part of all bids¹ invited.
2. Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).² Collusive bidding is a *pe se* prohibition meaning that it cannot be justified under any grounds.
3. Municipal Supply Regulation 38 (1) prescribes that a supply chain management policy must provide measures for the combating of abuse of the supply chain management system, and must enable the accounting officer, among others, to:
 - (a) take all reasonable steps to prevent such abuse;
 - (b) reject the bid of any bidder if that bidder or any of its directors has abused the supply chain management system of the municipality or municipal entity or has committed any improper conduct in relation to such system; and
 - (c) cancel a contract awarded to a person if the person committed any corrupt or fraudulent act during the bidding process or the execution of the contract.
4. This MBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bid-rigging.
5. In order to give effect to the above, the attached Certificate of Bid Determination (MBD 9) must be completed and submitted with the bid:

¹Includes price quotations, advertised competitive bids, limited bids and proposals.

² Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

CERTIFICATE OF INDEPENDENT BID DETERMINATION

I, the undersigned, in submitting the accompanying bid:

(Bid Number and Description)

in response to the invitation for the bid made by:

(Name of Municipality / Municipal Entity)

do hereby make the following statements that I certify to be true and complete in every respect:

I certify, on behalf of: _____ that:
(Name of Bidder)

1. I have read and I understand the contents of this Certificate;
2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
3. I am authorized by the bidder to sign this Certificate, and to submit

the accompanying bid, on behalf of the bidder;

4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign, the bid, on behalf of the bidder;
5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
 - (a) has been requested to submit a bid in response to this bid invitation;
 - (b) could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
 - (c) provides the same goods and services as the bidder and/or is in the same line of business as the bidder.
6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However communication between partners in a joint venture or consortium³ will not be construed as collusive bidding.
7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
 - (a) prices;
 - (b) geographical area where product or service will be rendered (market allocation);
 - (c) methods, factors or formulas used to calculate prices;

- (d) the intention or decision to submit or not to submit, a bid;
- (e) the submission of a bid which does not meet the specifications and conditions of the bid; or
- (f) bidding with the intention not to win the bid.
8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this bid invitation relates.
9. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
10. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No. 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No. 12 of 2004 or any other applicable legislation.

SIGNATURE

DATE

POSITION

NAME OF BIDDER

³ Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.



DRAWINGS

The drawings issued to tenders as part of the tender documents must be regarded as provisional and preliminary for the tenderer's benefit to generally assess the scope of work. The drawings may be issued as a separate book of drawings or else bound in as part of this document. The work shall be carried out in accordance with the latest available revision of the drawings approved for construction (AFC).

At commencement of the contract, the Employer's Agent shall deliver to the Contractor copies of the AFC drawings and any instructions required for the commencement of the works. From time to time thereafter during the progress of the works, the Employer's Agent may issue further drawings for construction purposes as may be necessary for adequate construction, completion and defects correction of the works.


Drawings issued separately are listed in the Book of Drawings. Drawings issued as part of this volume are listed hereafter.

All drawings and specifications and copies thereof remain the property of the Employer, and the Contractor shall return all drawings and copies thereof to the Employer at the completion of the contract.

Tender drawings are issued separately and are listed hereunder:

LIST OF DRAWINGS

DRAWING DETAILS		TITLE
Element of Contract	Drawing N°.	Description
Architectural	SK 01	Conceptual Layout Plan
	SK 02	Conceptual Sections
Structural	2100208-STRU-0002-T_A	Hibberdene: Concrete and Structural Steel Layouts & Details – Sheet 1 of 2
	2100208-STRU-0003-T_A	Hibberdene: Concrete and Structural Steel Layout & Details – Sheet 2 of 2
Civil	2100208-CIVIL-200-T_A	Hibberdene: Earthworks Layout & Sections
	2100208-CIVIL-201-T_A	Hibberdene: Sewer Plan Layout
	2100208-CIVIL-202-T_A	Hibberdene: Stormwater Plan Layout



- NO CONSTRUCTION WORK SHALL COMMENCE ON SITE PRIOR TO APPROVAL OF ARCHITECTURAL PLANS FROM THE LOCAL MUNICIPALITY
- ALL WORKS TO COMPLY WITH SANS 10400
- ALL LEVELS AND DIMENSIONS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF ANY WORK
- ALL DISCREPANCIES TO BE BROUGHT TO THE IMMEDIATE ATTENTION OF THE AUTHOR
- ALL PLUMBING BY REGISTERED CONTRACTOR
- ALL ELECTRICAL BY REGISTERED CONTRACTOR
- IF ON EXCAVATION IT IS FOUND TO CONTAIN EXPANSIVE CLAY, EXCESSIVE GRAIND OR OTHER UNDESIRABLE SOIL CONDITIONS, THEN ALL FOUNDATIONS ARE TO BE BUILT TO PROFESSIONAL ENGINEERS DETAILS AND UNDER HIS SUPERVISION
- FACE-BRICK PLINTH OR 1.00m wide CONCRETE APRON TO BE PROVIDED AROUND BUILDING
- NO VEGETATION TO BE AFFECTED ON SITE
- BOUNDARY BEACONS TO BE EXPOSED AND DEMARKATED
- GLASS THICKNESS TO COMPLY WITH IN2
- SAFETY GLAZING IN ACCORDANCE WITH IN3S REQUIRED
- ONLY GUIDED DIMENSIONS TO BE USED ON ALL DRAWINGS

C	JD	28.01.22	ROOF DESIGN TO TRADING STALLS REVISED STALLS REDUCED TO 32 OFF
B	JD	27.01.22	STALLS REPOSITIONED TO ACCOMMODATE EX. BRIDGE
No.	BY	DATE	REVISION

COPYRIGHT IS VESTED IN VHB ASSOCIATES IN TERMS
OF THE COPYRIGHT ACT. (ACT 98 OF 1978)

CLIENT'S SIGNATURE _____

PROJECT:
PROPOSED NEW TRADING STALLS
FOR: RAY NKONYENI MUNICIPALITY

CADASTRAL DESCRIPTION:
ERF 1001
HIBBERDENE

DRAWING:
CONCEPTUAL LAYOUT PLAN

DESIGNED	V. BRIDLGLALL	DATE	26 JANUARY 2022
DRAWN	J. DUKI	SCALE	AS SHOWN
CHECKED	V. BRIDLGLALL		SIZE A1
JOB No. NAKO 22 / 02		SHEET No. SK 01	REV. C

SAFINTRA 5A PRODUCED 0,80MM THICK 410MM COVER SAFLOK 410Ø MARBLE WHITE G4 COLORTECH ALUMINIUM INTERLOCKING CONCEALED FIX ROOF COVERING, FIXED TO STEEL PURLINS AT CENTRES TO BE DETERMINED BY PR.ENG AND END-SPAN PURLINS AT REQUIRED CENTRES (FINAL SPACING TO BE CALCULATED BY AN ENGINEER) BY MEANS OF A SL 410Ø CLIPS SECURED TO PURLINS IN COMBINATION WITH A SUITABLE CLASS SAFINTRA APPROVED WAFFER HEAD SELF-TAPPING FASTENERS, ALL IN ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS. ALL ASPECTS TO BE IN STRICT ACCORDANCE WITH THE MANUFACTURER'S LATEST PUBLISHED RECOMMENDATIONS. PROFILE MEASUREMENTS AND PROPORTIONS MUST BE IN LINE WITH THE LATEST PRODUCT SPECIFICATION MANUAL AS PUBLISHED BY SAFINTRA 5A.

GALVANIZED STEEL CHS TO PR. ENGS DETAILS

POLISHED PRECAST CONCRETE SLAB TO PR. ENGS DETAILS

COROBRIX FIRELIGHT TRAVERTINE FBX OR SIMILAR APPROVED WITH SQUARE RECESSED JOINTS
NEW PRECAST CONCRETE PAVING TO JOIN EXISTING

EX. KERBS

RE-INFORCED CONCRETE SLAB TO PR. ENGS DETAILS


SANDBAGS TO RETAIN BANK TO PR. ENGS DETAILS

RC COLUMNS TO PR. ENGS DETAILS

COLUMN BASES TO PR. ENGS DETAILS


SECTION A - A

SCALE : 1 : 50




SECTION C - C

SCALE : 1 : 50




SECTION B - B

SCALE : 1 : 50



DETAIL ELEVATION


SCALE : 1 : 20



DETAIL PLAN

SCALE : 1 : 20

DOOR TO BE MADE FROM THE FOLLOWING:
DOOR FRAME - POWDER CHARCOAL GREY ALUMINIUM, OUTER FRAME 26Ø (SIZE 76 X 20MM)
DOOR - POWDER CHARCOAL GREY ALUMINIUM, INNER FRAME 45 X 45 (TO ALLOW FOR 30 X 30 Y LOUVRE INSERTS AND 60 X 45 KICKPLATE)
INSERTS - POWDER CHARCOAL GREY ALUMINIUM, 30 X 30MM Y LOUVRES SYSTEM
LOCK - ALUMINIUM DORMA PULL RING, 25MM BACKSET CISA ROLLER LATCH LOCK
HINGES - ALUMINIUM HEAVY DUTY DORMA HINGES



SECTION D - D

SCALE : 1 : 50

GENERAL NOTES:

- NO CONSTRUCTION WORK SHALL COMMENCE ON SITE PRIOR TO APPROVAL OF ARCHITECTURAL PLANS FROM THE LOCAL MUNICIPALITY.
- ALL WORK TO COMPLY WITH SANS 10400
- ALL LEVELS AND DIMENSIONS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF ANY WORK.
- ALL DISCREPANCIES TO BE BROUGHT TO THE IMMEDIATE ATTENTION OF THE AUTHOR.
- ALL PLUMBING BY REGISTERED CONTRACTOR.
- ALL ELECTRICAL BY REGISTERED CONTRACTOR.
- IF ON EXCAVATION IT IS FOUND TO CONTAIN EXPANSIVE CLAY, EXCESSIVE GROUND WATER OR OTHER POOR SOIL CONDITIONS, THEN ALL FOUNDATIONS ARE TO BE BUILT TO PROFESSIONAL ENGINEERS DETAILS AND UNDER HIS SUPERVISION
- FACE-BRICK PLINTH OR 1,000mm WIDE CONCRETE APRON TO BE PROVIDED AROUND BUILDING
- NO VEGETATION TO BE AFFECTED ON SITE
- BOUNDARY BEACONS TO BE EXPOSED AND DEMARKATED
- GLASS THICKNESS TO COMPLY WITH NN2
- SAFETY GLAZING IN ACCORDANCE WITH NNS REQUIRED
- ONLY FIGURED DIMENSIONS TO BE USED ON ALL DRAWINGS

C	JD	28.01.22	ROOF DESIGN TO TRADING STALLS REVISED
			STALLS REDUCED TO 32 OFF
B	JD	27.01.22	STALLS REPOSITIONED TO ACCOMMODATE EX. BRIDGE
No.	BY	DATE	REVISION

COPYRIGHT IS VESTED IN VHB ASSOCIATES IN TERMS OF THE COPYRIGHT ACT. (ACT 98 OF 1978)

CLIENT'S SIGNATURE

vhb ASSOCIATES

ARCHITECTURE & PROJECT MANAGEMENT

HEAD OFFICE: KWA-ZULU NATAL
SUITE 1, BISSET HOUSE
48 BISSET STREET
PORT SHEPSTONE, 4240
TEL : 039 632 0003
MOBILE : 082 554 3427

BRANCH: EASTERN CAPE
OFFICE No. 2, FYNN HOUSE
STREET No. 6
BIZANA, 4800
TEL: 039 251 0476
FAX: 086 577 7713

✉ P. O. BOX 455, PORT SHEPSTONE, 4240
e-mail: vhb@vhbassociates.co.za

PROJECT:
**PROPOSED NEW TRADING STALLS
FOR: RAY NKONYENI MUNICIPALITY**

CADASTRAL DESCRIPTION:
**ERF 1001
HIBBERDENE**


DRAWING:
CONCEPTUAL SECTIONS

DESIGNED	V. BRIDGLALL	DATE	26 JANUARY 2022
DRAWN	J. DUKI	SCALE	AS SHOWN
CHECKED	V. BRIDGLALL	SIZE	A1
JOB No.	NAKO 22 / 02	SHEET No.	SK 02
		REV.	C



ISSUED FOR TENDER



[illegible]

A	2022-02-04	ISSUED FOR TENDER
Revision	Date	Description
Project No. 2100208		
Contract No.		
Project Title RNM TRADER STALL/S		
Drawing Title HIBBERDENE: EARTHWORKS LAYOUT & SECTIONS		
Drawn :	I.C.	Date 2022/02/04
Designed :	D.N.	2022/02/04
Checked :	P.N.	2022/02/04
Reg. No:		
Approval: THE MASTER HELD AT NAKO ILISO (DRN), BEARS THE ORIGINAL SIGNATURE OF APPROVAL C. RAMAN Name Signature Date		
Scales :	AS SHOWN	
Drawing No. 2100208-CIVIL-200-T		
A Rev.		