



CITY OF TSHWANE METROPOLITAN MUNICIPALITY

TENDER NUMBER:

TMPD 04-2025.26

TENDER DESCRIPTION:	TENDER FOR SUPPLY, DELIVERY AND OFFLOADING OF VARIOUS TYPES OF FIREARMS AND ACCESSORIES TO THE CITY OF TSHWANE ON AN AS AND WHEN REQUIRED BASIS FOR A PERIOD OF THREE (3) YEARS.
----------------------------	--

NAME OF BIDDER:

CSD NUMBER:

VENDOR NUMBER (WHERE APPLICABLE)

Prepared by:
City of Tshwane Metropolitan Municipality
Tshwane House
320 Madiba Street
Pretoria CBD
0002
Tel: 012 358 9999

BID CLOSING DATE	20 October 2025
-------------------------	------------------------

Only bidders registered on the central supplier database (CSD) and with a CSD number will be considered for this tender, as this is a requirement from the National Treasury.

“Note: Bidders are required to submit electronic copies of the bid either by memory stick together with the hard copy of the Bid/Proposals”



CITY OF TSHWANE METROPOLITAN MUNICIPALITY

DEPARTMENT: TSHWANE METRO POLICE DEPARTMENT

Bids are hereby invited from suppliers for the following bid:

Bid number	Description	Department	Contact person	Compulsory briefing session	Closing date
TMPD 04-2025.26	TENDER FOR SUPPLY, DELIVERY AND OFFLOADING OF VARIOUS TYPES OF FIREARMS AND ACCESSORIES TO THE CITY OF TSHWANE ON AN AS AND WHEN REQUIRED BASIS FOR A PERIOD OF THREE (3) YEARS.	TMPD	Vusi P. Mabona	Date: 26 September 2025 Venue: Main Hall, Tshwane Metro Police Department Headquarters, cnr Es'kia Mphahlele Drive and Dr WF Nkomo Street, Pretoria West Time: 10:00	20 October 2025 at 10:00

THE DOCUMENT IS DOWNLOADABLE ON THE TSHWANE WEBSITE (www.tshwane.gov.za) and on the E-tender portal.

Each tender shall be enclosed in a sealed envelope that bears the correct identification details and shall be placed in the tender box located at:

Note: Bidders are required to submit electronic copies of the bid either by memory stick/USB flash drive together with the hard copy of the Bid/Proposals

**Tshwane House
320 Madiba Street
Pretoria CBD
0002**

Documents must be deposited in the bid box not later than **10:00 on 20 October 2025**

Bidders must contact the following officials for any enquiries:

- Technical enquiries: Vusi P. Mabona (012 358 2962 or vusim@tshwane.gov.za)
- Supply chain enquiries: Mulondi Rasekgala (012 358 6636 or mulondin@tshwane.gov.za)

Bids will remain valid for a period of 90 days after the closing date.

Bids received after the closing date and time will not be considered. The City of Tshwane does not bind itself to accept the lowest or any other bid in whole or in part.

INDEX

Number	Details	Document	Page
1.	Very important notice on disqualifications		
2.	Certificate of authority for signatory		
3.	Scope of work		
4.	Pricing schedule		
5.	Invitation to bid	MBD 1	
6.	Pricing schedule: Firm prices (purchases)	MBD 3.1	
7.	Pricing schedule: Non-firm prices (purchases)	MBD 3.2	
8.	Declaration of interest	MBD 4	
9.	Declaration for procurement above R10 million (all applicable taxes Included)	MBD 5	
10.	Preference points claim form in terms of the preferential procurement regulations 2022	MBD 6.1	
11.	Contract form: Purchase of goods or works	MBD 7.1	
12.	Declaration of past supply chain management practice	MBD 8	
13.	Certificate of independent bid determination	MBD 9	
14.	General conditions of contract		
15.	Service-level agreement		

VERY IMPORTANT NOTICE ON DISQUALIFICATIONS

A bid that does not comply with the peremptory requirements stated hereunder will be regarded as not being an “acceptable bid”, and such a bid will be rejected. An “acceptable bid” means any bid which, in all respects, complies with the conditions of the bid and the specifications as set out in the bid documents, including the conditions as specified in the Preferential Procurement Policy Framework Act, 2000 (Act 5 of 2000) and related legislation as published in *Government Gazette 22549*, dated 10 August 2001, in terms of which provision is made for this policy.

1. If any pages have been removed from the bid document and have therefore not been submitted or if a copy of the original bid document has been submitted.
2. If the bid document is completed using a pencil or Tippex corrections were made, or any other colour ink. Only black ink must be used to complete the bid document.
3. The bidder attempts to influence or has in fact influenced the evaluation and/or awarding of the contract.
4. The bid has been submitted after the relevant closing date and time.
5. If any bidder who, during the last five years, has failed to perform satisfactorily on a previous contract with the municipality, municipal entity or any other organ of state after written notice was given to that bidder that performance was unsatisfactory.
6. The accounting officer must ensure that, irrespective of the procurement process followed, no award may be given to a person –
 - (a) who is in the service of the state;
 - i. if that person is not a natural person, of which any director, manager, principal shareholder or stakeholder is a person in the service of the state; or
 - ii. who is an advisor or consultant contracted to the municipality in respect of a contract that would cause a conflict of interest.
7. Bid offers will be rejected if the bidder or any of his/her directors are listed on the Register of Bid Defaulters in terms of the Prevention and Combating of Corrupt Activities Act, 2004 (Act 12 of 2004) as a person prohibited from doing business with the public sector.
8. Bid offers will be rejected if the bidder has abused the City of Tshwane supply chain management system.
9. Failure to complete and sign the certificate of independent determination or disclosure of wrong information.
10. Duly Signed and completed MBD forms (MBD 1, 4, 5, 8 and 9) The person signing the bid documentation must be authorised to sign on behalf of the bidder. Where the signatory is not a Director / Member / Owner / Shareholder of the company, an official letter of authorization or delegation of authority should be submitted with the bid document.
11. All MBD documents fully completed and fully signed? By the authorized personnel.
12. False or incorrect declarations on any of the MBD documents will result in the rejection of the bidder.

- 13 It is the responsibility of the bidder to disclose in MBD4 any interest in any other related companies or business whether they are bidding for this contract. Failure to disclose this interest will result in the rejection of the bid.
- 14 Joint Ventures (JV) – (Only applicable when the bidder tender as a joint venture)
- i. Where the bidder bid as a Joint Ventures (JV), the required or relevant documents under administrative requirements must be provided/submitted for all JV parties. (These include MBD4, MBD5, MBD8, MBD 9, CSD and/ or SARS pin, Confirmation that the bidder's municipal rates and taxes are up to date.)
 - ii. In addition to the above the bidder must submit a Joint Venture (JV) agreement signed by the relevant parties.
 - iii. It is a condition of this bid that the successful bidder will continue with same Joint Venture (JV) for the duration of the contract, unless prior approval is obtained from City of Tshwane.
 - iv. JV agreement must be complete, relevant and signed by all parties.

Failure to comply with the above will lead to immediate disqualification.

Bidder

CERTIFICATE OF AUTHORITY FOR SIGNATORY

Status of concern submitting tender (delete whichever is not applicable):

COMPANY/PARTNERSHIP/ONE-PERSON BUSINESS/CLOSE CORPORATION/JOINT VENTURE

A. COMPANY

If the bidder is a company, a certified copy of the resolution of the board of directors that is personally signed by the chairperson of the board, authorising the person who signs this bid to do so and to sign any contract resulting from this bid, and any other documents and correspondence in connection with this bid or contract on behalf of the company, must be submitted with this bid.

An example is shown below:

By resolution of the board of directors on 20.....,
Mr/Ms has been duly
authorised to sign all documents in connection with
Bid Number

SIGNED ON BEHALF OF THE COMPANY:

IN HIS/HER CAPACITY AS

DATE:

SIGNATURE OF SIGNATORY:

WITNESSES: 1.

2.

B. PARTNERSHIP

The following particulars in respect of every partner must be furnished and signed by every partner:

Full name of partner	Residential address	Signature
.....		
.....		
.....		

We, the undersigned partners in the business trading as, hereby authorise to sign this bid as well as any contract resulting from the bid and any other documents and correspondence in connection with this bid or contract on our behalf.

.....		
Signature	Signature	Signature

.....		
Date	Date	Date

C. ONE-PERSON BUSINESS

I, the undersigned,, hereby confirm that I am the sole owner of the business trading as

.....	
Signature	Date

D. CLOSE CORPORATION

In the case of a close corporation submitting a bid, a certified copy of the founding statement of such corporation shall be included with the bid with a resolution by its members, authorising a member or other official of the corporation to sign the documents and correspondence in connection with this bid or contract on behalf of the company.

An example is shown below:

By resolution of the members at the meeting on 20..... at
....., Mr/Ms, whose
signature appears below, has been duly authorised to sign all documents in
connection with Bid Number

SIGNED ON BEHALF OF THE CLOSE CORPORATION:

IN HIS/HER CAPACITY AS:

DATE:

SIGNATURE OF SIGNATORY:

WITNESSES: 1.

 2.

E. CERTIFICATE OF AUTHORITY FOR JOINT VENTURES

This returnable schedule is to be completed by joint ventures.

We, the undersigned, are submitting this bid offer in joint venture and hereby authorise Mr/Ms , authorised signatory of the company..... , acting in the capacity of the lead partner, to sign all documents in connection with the bid offer and any contract resulting from it on our behalf.

NAME OF FIRM	ADDRESS	DULY AUTHORISED SIGNATORY
Lead partner		Signature: Name: Designation:
		Signature: Name: Designation:
		Signature: Name: Designation:
		Signature: Name: Designation:

SPECIFICATION OR TERMS OF REFERENCE
COMMUNITY SAFETY: METRO POLICE DEPARTMENT

BID NAME

Tender for supply, delivery and offloading of Various types of Firearms and Accessories to the City of Tshwane on an as and when required basis for a period of three (3) years.

BID NUMBER

(TMPD 04-2025/26)

1. INTRODUCTION AND PURPOSE

This tender is for the appointment of a service provider/s to supply, delivery and off-loading various types of firearms on an as and when required basis, for a period of three (3) years.

The purpose for issuing this bid, is to capacitate the Tshwane Metro Police Department with the necessary “Tools of Trade” and related equipment with accessories, required to execute its core mandate and duties. as prescribed by various laws. The City of Tshwane must therefore provide the necessary tools and equipment to TMPD members to perform their duties.

2. BACKGROUND

The Tshwane Metro Police Department executes various policing functions such as Road Policing, Regional Policing and Crime prevention as contained in the legislative mandate for Metro Police. In accordance with this mandate, the department is from time to time required to supplement operational services rendered by the South African Police Services.

These operational services require that each Metro Police Officer is issued with the required resources (tools of trade) to optimally execute these duties in a safe and controlled manner. Typical examples of the required resources are various types of firearms as contained in the technical specification of this tender. It is for this reason that the Department is required to award this tender.

This Tender will include other department who are mandated to do their function using this tool of trade. Those department are as follows.

TMPD – Tshwane Metro Police Department

(EAM) Environment & Agriculture Management: Nature Conservation

Economic Development and Spatial Planning Department: Fresh Produce Market

3. DEFINITIONS:

“The Act” – FIREARMS CONTROL ACT, 2000 (ACT NO. 60 OF 2000)

“Dealer” – means any person who is licensed in terms of this Act to trade in firearms.

“Gunsmiths” - The holder of a gunsmith’s license may, repair, customize, custom build, adapt, modify, assemble, deactivate or store a firearm.

“Requirements for a Gunsmiths License – A Gunsmiths license may be issued to a person who is fit and proper to perform the work contemplated in section 59.

“QR Barcode” – It is an abbreviation from “Quick Response code” and is a type of matrix barcode or two-dimensional barcode that can contain characters/digits or pictures.

“TMPD” – means Tshwane Metro Police Department.

“EAM” – means Environmental and Agricultural Management.

4. PROJECT SCOPE

The contract calls for the supply, delivery and off – loading, in good order and condition, various types of Firearms for Tshwane Metropolitan Police Department on an as and when basis.

Metro police members and other officials with the City of Tshwane are mandated to be issued with official firearms to perform their law enforcement duties and to protect themselves. Various categories per functional requirements are needed.

According to the Firearms Control Act [Act 60 of 2000], “an employee of an official institution may not possess a firearm under the control of the institution without a permit, issued by the head of the institute”. The act also further states an employee must be a fit and proper person to possess a firearm and have successfully completed the prescribed training and tests for the safe use of a firearm.

Metropolitan Police members must undergo compulsory firearm-training courses, conducted by the TMPD Training Academy as per the required training standards. An application for a Firearm Authority Permit can only be processed after a staff member has completed his / her firearm training and a Competency Certificate, with a validity of a maximum of 2 years, has been issued.

The Tshwane Metro Police Department, therefore, requires firearms to train its members in firearm competency and to issue these firearms to Tshwane Metro Police Department members to perform their duties and protect themselves whilst performing law enforcement duties.

This tender consists of seven (7) categories and items are as follow:

Bidders must note that, they must bid for all the items under each of the categories.

Please indicate for which category you will be bidding for.

DESCRIPTIONS
CATEGORY A - 9MM PISTOLS WITH ACCESSORIES
CATEGORY B: TRAINING GUNS WITH ACCESSORIES
CATEGORY C: RIFLES WITH ACCESSORIES
CATEGORY D: 12 GAUGE SHOTGUNS WITH ACCESSORIES
CATEGORY E: 40MM STOPPER RIFLES WITH ACCESSORIES
CATEGORY F: HUNTING RIFLE ACCESSORIES – SILENCERS
CATEGORY G: ELECTRONIC CONTROL DEVICES

4.1 SCOPE OF WORKS


CATEGORY A: 9MM PISTOLS/HANDGUNS

4.1.1 ITEM 1: 9MM PISTOLS

4.1.2 ITEM 1.1: 9MM PISTOL - SEMI-AUTOMATIC – STANDARD (FULL SIZE)



The 9mm Pistol, by definition, refers to the standard pistol of the specifications as below. Likewise, accessories in the specification schedule refer to those accessories of authentic to the manufactured 9mm pistol, for application with the firearm.




4.1.1 DIMENSIONS

Calibre	9 x 19 mm
Length Overall	202 mm
Length between Sights	138 mm
Height	165 mm
Width	30 mm
Barrel Height	32 mm
Barrel Length	114 mm
Magazine Capacity	17 rounds
Barrel Rifling	
Right Hand Hexagonal	
Twist Rate – 1: 250 mm	
Weight	
Unloaded: 710 g	
Loaded: 910 g	

4.1.2 SIGHTS

- 4.1.2.1 Broad standard steel sights,
- 4.1.2.2 Fixed Black with white luminescent ageing-resistant contrast elements.
- 4.1.2.3 The sights must be luminescent.
- 4.1.2.4 Rear and front sights must be easily exchangeable in case of repair and
- 4.1.2.5 It must be possible for fast and logical aiming over broad front/rear sights supported by white or luminescent contrast elements.

4.1.3 TRIGGER AND FIRING SYSTEM



- 4.1.3.1 Trigger Pull: ~2.5 kg / ~5.5 lbs.
- 4.1.3.2 Trigger Travel: ~12.5 mm / 0.49 in
- 4.1.3.3 Striker fire system with automatic safeties,
- 4.1.3.4 Amphibious cups,
- 4.1.3.5 Red firing pin spring (28 Newton) and
- 4.1.3.6 The Pistol must be striker-fired with a consistent trigger pull of 2.5kg from the first shot to last.

4.1.4 SAFETY FEATURES

- 4.1.4.1 The Pistol must have at least 3 automatic independent safety devices. Additionally, all the safeties on the Pistol must be automatically activated by the pistol after every shot:
 - Drop Safety,
 - Firing Pin Block Safety,
 - Trigger Safety.
- 4.1.4.2 The pistol will be subjected to five (5), 2-meter free fall test. All the safeties must still be engaged after each test.
- 4.1.4.3 The safeties (no external) must have logically designed ergonomics and enable the easiest possible handling on duty.

4.1.5 FRAME

- 4.1.5.1 The Pistol frame must be manufactured from a polymer material.
- 4.1.5.2 The Pistol frame may not be fibreglass reinforced.
- 4.1.5.3 High durability integrated rails to mount light or light/laser unit.

4.1.6 MAGAZINE

- 4.1.6.1 High magazine capacity, fast and logical recognition of the remaining capacity of ammunition should be determined through view-windows.

- 4.1.6.2 Scratch, dirt and deformation-resistant, minimum maintenance.
- 4.1.6.3 Optional larger magazine capacities should also be made available if required.

4.1.7 ERGONOMICS

- 4.1.7.1 Easy operation for both male and female officers with different hand sizes. Right grip-angle, optimal instinctive shooting ability, trigger-finger at trigger is positioned parallel to barrel-axis, back of the hand is closest possible to barrel-axis.
- 4.1.7.2 Smallest grip-to-trigger distance must be possible (to accommodate small hands).
- 4.1.7.3 Problem free handling of all operational elements, both for left and right handed people.
- 4.1.7.4 Carry and draw ergonomics: compact shape, no protruding parts (i.e. external safety levers / hammers), which can hook onto equipment / clothing, etc.
- 4.1.7.5 The Pistol must be able to accept a lanyard without any modification.
- 4.1.7.6 Straight forward and fast disassembly of the pistol (field stripping), easy cleaning is required.

4.1.8 MARKINGS

The following marking **MUST** be provided on each of the products supplied and **MAY NOT** in any way compromise the integrity of the product or the manufacturers warrantee and guarantee: **This MUST be included under each item where markings are applicable!**

- 4.1.8.1 Serial number on the Barrel, Slide and Frame, Manufacturer, Model, Calibre, and.
- 4.1.8.2 End user abbreviation logo / wording “TMPD” **what about City of Tshwane and APSS?**
- 4.1.8.3 QR Barcode with the words “TMPD-“and the serial number and **what about City of Tshwane and APSS?**
- 4.1.8.4 A unique Sequential number on the slide.

4.1.9 BARREL:

- 4.1.9.1 Solid cold hammered; nearly diamond hardened treated barrels with polygonal rifling.

4.1.9.2 A minimum hardness of 64 HRC.

4.1.10 **METAL MAGAZINE:**

4.1.10.1 The pistol magazine is one of the essential components in order to assure reliable functionality whilst on duty. Malfunctions can cause a police officer's death, for this reason all modern pistol magazines must be polymer covered which protect the sensitive magazine lips as well as the magazine body.

4.1.10.2 Small deformations of magazine lips and/or body by shock or drop are the reason for malfunctioning pistols.

4.1.11 **ADDITIONAL REQUIREMENTS:**

4.1.11.1 The Pistol may not consist of more than 34 individual parts.

4.1.11.2 Pistol must have a loaded chamber indicator.

4.1.11.3 Must be fitted with an extended slide stop lever,

4.1.11.4 Must be Black non-reflective, corrosion and scratch resistant surface.

4.1.11.5 Pistol slide must remain locked rearward after the last round has been fired.

4.1.11.6 Field stripping must be possible without tools.

4.1.11.7 Semi-automatic, duty proven pistols with an international reference list, follow-up and spare parts orders must be guaranteed for 10 years.

4.1.11.8 Reliable performance, solid, precise shooting results (5 rounds maximum 16 cm diameter at 25 meter fixed).

4.1.11.9 Delivered guns are factory new, C.I.P. proof house tested and equal the latest technical standards.

4.1.11.10 Each pistol to be provided in a polymer case, with at least two (2) 17 round magazines and a basic cleaning kit.

4.1.12 **TESTS:**

4.1.12.1 Drop test from 2 meters high in different angles should not lead to accidental discharge, disengaging of any safety or even firing pin markings on the primer.

4.1.12.2 Failure-free operation with different types of ammunition (loadings and bullet types: hollow point, half mantled, special frangible ammunition.

4.1.12.3 Tolerance and compatibility of spare parts: Should the pistol be disassembled, the parts should be checked for compatibility, followed by functional shooting.

4.1.12.4 The Pistol must be able to fire a shot if the rearward motion of the slide or frame or any protruding part is completely obstructed, by means of an object, i.e. hand

4.1.12.5 Wet test functional reliability when tested in wet conditions.

4.1.12.6 Sand test functional reliability when filled with sand.

4.1.12.7 Service provider to submit details of such tests and results or could be required to perform such tests at the premises of Tshwane Metro Police Department.

4.1.13 **GUARANTEE:**


4.1.13.1 10 years or 40.000 rounds guarantee on the pistol.

4.1.13.2 Availability of identical training guns for colour marking ammunition and dry firing and handling training are required.

4.2 ITEM 2: 9MM PISTOL - SEMI-AUTOMATIC – COMPACT ONE (1) (DOWNSIZED)

4.2.1 SPECIFICATIONS 9MM SEMI-AUTOMATIC – COMPACT ONE (1) (DOWNSIZED)

This specification refers to the 9mm semi-automatic – compact (downsized) pistol of the specifications as below. Likewise, accessories in the specification schedule refer to those accessories of authentic manufacture, for application with the 9mm on offer.



4.2.2 DIMENSIONS:

Calibre:	9 x 19 mm
Length:	
Overall	185 mm
Between Sights	153 mm
Height:	127 mm
Width:	30.00 mm
Barrel Height:	32 mm
Barrel length:	102 mm
Magazine capacity:	15 Rounds
Barrel rifling:	

- Right hand hexagonal
- Twist Rate – 1: 250 mm


Weight:

- Unloaded to be 670 g
- Loaded to be 855 g

4.2.3 SIGHTS:

- 4.2.3.1 Broad standard steel sights,
- 4.2.3.2 Fixed Black with white luminescent ageing-resistant contrast elements.
- 4.2.3.3 The sights must be luminescent.
- 4.2.3.4 Rear and front sights must be easily exchangeable in case of repair and
- 4.2.3.5 It must be possible for fast and logical aiming over broad front/rear sights supported by white or luminescent contrast elements.

4.2.4 TRIGGER AND FIRING SYSTEM:



- 4.2.4.1 Trigger Pull: ~2.5 kg / ~5.5 lbs.
- 4.2.4.2 Trigger Travel: ~12.5 mm / 0.49 in
- 4.2.4.3 Striker fire system with automatic safeties,
- 4.2.4.4 Amphibious cups,
- 4.2.4.5 Red firing pin spring (28 Newton) and
- 4.2.4.6 The Pistol must be striker fired with a consistent trigger pull of 2.5kg from first shot to last.

4.2.5 SAFETY FEATURES:

- 4.2.5.1 The pistol must have at least 3 automatic independent safety devices. Additionally, all the safeties on the pistol must be automatically activated by the pistol after every shot: –
 - Drop Safety,

- Firing Pin Block Safety,
- Trigger Safety.

4.2.5.2 The pistol will be subjected to five (5), 2-meter free fall test. All the safeties must still be engaged after each test.

4.2.5.3 The safeties (no external) must have logically designed ergonomics and enable the easiest possible handling on duty.

4.2.6 **FRAME:**

4.2.6.1 The pistol frame must be manufactured from polymer.

4.2.6.2 The pistol frame may not be fibre glass reinforced.

4.2.6.3 High durability integrated rails to mount light or light / laser unit.

4.2.7 **MAGAZINE:**

4.2.7.1 High magazine capacity, fast and logical recognition of remaining capacity of ammunition should be determined through view-windows.

4.2.7.2 Scratch, dirt and deformation resistant, minimum maintenance.

4.2.7.3 Optional larger magazine capacities should be also made available if required.

4.2.8 **ERGONOMICS:**

4.2.8.1 Easy operation for both male and female officers with different hand sizes.

Right grip-angle, optimal instinctive shooting ability, trigger-finger at trigger is positioned parallel to barrel-axis, back of the hand is closest possible to barrel-axis.

4.2.8.2 Smallest grip-to-trigger distance must be possible (to accommodate small hands).

4.2.8.3 Problem free handling of all operational elements, both for left and right handed people.

4.2.8.4 Carry and draw ergonomics: compact shape, no protruding parts (i.e. external safety levers / hammers), which can hook onto equipment / clothing, etc.

4.2.8.5 The pistol must be able to accept a lanyard without any modification.

4.2.8.6 Straight forward and fast disassembly of the pistol (field stripping), easy cleaning is required.

4.2.9 **MARKINGS:**

- 4.2.9.1 Serial number on the Barrel, Slide and Frame, Manufacturer, Model, Calibre, and.
- 4.2.9.2 End user abbreviation logo / wording “TMPD” **what about City of Tshwane and APSS?**
- 4.2.9.3 QR Barcode with the words “TMPD-“and the serial number and; **what about City of Tshwane and APSS?**
- 4.2.9.4 A unique Sequential number on the slide.

4.2.10 **MARKINGS**

The following marking **MUST** be provided on each of the products supplied and **MAY NOT** in any way compromise the integrity of the product or the manufacturers warrantee and guarantee:

4.2.11 **BARREL:**

- 4.2.11.1 Solid cold hammered; nearly diamond hardened treated barrels with polygonal rifling.
- 4.2.11.2 A minimum hardness of 64 HRC.

4.2.12 **METAL MAGAZINE:**

- 4.2.12.1 The pistol magazine is one of the essential components in order to assure reliable functionality whilst on duty. Malfunctions can cause a police officer’s death, for this reason all modern pistol magazines must be polymer covered which protect the sensitive magazine lips as well as the magazine body.
- 4.2.12.2 Small deformations of magazine lips and/or body by shock or drop are the reason for malfunctioning pistols.

4.2.13 **ADDITIONAL REQUIREMENTS:**

- 4.2.13.1 The pistol may not consist of more than 34 individual parts.
- 4.2.13.2 The pistol must have a loaded chamber indicator.
- 4.2.13.3 The pistol must be fitted with an extended slide stop lever,
- 4.2.13.4 The pistol must be Black non-reflective, corrosion and scratch resistant surface.
- 4.2.13.5 The pistol slide must remain locked rearward after the last round in a magazine has been fired.

- 4.2.13.6 Field stripping must be possible without tools.
- 4.2.13.7 Semi-automatic, duty proven pistols with an international reference list, follow-up and spare parts orders must be guaranteed for 10 years.
- 4.2.13.8 Reliable performance, solid, precise shooting results (5 rounds maximum 16cm diameter at 25 meters fixed).
- 4.2.13.9 Delivered firearms are factory new, C.I.P. proof house tested and equal the latest technical standards.
- 4.2.13.10 Each pistol to be provided in a polymer case, with at least two (2) 15 round magazines and a basic cleaning kit.

4.2.14 **TESTS:**

- 4.2.14.1 Drop test from 2 meters high in different angles should not lead to accidental discharge, disengaging of any safety or even firing pin markings on the primer.
- 4.2.14.2 Failure-free operation with different types of ammunition (loadings and bullet types: hollow point, half mantled, special frangible ammunition.
- 4.2.14.3 Tolerance and compatibility of spare parts: Should the pistol be disassembled, the parts should be checked for compatibility, followed by functional shooting.
- 4.2.14.4 The pistol must be able to fire a shot if the rearward motion of the slide or frame or any protruding part is completely obstructed, by means of an object, i.e. hand
- 4.2.14.5 Wet test functional reliability when tested in wet conditions.
- 4.2.14.6 Sand test functional reliability when filled with sand.
- 4.2.14.7 Service provider to submit details of such tests and results or could be required to perform such tests at the premises of TMPD.


4.2.15 **GUARANTEE:**

- 4.2.15.1 10 years or 40.000 rounds guarantee on the pistol.
- 4.2.15.2 Availability of identical training guns for colour marking ammunition and dry firing and handling training are required.

4.3 ITEM 3: SEMI-AUTOMATIC – COMPACT TWO (2)

SPECIFICATIONS FOR 9MM PISTOL - SEMI-AUTOMATIC – **COMPACT TWO (2)**

The 9mm pistol, refers to the semi-automatic – compact pistol of the specifications as below. Likewise, accessories in the specification schedule refer to those accessories of the manufactured pistol, for application on the pistol on offer.




4.3.1 DIMENSIONS:

Calibre:	9 x 19 mm
Length:	
Overall	163 mm
Between Sights	137 mm
Height:	106 mm
Width:	30.00 mm
Barrel Height:	32 mm
Barrel length:	87 mm
Magazine capacity:	10 Rounds
Barrel rifling:	
- Right hand hexagonal - Twist Rate – 1: 250 mm	
Weight:	
• Unloaded to be 615 g • Loaded to be 740 g	

4.3.2 SIGHTS:

- 4.3.2.1 Broad standard steel sights,
- 4.3.2.2 Fixed Black with white luminescent ageing-resistant contrast elements.
- 4.3.2.3 The sights must be luminescent.
- 4.3.2.4 Rear and front sights must be easily exchangeable in case of repair and
- 4.3.2.5 It must be possible for fast and logical aiming over broad front/rear sights supported by white or luminescent contrast elements.

4.3.3 **TRIGGER AND FIRING SYSTEM:**



- 4.3.3.1 Trigger Pull: ~2.5 kg / ~4.5 lbs.
- 4.3.3.2 Trigger Travel: ~12.5 mm / 0.49 in
- 4.3.3.3 Striker fire system with automatic safeties,
- 4.3.3.4 Amphibious cups,
- 4.3.3.5 Red firing pin spring (28 Newton) and
- 4.3.3.6 The Pistol must be striker fired with a consistent trigger pull of 2.5kg from first shot to last.

4.3.4 **SAFETY FEATURES:**

- 4.3.4.1 The pistol must have at least 3 automatic independent safety devices. Additionally, all the safeties on the pistol must be automatically activated by the pistol after every shot: –
 - Drop Safety,
 - Firing Pin Block Safety,
 - Trigger Safety.
- 4.3.4.2 The pistol will be subjected to five (5), two (2) meter free fall test. All the safeties must still be engaged after each test.
- 4.3.4.3 The safeties (no external) must have logically designed ergonomics and enable the easiest possible handling on duty.

4.3.5 **FRAME:**

- 4.3.5.1 The pistol frame must be manufactured from polymer.
- 4.3.5.2 The pistol frame may not be fibre glass reinforced.
- 4.3.5.3 High durability integrated rails to mount light or light / laser unit.

4.3.6 **MAGAZINE:**

- 4.3.6.1 High magazine capacity, fast and logical recognition of remaining capacity of ammunition should be determined through view-windows.

- 4.3.6.2 Scratch, dirt and deformation resistant, minimum maintenance.
- 4.3.6.3 Optional larger magazine capacities should be also made available if required.

4.3.7 **ERGONOMICS:**

- 4.3.7.1 Easy operation for both male and female officers with different hand sizes. Right grip-angle, optimal instinctive shooting ability, trigger-finger at trigger is positioned parallel to barrel-axis, back of the hand is closest possible to barrel-axis.
- 4.3.7.2 Smallest grip-to-trigger distance must be possible (to accommodate small hands).
- 4.3.7.3 Problem free handling of all operational elements, both for left and right handed people.
- 4.3.7.4 Carry and draw ergonomics: compact shape, no protruding parts (i.e. external safety levers / hammers), which can hook onto equipment / clothing, etc.
- 4.3.7.5 The pistol must be able to accept a lanyard without any modification.
- 4.3.7.6 Straight forward and fast disassembly of the pistol (field stripping), easy cleaning is required.

4.3.8 **MARKINGS:**

- 4.3.8.1 Serial number on the Barrel, Slide and Frame, Manufacturer, Model, Calibre, and.
- 4.3.8.2 End user abbreviation logo / wording "TMPD", City of Tshwane and APSS.
- 4.3.8.3 QR Barcode with the words "TMPD", City of Tshwane and APSS and the serial number.
- 4.3.8.4 A unique Sequential number on the slide.

4.3.9 **BARREL:**

- 4.3.9.1 Solid cold hammered; nearly diamond hardened treated barrels with polygonal rifling.
- 4.3.9.2 A minimum hardness of 64 HRC.

4.3.10 **METAL MAGAZINE:**

- 4.3.10.1 The pistol magazine is one of the essential components in order to assure reliable functionality whilst on duty. Malfunctions can cause a police officer's death, for this reason all modern pistol magazines must be polymer covered which protect the sensitive magazine lips as well as the magazine body.

4.3.10.2 Small deformations of magazine lips and/or body by shock or drop are the reason for malfunctioning pistols.

4.3.11 ADDITIONAL REQUIREMENTS:

4.3.11.1 The pistol may not consist of more than 34 individual parts.

4.3.11.2 The pistol must have a loaded chamber indicator.

4.3.11.3 The pistol must be fitted with an extended slide stop lever,

4.3.11.4 The pistol must be Black non-reflective, corrosion and scratch resistant surface.

4.3.11.5 The pistol slide must remain locked rearward after the last round in a magazine has been fired.

4.3.11.6 Field stripping must be possible without tools.

4.3.11.7 Semi-automatic, duty proven pistols with an international reference list, follow-up and spare parts orders must be guaranteed for 10 years.

4.3.11.8 Reliable performance, solid, precise shooting results (5 rounds maximum 16 cm diameter at 25 meters fixed).

4.3.11.9 Delivered firearms are factory new, C.I.P. proof house tested and equal the latest technical standards.

4.3.11.10 Each pistol to be provided in a polymer case, with at least two (2) 10 round magazines and a basic cleaning kit.

4.3.12 TESTS:

4.3.12.1 Drop test from 2 meters high in different angles should not lead to accidental discharge, disengaging of any safety or even firing pin markings on the primer.

4.3.12.2 Failure-free operation with different types of ammunition (loadings and bullet types: hollow point, half mantled, special frangible ammunition.

4.3.12.3 Tolerance and compatibility of spare parts: Should the pistol be disassembled, the parts should be checked for compatibility, followed by functional shooting.

4.3.12.4 The pistol must be able to fire a shot if the rearward motion of the slide or frame or any protruding part is completely obstructed, by means of an object, i.e. hand

4.3.12.5 Wet test functional reliability when tested in wet conditions.

4.3.12.6 Sand test functional reliability when filled with sand.

4.3.12.7 Service provider to submit details of such tests and results or could be required to perform such tests at the premises of the Tshwane Metro Police Department.

4.3.13 GUARANTEE:


4.3.13.1 10 years or 40.000 rounds guarantee on the pistol.

4.3.13.2 Availability of identical training guns for colour marking ammunition and dry firing and handling training are required.

4.4 ITEM 4: 9MM PISTOL - SEMI-AUTOMATIC – COMPACT THREE (3)

SPECIFICATIONS FOR 9MM PISTOL - SEMI-AUTOMATIC – COMPACT THREE (3)

4.4.1 Glock 34 Gen 4 (or equivalent), by definition, refers to the standard pistol of the specifications as below. Likewise, accessories in the specification schedule refer to those accessories of authentic Glock (or equivalent) manufacture, for application with the Glock 34 Gen 4 (or equivalent):–




4.4.2 DIMENSIONS:

Calibre:	9 x 19 mm
Length:	
Overall	222 mm
Between Sights	192 mm
Height:	138 mm
Width:	30.00 mm
Barrel Height:	32 mm
Barrel length:	135 mm
Magazine capacity:	17 Rounds
Barrel rifling:	
- Right hand hexagonal	
- Twist Rate – 1: 250 mm	
Weight:	
• Unloaded to be 735 g	
• Loaded to be 935 g	

4.4.3 **SIGHTS:**

- 4.4.3.1 Broad standard steel sights,
- 4.4.3.2 Fixed Black with white luminescent ageing-resistant contrast elements.
- 4.4.3.3 The sights must be luminescent.
- 4.4.3.4 Rear and front sights must be easily exchangeable in case of repair and
- 4.4.3.5 It must be possible for fast and logical aiming over broad front/rear sights supported by white or luminescent contrast elements.

4.4.4 **TRIGGER AND FIRING SYSTEM:**



- 4.4.4.1 Trigger Pull: ~2.0 kg / ~4.5 lbs.
- 4.4.4.2 Trigger Travel: ~12.5 mm / 0.49 in
- 4.4.4.3 Striker fire system with automatic safeties,
- 4.4.4.4 Amphibious cups,
- 4.4.4.5 Red firing pin spring (28 Newton) and
- 4.4.4.6 The Pistol must be striker fired with a consistent trigger pull of 2.0kg from first shot to last.

4.4.5 **SAFETY FEATURES:**

- 4.4.5.1 The pistol must have at least 3 automatic independent safety devices. Additionally, all the safeties on the pistol must be automatically activated by the pistol after every shot: –
 - Drop Safety,
 - Firing Pin Block Safety,
 - Trigger Safety.
- 4.4.5.2 The pistol will be subjected to five (5), 2 meter free fall test. All the safeties must still be engaged after each test.
- 4.4.5.3 The safeties (no external) must have logically designed ergonomics and enable the easiest possible handling on duty.

4.4.6 **FRAME:**

- 4.4.6.1 The pistol frame must be manufactured from polymer.
- 4.4.6.2 The pistol frame may not be fibre glass reinforced.
- 4.4.6.3 High durability integrated rails to mount light or light / laser unit.

4.4.7 **MAGAZINE:**

- 4.4.7.1 High magazine capacity, fast and logical recognition of remaining capacity of ammunition should be determined through view-windows.
- 4.4.7.2 Scratch, dirt and deformation resistant, minimum maintenance.
- 4.4.7.3 Optional larger magazine capacities should be also made available if required.

4.4.8 **ERGONOMICS:**

- 4.4.8.1 Easy operation for both male and female officers with different hand sizes. Right grip-angle, optimal instinctive shooting ability, trigger-finger at trigger is positioned parallel to barrel-axis, back of the hand is closest possible to barrel-axis.
- 4.4.8.2 Smallest grip-to-trigger distance must be possible (to accommodate small hands).
- 4.4.8.3 Problem free handling of all operational elements, both for left and right handed people.
- 4.4.8.4 Carry and draw ergonomics: compact shape, no protruding parts (i.e. external safety levers / hammers), which can hook onto equipment / clothing, etc.
- 4.4.8.5 The pistol must be able to accept a lanyard without any modification.
- 4.4.8.6 Straight forward and fast disassembly of the pistol (field stripping), easy cleaning is required.

4.4.9 **MARKINGS:**

- 4.4.9.1 Serial number on the Barrel, Slide and Frame, Manufacturer, Model, Calibre, and;
- 4.4.9.2 End user abbreviation logo / wording "TMPD" **City of Tshwane and APSS.**
- 4.4.9.3 QR Barcode with the words "TMPD" **City of Tshwane and APSS.** and the serial number.
- 4.4.9.4 A unique Sequential number on the slide.

4.4.10 **BARREL:**

4.4.10.1 Solid cold hammered; nearly diamond hardened treated barrels with polygonal rifling.

4.4.10.2 A minimum hardness of 64 HRC.

4.4.11 METAL MAGAZINE:

4.4.11.1 The pistol magazine is one of the essential components in order to assure reliable functionality whilst on duty. Malfunctions can cause a police officer's death, for this reason all modern pistol magazines must be polymer covered which protect the sensitive magazine lips as well as the magazine body.

4.4.11.2 Small deformations of magazine lips and/or body by shock or drop are the reason for malfunctioning pistols.

4.4.12 ADDITIONAL REQUIREMENTS:

4.4.12.1 The pistol may not consist of more than 34 individual parts.

4.4.12.2 The pistol must have a loaded chamber indicator.

4.4.12.3 The pistol must be fitted with an extended slide stop lever,

4.4.12.4 The pistol must be Black non-reflective, corrosion and scratch resistant surface.

4.4.12.5 The pistol slide must remain locked rearward after the last round in a magazine has been fired.

4.4.12.6 Field stripping must be possible without tools.

4.4.12.7 Semi-automatic, duty proven pistols with an international reference list, follow-up and spare parts orders must be guaranteed for 10 years.

4.4.12.8 Reliable performance, solid, precise shooting results (5 rounds maximum 16cm diameter at 25 meter fixed).

4.4.12.9 Delivered firearms are factory new, C.I.P. proof house tested and equal the latest technical standards.

4.4.12.10 Each pistol to be provided in a polymer case, with at least two (2) 17 round magazines and a basic cleaning kit.

4.4.13 TESTS:

4.4.13.1 Drop test from 2 meters high in different angles should not lead to accidental discharge, disengaging of any safety or even firing pin markings on the primer.

4.4.13.2 Failure-free operation with different types of ammunition (loadings and bullet types: hollow point, half mantled, special frangible ammunition).

4.4.13.3 Tolerance and compatibility of spare parts: Should the pistol be disassembled the parts should be checked for compatibility, followed by functional shooting.

4.4.13.4 The pistol must be able to fire a shot if the rearward motion of the slide or frame or any protruding part is completely obstructed, by means of an object, i.e. hand

4.4.13.5 Wet test functional reliability when tested in wet conditions.

4.4.13.6 Sand test functional reliability when filled with sand.

4.4.13.7 Service provider to submit details of such tests and results or could be required to perform such tests at the premises of TMPD.

4.4.14 **GUARANTEE:**


4.4.14.1 10 years or 40.000 rounds guarantee on the pistol.

4.4.14.2 Availability of identical training guns for colour marking ammunition and dry firing and handling training are required.

4.5 ITEM 5: 9MM SEMI-AUTOMATIC – COMPACT FOUR (4) (DOWNSIZED)

SPECIFICATIONS FOR 9MM PISTOL - SEMI-AUTOMATIC – COMPACT FOUR (4) (DOWNSIZED)

This refers to the standard pistol of the specifications as below. Likewise, accessories in the specification schedule refer to those authentic accessories of the pistol on offer, for application on the pistol on offer.



4.5.1 **DIMENSIONS:**

Calibre:	9 x 19 mm
Length:	
Overall	165 mm
Between Sights	133 mm

Height:	128 mm
Width:	28.00 mm
Barrel Height:	32 mm
Barrel length:	87 mm
Magazine capacity:	10 Rounds
Barrel rifling: - Right hand hexagonal - Twist Rate – 1: 250 mm	
Weight: • Unloaded to be 465 g • Loaded to be 654 g	

4.5.2 **SIGHTS:**

4.5.2.1 Broad standard steel sights,


4.5.2.2 Fixed Black with white luminescent ageing-resistant contrast elements.

4.5.2.3 The sights must be luminescent.

4.5.2.4 Rear and front sights must be easily exchangeable in case of repair and

4.5.2.5 It must be possible for fast and logical aiming over broad front/rear sights supported by white or luminescent contrast elements.

4.5.3 **TRIGGER AND FIRING SYSTEM:**



4.5.3.1 Trigger Pull: ~2.0 kg / ~4.5 lbs.

4.5.3.2 Trigger Travel: ~12.5 mm / 0.49 in

4.5.3.3 Striker fire system with automatic safeties,

4.5.3.4 Amphibious cups,

4.5.3.5 Red firing pin spring (28 Newton) and

4.5.3.6 The Pistol must be striker fired with a consistent trigger pull of 2.0kg from first shot to last.

4.5.4 **SAFETY FEATURES:**

4.5.4.1 The pistol must have at least 3 automatic independent safety devices. Additionally, all the safeties on the pistol must be automatically activated by the pistol after every shot: –

- Drop Safety,
- Firing Pin Block Safety,
- Trigger Safety.

4.5.4.2 The pistol will be subjected to five (5), 2-meter free fall test. All the safeties must still be engaged after each test.

4.5.4.3 The safeties (no external) must have logically designed ergonomics and enable the easiest possible handling on duty.

4.5.5 **FRAME:**

4.5.5.1 The pistol frame must be manufactured from polymer.

4.5.5.2 The pistol frame may not be fibre glass reinforced.

4.5.5.3 High durability integrated rails to mount light or light / laser unit.

4.5.6 **MAGAZINE:**

4.5.6.1 High magazine capacity, fast and logical recognition of remaining capacity of ammunition should be determined through view-windows.

4.5.6.2 Scratch, dirt and deformation resistant, minimum maintenance.

4.5.6.3 Optional larger magazine capacities should be also made available if required.

4.5.7 **ERGONOMICS:**

4.5.7.1 Easy operation for both male and female officers with different hand sizes. Right grip-angle, optimal instinctive shooting ability, trigger-finger at trigger is positioned parallel to barrel-axis, back of the hand is closest possible to barrel-axis.

4.5.7.2 Smallest grip-to-trigger distance must be possible (to accommodate small hands).

4.5.7.3 Problem free handling of all operational elements, both for left and right handed people.

4.5.7.4 Carry and draw ergonomics: compact shape, no protruding parts (i.e. external safety levers / hammers), which can hook onto equipment / clothing, etc.

4.5.7.5 The pistol must be able to accept a lanyard without any modification.

4.5.7.6 Straight forward and fast disassembly of the pistol (field stripping), easy cleaning is required.

4.5.8 **MARKINGS:**

4.5.8.1 Serial number on the Barrel, Slide and Frame, Manufacturer, Model, Calibre, and;

4.5.8.2 End user abbreviation logo / wording “TMPD”, **City of Tshwane and APSS?**

4.5.8.3 QR Barcode with the words “TMPD “, **City of Tshwane and APSS** and the serial number.

4.5.8.4 A unique Sequential number on the slide.

4.5.9 **BARREL:**

4.5.9.1 Solid cold hammered; nearly diamond hardened treated barrels with polygonal rifling.

4.5.9.2 A minimum hardness of 64 HRC.

4.5.10 **METAL MAGAZINE:**

4.5.10.1 The pistol magazine is one of the essential components in order to assure reliable functionality whilst on duty. Malfunctions can cause a police officer's death, for this reason all modern pistol magazines must be polymer covered which protect the sensitive magazine lips as well as the magazine body.

4.5.10.2 Small deformations of magazine lips and/or body by shock or drop are the reason for malfunctioning pistols.

4.5.11 **ADDITIONAL REQUIREMENTS:**

4.5.11.1 The pistol may not consist of more than 34 individual parts.

4.5.11.2 The pistol must have a loaded chamber indicator.

4.5.11.3 The pistol must be fitted with an extended slide stop lever,

4.5.11.4 The pistol must be Black non-reflective, corrosion and scratch resistant surface.

4.5.11.5 The pistol slide must remain locked rearward after the last round in a magazine has been fired.

4.5.11.6 Field stripping must be possible without tools.

4.5.11.7 Semi-automatic, duty proven pistols with an international reference list, follow-up and spare parts orders must be guaranteed for 10 years.

4.5.11.8 Reliable performance, solid, precise shooting results (5 rounds maximum 16cm diameter at 25 meters fixed).

4.5.11.9 Delivered firearms are factory new, C.I.P. proof house tested and equal the latest technical standards.

4.5.11.10 Each pistol to be provided in a polymer case, with at least two (2) 17 round magazines and a basic cleaning kit.

4.5.12 **TESTS:**

4.5.12.1 Drop test from 2 meters high in different angles should not lead to accidental discharge, disengaging of any safety or even firing pin markings on the primer.

4.5.12.2 Failure-free operation with different types of ammunition (loadings and bullet types: hollow point, half mantled, special frangible ammunition.

4.5.12.3 Tolerance and compatibility of spare parts: Should the pistol be disassembled, the parts should be checked for compatibility, followed by functional shooting.

4.5.12.4 The pistol must be able to fire a shot if the rearward motion of the slide or frame or any protruding part is completely obstructed, by means of an object, i.e. hand

4.5.12.5 Wet test functional reliability when tested in wet conditions.

4.5.12.6 Sand test functional reliability when filled with sand.

4.5.12.7 Service provider to submit details of such tests and results or could be required to perform such tests at the premises of TMPD.

4.5.13 **GUARANTEE:**

4.5.13.1 10 years or 40.000 rounds guarantee on the pistol.

4.5.13.2 Availability of identical training guns for colour marking ammunition and dry firing and handling training are required.

4.6 ITEM 6: 9MM SEMI-AUTOMATIC – COMPACT FIVE (5) (DOWNSIZED)


SPECIFICATIONS FOR 9MM PISTOL - SEMI-AUTOMATIC – COMPACT FIVE (5) (DOWNSIZED)

This refers to the standard pistol of the specifications as below. Likewise, accessories in the specification schedule refer to those accessories of the 9mm pistol on offer, for application with the 9mm pistol on offer.

4.6.1 DIMENSIONS

Calibre:	9 x 19 mm
Length:	

Overall	185 mm
Between Sights	152 mm
Height:	128 mm
Width:	28 mm
Barrel length:	106 mm
Magazine capacity:	10 Rounds
Barrel rifling: - Right hand hexagonal - Twist Rate – 1: 250 mm	
Weight: • Unloaded to be 465 g • Loaded to be 654 g	



4.6.2

SIGHTS:

4.6.2.1

Broad standard steel sights,

4.6.2.2

Fixed Black with white luminescent ageing-resistant contrast elements.

4.6.2.3

The sights must be luminescent.

4.6.2.4

Rear and front sights must be easily exchangeable in case of repair and

4.6.2.5

It must be possible for fast and logical aiming over broad front/rear sights supported by white or luminescent contrast elements.

4.6.3

TRIGGER AND FIRING SYSTEM:



4.6.3.1

Trigger Pull: ~2.0 kg / ~4.5 lbs.

4.6.3.2

Trigger Travel: ~12.5 mm / 0.49 in

4.6.3.3

Striker fire system with automatic safeties,

- 4.6.3.4 Amphibious cups,
- 4.6.3.5 Red firing pin spring (28 Newton) and
- 4.6.3.6 The Pistol must be striker fired with a consistent trigger pull of 2.0kg from first shot to last.

4.6.4 **SAFETY FEATURES:**

- 4.6.4.1 The pistol must have at least 3 automatic independent safety devices. Additionally, all the safeties on the pistol must be automatically activated by the pistol after every shot: –
 - Drop Safety,
 - Firing Pin Block Safety,
 - Trigger Safety.

4.6.4.2 The pistol will be subjected to five (5), 2-meter free fall test. All the safeties must still be engaged after each test.

4.6.4.3 The safeties (no external) must have logically designed ergonomics and enable the easiest possible handling on duty.

4.6.5 **FRAME:**

- 4.6.5.1 The pistol frame must be manufactured from polymer.
- 4.6.5.2 The pistol frame may not be fibre glass reinforced.
- 4.6.5.3 High durability integrated rails to mount light or light / laser unit.

4.6.6 **MAGAZINE:**

- 4.6.6.1 High magazine capacity, fast and logical recognition of remaining capacity of ammunition should be determined through view-windows.
- 4.6.6.2 Scratch, dirt and deformation resistant, minimum maintenance.
- 4.6.6.3 Optional larger magazine capacities should be also made available if required.

4.6.7 **ERGONOMICS:**

- 4.6.7.1 Easy operation for both male and female officers with different hand sizes. Right grip-angle, optimal instinctive shooting ability, trigger-finger at trigger is

positioned parallel to barrel-axis, back of the hand is closest possible to barrel-axis.

- 4.6.7.2 Smallest grip-to-trigger distance must be possible (to accommodate small hands).
- 4.6.7.3 Problem free handling of all operational elements, both for left and right-handed people.
- 4.6.7.4 Carry and draw ergonomics: compact shape, no protruding parts (i.e. external safety levers / hammers), which can hook onto equipment / clothing, etc.
- 4.6.7.5 The pistol must be able to accept a lanyard without any modification.
- 4.6.7.6 Straight forward and fast disassembly of the pistol (field stripping), easy cleaning is required.

4.6.8 **MARKINGS:**

- 4.6.8.1 Serial number on the Barrel, Slide and Frame, Manufacturer, Model, Calibre,
- 4.6.8.2 End user abbreviation logo / wording "TMPD"/**City of Tshwane and APS**
- 4.6.8.3 QR Barcode with the words "TMPD"/**City of Tshwane and APS** - "and the serial number
- 4.6.8.4 A unique Sequential number on the slide.

4.6.9 **BARREL:**

- 4.6.9.1 Solid cold hammered; nearly diamond hardened treated barrels with polygonal rifling.
- 4.6.9.2 A minimum hardness of 64 HRC.

4.6.10 **METAL MAGAZINE:**

- 4.6.10.1 The pistol magazine is one of the essential components in order to assure reliable functionality whilst on duty. Malfunctions can cause a police officer's death, for this reason all modern pistol magazines must be polymer covered which protect the sensitive magazine lips as well as the magazine body.
- 4.6.10.2 Small deformations of magazine lips and/or body by shock or drop are the reason for malfunctioning pistols.

4.6.11 **ADDITIONAL REQUIREMENTS:**

- 4.6.11.1 The pistol may not consist of more than 34 individual parts.

- 4.6.11.2 The pistol must have a loaded chamber indicator.
- 4.6.11.3 The pistol must be fitted with an extended slide stop lever,
- 4.6.11.4 The pistol must be Black non-reflective, corrosion and scratch resistant surface.
- 4.6.11.5 The pistol slide must remain locked rearward after the last round in a magazine has been fired.
- 4.6.11.6 Field stripping must be possible without tools.
- 4.6.11.7 Semi-automatic, duty proven pistols with an international reference list, follow-up and spare parts orders must be guaranteed for 10 years.
- 4.6.11.8 Reliable performance, solid, precise shooting results (5 rounds maximum 16cm diameter at 25 meters fixed).
- 4.6.11.9 Delivered firearms are factory new, C.I.P. proof house tested and equal the latest technical standards.
- 4.6.11.10 Each pistol to be provided in a polymer case, with at least two (2) 17 round magazines and a basic cleaning kit.

- 4.6.12 **TESTS:**
- 4.6.12.1 Drop test from 2 meters high in different angles should not lead to accidental discharge, disengaging of any safety or even firing pin markings on the primer.
- 4.6.12.2 Failure-free operation with different types of ammunition (loadings and bullet types: hollow point, half mantled, special frangible ammunition.
- 4.6.12.3 Tolerance and compatibility of spare parts: Should the pistol be disassembled, the parts should be checked for compatibility, followed by functional shooting.
- 4.6.12.4 The pistol must be able to fire a shot if the rearward motion of the slide or frame or any protruding part is completely obstructed, by means of an object, i.e. hand
- 4.6.12.5 Wet test functional reliability when tested in wet conditions.
- 4.6.12.6 Sand test functional reliability when filled with sand.
- 4.6.12.7 Service provider to submit details of such tests and results or could be required to perform such tests at the premises of TMPD.

4.6.13 **GUARANTEE:**

4.6.13.1 10 years or 40.000 rounds guarantee on the pistol.

4.6.13.2 Availability of identical training guns for colour marking ammunition and dry firing and handling training are required.

4.7 ITEM 7: 9MM CALIBRE CARBINE

NOTE: PHOTO INCLUDED FOR ILLUSTRATION PURPOSES ONLY AND DO NOT PRESCRIBE OR SUPPORT ANY SPECIFIC PRODUCT.



4.7.1 **SPECIFICATIONS FOR A 9MM CALIBRE CARBINE**

Pistol 9MM Calibre Carbine, by definition, refers to the standard rifle of the specifications as below. Likewise, accessories in the specification schedule refer to those accessories of authentic Grand Power Stribog A3 (or equivalent) manufacture, for application with the Grand Power Stribog A3 (or equivalent):

4.7.2 **DIMENSIONS:**

Calibre:	9 x 19 mm
Length	761 mm-475 mm
Weight:	Unloaded to be 2.46 kg
Barrel Length	245 mm
Lower Receiver	Polymer
Number of Grooves	6
Barrel	Tenifer QPQ Technology
Magazine	30/20/10 to be available
Barrel rifling:	250mm

4.7.3 **SPECIFICATIONS:**

- 4.7.3.1 **Mode of Operation** – Semi-locked bolt with delayed action via transfer roller
- 4.7.3.2 **Colour** – Black
- 4.7.3.3 **Rear sight** – Rear Adjustable Iron sight
- 4.7.3.4 **Front Sight** – Post front sight
- 4.7.3.5 **Safety** – AR 15 Operation Ambidextrous design
- 4.7.3.6 **Controls** – Ambidextrous controls
- 4.7.3.7 **Mag Release** – Ambidextrous mag release
- 4.7.3.8 **Suppressor** – Compensator or 3 Lug
- 4.7.3.9 **Accessory rail** – Top and Bottom
- 4.7.3.10 **Pistol Grip** – Yes
- 4.7.3.11 **Hand Guard** – Yes M-Lok Compatible on Sides
- 4.7.3.12 **Additional Features**– Side Folding (3 position collapsible optional)

4.7.4 **MARKINGS:**

- 4.7.4.1 Serial number on the Barrel, Slide and Frame, Manufacturer, Model, Calibre,
- 4.7.4.2 End user abbreviation logo / wording “TMPD” **CITY OF TSHWANE and APS**
- 4.7.4.3 QR Barcode with the words “TMPD, CITY OF TSHWANE **and APS** - “and the serial number
- 4.7.4.4 A unique Sequential number on the receiver.

4.7.5 **ACCESSORIES**

- 4.7.5.1 9x19mm 30 Round Polymer Magazine
- 4.7.5.2 9x19mm 20 Round Polymer Magazine
- 4.7.5.3 Nylon Adjustable Sling
- 4.7.5.4 Single Mag Carrier.
- 4.7.5.5 ± 1 m Standard Rifle bag

4.8 **ITEM 8: 9MM PISTOL CARBINE CONVERSION KIT**

NOTE: PHOTO INCLUDED FOR ILLUSTRATION PURPOSES ONLY AND DO NOT PRESCRIBE OR SUPPORT ANY SPECIFIC PRODUCT.



4.8.1 **DESCRIPTION**

- 4.8.1.1 Pistol to carbine conversion adapter to aid in a quick change of mission.
- 4.8.1.2 Sliding forward handguard to allow for fast and accurate installation
- 4.8.1.3 Two position, moveable (vertical) butt-stock adapter to assist in use with helmet and / or shield
- 4.8.1.4 Pistol functions to be 100% usable and free from stock
- 4.8.1.5 Internal charging system, not connect to pistol for easy action
- 4.8.1.6 Full-Auto ambidextrous cocking handle
- 4.8.1.7 Ambidextrous trigger-guard safety
- 4.8.1.8 Sling swivel & One point sling
- 4.8.1.9 Flip-up sights
- 4.8.1.10 Thumb rest

4.8.2 **CONSTRUCTION**

Must be of high-grade aluminium and polymer to increase strength, handling and durability

To be designed pistols on offer.

Sliding front handguard and “click and fire” system to keep the pistols secure and ensures that the pistols to carbine conversion to be used as a secondary weapon, to a duty pistol.

A right-folding stock for easy concealment and carry

Long integrated Picatinny top rail

Two extra side Picatinny rails-on both right and left for mounting additional accessories

4.8.3 DIMENSIONS

Length: Weapon adapter (base system):	58.8 cm
Length: With Shoulder Stock & Folding Adapter (folded):	37.6 cm
Width: Weapon Adapter (base system):	6.3 cm
Width: With Shoulder Stock & Folding Adapter (folded):	9 cm
Height: Weapon Adapter (base system):	7.5 cm
Height: With Shoulder Stock & Folding Adapter & CQB Sights: 14.5 cm.	14.5 cm.
Weight: Adapter Base Model: RTU (w/o weapon).	800 gram

4.8.4 ACCESSORIES

Position Quick Release Light/laser Mount – 24.4 – 27 mm Polymer made

Sling swivel – quick release, Aluminium made one point Sling, textile made

Low Profile screw tightened mount – 19 mm, Polymer made

Low profile quick release light\laser mount – 25.4 mm, polymer made

Low Profile rear flip – up sight, Aluminium and poly made

Low profile front flips up sight, Aluminium and poly made

Comp M24MOA CET Technology NVD compatible without ring included QRP Mount.

Aim point Micro H2-mounting solution for weaver/picatinny, included spacer 39mm f or H2

4.9 ITEM 9: 9MM PISTOL OPTIC SIGHTS OPTIC SIGHTS: RED/GREEN DOT

NOTE: PHOTO INCLUDED FOR ILLUSTRATION PURPOSES ONLY AND DO NOT PRESCRIBE OR SUPPORT ANY SPECIFIC PRODUCT.



The required optic sight must be a compact, low-profile red-dot reflex system, with a magnetic mount and glowing rear sights compatible with a 9mm Glock pistol carbine conversion kit.

SPECIFICATION:

The red dot optic sight for the 9mm pistol carbine conversion kit must conform to and comply with the following minimum requirements:

- Must be manufactured from Aluminium Alloy AA7075 (7075 T6 – 075).
 - Must have a mechanism to allow for quick detachment as well as the fast and secure locking of the sight to a Picatinny Rail.
- Must have the ability to prioritise quick target acquisition.
- Must have low light vision capability.
- Must be able to alternate to RED and GREEN dot on demand.
 - Must be able to select either the red or green reticle of the red dot sights and must include 4 reticles.
- Must have a minimum Field of View (FOW): 15.8m - 100m.
- Magnification: 1 x
- Window Lens Size: 17x24mm / 0.7x0.9"
- Length: 40.9mm / 1.6"
- Width: 25.4mm / 1.0"
 - Height: 24mm / 0.9"
 - Weight (net): 18.4g / 0.65oz
 - Eye Relief: Free
 - Optics Coating: Multi Coated
 - Parallax: Free (<2MOA)
 - Parallax Setting: 25 yards
 - Adjustment Range: >45MOA
 - Dot Size: 3 MOA
 - Dot Intensity: 8 Levels & 2 NV
 - Footprint: MAG compatible with R.M.S
 - Working Temperature: -20~+55C
 - Housing Material: 6061-T6 aluminium alloy
 - Mount Material: 6061-T6 aluminium alloy

- Battery Type: CR2032
- Battery Runtime: 50,000 hours (weakest visible dot)
- Finish: Black matte
- Mounting: Weaver
- For close-in work and general shooting
- IP67 waterproof, shock proof to 1000 w

4.10 ITEM 10: SPARE PARTS AND/OR ACCESSORIES:

- 4.10.1 Recoil Spring 9mm pistol - semi-automatic – standard (full size)
- 4.10.2 Recoil Spring 9mm pistol - semi-automatic – compact ONE (1) (downsized)
- 4.10.3 Recoil Spring 9mm pistol - semi-automatic – compact TWO (2) (downsized)
- 4.10.4 Recoil Spring 9mm pistol - semi-automatic – compact THREE (3) (downsized)
- 4.10.5 Recoil Spring 9mm pistol - semi-automatic – compact FOUR (4) (downsized)
- 4.10.6 Recoil Spring 9mm pistol - semi-automatic – compact FIVE (5) (downsized),
- 4.10.7 Recoil Spring 9mm Carbine - semi-automatic
- 4.10.8 Firing Pin Spring Silver (24 Newton),
- 4.10.9 Firing Pin Spring Red (28 Newton),
- 4.10.10 Extended Slide Stop lever,

4.10.11 Holster:

Holster with a Belt slide system, Automatic Locking system with retention device that is operated by shooters thumb, Open top design without an SLS for quick retrieval made form Nylon that is non-abrasive to a firearms finish. Raised stand-off surfaces in the interior of the holster to create air space around the pistol allowing dirt and moisture to quickly clear any contact with the pistol. Very high heat and low temperature tolerances structurally sound from 150° C to -45° C. Must be able to submerge in water and still maintain shape and function. Matt-finish design to decrease reflection and can be maintained with a simple scouring pad. User adjustable Injection moulded belt loop for can't. Must be provided in either Left- or Right-hand holsters.

4.10.12 Magazine Pouches:

Polymer Versa-Pouch (or equivalent) type, Multi mag fit, ambidextrous pouch with inserts that can be added/removed to fit a variety of pistol magazines, large retention knob, Easy Angle adjustment and Black in colour.

4.10.13 Armourers Manual,

4.10.14 Armourers Tools/Kit:

4.10.14.1 9mm pistol tools as prescribed by manufacturer.

4.10.14.2 Front Sight Tool as prescribed by manufacturer

4.10.14.3 Rear Sight Tool as prescribed by manufacturer

4.10.14.4 Night sights (or equivalent) Front

4.10.14.5 Night sights (or equivalent) Rear

4.10.14.6 Pistol Case,

4.10.14.7 Range Bag: Made of Heavy Canvas, Oversize zipper loops for lock placement, padded pockets for pistols and magazine holsters,

4.10.15 Magazines:

4.10.15.1 10 Round

4.10.15.2 12 Round

4.10.15.3 15 Round

4.10.15.4 17 Round

4.10.15.5 19 Round

4.10.15.6 31 Round

4.10.15.7 33 Round

4.11 ITEM 11: 9MM PISTOL LIGHT WITH ATTACHMENT

PISTOL LIGHT WITH ATTACHMENT, SUITABLE FOR 9MM GLOCK PISTOL

NOTE: PHOTO INCLUDED FOR ILLUSTRATION PURPOSES ONLY AND DO NOT PRESCRIBE OR SUPPORT ANY SPECIFIC PRODUCT.



4.11.1 Tactical Light: to fit the items on offer as well as attached to any Picatinny rails on all firearms equipped with said Picatinny rails. Torch with Xenon™ technology, Illumination with both a red dot visible laser and infrared laser and equipped with a dimmer switch and extra globe,

4.11.1.1 The proposed pistol light with attachment on offer, MUST conform to and comply with the following minimum requirements:

- MUST be compatible with the firearms on offer.
- MUST be compatible with universal rails which include the picatinny rail.
- MUST be designed specifically for law enforcement purposes.
- MUST be of a compact, rugged and durable design as firearms upon which these lights are attached are utilised for tactical and self defence purposes.
- MUST be quick to attach and detach.
- MUST be effective, safe, and have a secure locking mechanism.
- Pistol Light Specification:

LED	CREE® XP-G2 R5 LED
Output	230lm ultra-bright output with a flood beam bright enough for peripheral vision
Runtime	Minimum of 80min
Battery	2 X CR123A to be included. (Size and type of battery)
Distance	130m
Diameter	86.7mm x 37.8mm x 24mm
Weight	97g / 3.42oz (without battery)
Impact Resistance	1m
Water Resistance	IPX-7, 1m (can be submerged up to 1 meter in water for a minimum of 30 minutes)

Light Switch	Ambidextrous with a click momentary on and constant on trigger switch setting, ergonomically designed to adapt to all tactical situations. Safe lock of the switch prevents accidentally activation.
--------------	--

COMPLETE PACKAGE REQUIREMENTS


The proposed pistol light with attachment offered **MUST INCLUDE THE FOLLOWING** as a complete package and be included in the unit price of the proposal:

- One (1) x complete pistol light with attachment as per technical specification compatible with both the Glock 17 and Glock 19 pistol models in a black polymer case.
- Two (2) x CR123A Batteries.

4.12 ITEM 12: 9MM PISTOL OPTIC SIGHTS

9MM PISTOL OPTIC SIGHTS: RED-DOT

NOTE: PHOTO INCLUDED FOR ILLUSTRATION PURPOSES ONLY AND DO NOT PRESCRIBE OR SUPPORT ANY SPECIFIC PRODUCT.



- 4.12.1.1 The 9mm Pistol Optic Sights: Red-Dot must conform to and comply with the following minimum requirements:

The required optic sight must be a compact, low-profile red-dot reflex system, with a magnetic mount and glowing rear sights.

MUST be compatible with universal rails which include the picatinny rail.

4.12.1.1.1 MAGNETIC MOUNT

The magnetic mount must be manufactured to the following specifications:

- Must be a Computer Numerical Control (CNC) machined mount - Computer Numerical Control (CNC) machines are automated machines, which are operated by computers executing pre-programmed sequences of controlled commands
- Must be manufactured from Aluminium Alloy AA7075 (7075 T6 – 075) (This is an aluminium alloy with zinc as the primary alloying element. It has superb mechanical properties and exhibits good ductility, high strength, toughness, and good resistance to fatigue. It is more susceptible to embrittlement than many other aluminium alloys because of micro segregation but, has significantly better corrosion resistance than the other alloys).
- Black anodized (technique used to dye the surface of a metal black) surface treatment.
- Neodymium magnet grade N52 black finish.

4.12.1.1.2 GLOWING REAR SIGHT

The glowing rear sight must conform to and comply with the following minimum requirements:

- Must be constructed into two parts, joined by two hardened and tempered, extremely hard countersunk head Allen screws.
- Must be manufactured from Aluminium Alloy AA7075 (7075 T6 – 075) rear sight, anodized finish with glowing pointers.
- High Carbon Steel (SAE 1070) quenched and tempered steel dovetail.
- Must include an Allen key for regulation of the red dot housed in the mount to make it more accessible.

4.12.1.1.3 RED-DOT SPECIFICATIONS

The Red-Dot must conform to and comply with the following minimum requirements:

- Must be manufactured from Aluminium Alloy AA7075 (7075 T6 – 075)
- Magnification: Not Applicable
- Window Lens Size: 17x24mm / 0.7x0.9"

- Length: 40.9mm / 1.6"
- Width: 25.4mm / 1.0"
- Height: 24mm / 0.9"
- Weight (net): 18.4g / 0.65oz
- Eye Relief: Free
- Optics Coating: Multi Coated
- Parallax: Free (<2MOA)
- Parallax Setting: 25 yards
- Adjustment Range: >45MOA
- Dot Size: 3MOA
- Dot Intensity: 8 Levels & 2 NV
- Footprint: MAG compatible with R.M.S
- Working Temperature: -20~+55C
- Housing Material: 6061-T6 aluminium alloy
- Mount Material: 6061-T6 aluminium alloy
- Battery Type: CR2032
- Battery Runtime: 50,000 hours (weakest visible dot)
- Finish: Black matte
- Mounting: Weaver
- For close-in work and general shooting
- IP67 waterproof, shock proof to 1000 w

COMPLETE PACKAGE REQUIREMENTS

9mm Glock Pistol Optic Sights including battery.

4.13 ITEM 13: 9MM PISTOL OPTIC SIGHTS ITEM

9MM GLOCK PISTOL CARBINE CONVERSION KIT OPTIC SIGHTS: RED/GREEN
DOT

NOTE: PHOTO INCLUDED FOR ILLUSTRATION PURPOSES ONLY AND DO NOT PRESCRIBE OR SUPPORT ANY SPECIFIC PRODUCT



The required optic sight must be a compact, low-profile red-dot reflex system, with a magnetic mount and glowing rear sights compatible with a 9mm Glock pistol carbine conversion kit.

MUST be compatible with universal rails which include the picatinny rail.

SPECIFICATION:

The red dot optic sight for the 9mm pistol carbine conversion kit must conform to and comply with the following minimum requirements:

- Must be manufactured from Aluminium Alloy AA7075 (7075 T6 – 075).
 - Must have a mechanism to allow for quick detachment as well as the fast and secure locking of the sight to a Picatinny Rail.
- Must have the ability to prioritise quick target acquisition.
- Must have low light vision capability.
- Must be able to alternate to RED and GREEN dot on demand.
 - Must be able to select either the red or green reticle of the red dot sights and must include 4 reticles.
- Must have a minimum Field of View (FOW): 15.8m - 100m.
- Magnification: 1 x
- Window Lens Size: 17x24mm / 0.7x0.9"
- Length: 40.9mm / 1.6"
- Width: 25.4mm / 1.0"
 - Height: 24mm / 0.9"
 - Weight (net): 18.4g / 0.65oz

- Eye Relief: Free
- Optics Coating: Multi Coated
- Parallax: Free (<2MOA)
- Parallax Setting: 25 yards
- Adjustment Range: >45MOA
- Dot Size: 3 MOA
- Dot Intensity: 8 Levels & 2 NV
- Footprint: MAG compatible with R.M.S
- Working Temperature: -20~+55C
- Housing Material: 6061-T6 aluminium alloy
- Mount Material: 6061-T6 aluminium alloy
- Battery Type: CR2032
- Battery Runtime: 50,000 hours (weakest visible dot)
- Finish: Black matte
- Mounting: Weaver
- For close-in work and general shooting
- IP67 waterproof, shock proof to 1000 w

5. CATEGORY B: TRAINING PISTOLS AND ACCESSORIES

5.1 ITEM 1: TRAINING PISTOLS (STANDARD FULL SIZE)

NOTE: PHOTO INCLUDED FOR ILLUSTRATION PURPOSES ONLY AND DO NOT PRESCRIBE OR SUPPORT ANY SPECIFIC PRODUCT



5.1.1 SPECIFICATIONS FOR SHOT INDICATING RESETTING TRIGGER (SIRT) TRAINING PISTOL

5.1.2 DIMENSIONS

Length:	
Overall	204 mm
Height:	138 mm
Width:	30 mm
Barrel Height:	32 mm
Barrel length:	114 mm
Trigger pull	2.5 Kg
Trigger Travel	12.5 mm

5.1.3 SPECIFICATIONS:

- 5.1.3.1 To simulate the size, weight and functional features of the 9mm pistol on offer.
Pistol trigger Clip for Accidental Activation Protection.
- 5.1.3.2 To work with most holsters made for the 9mm pistol on offer
- 5.1.3.3 To allow for multiple Laser sight
- 5.1.3.4 Integrated Led Light.
- 5.1.3.5 Central information display with 2-digit LED displays remaining DPM energy percentage, bust time, unit
- 5.1.3.6 Digital power magazine
- 5.1.3.7 Anti – Felon identification (AFID)

5.1.4 MARKINGS:

- 5.1.4.1 Serial number on the Barrel, Slide and Frame, Manufacturer, Model, Calibre, and;
- 5.1.4.2 End user abbreviation logo / wording “TMPD”
- 5.1.4.3 QR Barcode with the words “TMPD-“and the serial number and;
- 5.1.4.4 A unique Sequential number on the slide.

5.2 ITEM TWO (2)

SPECIFICATIONS FOR 9MM PISTOL (COLOUR MARKING OR PLASTIC PROJECTILE AMMUNITION) TRAINING PISTOL (OR EQUIVALENT)

NOTE: PHOTO INCLUDED FOR ILLUSTRATION PURPOSES ONLY AND DO NOT PRESCRIBE OR SUPPORT ANY SPECIFIC PRODUCT



5.2.1 **DIMENSIONS**

Length: Overall	204 mm
Height:	138 mm
Width:	30 mm
Barrel Height:	32 mm
Trigger pull	2.5 Kg
Trigger Travel	12.5 mm

5.2.2 **SPECIFICATIONS:**

- 5.2.2.1 To simulate the size, weight and functional features of the pistol on offer, the pistol trigger Clip for Accidental Activation Protection.
- 5.2.2.2 To work with most holsters made for the pistol on offer
- 5.2.2.3 To allow for multiple Laser sight
- 5.2.2.4 Integrated Led Light.
- 5.2.2.5 Central information display with 2-digit LED displays remaining DPM energy percentage, bust time, unit
- 5.2.2.6 Digital power magazine
- 5.2.2.7 Anti – Felon identification (AFID)

5.2.3 **MARKINGS:**

- 5.2.3.1 Serial number on the Barrel, Slide and Frame, Manufacturer, Model, Calibre, and;
- 5.2.3.2 End user abbreviation logo / wording “TMPD”
- 5.2.3.3 QR Barcode with the words “TMPD-“and the serial number and.
- 5.2.3.4 A unique Sequential number on the slide.

5.3 CATEGORY C ITEM 1 ASSAULT RIFLE

NOTE: PHOTO INCLUDED FOR ILLUSTRATION PURPOSES ONLY AND DO NOT PRESCRIBE OR SUPPORT ANY SPECIFIC PRODUCT



5.3.1 SPECIFICATIONS FOR AN AR-15 PLATFORM ASSAULT RIFLE (OR EQUIVALENT)

An AR-15 type assault rifle, by definition, refers to the standard rifle of the specifications as below. Likewise, accessories in the specification schedule refer to those accessories of the equivalent AR-15 platform as provided for by the manufacturer, for application with the AR-15 platform rifle provided: –

5.3.2 DIMENSIONS

Calibre:	5.56 x 45
Length	826 mm – 904 mm
Weight	Unloaded to be 3.04 kg
Barrel:	Chrome lined with Phosphate finish
Barrel Length:	406 mm
Barrel Rifling:	178 mm
Number of Grooves	6
Magazine capacity:	30 Rounds (AR15 type Aluminium)

5.3.3 SPECIFICATIONS:

Mode of Operation

Semi-Auto direct impingement Gas Operated with locking bolt

5.3.3.1 **Colour** – Black

5.3.3.2 **Rear sight** – Flip up rear adjustable Iron sight

- 5.3.3.3 **Front Sight** – F-Marked front sight
- 5.3.3.4 **Controls** – Ambidextrous controls
- 5.3.3.5 **Mag Release** – Ambidextrous mag release
- 5.3.3.6 **Suppressor** – A2 Flash suppressor
- 5.3.3.7 **Accessory rail** – Yes
- 5.3.3.8 **Pistol Grip** – Yes
- 5.3.3.9 **Hand Guard** – Yes
- 5.3.3.10 **Carbine hand guard** – Yes
- 5.3.3.11 **Additional Features** – 6 position telescopic stock
- 5.3.4 **MARKINGS:**
 - 5.3.4.1 Serial number on the Barrel, Slide and Frame, Manufacturer, Model, Calibre, and;
 - 5.3.4.2 End user abbreviation logo / wording “TMPD”
 - 5.3.4.3 QR Barcode with the words “TMPD-“ and the serial number and;
 - 5.3.4.4 A unique Sequential number on the slide.
- 5.3.5 **ACCESSORIES**
 - 5.3.5.1 5.56 NATO 30 Round Aluminium Magazines
 - 5.3.5.2 5.56 NATO 10 Round Black Metal Magazines
 - 5.3.5.3 Nylon Adjustable 2-point Sling with Push Button QD Swivels
 - 5.3.5.4 Single AR Mag Carrier/Pouch.
 - 5.3.5.5 Push Button QD Swivels

5.4 **CATEGORY C ITEM 2: TACTICAL SOFT RIFLE BAG FOR FIELD USE AND TRANSPORT OF RIFLES**

NOTE: PHOTO INCLUDED FOR ILLUSTRATION PURPOSES ONLY AND DOES NOT PRESCRIBE OR SUPPORT ANY SPECIFIC PRODUCT.



The proposed soft rifle carrying bag on offer MUST conform to and comply with the following minimum requirements:

- MUST be suitable for carrying and storing a standard-issue rifle up to 1200mm in length.
- MUST be manufactured from durable, water-resistant material (minimum 600D nylon or polyester).
- MUST include closed-cell foam padding (minimum 10mm thickness) on both sides to protect the firearm during transport.
- MUST have a soft, scratch-resistant internal lining.
- MUST have internal Velcro or buckle retention straps to secure the firearm.
- MUST be equipped with at least one external pouch for magazines or small accessories.
- MUST include both a reinforced carry handle and detachable padded shoulder strap.
- MUST have a lockable zipper mechanism and double-stitched seams for durability.
- MUST be foldable and lightweight for ease of storage when not in use.

Feature	Specification
Internal Length	Minimum 1200mm
Material	600D or 1000D nylon/polyester with water-resistant coating
Padding	10–20mm closed-cell foam
Lining	Soft triCity of Tshwane or polyester
Zippers	Heavy-duty lockable YKK or equivalent

Feature	Specification
Straps	Internal retention + adjustable shoulder strap
Colour Options	Black / Olive Drab / Coyote Brown / Camouflage
External Pouches	Minimum 1, with hook & loop or buckle closure
Weight	Not more than 3kg

Soft Rifle Carrying Bag Specification:

COMPLETE PACKAGE REQUIREMENTS

The proposed soft rifle carrying bag offered **MUST INCLUDE** the following as a complete package and be included in the unit price of the proposal:

- One (1) x Soft Rifle Carrying Bag with padding and accessories pouch as per specification.
- One (1) x Detachable padded shoulder strap.
- One (1) x User care and cleaning instruction sheet.

5.5 CATEGORY C ITEM 3 HARD RIFLE STORAGE AND TRANSPORT CASE FOR TACTICAL RIFLES

NOTE: PHOTO INCLUDED FOR ILLUSTRATION PURPOSES ONLY AND DOES NOT PRESCRIBE OR SUPPORT ANY SPECIFIC PRODUCT.



The proposed hard rifle case on offer MUST conform to and comply with the following minimum requirements:

- **MUST** be suitable for the storage and secure transport of a standard issue tactical rifle with or without scope attached (e.g., 5.56mm or 7.62mm rifles).

- MUST have internal customizable foam padding to protect the firearm and accessories from shock and impact.
- MUST have a rugged, hard-shell outer casing made from high-impact polymer, polypropylene or equivalent.
- MUST be crushproof, waterproof (minimum IP67 rating), and dustproof.
- MUST include a pressure equalization valve for altitude and temperature changes.
- MUST include reinforced steel or heavy-duty polymer hinges and dual padlock-compatible latches.
- MUST include ergonomic side or top-mounted handle for easy transport.
- MUST include an integrated system or moulded slots for securing the firearm in place.

Hard Rifle Case Specification:

Feature	Specification
Internal Dimensions	Minimum 1200mm (L) x 300mm (W) x 120mm (H)
Outer Material	Polypropylene, polycarbonate, or equivalent
Inner Foam	High-density closed-cell customizable foam
Closure Type	Dual throw latch system with padlock eyelets
Weight	Not more than 8kg (empty)
Impact Resistance	1 meter drop resistance on all sides
Waterproof Rating	IP67 (1 meter for 30 minutes minimum)
Colour Options	Matte black / Olive Drab / Coyote Brown
Handles	Heavy-duty rubberized ergonomic handle
Optional Features	Retractable handle and wheels (for mobility)

COMPLETE PACKAGE REQUIREMENTS

The proposed hard rifle case offered MUST INCLUDE the following as a complete package and be included in the unit price of the proposal:

- One (1) x Hard Rifle Case with customizable internal foam as per technical specification.
- One (1) x User care and instruction sheet.
- One (1) x Silica desiccant pack or internal moisture control element.

5.6 CATEGORY C ITEM 4: CLEANING KITS FOR VARIOUS FIREARMS

- Rifle Cleaning Kit as prescribed by the manufacturer per firearm Caliber 5.56
- A Cleaning Kit as prescribed by the manufacturer per firearm. – Caliber .22
- A Cleaning Kit as prescribed by the manufacturer per firearm. – Caliber .308
- A Cleaning Kit as prescribed by the manufacturer per firearm. – Caliber .30.06

5.7 CATEGORY C ITEM5 : SERVICING OF VARIOUS RIFLES:

- Servicing of Semi-Automatic Assault Rifle: Caliber .223/5.56 (Hourly rate)
- Servicing of Hunting rifle: Caliber .223/5.56 (Hourly rate)
- Servicing of Hunting Rifle: Caliber. .22 (Hourly rate)
- Servicing of Hunting Rifle: Caliber .308 (Hourly rate)
- Servicing of Hunting Rifle: Caliber .30.06 (Hourly rate)

5.8 CATEGORY D: SHOTGUN WITH ACCESSORIES

NOTE: PHOTO INCLUDED FOR ILLUSTRATION PURPOSES ONLY AND DOES NOT PRESCRIBE OR SUPPORT ANY SPECIFIC PRODUCT



5.8.1 CATEGORY D ITEM 1: SHOTGUN

SPECIFICATIONS FOR 12 GAUGE PUMP ACTION SHOTGUN

Pump Action shotgun, by definition, refers to the standard shotgun of the specifications as below. Likewise, accessories in the specification schedule refer to those accessories of authentic manufacture, for application with the Pump Action shotgun on offer.

5.8.1.1 DIMENSIONS

Gauge/Chamber:	12 Gauge
Bore:	Smooth Bore
Barrel Length:	610 mm
Length stock Folded:	875 mm
Length stock extended	1155 mm
Average Weight	±3.4kg
Magazine Capacity:	9+1

Operating Mechanism

Pump Action (Spring loaded whereby loading action is driven by a spring ensuring that the next round will be chambered properly)

5.8.1.2 SPECIFICATIONS:

- Colour** – Matte Black
- Muzzle** – Threaded for choke / Muzzle break / Fire suppressor
- Sights** – Adjustable Ghost Ring Rear Sight (Direction & Elevation Adjustment, Red Fibre Optic Front Sight)
- Stock:** – Telescopic & Side Folding with recoil absorber suspension
- Trigger** – Lock Mechanism of shotgun must ensure that the gun WILL NOT FIRE ACCIDENTALLY when it's pounded or dropped in a ready to fire position (cartridge in chamber, mechanism cocked, manual safety in fire position). Must pass drop tests from at least 120cm.

5.8.2 MARKINGS:

- 5.8.2.1 Serial number on the Barrel, Slide and Frame, Manufacturer, Model, Calibre, and.
- 5.8.2.2 End user abbreviation logo / wording "TMPD" / **City of Tshwane and APSS**
- 5.8.2.3 QR Barcode with the words "TMPD/City of Tshwane and APSS" and the serial number and;
- 5.8.2.4 A unique Sequential number on the slide.

5.8.3 SAFETY:

- 5.8.3.1 Push button safety to block the trigger so that the hammer cannot be released and the firing pin remains blocked until the breech bolt is locked into the barrel.

5.8.4 **ACCESSORIES**

- 5.8.4.1 Mil-Spec Picatinny Rail on Receiver
- 5.8.4.2 Mil-Spec Picatinny Rail under for end
- 5.8.4.3 Heat Shield on Barrel
- 5.8.4.4 Nylon Adjustable 2-point Sling with Push Button QD Swivels
- 5.8.4.5 Door-Buster Muzzle Break
- 5.8.4.6 Push Button QD Swivels
- 5.8.4.7 Ammunition pouches:
- 5.8.4.8 Each firearm must be delivered with the following accessories:
- One (1) x Rifle Bag/Case, as prescribed by the manufacturer.
 - One (1) x Rifle Cleaning Kit as prescribed by the manufacturer.
 - One (1) x Rifle Sling belt with Five (5) x ammunition/round loops.
 - One (1) x Ammunition Belt (Ten (10) x ammunition/round loops) – final colour to be confirmed with successful bidder.

5.9 **CATEGORY E: 40MM STOPPER CONVERTIBLE RIFLE WITH ACCESSORIES**

- 5.9.1 **ITEM 1: 40MM STOPPER CONVERTIBLE RIFLE - SINGLE SHOT (ADVANCED LONG-RANGE SYSTEMS (ALS)), LESS LETHAL WITH ACCESSORIES**

NOTE: PHOTO INCLUDED FOR ILLUSTRATION PURPOSES ONLY AND DO NOT PRESCRIBE OR SUPPORT ANY SPECIFIC PRODUCT



- 5.9.1.1 The proposed rifle must conform to the following minimum requirements:
- Calibre: 40mm
 - Mode of fire: Semi-automatic

- Gun break: Break action
- Rounds: Smokeless and Black Powder Rounds
- Type: Single Round, Break-Open Weapon
- Capacity: One (1) Round
- Firing Method: Compress Pin Action
- Trigger mechanism: Double Action
- Practical Firing Rate: Eleven (11) rounds per minute (operator dependent)
- Safety mechanism: Sliding block
- Barrel length: Minimum One Hundred and Eighty-Two (182) mm without compensator and Two Hundred and Twenty (220) mm with compensator.
- Overall length: Minimum Six Hundred and Seventy (670) mm with butt stock extended. Not to exceed Seven Hundred and Fifteen (715) mm. Minimum Five Hundred and Ninety-Five (595) mm with butt stock retracted.
- Weight unloaded with butt stock: Maximum of Two point One Five (2.15) kg.
- Width: Minimum Sixty-Five (65) mm. Not to exceed Seventy-Two (72) mm.
- Effective Range: Minimum Sixty (60) meters (ammunition dependent).
- Picatinny Rail: Standard Configuration. Manufactured and shipped with Two (2) x rails on top and bottom of barrel for easy sight and front grip mounting.
- Sights: Standard open.
- Height: Minimum of Two Hundred and Twenty (220) mm without sight. Not to exceed Two Hundred and Thirty (230) mm.
- Grips and stock: Standard Automatic Rifle (AR) grips and collapsible stock.
- Each firearm must be delivered with the following accessories:
 - One (1) x Rifle Bag/Case, as prescribed by the manufacturer.
 - One (1) x Rifle Cleaning Kit as prescribed by the manufacturer.
 - One (1) x Rifle Sling belt with Five (5) x ammunition/round loops.
 - One (1) x Ammunition Belt (Ten (10) x ammunition/round loops) – final colour to be confirmed with successful bidder.

5.9.1.2 ACCESSORIES

The following accessories must be priced separately for singular procurement on an as and when required basis:

- Armoury Toolkit: The successful bidder must, once the TMPD procures the 40mm Stopper Rifle – Single Shot - Armoury Toolkit, provide a comprehensive demonstration to selected TMPD Armoury officials on the technical working and utilization of the toolkit itself.
- One (1) x Rifle Bag/Case, as prescribed by the manufacturer.
- One (1) x Rifle Cleaning Kit as prescribed by the manufacturer.
- One (1) x Rifle Sling belt with Five (5) x ammunition/round loops.
- One (1) x Ammunition Belt (Ten (10) x ammunition/round loops) – final colour to be confirmed with successful bidder.

5.9.2 ITEM 2: SERVICING OF 40MM STOPPER RIFLE

SERVICING OF 40MM STOPPER RIFLE SINGLE SHOT (ADVANCED LONG-RANGE SYSTEMS (ALS)), LESS LETHAL

- 5.9.2.1 Provision must be made for the servicing of firearms as reflected within this item for the contract period.
- 5.9.2.2 The tenderer is required to submit a unit price as per the attached pricing schedule for an annual full service of the firearm.
- 5.9.2.3 Bidders should note that the prospective bidder must provide a strip and quote quotation reflecting the work required for the specific service at a unit price per hour rate.

5.9.3 ITEM 3: 40MM STOPPER RIFLE - MULTI-SHOT (ADVANCED LONG-RANGE SYSTEMS (ALS)), LESS LETHAL

NOTE: PHOTO INCLUDED FOR ILLUSTRATION PURPOSES ONLY AND DO NOT PRESCRIBE OR SUPPORT ANY SPECIFIC PRODUCT.



5.9.3.1 The proposed rifle must conform to the following minimum requirements:

- Calibre: 40mm.
- Mode of fire: Semi-automatic.
- Gun break: Rotating gear.
- Rounds: Smokeless and Black Powder Rounds.
- Type: Semi-automatic multi shot.
- Capacity: Maximum Six (6) Rounds.
- Firing Method: Compress Pin Action.
- Trigger mechanism: Double Action.
- Practical Firing Rate: Twelve (12) rounds per minute (operator dependent).
- Safety mechanism: Sliding block.
- Barrel length: Minimum Two Hundred and Sixty (260) mm without compensator and Three Hundred (300) mm with compensator.
- Overall length: Minimum Seven Hundred and Thirty (730) mm with butt stock extended. Not to exceed Eight Hundred (800) mm. Minimum Six Hundred and Seventy (670) mm with butt stock retracted.
- Weight unloaded with butt stock: Maximum of Three point Eight Zero (3.80) kg.
- Width: Minimum One Hundred and Fifty (150) mm. Not to exceed One Hundred and Sixty (160) mm.
- Effective Range: Minimum Sixty (60) meters (ammunition dependent).
- Picatinny Rail: Standard Configuration. Manufactured and shipped with Two (2) x rails on top and bottom of barrel for easy sight and front grip mounting.
- Sights: Standard open.
- Height: Minimum of One Hundred and Sixty-Six (166) mm without sight. Not to exceed Two Hundred and Twenty-Eight (228) mm.
- Grips and stock: Standard Automatic Rifle (AR) grips and collapsible stock.
- Each firearm must be delivered with the following accessories:
 - One (1) x 40mm Stopper Rifle - Multi-Shot - Rifle Bag/Case, as prescribed by the manufacturer.
 - One (1) x 40mm Stopper Rifle - Multi-Shot - Rifle Cleaning Kit as prescribed by the manufacturer.

- One (1) x 40mm Stopper Rifle - Multi-Shot - Rifle Sling belt with Five (5) x ammunition/round loops.
- One (1) x 40mm Stopper Rifle - Multi-Shot - Ammunition Belt (Ten (10) x ammunition/round loops) – final colour to be confirmed with successful bidder.
- Armoury Toolkit: Armoury Toolkit: The successful bidder must, once the TMPD procures the 40mm Stopper Rifle – Multi Shot - Armoury Toolkit, provide a comprehensive demonstration to selected TMPD Armoury officials on the technical working and utilization of the toolkit itself.

5.9.4 ITEM 4: SERVICING OF 40MM STOPPER RIFLE - MULTI SHOT (ADVANCED LONG-RANGE SYSTEMS (ALS)), LESS LETHAL

- 5.9.4.1 Provision must be made for the servicing of firearms as reflected within this item for the contract period.
- 5.9.4.2 The tenderer is required to submit a unit price as per the attached pricing schedule for an annual full service of the firearm.
- 5.9.4.3 Bidders should note that the prospective bidder must provide a strip and quote quotation reflecting the work required for the specific service at a unit price per hour rate.

5.9.5 ITEM 5: 40MM STOPPER RIFLE - MULTI SHOT ACCESSORIES -

- 5.9.5.1 The following accessories must be priced separately for singular procurement on an as and when required basis:

- One (1) x 40mm Stopper - Multi Shot - Rifle Bag/Case, as prescribed by the manufacturer.
- One (1) x 40mm Stopper - Multi Shot - Rifle Cleaning Kit as prescribed by the manufacturer.
- One (1) x 40mm Stopper - Multi Shot - Rifle Sling belt with Five (5) x ammunition/round loops.
- One (1) x 40mm Stopper - Multi Shot - Rifle Ammunition Belt (Ten (10) x ammunition/round loops)
- One (1) x Armoury Toolkit for 40mm Stopper Rifle - Multi Shot.

5.10 CATEGORY F: HUNTING RIFLE ACCESSORIES

5.10.1 ITEM 1: HUNTING RIFLES SILENCER – CALIBER .223:



5.10.1.1 SPECIFICATION

- Caliber: .223
- Silencer is a high-quality suppressor designed specifically for .223 Caliber firearms.
- Effectively reduce noise and recoil associated with firing .223 rounds.
- Securely attaches to firearms equipped with the appropriate thread pitch, providing a precise and secure fit.
- Appropriate threading and fitting to be done on the rifle by an accredited Gunsmith.

5.10.2 ITEM 2: HUNTING RIFLES SILENCER – CALIBER: .308



5.10.2.1 SPECIFICATION:

- Caliber: .308
- Silencer is a high-quality suppressor designed specifically for .308 Caliber firearms.
- Effectively reduce noise and recoil associated with firing .308 rounds.
- Securely attaches to firearms equipped with the appropriate thread pitch, providing a precise and secure fit.
- Appropriate threading and fitting to be done on the rifle by an accredited Gunsmith.

5.10.3 ITEM 3: HUNTING RIFLE SCOPES

NOTE: PHOTO INCLUDED FOR ILLUSTRATION PURPOSES ONLY AND DOES NOT PRESCRIBE OR SUPPORT ANY SPECIFIC PRODUCT



5.10.3.1 MEDIUM/LONG RANGE OPTICAL SCOPE FOR HUNTING RIFLES

The proposed hunting rifle scope on offer **MUST** conform to and comply with the following minimum requirements:

- **MUST** be suitable for mounting on standard hunting rifles (e.g., .308, .30-06, .270, etc.).
- **MUST** be designed for medium to long-range shooting (effective range 100–800 meters).
- **MUST** have variable magnification (minimum 3–12x or better).
- **MUST** have an objective lens of at least 40mm diameter to ensure optimal light transmission.
- **MUST** have fully multi-coated lenses to enhance clarity and reduce glare.
- **MUST** include elevation and windage adjustment turrets (preferably capped or lockable).
- **MUST** be constructed from aircraft-grade aluminum or equivalent rugged material.
- **MUST** be waterproof, fog-proof, and shock-resistant (nitrogen or argon purged).
- **MUST** include a second focal plane (SFP) or first focal plane (FFP) reticle suitable for hunting (e.g., duplex or BDC reticle).
- **MUST** include mounting rings compatible with standard 20mm or 30mm scope rails.
- **MUST** include lens caps or flip-up covers.

5.10.3.2 SPECIFICATION

FEATURE	SPECIFICATION
Magnification Range	Variable 3–12x (or better, e.g., 4–16x)
Objective Lens Diameter	Minimum 40mm (preferred 44mm or 50mm for better light gathering)
Tube Diameter	25.4mm (1 inch) or 30mm
Reticle Type	Duplex / BDC / Mil-Dot in SFP or FFP
Adjustment Increments	1/4 MOA or 0.1 MIL per click
Eye Relief	Minimum 80mm (to prevent recoil injury)
Lens Coating	Fully multi-coated (anti-reflective)
Construction Material	Aircraft-grade anodized aluminum or equivalent
Sealing & Purging	Waterproof, fog-proof, nitrogen or argon purged
Shock Resistance	Rated for hunting calibers up to .300 Win Mag
Mounting Compatibility	Includes rings for Picatinny/Weaver rails
Weight	Not more than 800g (scope only)
Colour Options	Matte black / Dark earth
Optional Features	Illuminated reticle (red/green), zero-reset turret

5.10.3.3 COMPLETE PACKAGE REQUIREMENTS

The proposed hunting rifle scope offered **MUST INCLUDE** the following as a complete package and be included in the unit price of the proposal:

- One (1) x Medium/Long Range Rifle Scope as per technical specification.
- One (1) x Set of compatible scope mounting rings.
- One (1) x Lens cleaning cloth.
- One (1) x Set of flip-up lens covers or caps.
- One (1) x User manual with operating and maintenance instructions.
- One (1) x Silica desiccant pack or internal moisture control element.

5.10.4 ITEM 4: THERMAL / NIGHT HUNTING SCOPE

NOTE: PHOTO INCLUDED FOR ILLUSTRATION PURPOSES ONLY AND DOES NOT PRESCRIBE OR SUPPORT ANY SPECIFIC PRODUCT



THERMAL OR DIGITAL NIGHT VISION OPTIC FOR MEDIUM/LONG-RANGE HUNTING RIFLES

5.10.4.1 The proposed thermal or night vision scope on offer **MUST** conform to and comply with the following minimum requirements:

- **MUST** be suitable for use on standard hunting rifles (e.g., .308, .30-06, etc.) and designed for medium- to long-range shooting under low light or total darkness.
- **MUST** be either a digital night vision or thermal imaging scope with built-in display.
- **MUST** have onboard or external rechargeable power supply with minimum 6-hour continuous runtime.
- **MUST** support magnification:
 - Thermal: Base magnification 2x–4x with digital zoom up to 8x or higher
 - Night Vision: Optical magnification minimum 4x with digital zoom
- **MUST** include a high-resolution display (minimum 1024x768 pixels).
- **MUST** support internal image or video recording (to microSD or onboard storage).
- **MUST** include a visible or IR laser rangefinder or be compatible with one.
- **MUST** be constructed with rugged, weather-resistant housing, suitable for field use.
- **MUST** be shock-resistant for high-caliber recoil (up to .300 Win Mag).
- **MUST** support reticle selection and zeroing functionality.
- **MUST** be mountable to a standard 20mm Picatinny or Weaver rail system.
- **MUST** include protective lens caps and appropriate carry/storage case.

5.10.4.2 SPECIFICATION

FEATURE	SPECIFICATION
Type	Thermal Imaging or Digital Night Vision
Detection Range	Minimum 1000m (thermal) / 400m (night vision)
Base Magnification	Thermal: 2x–4x / Night Vision: 4x optical
Digital Zoom	Up to 8x or greater
Display Resolution	Minimum 1024x768 OLED or LCOS
Sensor Resolution	Thermal: $\geq 320 \times 240$ / $\geq 12\mu\text{m}$ pixel pitch
Frame Rate	Minimum 25 Hz
Recording Functionality	Photo and video capture to onboard or microSD storage
Battery Runtime	Minimum 6 hours continuous use
Power Supply	Rechargeable Li-ion battery (internal or swappable)
Housing Material	Rugged polymer or anodized aluminum alloy
Recoil Resistance	Rated for .308 / .30-06 / .300 Win Mag
Mounting System	Standard Picatinny / Weaver rail mount
Reticle Options	Multiple selectable reticles with zeroing capability
Waterproof Rating	IP66 or better
Operating Temperature Range	-20°C to +50°C
Optional Features	Wi-Fi streaming / ballistic calculator / integrated rangefinder

5.10.4.3 COMPLETE PACKAGE REQUIREMENTS

The proposed thermal or night hunting scope offered **MUST INCLUDE** the following as a complete package and be included in the unit price of the proposal:

- One (1) x Thermal or Night Vision Scope with display and rail mount as per technical specification
- One (1) x Rechargeable battery and charging unit (or USB charging cable if internal)

- One (1) x Set of flip-up lens covers or caps
- One (1) x Protective storage/carrying case
- One (1) x MicroSD card (minimum 16GB) for recording
- One (1) x cleaning cloth and instruction manual
- One (1) x Silica desiccant pack or internal moisture control element

5.11 CATEGORY G: ELECTRONIC CONTROL DEVICES

NOTE: PHOTO INCLUDED FOR ILLUSTRATION PURPOSES ONLY AND DOES NOT PRESCRIBE OR SUPPORT ANY SPECIFIC PRODUCT



5.11.1 ITEM 1: TASER HANDGUN

SPECIFICATIONS FOR TASER HANDGUN (OR EQUIVALENT)

The supply and delivery of non-lethal Electronic Control Devices (ECDs) – Handgun type.

5.11.1.1 DIMENSIONS

Length	19.8cm (Without PPM*)
Length	19.8cm (With PPM*)
Width	4.3cm (Without PPM*)
Width	4.3cm (With PPM*)
Height - Without PPM	9.6cm
Height - With PPM	10.7cm
Weight (Loaded)	454g (With PPM* and 2 cartridges)
Weight (Unloaded)	272 g (without PPM* and cartridges)
Housing	High Impact polymer
Operating Temperature	-20° C to 50° C
Storage Temperature range	-20° C to 50° C
Operating relative humidity	Up to 80% (non-condensing)
Estimated useful life	± 5 yrs*

--	--

(PPM = Performance Power Management)

5.11.1.2 SPECIFICATIONS

- 5.11.1.2.1 Back up shot
- 5.11.1.2.2 Dual Lasers.
- 5.11.1.2.3 Real time clock
- 5.11.1.2.4 Arc display independent fire control
- 5.11.1.2.5 Real Battery Consumption measurement
- 5.11.1.2.6 Capability to update Firmware over internet

5.11.1.3 MARKINGS

The following marking **MUST** be provided on each of the products supplied and **MAY NOT** in any way compromise the integrity of the product or the manufacturers warrantee and guarantee: **This MUST be included under each item where markings are applicable!**

- 5.11.1.3.1 Serial number on the Barrel, Slide and Frame, Manufacturer, Model, Calibre, and.
- 5.11.1.4 End user abbreviation logo / wording "TMPD"/**City of Tshwane and APSS.**
- 5.11.1.5 QR Barcode with the words "TMPD-"/**City of Tshwane and APSS.** and the serial number
- 5.11.1.6 A unique Sequential number on the slide.
- 5.11.1.7 Must include a Tazer battery
- 5.11.1.8 Must include a holster to fit product on offer.
- 5.11.2 **SAFETY:**
- 5.11.2.1 Push button safety to block the trigger so that the cartridge cannot be fired.

DESCRIPTION

The replacement cartridges must be designed to deliver a consistent and reliable performance. Each cartridge must contain the essential components to generate a powerful electric shock, allowing to effectively incapacitate potential threats.

Replacing cartridges must be of user-friendly design. Instructions to safely and securely install the replacement cartridge onto the Taser gun must form part of the delivery. This will allow to be back in action in no time, ready to protect the user and others.

The replacement cartridges must deliver a powerful electric shock upon deployment, providing an effective means of self-defence. The shock must be able to incapacitate potential attackers.

FEATURES
• Reliable performance • Powerful electric Shock • The replacement cartridge must be able to shoot 5 meters of electric shock
SPECIFICATIONS
• Item weight; 0.05kg • Material: ABS plastic • Item size; l=4cm x h=5cm x w=3cm

6. LICENSING OF FIREARMS:

- 6.1 The Licensing of each firearm is the responsibility of the City of Tshwane: Metro Police Department (TMPD).
- 6.2 The successful bidder MUST, upon delivery of the procured goods provide the City of Tshwane: Metro Police Department (TMPD) with the completed prescribed and required documentation for the licensing of firearms in terms of the Firearms Control Act (Act 60 of 2000).
- 6.3 The City of Tshwane: Metro Police Department (TMPD) MUST, within fourteen (14) days of receipt of the prescribed documentation initiate the application for the licensing of each firearm to the South African Police Service.
- 6.4 The City of Tshwane: Metro Police Department (TMPD) will provide proof of successful licensing to the successful bidder within seven (7) days of receipt of such licenses.

IMPORTANT:

Notwithstanding anything contained in this agreement, the City of Tshwane reserves the right to automatically terminate this contract with immediate effect, should the licensing of the firearms not be successful.

7. EXECUTION OF ORDERS

- 7.1 The successful bidders must, upon receipt of the purchase order of this competitive bid, supply the Tshwane Metro Police Department the necessary documentation required for the licensing of these firearms, within fourteen (14) days of receipt of the purchase order.
- 7.2 The successful bidder may only deliver and invoice the City of Tshwane, on receipt of proof of successful licensing.
- 7.3 The Chief of Police: Metro Police (TMPD) or his/her representative will certify all invoices for goods procured in accordance with the specifications of the bid

document, before authorization of payment for these goods will be issued.

- 7.4 Payment will only be processed in terms of the Supply Chain Management procedures once proof of licensing of the firearms has been submitted to the successful bidder and the complete quantity of firearms as indicated on the Purchase Order have been received by the Community Safety Department: Tshwane Metro Police.

8. STORAGE AND INSURANCE

- 8.1 The Successful bidder will be responsible for the safe and secure storage, according to the prescriptions of the Firearms Control Act, (Act 60 of 2000), of all firearms until such time as proof of successful licensing is received and the physical delivery of the firearms to the City of Tshwane has been affected.
- 8.2 The successful bidder will be responsible for comprehensive insurance on all firearms, whilst in storage and in transit, until such time as physical delivery to the City of Tshwane has been affected.

9. PENALTIES

9.1 Any product delivered by the successful service provider which mechanically fails due to manufacturer default, within one (1) year of delivery, must be replaced, licensed, delivered and off-loaded by the successful service provider at his/her own cost at the Departmental Armoury.

- Venue details will be communicated to the successful service provider.

9.2 Failure to comply with any of the stipulations included in this document will result in immediate termination of this contract without prior notice. Any financial implication which may arise from such termination will be for the account of the successful service provider.

10. APPLICABLE NATIONAL AND INTERNATIONAL STANDARDS

The following national and international standards bear relevance to this tender and the execution of the service required. All prescripts pertained herein MUST be comply with during the execution of this tender:

- South African Police Service Act, 1995 (Act 68 of 1995) as amended.
- Firearms Control Act, 2000 (Act 60 of 2000) as amended.
- Customs and Excise Act, 1964 (Act 91 of 1964) as amended.
- Public Finance Management Act, 1999 (Act 1 of 1999) as amended.
- Preferential Procurement Framework Act, 2000 (Act 5 of 2000) as amended.

11. DELIVERABLES

11.1 Bidders should note that on the acceptance of tender, the successful bidder must supply the items and/or services as per the attached specifications upon receipt of an official Purchase Order from the City of Tshwane. Failure to adhere to this stipulation will result in cancelation of the bid and appointing the next successful bidder.

11.2 Upon receipt of an official Purchase Order from the City of Tshwane, the successful service provider should deliver service within thirty (30) working days.

Bidders must clearly indicate for which of the items they will be bidding.

Bidders must bid for the category in full

- **Category A: Items 1 to 13.**
- **Category B Item 1 to 4.**
- **Category C 1 TO 11.**
- **Category D Items 1 to 7.**
- **Category E Items 1 to 5 (5.9).**
- **Category F Item 1 to 4.**
- **Category G Item 1 to 4.**

ITEM	DESCRIPTIONS	
CATEGORY A - 9MM PISTOLS WITH ACCESSORIES		YES / NO
ITEM 1	9mm Pistol – Semi-Automatic – Standard (Full Size)	
ITEM 2	9mm Pistol – Semi-Automatic – Compact One (1) (Downsized)	
ITEM 3	9mm Pistol – Semi-Automatic – Compact Two (2) (Downsized)	
ITEM 4	9mm Pistol – Semi-Automatic – Compact Three (3) (Downsized)	
ITEM 5	9mm Pistol – Semi-Automatic – Compact Four (4) (Downsized)	
ITEM 6	9mm Pistol – Semi-Automatic – Compact Five (5) (Downsized)	
ITEM 7	9mm Pistol – Calibre Carbine	
ITEM 8	9mm Pistol – Carbine Conversion Kit	
ITEM 9	9mm Pistol – Optic Sights: Red/Green Dot for Pistol Carbine Conversion Kit	
ITEM 10	9MM SPARE PARTS AND ACCESSORIES	
ITEM 10.1	Recoil Spring 9mm pistol - semi-automatic – standard (full size)	
ITEM 10.2	Recoil Spring 9mm pistol - semi-automatic – compact ONE (1) (downsized)	
ITEM 10.3	Recoil Spring 9mm pistol - semi-automatic – compact TWO (2) (downsized)	

ITEM 10.4	Recoil Spring 9mm pistol - semi-automatic – compact THREE (3) (downsized)	
ITEM 10.5	Recoil Spring 9mm pistol - semi-automatic – compact FOUR (4) (downsized)	
ITEM 10.6	Recoil Spring 9mm pistol - semi-automatic – compact FIVE (5) (downsized),	
ITEM 10.7	Recoil Spring 9mm Carbine - semi-automatic	
ITEM 10.8	Firing Pin Spring Silver (24 Newton),	
ITEM 10.9	Firing Pin Spring Red (28 Newton),	
ITEM 10.10	Extended Slide Stop lever,	
ITEM 10.11	One (1) x Pistol Cleaning Kit as prescribed by the manufacturer of Item 1.	
ITEM 10.12	Servicing 9mm Pistols (Hourly Rate)	
ITEM 10.13	One (1) Armoury Tool Kit as prescribed by the manufacturer.	
ITEM 11	9mm Pistol - Light Attachment	
ITEM 12	9mm Pistol – Optic Sight - RED-DOT	
ITEM 13	9mm Pistol Carbine Conversion Kit - Optic Sights - RED/GREEN DOT	
CATEGORY B:		
TRAINING GUNS WITH ACCESSORIES		YES / NO
ITEM 1	9mm Pistol – Training Pistol Standard (Full Size) with carry case, accessories	
ITEM 2	9mm Pistol – Training Pistol (Colour Marking or Plastic Projectile Ammunition) with carry case and accessories	
ITEM 3	Carry case ONLY - 9mm Pistol Training Pistol Standard (Full Size)	
ITEM 4	Carry bag ONLY - 9mm Pistol Training Pistol Standard (Full Size)	
CATEGORY C:		

RIFLES WITH ACCESSORIES		YES / NO
ITEM 1	Semi-Automatic Assault Rifle – .223/5.56 with carry case/bag and accessories	
ITEM 2	Armory Toolkit as prescribed by the manufacturer	
ITEM 3	Rifle Magazines as prescribed by the manufacturer Thirty (30) Rounds	
ITEM 4	Rifle Magazines as prescribed by the manufacturer ten (10) Rounds	
ITEM 5	Rifle Sling belt as determined by the manufacturer	
ITEM 6	Magazine pouch as approved by manufacturer	
ITEM 7	Tactical Soft Rifle Bag for Field Use and Transport of Rifles	
ITEM 8	One (1) x Rifle Cleaning Kit as prescribed by the manufacturer of Item 1.	
ITEM 9	Carry case for various rifles	
ITEM 10	Carry bags for various rifles	
ITEM 11	Servicing of Semi-Automatic Assault Rifle: Caliber .223/5.56 (Hourly rate)	
CATEGORY D		
12 GAUGE SHOTGUNS WITH ACCESSORIES		YES / NO
ITEM 1	12 Gauge Shotguns with carry case/bag and accessories	
ITEM 2.	One (1) x Carry Case for Shotgun Rifles as prescribed by the manufacturer of Item 1.	
ITEM 3	One (1) x Carry Bags for Shotgun Rifles as prescribed by the manufacturer of Item 1.	
ITEM 4	One (1) x Shotgun Rifle Cleaning Kit as prescribed by the manufacturer of Item 1	
ITEM 5	Servicing of Shotgun: Caliber .12 Gauge (Hourly rate)	
ITEM 6	One (1) x Rifle Sling belt with Five (5) x ammunition/round loops – final colour to be confirmed with successful bidder.	

ITEM 7	One (1) x Ammunition Belt (Twenty (20) x ammunition/round loops) – final colour to be confirmed with successful bidder.	
CATEGORY E:		
40MM STOPPER RIFLES WITH ACCESSORIES		YES / NO
ITEM 1	40mm Stopper Rifle – Single Shot (Advanced Long-range Systems (ALS)), less lethal with accessories	
ITEM 2	Servicing of 40mm Stopper Rifle Single Shot (Advanced Long-Range Systems (Als)), Less Lethal	
ITEM 3	40mm Stopper Rifle – Multi Shot (Advanced Long-range Systems (ALS)), less lethal with accessories.	
ITEM 4	Servicing of 40mm Stopper Rifle Multi Shot (Advanced Long-Range Systems (Als)), Less Lethal	
ITEM 5	40MM STOPPER RIFLE - MULTI SHOT ACCESSORIES	
ITEM 5.1	Carry Case for 40mm Stopper Single Shot as prescribed by the manufacturer	
ITEM 5.2	Carry Case for 40mm Stopper Multi Shot as prescribed by the manufacturer	
ITEM 5.3	Carry Bags for 40mm Stopper Single Shot as prescribed by the manufacturer	
ITEM 5.4	Carry Bags for 40mm Stopper Multi Shot as prescribed by the manufacturer	
ITEM 5.5	One (1) x 40mm Stopper Cleaning Kit as prescribed by the manufacturer of Items 1 and 3.	
ITEM 5.6	One (1) x 40mm Stopper Rifle Sling belt with Five (5) x ammunition/round loops – final colour to be confirmed with successful bidder.	
ITEM 5.7	One (1) x 40mm Stopper Ammunition Belt (Ten (10) x ammunition/round (loops) – final colour to be confirmed with successful bidder.	
ITEM 5.8	40mm Stopper Rifle – Single Shot - Armoury Toolkit,	
ITEM 5.9	40mm Stopper Rifle – Multi Shot - Armoury Toolkit,	

CATEGORY F:		
HUNTING RIFLE ACCESSORIES – SILENCERS		YES / NO
ITEM 1	Silencer for Hunting Rifle – Caliber .223/5.56	
ITEM 2	Silencer for Hunting Rifle – Caliber .308	
ITEM 3	Medium/long range optical scope for hunting rifles	
ITEM 4	Thermal or Digital Night Vision Optic for Medium/Long-Range Hunting Rifles	
CATEGORY G:		
ELECTRONIC CONTROL DEVICES		YES / NO
ITEM 1	Taser Handgun with accessories	
ITEM 2	Cartridges for the Taser - handgun	
ITEM 3	Batteries for the Taser - handgun	
ITEM 4	Holster for Taser - handgun	

5. STAGES OF EVALUATION

There are four (4) stages of evaluation applicable to this tender. They are as follows:

Stage 1: Administrative Compliance

Stage 2: Mandatory Requirements

Stage 3: Testing and Inspection (Physical Evaluation)

Stage 4: Preference Point System

5.1 Stage 1: ADMINISTRATIVE COMPLIANCE

Bidders shall be evaluated for administrative compliance as requested by the City of Tshwane's Supply Chain Management requirements.

Compulsory Returnable Documentation (Submission of these are compulsory)	Submitted (YES or NO)	Checklist (Guide for Bidder and the Bid Evaluation Committee)
a) To enable The City to verify the bidder's tax compliance status, the bidder must provide; • Tax compliance status PIN. - or • Central Supplier Database (CSD)		Tax status must be compliant before the award.
b) A copy of their Central Supplier Database (CSD) registration; or indicate their Master Registration Number / CSD Number;		CSD must be valid.
c) Confirmation that the bidding company's rates and taxes are up to date: Original or copy of Municipal Account Statement of the Bidder (bidding company) not older than 3 months and account must not be in		Was a Municipal Account Statement or landlord letter provided for the bidding company? The name and / or addresses of the bidder's

Compulsory Returnable Documentation (Submission of these are compulsory)	Submitted (YES or NO)	Checklist (Guide for Bidder and the Bid Evaluation Committee)
arrears for more than ninety (90) days; or ,signed lease agreement or In case of bidders located in informal settlement, rural areas or areas where they are not required to pay Rates and Taxes a letter from the local councillor confirming they are operating in that area		statement correspond with CIPC document, Address on CSD or Company profile? Are all payment(s) up to date (i.e. not in arrears for more than 90 days?
d) In addition to the above, confirmation that all the bidding company's owners / members / directors / major shareholders rates and taxes are up to date: • Original or copy of Municipal Account Statement of all the South African based owners / members / directors / major shareholders not older than 3 months and the account/s may not be in arrears for more than ninety (90) days; or a signed lease agreement of owners / members / directors / major shareholders or In case of bidders located in informal settlement, rural areas or areas where they are not required to pay Rates and Taxes a letter from the local councillor confirming they are residing in that area		Was a Municipal Account Statement or landlord letter provided for the bidding company? The name and / or addresses of the bidder's statement correspond with CIPC document, Address on CSD or Company profile? Are all payment(s) up to date (i.e. not in arrears for more than 90 days?
e) Duly Signed and completed MBD forms (MBD 1, 4, 5, 8 and 9) The person signing the bid documentation must be authorized to sign on behalf of the bidder. Where the signatory is not a Director / Member / Owner / Shareholder of the company, an official letter of authorization or delegation of authority should be submitted with the bid document. NB: Bidders must ensure that the directors, trustees, managers, principal shareholders, or stakeholders of this company, declare any interest in any other related companies or business, whether or not they are bidding for this contract. <u>See Question 3.14 of MBD 4. Failure to declare interest will result in a disqualification</u>		All documents fully completed (i.e. no blank spaces)? All documents fully signed by (any director / member / trustee as indicated on the CIPC document, alternatively a delegation of authority would be required? Documents completed in black ink (i.e. no "Tippex" corrections, no pencil, no other colour ink, or non-submission of the MBD forms , will be considered)?
f) Audited Financial Statements for the most recent three (3) years or Audited Financial Statements from date of existence for companies less than three years old. NB: The bidder must submit signed audited annual financial statements for the most recent three years, or if established for a shorter period, submit audited annual financial statements from date of establishment. If the bidder is not required by law to prepare signed annual financial statements for auditing purposes, then the bidder must submit proof that the bidder is not required by law to prepare audited financial statements.		Applicable for tenders above R10m in conjunction with MBD 5) Are Audited financial statements provided (Audited financials must be signed by auditor) Or proof that the bidder is not required by law to prepare audited financial statements.
g) Joint Ventures (JV) – (Only applicable when the bidder tenders as a joint venture) Where the bidder bids as a joint venture (JV), the required or relevant documents as per (a) to (f) above must be provided for all JV parties. In addition to the above the bidder must submit a Joint Venture (JV) agreement signed by the relevant parties. NB: It is a condition of this bid that the successful bidder will continue with the same Joint Venture (JV) for the duration of the contract unless prior approval is obtained from the City.		If applicable. JV agreement provided? JV agreement complete and relevant? Agreement signed by all parties? All required documents as per (i.e. a to f) must be provided for all partners of the JV.

Compulsory Returnable Documentation (Submission of these are compulsory)	Submitted (YES or NO)	Checklist (Guide for Bidder and the Bid Evaluation Committee)
h) Bidder attended a compulsory briefing session where applicable	N/A	A compulsory briefing register must be signed by the bidder. Bidders will be disqualified should they fail to attend compulsory briefing session
i) Pricing schedule (All items must be quoted for in pricing schedule and if not, all items are quoted the bidder will be disqualified). Unless the tender is awarded per item or per section where the bidder only quoted the items or sections, they are interested in.		Incomplete pricing schedule results in totals being incomparable. Bidder must be disqualified. Bidder will be disqualified should they make corrections on the price schedule without attaching a signature or initialising thereto. Bidder will be disqualified should they use tippex/ correction ink, on the price schedule.

5.2 Stage 2: MANDATORY REQUIREMENTS

SERVICE PROVIDER MINIMUM REQUIREMENTS:

Documentation requested below **MUST** be attached to the bid proposal, any proposals received without the required information stipulated below, will not be considered. Non-Compliance, or neglect on any prospective bidders' part to comply with ANY of the Compulsory Tender Requirements will render his/her bid invalid.

NO	MANDATORY REQUIREMENT	COMMENT YES/NO
1.	Prospective bidders must provide written proof from the South African Police Services, Central Firearms Register of their official firearms dealership that allows them to provide firearms to a South African Law Enforcement Agency. - The supplier must provide written proof from the South African Police Services, Central Firearms Register of their official firearms dealership that allows them to provide firearms to a South African Law Enforcement Agency.	
2.	Prospective bidders must provide a Comprehensive company profile, which includes proof of a minimum of three (3) years' experience in the supply of firearms • Proof of such experience must be in the format of at least two references issued by any other South African law enforcement agencies and or other road management related authorities where such equipment is in use.	
3.	The service provider must have a certified gunsmith for the specific tendered firearms as required by the Firearms Control Act (Attach proof of Licence).	
4.	The service provider must include a copy of their registration documentation as an official firearms dealer in South Africa.	
5.	The service provider must include official documentation/confirmation from the manufacturer / their suppliers, so as to represent their product and to provide firearms to a South African Law Enforcement Agency.	

6.	The supplier must provide written proof Purchase Order receive, delivery notes/goods receipts and proof of payments from the supplier preferable be organs of state	

5.2.1 **SERVICE PROVIDER REQUIREMENTS AND DELIVERABLES:**

- Suppliers must be able to provide back-up service in terms of the provisioning of spare parts and accessories on an as and when required basis.
- The service provider should be able to supply all the required hardware.
- The service provider should have a minimum of one year of experience in the supply of firearms.
- The service provider, if so required, must demonstrate and allow live firing/testing of the weapons in City of Tshwane Metro Police Department at no cost to TMPD with a minimum of at least 100 rounds per firearm.
- The service provider must provide a 10 year or 40 000 round guarantee period on the main components of the firearms.
- Firearms with an international reference list, follow-up and spare parts – orders must be guaranteed for 10 years.
- Delivered firearms are factory new, C.I.P. proof; house tested and equals the latest technical standards.
- Field stripping must be possible without tools.
- Basic cleaning kit to be provided with each firearm.
- Industrial-grade wireless Transmitter/Sensor with location tracking capability via GSM / GPRS and Ethernet for remote online monitoring
- The letters “t=TMPD”, a QR Barcode (containing the words” TMPD-“ and the serial number) and a sequential serial number must be engraved on the side of the slide of all supplied firearms.

5.2.2 **QUANTITIES:**

Due to the uncertainty and fluctuation of the Municipality’s requirements, no indication can be given as to the quantities of the above-mentioned items which will be required under this contract. The service provider/s will, therefore, be required to supply the requirements in such quantities as may be required by the Municipality from time to

time. When supplies are required, the Municipality will endeavor to place orders, on an as and when required basis, as far in advance as possible.

IMPORTANT:

The following are important mandatory tender requirements that require full compliance by prospective bidders and all the stipulated documentation listed below **MUST** be attached to the bid proposal. Any proposals received without the required mandatory tender requirement information will not be considered.

Non-Compliance, or neglect on any prospective bidders' part to comply with ANY of the Mandatory Tender Requirements will render his/her bid invalid.

5.2.3 CERTIFICATION BY RECOGNIZED BODIES

5.2.3.1 Certified copies of the National Authority (SAPS) of the following information must be provided when proposals are submitted to ensure full compliance with the terms of the Firearms Control Act, 2000 (Act 60 of 2000): where applicable:

- Proof of certification as a Licensed Firearms and Ammunition Manufacturer; or
- Proof of certification as a Licensed Firearms and Ammunition Dealer; or
- Proof of certification as a Licensed Firearms and Ammunition Gunsmith; or
- Proof of certification as a Licensed Firearms and Ammunition Importer, Exporter and Carriage In-Transit.
- All prospective bidders must submit documentation with the tender that extensive field testing has been done by the manufacturer, or an acknowledged and accredited National and/or International Law Enforcement Agency, to prove the average reliability and durability of such firearms on the following:
 - The number of continues rounds shot without any stoppages.
 - The number of continues rounds shot without any malfunctions.
 - The maximum number of rounds shot with such firearm.
 - The maximum number of rounds tested with such firearm on durability of the slide.
 - The maximum number of rounds tested with such firearm on durability of the frame.
 - The maximum number of rounds tested with such firearm on durability of the barrel and proof that spares for such firearms as identified in the bid document are available in South Africa.

- Confirmation that stock of such spares (procured product) is kept nationally (in South Africa).
- The documentation referred to above should contain contact details for/of the manufacturer or an acknowledged and accredited National and/or International Law Enforcement Agency.
- The City of Tshwane reserves the right to contact the referrals and verify the information contained in the documentation.

5.3 Stage 3: TESTING AND INSPECTIONS (Physical Evaluation)

- A practical demonstration on the use of each of the proposed products will be requested from each of the successful shortlisted bidders.
- In addition to this, a real-time operational evaluation of each product will be done. This evaluation will be executed in accordance with the evaluation criteria determined by the Tshwane Metro Police Department against the specifications of the tender.
- The Chief of Police Metro Police Department or his/her delegated representative, shall be the inspecting authority.
 - The operational testing and evaluation of each firearm will be done according to the following criteria:
 - Presentation by bidder consisting of the following – 30 minutes allowed.
 - Technical information regarding proposed products.
 - Compliance with requirements in terms of this specification.
 - Physical evaluation of the proposed product. An evaluation sheet will be completed by designated evaluators of the Tshwane Metro Police Department as part of objective criteria. These include the following:
 - Sights.
 - Frame.
 - Grips.
 - Trigger.
 - Trigger Guard.
 - Loading and Reloading Magazine.
 - Magazine Release (where applicable).
 - Magazine Insertion and Extraction (where applicable).
 - Disassembly of firearms.
 - Assembly of firearms.
 - Cleaning of firearms.

5.3.1 Operational Evaluation of Proposed Products

The evaluation of each category of firearms above will be executed at an outdoor shooting range, at an appropriate distance for the type of firearm evaluated from target by doing the following:

- Rapid fire shooting – All firearms:
 - 9mm Pistols: Thirty (30) Rounds
 - 12 Gauge Shotguns: Eighteen (18) Rounds
 - Assault Rifles: Thirty (30) Rounds
 - 40mm Stopper Rifle (Single shot): Six (3) Rounds

- 40mm Stopper Rifle (Multi shot): Six (3) Rounds
- The successful bidders selected to participate in the operational evaluation of his/her product will be responsible for the supply of the following ammunition to utilize during this operational evaluation:
 - 9mm Pistols: A minimum of five hundred (500) rounds.
 - 12 Gauge Shotguns: A minimum of two hundred (200) rounds.
 - Assault Rifles: A minimum of five hundred (500) rounds.
 - 40mm Stopper Rifle (Single shot): A minimum of fifty (60) rounds.
 - 40mm Stopper Rifle (Multi shot): A minimum of sixty (60) rounds.

IMPORTANT:

Incorrect quantities or insufficient rounds will automatically result in non-evaluation of the proposed product resulting in automatic disqualification from this tender.

- The following ammunition will be used during the operational evaluation:
 - 9mm Pistols: 9×19mm Parabellum Full Metal Jacket (FMJ).
 - 12 Gauge Shotguns: 12 Gauge Shot Gun Round
 - Assault Rifles: High Velocity, 5,56mm x 45mm Soft Point.
 - 40mm Stopper Rifles: 40mm React Extended Range, Oleoresin Capsicum (OC) (Pepper Spray).
- All prospective bidders must take note that the operational evaluation will be digitally recorded on a video camera both for compliance and record keeping purposes.
- The Chief of Police: Tshwane Metro Police and/or his representative shall be afforded access by the prospective bidders to a minimum of the following samples of each make and model of the firearms that each prospective bidders propose to submit against the specification of this competitive bid:
 - 9mm Pistols: Ten (10) units
 - 12 Gauge Shotguns: Ten (10) units
 - Assault Rifle: Five (5) units
 - 40mm Stopper Rifle (Single shot): Two (2) units
 - 40mm Stopper Rifle (Multi-shot): Two (2) units

IMPORTANT:

Incorrect quantities or insufficient firearms per category will automatically result in non-evaluation of the proposed product resulting in automatic disqualification from this tender.

- These samples will be used for operational testing and evaluation prior to awarding the contract.
- Operational testing and evaluation of each firearm will be done by selected members of the Tshwane Metro Police Department. Each prospective bidder will be notified of the date and time of the operational evaluation of the respective samples and must ensure that he/she is present and/or represented by a competent representative at the operational evaluation of his/her samples at his/her own cost. All samples will be returned to the respective bidder upon completion of the operational testing and evaluation.
- Testing and inspections will be executed in accordance with the stipulations reflected on Annexure A, B and C as attached to this document.

IMPORTANT:

Failure to reach a minimum score of eighty percent (80%) during this evaluation will result in the proposal not being evaluated further.

5.4 Stage 4: PREFERENCE POINT SYSTEM

The preferential point system used will be the 80/20 points system in terms of the Preferential Procurement Policy Framework Act, 2000 (Act 5 of 2000) Regulations 2022.

- 80 points for price
- 20 points for Specific goals

Specific Goals

- Bidders are required to submit supporting documents for their bids to claim the specific goal points.
- Non-compliance with specific goals will not lead to disqualification but bidders will not be allocated specific goal points. Bidders will score points out of 80 for price only and zero (0) points out of 20 for specific goals.
- The city of Tshwane shall act against any bidder or person when it detects that the specific goals were claimed or obtained on a fraudulent basis.

The specific goal for this bid is outlined below. Bidders are to submit supporting documents as outlined below to be eligible for points.

Specific goals	80/20 preference point system	Proof of specific goals to be submitted
BB-BEE score of companies • Level 1 • Level 2 • Level 3 • Level 4 • Level 5 • Level 6 • Level 7 • Level 8 • Non-compliant	• 8 Points • 7 Points • 6 Points • 5 Points • 4 Points • 3 Points • 2 Points • 1 Point • 0 Points	Valid Certified copy of BBBEE certificate. Sworn Affidavit for B-BBEE qualifying small enterprise or Exempt Micro Enterprises or CIPC BBBEE certificate.
EME and/ or QSE	2 Points	Valid Sworn affidavit for B-BBEE qualifying small enterprise or Exempt Micro Enterprises or CIPC BBBEE certificate
At least 51% of Women-owned companies	2 Points	Certified copy of Identity Document/s <u>and</u> proof of ownership (Sworn affidavit for B-BBEE qualifying small enterprise or Exempt Micro Enterprises, CIPC registration or any other proof of ownership)
At least 51% owned companies by People with disability	2 Points	Medical Certificate with doctor's details (Practice Number, Physical Address, and contact numbers) and proof of ownership (Sworn affidavit for B-BBEE qualifying small enterprise or Exempt Micro Enterprises, CIPC registration or any other proof of ownership)
At least 51% owned companies by Youth	2 Point	Certified copy of Identity Document/s <u>and</u> proof of ownership (Sworn affidavit for B-BBEE qualifying small enterprise or Exempt Micro Enterprises, CIPC registration or any other proof of ownership)
Local Economic Participation • City of Tshwane • Gauteng • National	4 Points 2 Points 1 Point	Municipal Account statement/Lease agreement.

Specific goals	80/20 preference point system	Proof of specific goals to be submitted

For points to be allocated as per above the tenderers will be required to submit proof of documentation as evidence for claims made. Any tenderer that does not submit evidence as stated in the bid document to claim applicable points will be allocated zero points.

6 PRICING SCHEDULE

The tender will be awarded per category. Estimated Quantities in the table below is indicative of the planned procured subject to the availability of funding.

ITEM	DESCRIPTION	UNITS	PRICE PER UNIT (EXCL. VAT)	ESTIMATED QUANTITY	TOTAL PRICE (EXCL. VAT)	PERCENTAGE FOREIGN EXCHANGE
CATEGORY A:						
1.	9MM PISTOLS (STANDARD (FULL SIZE) & COMPACT (DOWNSIZED)) WITH ACCESSORIES AND SERVICING					
1.1	\One (1) x 9mm Pistol - Semi-Automatic – Standard (Full Size), specifications - complete with following accessories: • One (1) x Pistol Bag/Case as prescribed by the manufacturer. • Two (2) x Magazine as prescribed by the manufacturer. • One (1) x Pistol Cleaning Kit as prescribed by the manufacturer. • One (1) x Holsters to fit prescribed item - Standard (Full Size)	1	R	50	R	%
1.2	\One (1) x 9mm Pistol – Semi-Automatic – Compact one (1) (Downsized), specifications - complete with following accessories: • One (1) x Pistol Bag/Case as prescribed by the manufacturer. • Two (2) x Magazine as prescribed by the manufacturer. • One (1) x Pistol Cleaning Kit as prescribed by the manufacturer. • One (1) x Holsters to fit prescribed item - Compact (Downsized)	1	R	50	R	%

ITEM	DESCRIPTION	UNITS	PRICE PER UNIT (EXCL. VAT)	ESTIMATED QUANTITY	TOTAL PRICE (EXCL. VAT)	PERCENTAGE FOREIGN EXCHANGE
1.3	9mm pistol semi-automatic – compact two (2) (Downsized), specifications - complete with following accessories: • One (1) x Pistol Bag/Case as prescribed by the manufacturer. • Two (2) x Magazine as prescribed by the manufacturer. • One (1) x Pistol Cleaning Kit as prescribed by the manufacturer. • One (1) x Holsters to fit prescribed item - compact two (2)	1	R	50	R	%
1.4	9mm pistol - semi-automatic – compact three (3) (downsized) specifications - complete with following accessories: • One (1) x Pistol Bag/Case as prescribed by the manufacturer. • Two (2) x Magazine as prescribed by the manufacturer. • One (1) x Pistol Cleaning Kit as prescribed by the manufacturer. • One (1) x Holsters to fit prescribed item - compact three (3)	1	R	50	R	%
1.5	9mm pistol semi-automatic – compact four (4) (downsized) specifications– complete with following accessories: • One (1) x Pistol Bag/Case as prescribed by the manufacturer. • Two (2) x Magazine as prescribed by the manufacturer.	1	R	50	R	%

ITEM	DESCRIPTION	UNITS	PRICE PER UNIT (EXCL. VAT)	ESTIMATED QUANTITY	TOTAL PRICE (EXCL. VAT)	PERCENTAGE FOREIGN EXCHANGE
	- One (1) x Pistol Cleaning Kit as prescribed by the manufacturer. - One (1) x Holsters to fit prescribed items - compact four (4)					
1.6	Semi-automatic – compact five (5) (downsized) Specifications for 9mm pistol - complete with the following accessories: - One (1) x Pistol Bag/Case as prescribed by the manufacturer. - Two (2) x Magazine as prescribed by the manufacturer. - One (1) x Pistol Cleaning Kit as prescribed by the manufacturer. - One (1) x Holsters to fit prescribed item - compact five (5)	1	R	50	R	%
1.7	9mm Caliber Carbine - complete with the following accessories: 9x19mm 30 Round Polymer Magazine 9x19mm 20 Round Polymer Magazine - Nylon Adjustable Sling - Single Mag Carrier/Pouch. ± 1 m Standard Rifle bag	1	R	20	R	%
	9mm Pistol – Carbine Conversion Kit	1	R	10	R	%
	9mm Pistol – Optic Sights: Red/Green Dot for Pistol Carbine Conversion Kit	1	R	10	R	%
1.9	Servicing 9mm Pistols (Hourly Rate)	1	R	10	R	%
1.9	SPARE PARTS AND/OR ACCESSORIES					

ITEM	DESCRIPTION	UNITS	PRICE PER UNIT (EXCL. VAT)	ESTIMATED QUANTITY	TOTAL PRICE (EXCL. VAT)	PERCENTAGE FOREIGN EXCHANGE
1.9.1	Recoil Spring 9mm pistol - semi-automatic – standard (full size)	1	R	10	R	%
1.9.2	Recoil Spring 9mm pistol - semi-automatic – compact ONE (1) (downsized)	1	R	10	R	%
1.9.3	Recoil Spring 9mm pistol - semi-automatic – compact TWO (2) (downsized)	1	R	10	R	%
1.9.4	Recoil Spring 9mm pistol - semi-automatic – compact THREE (3) (downsized)	1	R	10	R	%
1.9.5	Recoil Spring 9mm pistol - semi-automatic – compact FOUR (4) (downsized)	1	R	10	R	%
1.9.6	Recoil Spring 9mm pistol - semi-automatic – compact FIVE (5) (downsized),	1	R	10	R	%
1.9.7	Recoil Spring 9mm Carbine - semi-automatic	1	R	10	R	%
1.9.8	Firing Pin Spring Silver (24 Newton),	1	R	10	R	%
1.9.9	Firing Pin Spring Red (28 Newton),	1	R	10	R	%
1.10	Magazine Pouch Polymer Versa-Pouch (or equivalent) type, Multi mag fit, ambidextrous pouch with inserts that can be added/removed to fit a variety of 9mm pistol magazines, large retention knob,	1	R	10	R	%

ITEM	DESCRIPTION	UNITS	PRICE PER UNIT (EXCL. VAT)	ESTIMATED QUANTITY	TOTAL PRICE (EXCL. VAT)	PERCENTAGE FOREIGN EXCHANGE
	Easy Angle adjustment and Black in colour.					
1.10	9MM MAGAZINES					
1.10.1	9MM 10 Round Magazine	1	R	10	R	%
1.10.2	9MM 12 Round Magazine	1	R	10	R	%
1.10.3	9MM 15 Round Magazine	1	R	10	R	%
1.10.4	9MM 17 Round Magazine	1	R	10	R	%
1.10.5	9MM 19 Round Magazine	1	R	10	R	%
1.10.6	9MM 31 Round Magazine	1	R	10	R	%
1.10.7	9MM 33 Round Magazine	1	R	10	R	%
1.10.8	One (1) x 9mm Pistol to Carbine Conversion Kit (P2cc)	1	R	10	R	%
1.10.9	One (1) x Pistol Light with Attachment, Suitable for 9mm Pistol complete with following accessories: Two (2) x CR123A Batteries.	1	R	10	R	%
1.10.10	One (1) x 9mm Pistol Optic Sights: Red-Dot complete with applicable batteries as prescribed by the manufacturer.	1	R	10	R	%

ITEM	DESCRIPTION	UNITS	PRICE PER UNIT (EXCL. VAT)	ESTIMATED QUANTITY	TOTAL PRICE (EXCL. VAT)	PERCENTAGE FOREIGN EXCHANGE
1.10.11	One (1) x 9mm Pistol Carbine Conversion Kit Optic Sights. as prescribed by the manufacturer.	1	R	10	R	%
1.11	9 MM HOLSTERS					
1.11.1	One (1) x Holsters to fit prescribed item - Standard (Full Size) as prescribed by the manufacturer.	1	R	10	R	%
1.11.2	One (1) x Holsters to fit prescribed item – Compact one (1) (Downsized) as prescribed by the manufacturer.	1	R	10	R	%
1.11.3	One (1) x Holsters to fit prescribed item - compact two (2) (Downsized) as prescribed by the manufacturer.	1	R	10	R	%
1.11.4	One (1) x Holsters to fit prescribed item - compact three (3) (Downsized) as prescribed by the manufacturer.	1	R	10	R	%
1.11.5	One (1) x Holsters to fit prescribed item - compact four (4) (Downsized) as prescribed by the manufacturer.	1	R	10	R	%
1.11.6	One (1) x Holsters to fit prescribed item - compact five (5) (Downsized) as prescribed by the manufacturer.	1	R	10	R	%
TOTAL EXCLUDING VAT			R		R	%

ITEM	DESCRIPTION	UNITS	PRICE PER UNIT (EXCL. VAT)	ESTIMATED QUANTITY	TOTAL PRICE (EXCL. VAT)	PERCENTAGE FOREIGN EXCHANGE
VAT (15%)			R		R	%
TOTAL INCLUDING VAT			R		R	%
CATEGORY B:						
2.	Training Materials Guns and Accessories					
2.1	9mm pistol training pistol standard (full size)	1	R	5	R	%
2.2	9mm pistol training pistol (colour marking or plastic projectile ammunition) training pistol (or equivalent	1	R	5	R	%
2.3	Carry case ONLY - 9mm Pistol Training Pistol Standard (Full Size)	1	R	5	R	%
2.4	Carry bag ONLY - 9mm Pistol Training Pistol Standard (Full Size)	1	R	5	R	%
TOTAL EXCLUDING VAT			R		R	
VAT (15%)			R		R	
TOTAL INCLUDING VAT			R		R	

CATEGORY C:						
3.	SEMI-AUTOMATIC ASSAULT RIFLE .223/5.56 WITH ACCESSORIES AND SERVICING					
3.1	Semi-Automatic Assault Rifle: Caliber .223/5.56 complete with following accessories: - One (1) x Rifle Bag/Case, as prescribed by the manufacturer. - Two (2) x Rifle Magazines as prescribed by the manufacturer. - One (1) x Rifle Cleaning Kit as prescribed by the manufacturer. - One (1) x Rifle Sling belt as determined by the manufacturer. One (1) x Magazine pouch as approved by manufacturer – final colour to be confirmed with successful bidder.	1	R	20	R	%
3.2	Armory Toolkit as prescribed by the manufacturer	1	R	20	R	%
3.3	Rifle Magazines as prescribed by the manufacturer Thirty (30) Rounds	1	R	20	R	%
3.4	Rifle Magazines as prescribed by the manufacturer ten (10) Rounds	1	R	20	R	%
3.5	Rifle Cleaning Kit as prescribed by the manufacturer	1	R	20	R	%
3.6	Rifle Sling belt as determined by the manufacturer	1	R	20	R	%
3.7	Magazine pouch as approved by manufacturer	1	R	20	R	%
3.8	Tactical Soft Rifle Bag for Field Use and Transport of Rifles	1	R	2	R	%
3.9	Hard Rifle Storage for Field Use and Transport of Rifles	1	R	25	R	%
3.20	Servicing of Semi-Automatic Assault Rifle: Caliber .223/5.56 (Hourly rate)	1	R	25	R	%

TOTAL EXCLUDING VAT			R		R	%
VAT (15%)			R		R	%
TOTAL INCLUSIVE OF VAT			R		R	%
CATEGORY D:						
	12 GAUGE PUMP ACTION SHOT GUNS WITH RELATED EQUIPMENT AND ACCESSORIES AND SERVICING					
4.1	One (1) x 12 Gauge Pump Action Shot Guns complete with following accessories: - One (1) x Shot Gun Cleaning Kit. - One (1) x Two-point Sling, manufactured from heavy duty nylon. One (1) 12 Gauge Ammunition belt	1	R	10	R	%
4.2	Servicing of 12 Gauge Pump Action Shot Gun (Hourly rate)	1	R	10	R	%
4.3	12 Gauge Pump Action Shot Gun Accessories					
4.4	One (1) x 12 Gauge Pump Action Shot Gun Cleaning Kit					
4.5	One (1) x 12 Gauge Pump Action Shot Gun Two-point Sling		R	10	R	%
4.6	One (1) x 12 Gauge Pump Action Shot Gun Ammunition Belt		R	10	R	%
4.7	One (1) x 12 Gauge Pump Action Shot Gun Armoury Toolkit		R	10	R	%
TOTAL EXCLUDING VAT			R		R	%
VAT (15%)			R		R	%
TOTAL INCLUSIVE OF VAT			R		R	%

CATEGORY E:						
5.	40MM STOPPER RIFLE (CONVERTIBLE) - SINGLE SHOT (ADVANCED LONG-RANGE SYSTEMS (ALS)), LESS LETHAL WITH ACCESSORIES AND SERVICING					
5.1	One (1) x 40MM Stopper Rifle Convertible - Single Shot (Advanced Long-Range Systems (ALS)), less lethal complete with the following accessories: • One (1) x Rifle Bag/Case, as prescribed by the manufacturer. • One (1) x Rifle Cleaning Kit as prescribed by the manufacturer. • One (1) Rifle Sling belt with five (5) ammunition round loops. One (1) x Ammunition belt with ten (10) ammunition round loops.	1	R	10	R	%
5.2	40mm Stopper Rifle – Multi Shot (Advanced Long-range Systems (ALS)), less lethal with accessories. • One (1) x Rifle Bag/Case, as prescribed by the manufacturer. • One (1) x Rifle Cleaning Kit as prescribed by the manufacturer. • One (1) Rifle Sling belt with five (5) ammunition round loops. One (1) x Ammunition belt with ten (10) ammunition round loops.	1	R	10	R	%
5.3	Servicing of 40mm Stopper Rifle - Single Shot (Hourly rate)	1	R	10	R	%

5.4	40MM Stopper Rifle Convertible - Single Shot – Accessories:	1	R	10	R	%
5.5	One (1) x 40mm Stopper - Single Shot - Rifle Bag/Case	1	R	10	R	%
5.5.1	One (1) x 40mm Stopper - Single Shot - Rifle Cleaning Kit	1	R	10	R	%
5.5.2	One (1) x 40mm Stopper - Single Shot - Rifle Sling belt with Five (5) x ammunition round loops.		R	10	R	%
5.5.3	One (1) x 40mm Stopper - Single Shot - Rifle Ammunition Belt with Ten (10) x ammunition round loops.	1	R	10	R	%
5.5.4	One (1) x Armoury Toolkit for 40mm Stopper Rifle - Single Shot	1	R	10	R	%
TOTAL EXCLUDING VAT			R		R	%
VAT (15%)			R		R	%
TOTAL INCLUSIVE OF VAT			R		R	%

CATEGORY F						
6	ADDITIONAL RIFLE ACCESSORIES FOR NATURE CONSERVATION					
6.1	ITEM 1 Supply and Delivery of Silencers – Hunting Rifles Caliber: .223/5.56		R	5	R	%
6.2	ITEM 2: Supply and Delivery of Silencers – Huntin Rifles Caliber: .308		R	5	R	%
6.2	ITEM 3: Appropriate threading and fitting to be done on the rifle by an accredited Gunsmith. Price per fitting of a Silencer		R	5	R	%
6.3	ITEM 4 Supply and Delivery of Rifle Scope		R	5	R	%
6.4	Item 5 Medium/Long Range Optical Scope for Hunting Rifles		R	5	R	%
6.5	Item 6 Thermal or Digital Night Vision Optic for Medium/Long-Range Hunting Rifles		R	5	R	%
6.6	ITEM 7: Appropriate fitting of rifle scopes to be done on the rifle by an accredited Gunsmith. Price per fitting of a Rifle Scope 1		R	5	R	%
TOTAL EXCLUDING VAT			R		R	%
VAT (15%)			R		R	%
TOTAL INCLUSIVE OF VAT			R		R	%

CATEGORY G						
7	ELECTRONIC CONTROL DEVICES					
7.1	Taser Handgun Must include a Taser battery Must include a holster to fit product on offer.	1	R	5	R	%
7.2	The supply and delivery of non-lethal Electronic Control Devices (ECDs) – Handgun type - Cartridge	1	R	5	R	%
7.3	The supply and delivery of non-lethal Electronic Control Devices (ECDs) – Handgun type Taser battery	1	R	5	R	%
7.4	Supply of a holster to fit Taser product on offer	1	R	5	R	%
TOTAL EXCLUDING VAT			R		R	
VAT (15%)			R		R	
TOTAL INCLUSIVE OF VAT			R		R	

7 AWARD

The tender will be awarded per category

8 TYPE OF AGREEMENT REQUIRED

Should it be considered as a requirement by the City of Tshwane: Group Legal Department, a Service Level Agreement will be finalised upon award of tender. Such Service Level Agreement, will be signed between the City of Tshwane and the Successful bidder/s.

9 VALIDITY PERIOD

The validity period for the tender after closure is 90 days. City of Tshwane shall have right and power to extend any tender validity period beyond any initial validity period set and subsequent extensions. SCM shall ensure that an extension of validity is requested in writing from all bidders before the validity expiry date. Extension of validity shall be finalized while the quotations/bids are still valid.

10 MARKET ANALYSIS

The city of Tshwane reserves the right to conduct market analysis. Should the city exercise this option, Where a tenderer offers a price that is deemed not to be viable to supply goods or services as required, written confirmation will be made with the tenderer if they will be able to deliver on the price, if a tenderer confirm that they cannot, The tenderer will be disqualified on the basis of being non-responsive. If they confirm that they can deliver, a tight contract to mitigate the risk of non-performance will be entered into with the service provider. Further action on failures by the supplier to deliver will be handled in terms of the contract including performance warnings and listing on the database of restricted suppliers.

The city further reserves the right to negotiate a market related price with a tenderer scoring the highest points. If the tenderer does not agree to a market-related price, the city reserves the right to negotiate a market-related price with the tenderer scoring the second highest points, if the tenderer scoring the second highest points does not agree to a market-related price, negotiate a market-related price with the tenderer scoring the third highest points. If a market-related price is not agreed, the city reserves the right to cancel the tender

11 DRAFT SERVICE LEVEL AGREEMENTS

Specification to be accompanied by draft service level agreements.

ANNEXURE A

COMPETITIVE BID: TMPD 04-2025/26

OPERATIONAL EVALUATION:

ITEM 1: 9MM PISTOL - SEMI-AUTOMATIC – STANDARD (FULL SIZE)

EVALUATOR NR: _____

DATE: _____

EVALUATOR NAME: _____

MAKE AND MODEL OF PISTOL & CALIBER: _____

Administrative Criteria

DESCRIPTION	SATISFIED (YES/NO)	Comment
Ambidextrous Safety Lever		
Calibre 9mm Parabellum		
Magazine Capacity – 15 Rounds (Minimum)		
Action: Semi-Automatic Striker Action		

Physical Testing Criteria

	RATING (1-10) *	Comment
<u>ITEM 1</u>		
Caliber		
Safety lever		
Sights		
Frame		
Grip		
Trigger		
Trigger Guard		

Loading, reloading and unloading of ammunition		
Magazine tube capacity		
Assembly, disassembly and re-assembly of product		
Ability to fit and fire rifle grenades		
Cleaning of product		
<u>ITEM 3.2</u>		
Two-point Sling		
Shot Gun Cleaning Kit		
One (1) Armory Tool Kit		
TOTAL		

Points to be converted into percentage and added to the scorecard for functionality by the City of Tshwane/TMPD

- In the column labelled SATISFIED (YES/NO) a yes will be equal to 10 points whereas a no will be equal to 0 points
- In the column labelled RATING (1-10) *Where 1 is the lowest and 10 the highest point for allocation

ADDITIONAL COMMENTS:

EVALUATOR

COORDINATOR NAME & SIGNATURE

IMPORTANT
Please see below for the physical evaluation criteria

PHYSICAL EVALUATION CRITERIA:

Sights:

On both the front and back of weapon and must also be clearly visible during both light (day) and dark (night) operational utilization.

Frame:

The design of the frame must assist in the secure and firm hold on the weapon during any weather conditions.

Grip:

The design of the grip must assist in the secure and firm hold on the weapon during any weather conditions and during operational mobilization.

Trigger Guard:

The design of the trigger guard must assist to prevent accidental pressure on trigger and to allow rest of the index finger when shooting with a two hand hold.

Loading and Reloading Rounds:

The loading, reloading and unloading of the magazine tube must be easy, quick and simple.

Assembly and Disassembly of firearm: The assembly and or disassembly of the firearm should be easy, quick and simple.

ANNEXURE A

COMPETITIVE BID: TMPD 04-2025/26

OPERATIONAL EVALUATION:

ITEM 1: 9MM PISTOL - SEMI-AUTOMATIC – COMPACT (DOWNSIZED)

COMPACTS 1 to 5

EVALUATOR NR: _____

DATE: _____

EVALUATOR NAME: _____

MAKE AND MODEL OF PISTOL & CALIBER: _____

Administrative Criteria

DESCRIPTION	SATISFIED (YES/NO)	Comment
Ambidextrous Safety Lever		
Calibre 9mm Parabellum		
Magazine Capacity – 15 Rounds (Minimum)		
Action: Semi-Automatic Striker Action		

Physical Testing Criteria

	RATING (1-10) *	Comment
<u>ITEM 1</u>		
Caliber		
Safety lever		
Sights		
Frame		
Grip		
Trigger		
Trigger Guard		

Loading, reloading and unloading of ammunition		
Magazine tube capacity		
Assembly, disassembly and re-assembly of product		
Ability to fit and fire rifle grenades		
Cleaning of product		
<u>ITEM 3.2</u>		
Two-point Sling		
Shot Gun Cleaning Kit		
One (1) Armory Tool Kit		
TOTAL		

Points to be converted into percentage and added to the scorecard for functionality by the City of Tshwane/TMPD

- In the column labelled SATISFIED (YES/NO) a yes will be equal to 10 points whereas a no will be equal to 0 points
- In the column labelled RATING (1-10) *Where 1 is the lowest and 10 the highest point for allocation

ADDITIONAL COMMENTS:

EVALUATOR

COORDINATOR NAME & SIGNATURE

IMPORTANT
Please see below for the physical evaluation criteria

PHYSICAL EVALUATION CRITERIA:

Sights:

On both the front and back of weapon and must also be clearly visible during both light (day) and dark (night) operational utilization.

Frame:

The design of the frame must assist in the secure and firm hold on the weapon during any weather conditions.

Grip:

The design of the grip must assist in the secure and firm hold on the weapon during any weather conditions and during operational mobilization.

Trigger Guard:

The design of the trigger guard must assist to prevent accidental pressure on trigger and to allow rest of the index finger when shooting with a two hand hold.

Loading and Reloading Rounds:

The loading, reloading and unloading of the magazine tube must be easy, quick and simple.

Assembly and Disassembly of firearm: The assembly and or disassembly of the firearm should be easy, quick and simple.

ANNEXURE A

COMPETITIVE BID: TMPD 04-2025/26

OPERATIONAL EVALUATION:

ITEM 1: 9MM PISTOL - SEMI-AUTOMATIC – CARBINE

EVALUATOR NR: _____

DATE: _____

EVALUATOR NAME: _____

MAKE AND MODEL OF PISTOL & CALIBER: _____

Administrative Criteria

DESCRIPTION	SATISFIED (YES/NO)	Comment
Ambidextrous Safety Lever		
Calibre 9mm Parabellum		
Magazine Capacity – 15 Rounds (Minimum)		
Action: Semi-Automatic Striker Action		

Physical Testing Criteria

	RATING (1-10) *	Comment
<u>ITEM 1</u>		
Caliber		
Safety lever		
Sights		
Frame		
Grip		
Trigger		
Trigger Guard		

Loading, reloading and unloading of ammunition		
Magazine tube capacity		
Assembly, disassembly and re-assembly of product		
Ability to fit and fire rifle grenades		
Cleaning of product		
<u>ITEM 3.2</u>		
Two-point Sling		
Shot Gun Cleaning Kit		
One (1) Armory Tool Kit		
TOTAL		

Points to be converted into percentage and added to the scorecard for functionality by the City of Tshwane/TMPD

- In the column labelled SATISFIED (YES/NO) a yes will be equal to 10 points whereas a no will be equal to 0 points
- In the column labelled RATING (1-10) *Where 1 is the lowest and 10 the highest point for allocation

ADDITIONAL COMMENTS:

EVALUATOR

COORDINATOR NAME & SIGNATURE

IMPORTANT
Please see below for the physical evaluation criteria

PHYSICAL EVALUATION CRITERIA:

Sights:

On both the front and back of weapon and must also be clearly visible during both light (day) and dark (night) operational utilization.

Frame:

The design of the frame must assist in the secure and firm hold on the weapon during any weather conditions.

Grip:

The design of the grip must assist in the secure and firm hold on the weapon during any weather conditions and during operational mobilization.

Trigger Guard:

The design of the trigger guard must assist to prevent accidental pressure on trigger and to allow rest of the index finger when shooting with a two hand hold.

Loading and Reloading Rounds:

The loading, reloading and unloading of the magazine tube must be easy, quick and simple.

Assembly and Disassembly of firearm: The assembly and or disassembly of the firearm should be easy, quick and simple.

ANNEXURE B

COMPETITIVE BID: TMPD 04-2025/26

OPERATIONAL EVALUATION: ITEM 1 - Semi-Automatic Rifle Caliber 5.56

EVALUATOR NR: _____

DATE: _____

EVALUATOR NAME: _____

MAKE AND MODEL OF RIFLE & CALIBER: _____

Administrative Criteria

DESCRIPTION	SATISFIED (YES/NO)	Comment
Ambidextrous Safety Lever		
Calibre 5.56		
Magazine Capacity – 30 Rounds Minimum		
Piston driven Rotating Bolt		

Physical Testing Criteria

	RATING (1-10) *	Comment
<u>ITEM 1</u>		
Caliber		
Safety lever		
Sights		
Frame		
Grip		
Trigger		
Trigger Guard		
Loading, reloading and unloading of ammunition		

Magazine tube capacity		
Assembly, disassembly and re-assembly of product		
Ability to fit and fire rifle grenades		
Cleaning of product		
<u>ITEM 3.2</u>		
Two-point Sling		
Shot Gun Cleaning Kit		
One (1) Armory Tool Kit		
TOTAL		

Points to be converted into percentage and added to the scorecard for functionality by the City of Tshwane/TMPD

- In the column labelled SATISFIED (YES/NO) a yes will be equal to 10 points whereas a no will be equal to 0 points
- In the column labelled RATING (1-10) *Where 1 is the lowest and 10 the highest point for allocation

ADDITIONAL COMMENTS:

EVALUATOR

COORDINATOR NAME & SIGNATURE

IMPORTANT

Please see below for the physical evaluation criteria

PHYSICAL EVALUATION CRITERIA:

Sights:

On both the front and back of weapon and must also be clearly visible during both light (day) and dark (night) operational utilization.

Frame:

The design of the frame must assist in the secure and firm hold on the weapon during any weather conditions.

Grip:

The design of the grip must assist in the secure and firm hold on the weapon during any weather conditions and during operational mobilization.

Trigger Guard:

The design of the trigger guard must assist to prevent accidental pressure on trigger and to allow rest of the index finger when shooting with a two-hand hold.

Loading and Reloading Rounds:

The loading, reloading and unloading of the magazine tube must be easy, quick and simple.

Assembly and Disassembly of firearm: The assembly and or disassembly of the firearm should be easy, quick and simple.

ANNEXURE C

OPERATIONAL FIREARM EVALUATION: ITEM 2. - 40MM STOPPER SINGLE SHOT

EVALUATOR NR: _____

DATE: _____

EVALUATOR NAME: _____

MAKE AND MODEL OF RIFLE: 38/40mm Single shot ALS

CALIBER _____

Administrative Criteria

DESCRIPTION	SATISFIED	
(YES/NO)	Comment	
Ambidextrous Safety Lever		
Calibre 38/40		
Loading Action		
Firing Action		
Opening/closing latch		

Physical Testing Criteria

	RATING (1-10) *	Comment
Sights		
Frame		
Grips		
Trigger		
Trigger Guard		
Loading and Reloading		
Disassembly of firearm		
Assembly of firearm		
Cleaning of firearm		
TOTAL		

Points to be converted into percentage and added to the scorecard for functionality by the City of Tshwane/TMPD

- In the column labelled SATISFIED (YES/NO) a yes will be equal to 10 points whereas a no will be equal to 0 points
- In the column labelled RATING (1-10) *Where 1 is the lowest and 10 the highest point for allocation

ADDITIONAL COMMENTS:

EVALUATOR	COORDINATOR NAME & SIGNATURE
IMPORTANT	
Please see the back of this document for the physical evaluation criteria	

PHYSICAL EVALUATION CRITERIA:

Sights:

The sights on both the front and back of the weapon must also be clearly visible during both light (day) and dark (night) operational utilization.

Frame:

The design of the frame must assist in the secure and firm hold on the weapon during any weather conditions.

Grip:

The design of the grip must assist in the secure and firm hold on the weapon during any weather conditions and during operational mobilization.

Trigger Guard:

The design of the trigger guard must assist to prevent accidental pressure on trigger and to allow rest of the index finger when shooting with a two hand hold.

Loading and Reloading Rounds:

The loading, reloading and unloading must be easy, quick and simple.

Assembly and Disassembly of firearm: The assembly and or disassembly of the firearm should be easy, quick and simple.

ANNEXURE C

OPERATIONAL FIREARM EVALUATION: ITEM 3 - 40MM STOPPER MULTI SHOT

EVALUATOR NR: _____

DATE: _____

EVALUATOR NAME: _____

MAKE AND MODEL OF RIFLE: 38/40mm Multi-shot ALS

CALIBER: _____

Administrative Criteria

DESCRIPTION	SATISFIED	
(YES/NO)	Comment	
Ambidextrous Safety Lever		
Calibre 38/40		
Loading Action		
Firing Action		
Opening/closing latch		

Physical Testing Criteria

	RATING (1-10) *	Comment
Sights		
Frame		
Grips		
Trigger		
Trigger Guard		
Loading and Reloading		
Disassembly of firearm		
Assembly of firearm		
Cleaning of firearm		
TOTAL		

Points to be converted into percentage and added to the scorecard for functionality by the City of Tshwane/TMPD

- In the column labelled SATISFIED (YES/NO) a yes will be equal to 10 points whereas a no will be equal to 0 points
- In the column labelled RATING (1-10) *Where 1 is the lowest and 10 the highest point for allocation

ADDITIONAL COMMENTS:

EVALUATOR	COORDINATOR NAME & SIGNATURE
IMPORTANT	
Please see the back of this document for the physical evaluation criteria	

PHYSICAL EVALUATION CRITERIA:

Sights:

The sights on both the front and back of weapon and must also be clearly visible during both light (day) and dark (night) operational utilization.

Frame:

The design of the frame must assist in the secure and firm hold on the weapon during any weather conditions.

Grip:

The design of the grip must assist in the secure and firm hold on the weapon during any weather conditions and during operational mobilization.

Trigger Guard:

The design of the trigger guard must assist to prevent accidental pressure on trigger and to allow rest of the index finger when shooting with a two hand hold.

Loading and Reloading Rounds:

The loading, reloading and unloading must be easy, quick and simple.

Assembly and Disassembly of firearm: The assembly and or disassembly of the firearm should be easy, quick and simple.

PART A INVITATION TO BID

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE CITY OF TSHWANE MUNICIPALITY					
BID NUMBER:	TMPD 04-2025.26	CLOSING DATE:	20 October 2025	CLOSING TIME:	10:00
DESCRIPTION	TENDER FOR SUPPLY, DELIVERY AND OFFLOADING OF VARIOUS TYPES OF FIREARMS AND ACCESSORIES TO THE CITY OF TSHWANE ON AN AS AND WHEN REQUIRED BASIS FOR A PERIOD OF THREE (3) YEARS.				
THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (MBD7).					

BID RESPONSE DOCUMENTS MAY BE
DEPOSITED IN THE BID BOX SITUATED AT
(STREET ADDRESS)

Tshwane House					
Supply Chain Management					
320 Madiba Street					
Pretoria CBD					
0002					
SUPPLIER INFORMATION					
NAME OF BIDDER					
POSTAL ADDRESS					
STREET ADDRESS					
TELEPHONE NUMBER	CODE		NUMBER		
CELLPHONE NUMBER					
FACSIMILE NUMBER	CODE		NUMBER		
E-MAIL ADDRESS					
VAT REGISTRATION NUMBER					
TAX COMPLIANCE STATUS	TCS PIN:		OR	CSD No:	
B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE [TICK APPLICABLE BOX]	☐ Yes ☐ No		B-BBEE STATUS LEVEL SWORN AFFIDAVIT		☐ Yes ☐ No

[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/ SWORN AFFIDAVIT (FOR EMES & QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]

ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	☐ Yes ☐ No [IF YES ENCLOSE PROOF]	ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?	☐ Yes ☐ No [IF YES, ANSWER PART B:3]
TOTAL NUMBER OF ITEMS OFFERED		TOTAL BID PRICE	R
SIGNATURE OF BIDDER		DATE	
CAPACITY UNDER WHICH THIS BID IS SIGNED			
BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO:		TECHNICAL INFORMATION MAY BE DIRECTED TO:	
DEPARTMENT	Supply Chain Management	CONTACT PERSON	Vusi P. Mabona
CONTACT PERSON	Mulondi Rasekgala	TELEPHONE NUMBER	012 358 2962
TELEPHONE NUMBER	012 358 6636	FACSIMILE NUMBER	n/a
FACSIMILE NUMBER	n/a	EMAIL ADDRESS	vusim@tshwane.gov.za
EMAIL ADDRESS	mulondin@tshwane.gov.za		

**PART B
TERMS AND CONDITIONS FOR BIDDING**

1. BID SUBMISSION	
1.1	BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
1.2	ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED–(NOT TO BE RE-TYPED) OR ONLINE
1.3	THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
2. TAX COMPLIANCE REQUIREMENTS	
2.1	BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
2.2	BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VIEW THE TAXPAYER'S PROFILE AND TAX STATUS.

2.3	APPLICATION FOR THE TAX COMPLIANCE STATUS (TCS) CERTIFICATE OR PIN MAY ALSO BE MADE VIA E-FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE WWW.SARS.GOV.ZA.	
2.4	FOREIGN SUPPLIERS MUST COMPLETE THE PRE-AWARD QUESTIONNAIRE IN PART B:3.	
2.5	BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.	
2.6	IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.	
2.7	WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.	
3. QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS		
3.1	IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? YES ☐ NO ☐	
3.2	DOES THE ENTITY HAVE A BRANCH IN THE RSA? YES ☐ NO ☐	
3.3	DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA? YES ☐ NO ☐	
3.4	DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA? YES ☐ NO ☐	
3.5	IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION? YES ☐ NO ☐	
IF THE ANSWER IS “NO” TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 ABOVE.		

NB: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID. NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE.

SIGNATURE OF BIDDER:

CAPACITY UNDER WHICH THIS BID IS SIGNED:

DATE:

PRICING SCHEDULE: FIRM PRICES (PURCHASES)

NOTE: ONLY FIRM PRICES WILL BE ACCEPTED. NON-FIRM PRICES (INCLUDING PRICES SUBJECT TO RATES OF EXCHANGE VARIATIONS) WILL NOT BE CONSIDERED

IN CASES WHERE DIFFERENT DELIVERY POINTS INFLUENCE THE PRICING, A SEPARATE PRICING SCHEDULE MUST BE SUBMITTED FOR EACH DELIVERY POINT

Name of Bidder.....	Bid Number: TMPD 04-2025.26
Closing Time: 10:00	Closing Date 20 October 2025

OFFER TO BE VALID FOR DAYS FROM THE CLOSING DATE OF BID.

ITEM NO.	QUANTITY	DESCRIPTION	BID PRICE IN RSA CURRENCY **(ALL APPLICABLE TAXES INCLUDED)
----------	----------	-------------	--

- Required by:
- At:
.....
- Brand and Model
- Country of Origin
- Does the offer comply with the specification(s)? *YES/NO
- If not to specification, indicate deviation(s)
- Period required for delivery
*Delivery: Firm/Not firm
- Delivery basis

Note: All delivery costs must be included in the bid price, for delivery at the prescribed destination.

** "all applicable taxes" includes value- added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies.

* Delete if not applicable

PRICING SCHEDULE: NON-FIRM PRICES (PURCHASES)

NOTE: PRICE ADJUSTMENTS WILL BE ALLOWED AT THE PERIODS AND TIMES SPECIFIED IN THE BIDDING DOCUMENTS.

IN CASES WHERE DIFFERENT DELIVERY POINTS INFLUENCE THE PRICING, A SEPARATE PRICING SCHEDULE MUST BE SUBMITTED FOR EACH DELIVERY POINT

Name of Bidder	Bid number: TMPD 04-2025.26
Closing Time: 10:00	Closing Date 20 October 2025

OFFER TO BE VALID FOR 90 DAYS FROM THE CLOSING DATE OF BID.

ITEM NO.	QUANTITY	DESCRIPTION	BID PRICE IN RSA CURRENCY **(ALL APPLICABLE TAXES INCLUDED)
----------	----------	-------------	--

- Required by:
- At:
- Brand and model
- Country of origin
- Does the offer comply with the specification(s)? *YES/NO
- If not to specification, indicate deviation(s)
- Period required for delivery
- Delivery: *Firm/Not firm
- ** "all applicable taxes" includes value- added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies.
- * Delete if not applicable

PRICE ADJUSTMENTS

A. NON-FIRM PRICES SUBJECT TO ESCALATION

1. IN CASES OF PERIOD CONTRACTS, NON FIRM PRICES WILL BE ADJUSTED (LOADED) WITH THE ASSESSED CONTRACT PRICE ADJUSTMENTS IMPLICIT IN NON FIRM PRICES WHEN CALCULATING THE COMPARATIVE PRICES
2. IN THIS CATEGORY PRICE ESCALATIONS WILL ONLY BE CONSIDERED IN TERMS OF THE FOLLOWING FORMULA:

$$Pa = (1 - V)Pt \left(D1 \frac{R1t}{R1o} + D2 \frac{R2t}{R2o} + D3 \frac{R3t}{R3o} + D4 \frac{R4t}{R4o} \right) + VPt$$

Where:

- Pa = The new escalated price to be calculated.
- (1-V) Pt = 85% of the original bid price. **Note that Pt must always be the original bid price and not an escalated price.**
- D1, D2.. = Each factor of the bid price eg. labour, transport, clothing, footwear, etc. The total of the various factors D1,D2...etc. must add up to 100%.
- R1t, R2t..... = Index figure obtained from new index (depends on the number of factors used).
- R1o, R2o = Index figure at time of bidding.
- VPt = 15% of the original bid price. This portion of the bid price remains firm i.e. it is not subject to any price escalations.

3. The following index/indices must be used to calculate your bid price:

Index..... Dated.....	Index..... Dated.....	Index..... Dated.....
Index..... Dated.....	Index..... Dated.....	Index..... Dated.....

4. FURNISH A BREAKDOWN OF YOUR PRICE IN TERMS OF ABOVE-MENTIONED FORMULA. THE TOTAL OF THE VARIOUS FACTORS MUST ADD UP TO 100%.

FACTOR (D1, D2 etc. eg. Labour, transport etc.)	PERCENTAGE OF BID PRICE

B. PRICES SUBJECT TO RATE OF EXCHANGE VARIATIONS

1. Please furnish full particulars of your financial institution, state the currencies used in the conversion of the prices of the items to South African currency, which portion of the price is subject to rate of exchange variations and the amounts remitted abroad.

PARTICULARS OF FINANCIAL INSTITUTION	ITEM NO	PRICE	CURRENCY	RATE	PORTION OF PRICE SUBJECT TO ROE	AMOUNT IN FOREIGN CURRENCY REMITTED ABROAD
				ZAR=		
				ZAR=		
				ZAR=		
				ZAR=		
				ZAR=		
				ZAR=		

2. Adjustments for rate of exchange variations during the contract period will be calculated by using the average monthly exchange rates as issued by your commercial bank for the periods indicated hereunder: (Proof from bank required)

AVERAGE MONTHLY EXCHANGE RATES FOR THE PERIOD:	DATE DOCUMENTATION MUST BE SUBMITTED TO THIS OFFICE	DATE FROM WHICH NEW CALCULATED PRICES WILL BECOME EFFECTIVE	DATE UNTIL WHICH NEW CALCULATED PRICE WILL BE EFFECTIVE

ADJUSTMENT PERIODS	DATE FROM WHICH NEW CALCULATED PRICES WILL BECOME EFFECTIVE
1 st Adjustment	After 12 calendar months
2 nd Adjustment	After 24 calendar months

NB: Unless prior approval has been obtained from Supply Chain Management, no adjustment in contract prices will be made

DECLARATION OF INTEREST

1. No bid will be accepted from persons in the service of the state¹.
2. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the bidder or their authorised representative declare their position in relation to the evaluating/adjudicating authority.
3. **In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.**
 - 3.1 Full Name of bidder or his or her representative:
 - 3.2 Identity Number:
 - 3.3 Position occupied in the Company (director, trustee, hareholder²)
 - 3.4 Company Registration Number:
 - 3.5 Tax Reference Number:
 - 3.6 VAT Registration Number:
 - 3.7 The names of all directors / trustees / shareholders members, their individual identity numbers and state employee numbers must be indicated in paragraph 4 below.
 - 3.8 Are you presently in the service of the state? **YES / NO**
 - 3.8.1 If yes, furnish particulars.
.....

¹ MSCM Regulations: "in the service of the state" means to be –

- (a) a member of –
 - (i) any municipal council;
 - (ii) any provincial legislature; or
 - (iii) the national Assembly or the national Council of provinces;
- (b) a member of the board of directors of any municipal entity;
- (c) an official of any municipality or municipal entity;
- (d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);
- (e) a member of the accounting authority of any national or provincial public entity; or
- (f) an employee of Parliament or a provincial legislature.

² Shareholder" means a person who owns shares in the company and is actively involved in the management of the company or business and exercises control over the company.

3.9 Have you been in the service of the state for the past twelve months? **YES/NO**

3.9.1 If yes, furnish particulars.

.....

3.10 Do you have any relationship (family, friend, other) with persons in the service of the state and who may be involved with the evaluation and or adjudication of this bid? **YES / NO**

3.10.1 If yes, furnish particulars.

.....

3.11 Are you, aware of any relationship (family, friend, other) between any other bidder and any persons in the service of the state who may be involved with the evaluation and or adjudication of this bid? **YES / NO**

3.11.1 If yes, furnish particulars.

.....

3.12 Are any of the company's directors, trustees, managers, principle shareholders or stakeholders in service of the state? **YES / NO**

3.12.1 If yes, furnish particulars.

.....

3.13 Are any spouse, child or parent of the company's directors trustees, managers, principle shareholders or stakeholders in service of the state? **YES / NO**

3.13.1 If yes, furnish particulars.

.....

3.14 Do you or any of the directors, trustees, managers, principle shareholders, or stakeholders of this company have any interest in any other related companies or business whether or not they are bidding for this contract. **YES / NO**

3.14.1 If yes, furnish particulars:

.....

4. Full details of directors / trustees / members / shareholders.

Full Name	Identity Number	State Employee Number

.....

Signature

.....

Date

.....

Capacity

.....

Name of Bidder

DECLARATION FOR PROCUREMENT ABOVE R10 MILLION (ALL APPLICABLE TAXES INCLUDED)

For all procurement expected to exceed R10 million (all applicable taxes included), bidders must complete the following questionnaire:

1 Are you by law required to prepare annual financial statements
*YES / NO
for auditing?

1.1 If yes, submit audited annual financial statements for the past three years or since the date of establishment if established during the past three years.

.....
.....

2 Do you have any outstanding undisputed commitments for municipal services towards any municipality for more than three months or any other service provider in respect of which payment is overdue for more than 30 days? *YES / NO

2.1 If no, this serves to certify that the bidder has no undisputed commitments for municipal services towards any municipality for more than three months or other service provider in respect of which payment is overdue for more than 30 days. *YES / NO

2.2 If yes, provide particulars.

.....
.....
.....
.....

3 Has any contract been awarded to you by an organ of state
*YES / NO
during the past five years, including particulars of any material non-compliance or dispute concerning the execution of such contract?

3.1 If yes, furnish particulars

.....
.....

4.1 Will any portion of goods or services be sourced from outside the Republic, and, if so, what portion and whether any portion of payment from the municipality / municipal entity is expected to be transferred out of the Republic? ***YES / NO**

4.1 If yes, furnish particulars

.....
.....

CERTIFICATION

**I, THE UNDERSIGNED (NAME)
CERTIFY THAT THE INFORMATION FURNISHED ON THIS DECLARATION FORM
IS CORRECT. I ACCEPT THAT THE STATE MAY ACT AGAINST ME SHOULD
THIS DECLARATION PROVE TO BE FALSE.**

.....
Signature

.....
Date

.....
Position

.....
Name of Bidder

MBD 6.1

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to invitations to tender:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 **To be completed by the organ of state**

(delete whichever is not applicable for this tender).

- a) The applicable preference point system for this tender is the 80/20 preference point system.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

- (a) Price; and
(b) Specific Goals.

1.4 **To be completed by the organ of state:**

The maximum points for this tender are allocated as follows:

	Points
PRICE	80
SPECIFIC GOALS	20
TOTAL POINTS FOR PRICE AND SPECIFIC GOALS	100

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

1.6 The organ of state reserves the right to require of a tenderer, either before a tender

is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. DEFINITIONS

- (a) **“tender”** means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) **“price”** means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) **“rand value”** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) **“tender for income-generating contracts”** means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) **“the Act”** means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

$$\begin{array}{ccc} \mathbf{80/20} & \mathbf{or} & \mathbf{90/10} \\ \\ \mathbf{Ps = 80 \left(1 - \frac{Pt - P_{min}}{P_{min}} \right)} & \mathbf{or} & \mathbf{Ps = 90 \left(1 - \frac{Pt - P_{min}}{P_{min}} \right)} \end{array}$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$\begin{array}{ccc} \mathbf{80/20} & \mathbf{or} & \mathbf{90/10} \end{array}$$

$$Ps = 80 \left(1 + \frac{Pt - P_{max}}{P_{max}} \right) \text{ or } Ps = 90 \left(1 + \frac{Pt - P_{max}}{P_{max}} \right)$$

Where

- Ps = Points scored for price of tender under consideration
Pt = Price of tender under consideration
Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
- an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,
- then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.)

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

Specific goals	80/20 preference point system	Number of points claimed (80/20 system) (To be completed by the tenderer)
BB-BEE score of companies - Level 1 - Level 2 - Level 3 - Level 4	8 Points 7 Points 6 Points 5 Points	

Specific goals	80/20 preference point system	Number of points claimed (80/20 system) (To be completed by the tenderer)
• Level 5 • Level 6 • Level 7 • Level 8 • Non-compliant	• 4 Points • 3 Points • 2 Points • 1 Point • 0 Points	
EME and/ or QSE	2 Points	
At least 51% of Women-owned companies	2 Points	
At least 51% owned companies by People with disability	2 Points	
At least 51% owned companies by Youth	2 Point	
Local Economic Participation • City of Tshwane • Gauteng • National	4 Points 2 Points 1 Point	

N.B For points to be allocated as per above the tenderers will be required to submit proof of documentation as evidence for claims made. Any tenderer that does not submit evidence as stated in the bid document to claim applicable points will be allocated zero points.

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3. Name of company/firm.....

4.4. Company registration number:
.....

4.5. TYPE OF COMPANY/ FIRM

- ☐ Partnership/Joint Venture / Consortium
- ☐ One-person business/sole propriety
- ☐ Close corporation
- ☐ Public Company
- ☐ Personal Liability Company
- ☐ (Pty) Limited
- ☐ Non-Profit Company
- ☐ State Owned Company

[TICK APPLICABLE BOX]

4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm,

certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
 - (a) disqualify the person from the tendering process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution, if deemed necessary.

.....

SIGNATURE(S) OF TENDERER(S)

SURNAME AND NAME:

DATE:

ADDRESS:
.....
.....

CONTRACT FORM: PURCHASE OF GOODS/WORKS

THIS FORM MUST BE FILLED IN DUPLICATE BY BOTH THE SUCCESSFUL BIDDER (PART 1) AND THE PURCHASER (PART 2). BOTH FORMS MUST BE SIGNED IN THE ORIGINAL SO THAT THE SUCCESSFUL BIDDER AND THE PURCHASER WOULD BE IN POSSESSION OF ORIGINALLY SIGNED CONTRACTS FOR THEIR RESPECTIVE RECORDS.

PART 1 (TO BE FILLED IN BY THE BIDDER)

1. I hereby undertake to supply all or any of the goods and/or works described in the attached bidding documents to **CITY OF TSHWANE MUNICIPALITY** in accordance with the requirements and specifications stipulated in bid number **TMPD 04-2025.26** at the price/s quoted. My offer/s remain binding upon me and open for acceptance by the purchaser during the validity period indicated and calculated from the closing time of bid.
2. The following documents shall be deemed to form and be read and construed as part of this agreement:
 - (i) Bidding documents, viz
 - Invitation to bid;
 - Tax clearance certificate;
 - Pricing schedule(s);
 - Technical Specification(s);
 - Preference claims for Specific Goals in terms of the Preferential Procurement Regulations 2022;
 - Declaration of interest;
 - Declaration of bidder's past SCM practices;
 - Certificate of Independent Bid Determination;
 - Special Conditions of Contract;
 - (ii) General Conditions of Contract; and
 - (iii) Other (specify)
3. I confirm that I have satisfied myself as to the correctness and validity of my bid; that the price(s) and rate(s) quoted cover all the goods and/or works specified in the bidding documents; that the price(s) and rate(s) cover all my obligations and I accept that any mistakes regarding price(s) and rate(s) and calculations will be at my own risk.
4. I accept full responsibility for the proper execution and fulfilment of all obligations and conditions devolving on me under this agreement as the principal liable for the due fulfillment of this contract.
5. I declare that I have no participation in any collusive practices with any bidder or any other person regarding this or any other bid.
6. I confirm that I am duly authorised to sign this contract.

NAME (PRINT)

CAPACITY

SIGNATURE

NAME OF FIRM

DATE

WITNESSES

1.

2.

DATE:

CONTRACT FORM: PURCHASE OF GOODS/WORKS

PART 2 (TO BE FILLED IN BY THE PURCHASER)

1. I in my capacity as accept your bid under reference number dated for the supply of goods/works indicated hereunder and/or further specified in the annexure(s).
2. An official order indicating delivery instructions is forthcoming.
3. I undertake to make payment for the goods/works delivered in accordance with the terms and conditions of the contract, within 30 (thirty) days after receipt of an invoice accompanied by the delivery note.

ITEM NO.	PRICE (ALL APPLICABLE TAXES INCLUDED)	BRAND	DELIVERY PERIOD	B-BBEE STATUS LEVEL OF CONTRIBUTION

4. I confirm that I am duly authorized to sign this contract.

SIGNED ATON.....

NAME (PRINT)

SIGNATURE

OFFICIAL STAMP

WITNESSES

1.

2.

DATE:

DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES

- 1 This Municipal Bidding Document must form part of all bids invited.
- 2 It serves as a declaration to be used by municipalities and municipal entities in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse of the supply chain management system.
- 3 The bid of any bidder may be rejected if that bidder, or any of its directors have:
 - a. abused the municipality's / municipal entity's supply chain management system or committed any improper conduct in relation to such system;
 - b. been convicted for fraud or corruption during the past five years;
 - c. willfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or
 - d. been listed in the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004).
- 4 **In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.**

Item	Question	Yes	No
4.1	Is the bidder or any of its directors listed on the National Treasury's Database of Restricted Suppliers as companies or persons prohibited from doing business with the public sector? (Companies or persons who are listed on this Database were informed in writing of this restriction by the Accounting Officer/Authority of the institution that imposed the restriction after the <i>audi alteram partem</i> rule was applied). The Database of Restricted Suppliers now resides on the National Treasury's website(www.treasury.gov.za) and can be accessed by clicking on its link at the bottom of the home page.	Yes ☐	No ☐
4.1.1	If so, furnish particulars:		
4.2	Is the bidder or any of its directors listed on the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004)? The Register for Tender Defaulters can be accessed on the National Treasury's website (www.treasury.gov.za) by clicking on its link at the bottom of the home page.	Yes ☐	No ☐

4.2.1	If so, furnish particulars:		
4.3	Was the bidder or any of its directors convicted by a court of law (including a court of law outside the Republic of South Africa) for fraud or corruption during the past five years?	Yes ☐	No ☐
4.3.1	If so, furnish particulars:		
4.4	Does the bidder or any of its directors owe any municipal rates and taxes or municipal charges to the municipality / municipal entity, or to any other municipality / municipal entity, that is in arrears for more than three months?	Yes ☐	No ☐
4.4.1	If so, furnish particulars:		
4.5	Was any contract between the bidder and the municipality / municipal entity or any other organ of state terminated during the past five years on account of failure to perform on or comply with the contract?	Yes ☐	No ☐
4.7.1	If so, furnish particulars:		

CERTIFICATION

**I, THE UNDERSIGNED (FULL NAME)
CERTIFY THAT THE INFORMATION FURNISHED ON THIS DECLARATION FORM
TRUE AND CORRECT.**

**I ACCEPT THAT, IN ADDITION TO CANCELLATION OF A CONTRACT, ACTION
MAY BE TAKEN AGAINST ME SHOULD THIS DECLARATION PROVE TO BE
FALSE.**

.....
Signature

.....
Date

CERTIFICATE OF INDEPENDENT BID DETERMINATION

- 1 This Municipal Bidding Document (MBD) must form part of all bids¹ invited.
- 2 Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).² Collusive bidding is a *pe se* prohibition meaning that it cannot be justified under any grounds.
- 3 Municipal Supply Regulation 38 (1) prescribes that a supply chain management policy must provide measures for the combating of abuse of the supply chain management system, and must enable the accounting officer, among others, to:
 - a. take all reasonable steps to prevent such abuse;
 - b. reject the bid of any bidder if that bidder or any of its directors has abused the supply chain management system of the municipality or municipal entity or has committed any improper conduct in relation to such system; and
 - c. cancel a contract awarded to a person if the person committed any corrupt or fraudulent act during the bidding process or the execution of the contract.
- 4 This MBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bid-rigging.
- 5 In order to give effect to the above, the attached Certificate of Bid Determination (MBD 9) must be completed and submitted with the bid:

¹ Includes price quotations, advertised competitive bids, limited bids and proposals.

² Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

CERTIFICATE OF INDEPENDENT BID DETERMINATION

I, the undersigned, in submitting the accompanying bid: **TMPD 04-2025.26**

TENDER FOR SUPPLY, DELIVERY AND OFFLOADING OF VARIOUS TYPES OF FIREARMS AND ACCESSORIES TO THE CITY OF TSHWANE ON AN AS AND WHEN REQUIRED BASIS FOR A PERIOD OF THREE (3) YEARS.

(Bid Number and Description)

in response to the invitation for the bid made by:

CITY OF TSHWANE MUNICIPALITY

do hereby make the following statements that I certify to be true and complete in every respect:

I certify, on behalf of: _____ that:
(Name of Bidder)

1. I have read and I understand the contents of this Certificate;
2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign, the bid, on behalf of the bidder;
5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
 - (a) has been requested to submit a bid in response to this bid invitation;
 - (b) could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
 - (c) provides the same goods and services as the bidder and/or is in the same line of business as the bidder
6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However communication between partners in a joint venture or consortium³ will not be construed as collusive bidding.

³ Joint venture or consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
 - (a) prices;
 - (b) geographical area where product or service will be rendered (market allocation)
 - (c) methods, factors or formulas used to calculate prices;
 - (d) the intention or decision to submit or not to submit, a bid;
 - (e) the submission of a bid which does not meet the specifications and conditions of the bid; or
 - (f) bidding with the intention not to win the bid.
8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this bid invitation relates.
9. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
10. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

Signature

Date _____

Position

Name of Bidder

THE NATIONAL TREASURY

Republic of South Africa



GOVERNMENT PROCUREMENT

GENERAL CONDITIONS OF CONTRACT

July 2010

GOVERNMENT PROCUREMENT

GENERAL CONDITIONS OF CONTRACT

July 2010

NOTES

The purpose of this document is to:

- (i) Draw special attention to certain general conditions applicable to government bids, contracts and orders; and
- (ii) To ensure that clients be familiar with regard to the rights and obligations of all parties involved in doing business with government.

In this document words in the singular also mean in the plural and vice versa and words in the masculine also mean in the feminine and neuter.

- The General Conditions of Contract will form part of all bid documents and may not be amended.
- Special Conditions of Contract (SCC) relevant to a specific bid, should be compiled separately for every bid (if applicable) and will supplement the General Conditions of Contract. Whenever there is a conflict, the provisions in the SCC shall prevail.

TABLE OF CLAUSES

1. Definitions
2. Application
3. General
4. Standards
5. Use of contract documents and information; inspection
6. Patent rights
7. Performance security
8. Inspections, tests and analysis
9. Packing
10. Delivery and documents
11. Insurance
12. Transportation
13. Incidental services
14. Spare parts
15. Warranty
16. Payment
17. Prices
18. Contract amendments
19. Assignment
20. Subcontracts
21. Delays in the supplier's performance
22. Penalties
23. Termination for default
24. Dumping and countervailing duties
25. Force Majeure
26. Termination for insolvency
27. Settlement of disputes
28. Limitation of liability
29. Governing language
30. Applicable law
31. Notices
32. Taxes and duties
33. National Industrial Participation Programme (NIPP)
34. Prohibition of restrictive practices

General Conditions of Contract

1. Definitions

1. The following terms shall be interpreted as indicated:
 - 1.1 “Closing time” means the date and hour specified in the bidding documents for the receipt of bids.
 - 1.2 “Contract” means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
 - 1.3 “Contract price” means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
 - 1.4 “Corrupt practice” means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.
 - 1.5 "Countervailing duties" are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally.
 - 1.6 “Country of origin” means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
 - 1.7 “Day” means calendar day.
 - 1.8 “Delivery” means delivery in compliance of the conditions of the contract or order.
 - 1.9 “Delivery ex stock” means immediate delivery directly from stock actually on hand.
 - 1.10 “Delivery into consignees store or to his site” means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
 - 1.11 "Dumping" occurs when a private enterprise abroad market its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the RSA.
 - 1.12 ”Force majeure” means an event beyond the control of the supplier and not involving the supplier’s fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
 - 1.13 “Fraudulent practice” means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.

- 1.14 “GCC” means the General Conditions of Contract.
- 1.15 “Goods” means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- 1.16 “Imported content” means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.
- 1.17 “Local content” means that portion of the bidding price which is not included in the imported content provided that local manufacture does take place.
- 1.18 “Manufacture” means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding activities.
- 1.19 “Order” means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20 “Project site,” where applicable, means the place indicated in bidding documents.
- 1.21 “Purchaser” means the organization purchasing the goods.
- 1.22 “Republic” means the Republic of South Africa.
- 1.23 “SCC” means the Special Conditions of Contract.
- 1.24 “Services” means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such obligations of the supplier covered under the contract.
- 1.25 “Written” or “in writing” means handwritten in ink or any form of electronic or mechanical writing.

1. Application

- 2.1 These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.
- 2.2 Where applicable, special conditions of contract are also laid down to cover specific supplies, services or works.
- 2.3 Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

3. General

- 3.1 Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid.
Where applicable a non-refundable fee for documents may be charged.

	3.2	With certain exceptions, invitations to bid are only published in the Government Tender Bulletin. The Government Tender Bulletin may be obtained directly from the Government Printer, Private Bag X85, Pretoria 0001, or accessed electronically from www.treasury.gov.za
4. Standards	4.1	The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.
5. Use of contract documents and information inspection.	5.1	The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
	5.2	The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.
	5.3	Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so required by the purchaser.
	5.4	The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.
6. Patent rights	6.1	The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.
7. Performance security	7.1	Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in SCC.
	7.2	The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
	7.3	The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms: (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or (b) a cashier's or certified cheque
	7.4	The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified in SCC.
8. Inspections, tests and analyses	8.1	All pre-bidding testing will be for the account of the bidder.

- 8.2 If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the Department or an organization acting on behalf of the Department.
- 8.3 If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- 8.4 If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5 Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6 Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7 Any contract supplies may on or after delivery be inspected, tested or analyzed and may be rejected if found not to comply with the requirements of the contract. Such rejected supplies shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with supplies which do comply with the requirements of the contract. Failing such removal the rejected supplies shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute supplies forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected supplies, purchase such supplies as may be necessary at the expense of the supplier.
- 8.8 The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 23 of GCC.

9. Packing

- 9.1 The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- 9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the purchaser.

10. Delivery and documents

- 10.1 Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract. The details of shipping and/or other documents to be furnished by the supplier are specified in SCC.
- 10.2 Documents to be submitted by the supplier are specified in SCC.

11. Insurance	11.1	The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the SCC.
12. Transportation	12.1	Should a price other than an all-inclusive delivered price be required, this shall be specified in the SCC.
13. Incidental services, services	13.1	The supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC: (a) performance or supervision of on-site assembly and/or commissioning of the supplied goods; (b) furnishing of tools required for assembly and/or maintenance of the supplied goods; (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods; (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and (e) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied goods.
	13.2	Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.
14. Spare parts	14.1	As specified in SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier: (a) such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and (b) in the event of termination of production of the spare parts: (i) Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and (ii) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.
15. Warranty	15.1	The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.
	15.2	This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the

final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.

- 15.3 The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.
 - 15.4 Upon receipt of such notice, the supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.
 - 15.5 If the supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.
- 16. Payment**
- 16.1 The method and conditions of payment to be made to the supplier under this contract shall be specified in SCC.
 - 16.2 The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfillment of other obligations stipulated in the contract.
 - 16.3 Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier.
 - 16.4 Payment will be made in Rand unless otherwise stipulated in SCC.
- 17. Prices**
- 17.1 Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorized in SCC or in the purchaser's request for bid validity extension, as the case may be.
- 18. Contract**
- 18.1 No variation in or modification of the terms of the contract shall be made **amendments** except by written amendment signed by the parties concerned.
- 19. Assignment**
- 19.1 The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.
- 20. Subcontracts**
- 20.1 The supplier shall notify the purchaser in writing of all subcontracts awarded under this contracts if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.
- 21. Delays in the supplier's performance**
- 21.1 Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.
 - 21.2 If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.

- 21.3 No provision in a contract shall be deemed to prohibit the obtaining of supplies or services from a national department, provincial department, or a local authority.
- 21.4 The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available.
- 21.5 Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 21.2 without the application of penalties.
- 21.6 Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without canceling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.
- 22. Penalties**
- 22.1 Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.
- 23. Termination for default**
- 23.1 The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
- (a) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2;
 - (b) if the Supplier fails to perform any other obligation(s) under the contract; or
 - (c) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 23.2 In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.
- 23.3 Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- 23.4 If a purchaser intends imposing a restriction on a supplier or any person associated with the supplier, the supplier will be allowed a time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated

fourteen (14) days the purchaser may regard the intended penalty as not objected against and may impose it on the supplier.

23.5 Any restriction imposed on any person by the Accounting Officer / Authority will, at the discretion of the Accounting Officer / Authority, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the Accounting Officer / Authority actively associated.

23.6 If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following information:

- (i) the name and address of the supplier and / or person restricted by the purchaser;
- (ii) the date of commencement of the restriction
- (iii) the period of restriction; and
- (iv) the reasons for the restriction.

These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.

23.7 If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.

24. Anti-dumping and countervailing duties and rights

24.1 When, after the date of bid, provisional payments are required, or antidumping or countervailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidized import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such anti-dumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference shall on demand be paid forthwith by the contractor to the State or the State may deduct such amounts from moneys (if any) which may otherwise be due to the contractor in regard to supplies or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other contract or any other amount which may be due to him

25. Force Majeure

25.1 Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.

25.2 If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all

		reasonable alternative means for performance not prevented by the force majeure event.
26. Termination for insolvency	26.1	The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.
27. Settlement of Disputes	27.1	If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.
	27.2	If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.
	27.3	Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.
	27.4	Mediation proceedings shall be conducted in accordance with the rules of procedure specified in the SCC.
	27.5	Notwithstanding any reference to mediation and/or court proceedings herein, (a) the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and (b) the purchaser shall pay the supplier any monies due the supplier.
28. Limitation of liability	28.1	Except in cases of criminal negligence or willful misconduct, and in the case of infringement pursuant to Clause 6; the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.
29. Governing language	29.1	The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.
30. Applicable law	30.1	The contract shall be interpreted in accordance with South African laws, unless otherwise specified in SCC.
31. Notices	31.1	Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice

- 31.2 The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.
- 32. Taxes and duties**
- 32.1 A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.
- 32.2 A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.
- 32.3 No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a tax clearance certificate, submitted by the bidder. This certificate must be an original issued by the South African Revenue Services.
- 33. National Industrial Participation (NIP) Programme**
- 33.1 The NIP Programme administered by the Department of Trade and Industry shall be applicable to all contracts that are subject to the NIP obligation
- 34. Prohibition of Restrictive practices**
- 34.1 In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder (s) is / are or a contractor(s) was / were involved in collusive bidding (or bid rigging).
- 34.2 If a bidder(s) or contractor(s), based on reasonable grounds or evidence obtained by the purchaser, has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in the Competition Act No. 89 of 1998.
- 34.3 If a bidder(s) or contractor(s), has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and / or claim damages from the bidder(s) or contractor(s) concerned.

Js General Conditions of Contract (revised July 2010)

SERVICE-LEVEL AGREEMENT

ENTERED INTO BETWEEN

THE CITY OF TSHWANE METROPOLITAN MUNICIPALITY

AND

Registration number: _____

Doc2 Version 1 3 March 2022

SERVICE-LEVEL AGREEMENT

ENTERED INTO BETWEEN

THE CITY OF TSHWANE METROPOLITAN MUNICIPALITY

A municipality, as described in Section 2 of the Local Government: Municipal Systems Act, 2000 and as contemplated in Section 155 of the Constitution of the Republic of South Africa, 1996 as a category A municipality, or the Assignee, if applicable, herein represented by Mr Johann Mettler in his/her capacity as City Manager duly authorised thereto under and by virtue of a resolution passed on 26 January 2012, and who by his/her signature hereto warrants that he/she is properly authorised to sign this Agreement.

(Herein referred to as the “**CITY**”)

AND

Registration number: _____

Herein represented by _____ in his/her capacity as _____ is duly authorised thereto under and by virtue of a resolution of the board passed on _____, a copy of which is annexed as Annexure A, and who by his/her signature hereto warrants that he/she is properly authorised to sign this agreement.

(Herein referred to as the “**SERVICE PROVIDER**”)

CONTENTS

- 1. DEFINITIONS**
- 2. INTERPRETATION**
- 3. APPOINTMENT**
- 4. PURPOSE OF THE AGREEMENT**
- 5. RELATIONSHIP**
- 6. DURATION**
- 7. CONTACT PERSON**
- 8. SCOPE OF GENERAL SERVICES**
- 9. PRICE AND PAYMENT**
- 10. PRICE RESTRUCTURING**
- 11. SERVICE LEVELS**
- 12. WITHHOLDING OF PERFORMANCE**
- 13. PENALTY**
- 14. ACCESS**
- 15. ORDERS OF GOODS**
- 16. DELIVERY OF GOODS**
- 17. DEFECTIVE GOODS OR LATENT PRODUCTS**
- 18. AMENDMENT OR CANCELLATION OF PURCHASE ORDER**
- 19. INSPECTION**
- 20. MAINTENANCE AND SUPPORT**
- 21. TRAINING**
- 22. SERVICE PROVIDER'S WARRANTIES AND INDEMNITIES**
- 23. SERVICE PROVIDER'S PERSONNEL**
- 24. STATUTORY AND EMPLOYMENT ISSUES**
- 25. SUBCONTRACTING**
- 26. CONFIDENTIALITY**

- 27. INTELLECTUAL PROPERTY RIGHTS
- 28. *FORCE MAJEURE*
- 29. CESSION
- 30. CHANGE OF CONTROL OR CIRCUMSTANCE
- 31. BREACH
- 32. EARLY TERMINATION
- 33. DISPUTES
- 34. LAWS AND JURISDICTION
- 35. NOTICES AND COMMUNICATION
- 36. GENERAL AND MISCELLANEOUS
- 37. EXECUTION

ANNEXURE A: BOARD RESOLUTION

ANNEXURE B: SCOPE OF WORK AND DELIVERABLES

ANNEXURE C: PAYMENT TERMS

RECORDAL:

WHEREAS the City requires various services to be provided or carried out and delivered at the service areas;

AND WHEREAS the City wishes to appoint the service provider;

AND WHEREAS the service provider wishes to provide such services;

AND WHEREAS the service provider has indicated that it has the necessary expertise, skills and capabilities to provide the service;

NOW THEREFORE, the parties have agreed to enter into this agreement, in terms of which the service provider shall provide the services in the service areas and/or delivery area, and provide maintenance and support thereof to the City in accordance with the terms and subject to the conditions of this agreement.

1. DEFINITIONS

Unless otherwise expressly stated, or if the context requires otherwise, the following words and expressions, when used in this agreement, including in this introduction, shall bear the following meanings ascribed to them:

- 1.1 **“Agreement”** means this service-level agreement and shall include any annexures, schedules, attachments, appendices and/or any addenda hereto or incorporated herein by reference, as amended from time to time;
- 1.2 **“Business day”** means any day from Monday to Friday, excluding public holidays, as defined in the Public Holidays Act, 1994 (Act 36 of 1994), as amended from time to time;
- 1.3 **“Business week”** means five consecutive business days, excluding public holidays as defined in the Public Holidays Act, 1994;
- 1.4 **“City”** means the City of Tshwane Metropolitan Municipality, a metropolitan municipality established in terms of Section 12 of the Local Government: Municipal Structures Act, 1998 (Act 117 of 1998);
- 1.5 **“Contact persons”** means persons identified by the parties as persons who are responsible for the execution of the agreement and whose names are set out in Clause 35 below and who can be substituted in writing from time to time;
- 1.6 **“Contract price”** means the amount reflected as the contract price in Clause 9 below;
- 1.7 **“Contract period”** means the contract period as reflected in Clause 6 below;
- 1.8 **“Effective date”**, notwithstanding the signature date, means _____;
- 1.9 **“Intellectual property”** means patents, designs, know-how, copyright, trademarks and all rights having an equivalent or similar effect which may exist anywhere in the world, introduced and required by either party to give effect to

their obligations under this agreement, owned in whole or in part by, or licenced to either party before the commencement date or developed after the commencement date, and includes all further additions and improvements to the intellectual property, otherwise pursuant to this agreement;

- 1.10 **“Month”** means a calendar month;
- 1.11 **“Parties”** means the City of Tshwane and the service provider and “party” means either of these, as the context requires;
- 1.12 **“Services”** means services to be provided by the service provider to the City as detailed in Clause 8 below;
- 1.13 **“Service provider”** means _____, a company duly incorporated in accordance with the company laws of the Republic of South Africa with company registration number: _____;
- 1.14 **“Signature date”** means the date of signature of this agreement by the party signing last;
- 1.15 **“Subcontract”** means any contract, agreement or proposed contract between the service provider and any third party whereby that third party agrees to provide to the service provider the services or any part thereof;
- 1.16 **“Subcontractor”** means the third party with whom the service provider enters into a subcontract;
- 1.17 **“Tax invoice”** means the document, as required by Section 20 of the Value-added Tax Act, 1991 (Act 89 of 1991), as amended from time to time;
- 1.18 **“VAT”** means value-added tax, as defined in terms of the Value-added Tax Act, 1991.

2. INTERPRETATION

- 2.1 Headings and subheadings are inserted for information purposes only and shall not be used in the interpretation of this agreement.
- 2.2 Unless the context clearly indicates a contrary intention, any word that connotes –
 - 2.2.1 any singular shall be deemed to include a reference to the plural and *vice versa*;
 - 2.2.2 any one gender shall be deemed to include a reference to any other gender; and
 - 2.2.3 a natural person shall be deemed to include a reference to a legal or juristic person.

- 2.3 The expiry or termination of this agreement shall not affect provisions of this agreement, which expressly provide that they will operate after any such expiry or termination of this agreement. Provisions of necessity shall continue to have been effective after such expiry or termination of this agreement, notwithstanding that the clauses themselves do not expressly provide for this.
- 2.4 The rule of interpretation that a written agreement shall be interpreted against the party responsible for the drafting or preparation of that agreement shall not apply.
- 2.5 Where figures are referred to in numerals and in words and there is any conflict between the two, the words shall prevail.
- 2.6 Any reference to any legislation is a reference to such legislation as at the signature date and as amended or re-enacted from time to time.
- 2.7 If any provision in a definition is a substantive provision that confers any rights or imposing any obligations on any party, then, notwithstanding that it is only in this interpretation clause, effect shall be given to it as if it were a substantive provision in this agreement.

3. APPOINTMENT

The City hereby appoints the service provider, who accepts such appointment, to provide the services in accordance with the terms and subject to the conditions of this agreement.

4. PURPOSE OF THE AGREEMENT

- 4.1 The purpose of this agreement is to –
- 4.1.1 formalise and regulate the working relationship between the parties;
 - 4.1.2 set out the roles and responsibilities of the parties; and
 - 4.1.3 define process and procedures to be followed by the parties.

5. RELATIONSHIP

Nothing in this agreement shall constitute or be deemed to constitute a partnership or joint venture between the parties. Furthermore, the service provider acknowledges and agrees that its status under this agreement is that of an independent service provider and its status shall in no way be deemed to be that of an agent or employee of the City for any purpose whatsoever. The service provider shall have no authority or power to bind the City or to contract in the name of the City or create a liability against the City in any way or for any purpose.

6. DURATION

This agreement shall commence on the effective date and shall subsist for _____ years, unless terminated earlier, pursuant to Clause 32 below.

7. CONTACT PERSON

- 7.1 The work to be performed by the service provider hereunder will be supervised by City's contact person referred to in Clause 35 below.
- 7.2 The parties shall notify each other in writing from time to time of the details of the nominated contact person.
- 7.3 The contact persons shall liaise and update each other on the progress of the services rendered and shall endeavour to resolve and remedy any problems or disputes that may arise in relation to the services.
- 7.4 Either party may substitute a contact person at its discretion, provided that each party shall give the other party reasonable notice of such substitution and will provide replacement employees of equivalent ability.
- 7.5 Without derogating from the foregoing, should either party replace a contact person for any reason whatsoever, it shall ensure, to the greatest extent possible in the circumstances, that the suitable period of handover and overlap takes place, at its cost, between the new and the incumbent contact person.

8. SCOPE OF GENERAL SERVICES

The service provider shall, for the duration of this agreement, provide the services set out in the scope of work and in accordance with the deliverables and milestones attached hereto as Annexure B, including but not limited to the maintenance and support services, as provided for in Clause 20 below.

9. PRICE AND PAYMENT

- 9.1 The City shall pay to the service provider the contract price in the sum of R_____ (_____ rand), payable in accordance with the terms of the appointment letter, attached hereto as Annexure C, and subject to deliverables.
- 9.2 All payments under this agreement shall be made by electronic fund transfer or other forms of payment as the parties may agree upon from time to time, upon receipt of valid and undisputed tax invoices and month-end statements together with the supporting documentation from the service provider, once the undisputed tax invoices or such portion of the tax invoices which are undisputed become due and payable.
- 9.3 All amounts and other sums payable in terms of this agreement and schedules hereto will be stipulated exclusive of VAT, unless expressly stated otherwise.

- 9.4 Unless otherwise provided in the schedules, valid tax invoices shall be submitted together with a month-end statement. Payment against such month-end statement shall be made by the City within 30 (thirty) days after the date of receipt by the City of the service provider's statement together with the relevant valid and undisputed tax invoice(s) and supporting documentation, but in any event no later than 90 (ninety) days of receipt of such statement.
- 9.5 Where the payment of any valid and undisputed tax invoice, or any part of the said tax invoice which is not in dispute, is not made by the due date, the service provider shall be entitled to charge interest on the outstanding amount, at the service provider's prime rate of interest in force, for the period from the due date of payment until the outstanding amount is fully paid.
- 9.6 There shall be no interest levied on a tax invoice that is in dispute between the parties.
- 9.7 The City shall pay the amount reflected on a tax invoice once the City's contact person has verified that the services set out in a schedule have been rendered and the tax invoice amount has been approved by the City.
- 9.8 All tax invoices shall be addressed to the City's contact person.
- 9.9 All payments shall be transferred by the City to the service provider electronically into the service provider's bank account, the details of which are as follows:
- Bank: _____
Account type: _____
Account number: _____
Branch number: _____
- 9.10 Failure to comply with the clauses above may result in late payment of the total amount of an invoice by the service provider to the City. The City shall not be liable for any costs or damages suffered by the service provider as a result of such late payment.

10. PRICE RESTRUCTURING

- 10.1 The service provider shall be subject to a price review every year.
- 10.2 The City shall embark on a benchmarking exercise every 12 (twelve) months where the City shall benchmark the service provider's contract price against the prevailing market rates.
- 10.3 In the event that it emerges that the service provider's charges regarding the contract price and other charges under this agreement are materially higher than the reasonable benchmark ascertained by the City or that the City can acquire similar services of a like quality from another supplier at a total delivered cost that is lower than the total delivered cost of the services acquired hereunder from the service provider, the City shall have the right to notify the service provider of such total delivered cost and the service provider shall have an opportunity to adjust the contract price and any other charges hereunder, on

such a basis as to result in the same total delivered cost to the City, within 30 (thirty) calendar days of such notice.

10.4 If the service provider fails to do so or cannot legally do so, the City may –

10.4.1 acquire the services from such other supplier in which case the obligations, including, but not limited to, any purchase and sale requirements and/or commitments, if any, of the City and the service provider hereunder shall be reduced accordingly;

10.4.2 terminate this agreement without any penalty, liability or further obligation; or

10.4.3 continue under this agreement.

10.5 Within 30 (thirty) calendar days of a notice by the City or at any time the City so requests, the service provider shall certify in writing to the City that it is in compliance with this clause and shall provide all information that the City reasonably requests in order to verify such compliance.

11. SERVICE LEVELS

11.1 The service provider recognises that the City has entered into this agreement relying specifically on the service provider's representations regarding service levels including, *inter alia* –

11.1.1 capacity allocations in accordance with the service to be provided; and

11.1.2 all work to be performed and services rendered under this agreement shall comply with industry norms and best practice acceptable within the services industry and shall be executed by the service provider to the total satisfaction of the City.

11.2 The service provider shall provide suitably qualified and trained employees to provide the services to the City in terms of this agreement, and shall allocate, in its discretion, employee resources in accordance with the technical skill and knowledge required, provided that any exercise of such discretion by the service provider shall not negatively impact the provision of the services by the service provider to the City. The service provider shall also allocate employees with the technical skill and knowledge on-site at the City at all times during normal working hours, if the City so requires.

11.3 Among others, the service provider shall comply with and provide the services as set out in Clause 8 above.

12. WITHHOLDING OF PERFORMANCE

The service provider may not, under any circumstances, including, without limitation, non-payment by the City, withhold any services from the City during the currency of this agreement, unless it validly terminates this agreement, in terms of Clause 32 below.

13. PENALTY

- 13.1 Should the service provider fail to comply with its obligations in terms of this agreement, the City may –
 - 13.1.1 exercise its rights in terms of Clause 31 below; or
 - 13.1.2 impose a penalty on the service provider.
- 13.2 An election of any of the above by the City shall not mean that the City has waived any other rights which the City might have in law.
- 13.3 Should the City choose to impose a penalty on the service provider, the City shall provide the service provider with a written notice requiring the service provider to remedy the default within 7 (seven) days from the date of delivery of the notice.
- 13.4 Should the service provider fail to remedy the default within 7 (seven) days after receiving the notice, the City shall be entitled, without prejudice to any alternative or additional right of action or remedy available to the City and without further notice, to impose a penalty, which penalty shall be a deduction of 10% of the monthly contract price for the contract period. For the avoidance of doubt, the penalty amount shall be 10% of the monies due for payment to the service provider monthly, in terms of Clause 9 above.
- 13.5 Should there be a dispute as to whether the failure to deliver was caused by the City or was the service provider's fault, such dispute shall be dealt with in accordance with Clause 33 below.

14. ACCESS

- 14.1 The City shall allow the service provider reasonable access to its premises, provided that –
 - 14.1.1 access is related to the services to be provided by the service provider; and
 - 14.1.2 the service provider adheres to all rules, regulations and instructions applicable at the City's premises.
- 14.2 The service provider is required to notify the City every month of employees who are to provide services at the service areas and/or delivery areas.
- 14.3 The City shall grant the service provider and/or its employees, referred in Clause 14.2 above, access to its premises to perform its obligations in terms of this agreement.
- 14.4 The service provider and its employees shall at all times, when entering the premises and/or service areas and/or delivery areas of the City, comply with all rules, laws, regulations and policies of the City.

15. ORDERS OF GOODS

- 15.1 The service provider's contact person shall advise the City in writing of the goods required to enable the service provider to render the services. On the order form, the service provider shall set out the quantity, description of goods and the anticipated date of delivery of the goods ("delivery date").
- 15.2 The City shall confirm the order in writing and authorise the service provider to order the goods necessary for the provision of the service.
- 15.3 All orders for goods ordered under Clause 15 shall be for the separate account of the City, the cost of which shall be invoiced to the City by the service provider upon confirmation of the order, in terms of Clause 15.2 above. The City shall not be obliged to order the goods from the service provider and shall be entitled to use any company that it deems most suitable for the provision of the goods.

16. DELIVERY OF GOODS

- 16.1 The service provider shall deliver the goods on the delivery date.
- 16.2 Should the service provider be unable to deliver the goods on the delivery date, the service provider shall inform the City of its inability to deliver the goods, the reason therefor, and shall provide the City with a reasonable alternative delivery date, which, in any event, shall not be more than 14 (fourteen) days from the original delivery date.
- 16.3 In the event that the service provider is unable to deliver the goods on the delivery date 3 (three) times in a period of 6 (six) months, the City shall be entitled to terminate this agreement by giving the service provider one (1) month's written notice to terminate.
- 16.4 Upon delivery of the goods by the service provider, the City's contact person shall sign the delivery document provided by the service provider as acknowledgement of receipt of the goods. Such acknowledgement of receipt shall not constitute an acceptance –
 - 16.4.1 that the goods were received in good condition;
 - 16.4.2 that the goods were free of any defects;
 - 16.4.3 that the goods were fit for the purpose for which they were purchased; and/or
 - 16.4.4 of any terms and conditions of the delivery document.
- 16.5 In the event that the City notifies the service provider, within 5 (five) business days, that the goods delivered are not in accordance with the order, the City shall be entitled to return the goods to the service provider at the service provider's cost and the service provider shall deliver the replacement goods ordered within 5 (five) business days of taking delivery of the defective goods.

17. DEFECTIVE GOODS OR LATENT PRODUCTS

- 17.1 The service provider shall verify whether the goods received are in order and without any defects.
- 17.2 In the event that the City realises that the goods have any defect, including (but not limited to) manufacture and/or latent defects, the City shall inform the service provider in writing within 5 (five) days of becoming aware of the defect ("Notice of Defect").
- 17.3 Upon receipt of the Notice of Defect, the service provider shall immediately deliver replacement goods to the City within 14 (fourteen) business days of receiving the Notice of Defect, referred to in Clause 17.2 above, and replace the defective goods.
- 17.4 The cost of returning and replacing the defective goods shall be borne by the service provider.
- 17.5 The service provider shall be responsible for the replacement amount of any parts of the goods that are to be replaced in terms of this agreement.

18. AMENDMENT OR CANCELLATION OF PURCHASE ORDER

The City is entitled to cancel an order, reschedule delivery of the goods or change the delivery area and delivery date on 14 (fourteen) days' written notice to the service provider.

19. INSPECTION

- 19.1 The City may, at any time, inspect the goods and/or service levels of the service provider in terms of this agreement.
- 19.2 If the City is, at any time, dissatisfied with the service levels, the City shall, within 7 (seven) days, notify the service provider in writing of the failure or default.
- 19.3 The service provider shall immediately upon receipt of written demand by the City remedy such failure or default, within 7 (seven) business days from the date of receipt of the notice, free of charge.
- 19.4 Should the service provider fail to remedy the failure or default referred to above, the City shall have the right to impose penalties as provided for in Clause 12 above or invoke the provisions of clauses and/or Clause 31 below.
 - 19.4.1 To enable the City to determine whether the goods and/or services rendered in terms of this agreement are being complied with, the service provider shall –
 - 19.4.1.1 provide the City with such information as it may reasonably require;
 - 19.4.1.2 allow the City to inspect and take copies of any records of the service provider relating to the goods and/or services, including all hardware, software, data, information, visuals,

procedures, event logs, transaction logs, audit trails, books, records, contracts and correspondence; or

- 19.4.1.3 allow the City or its authorised representatives to conduct interviews with any of the service provider's employees, subject to reasonable notice being given to the service provider.

19.5 Service provider to provide reasonable assistance

19.5.1 Where any information is required for inspection in terms of this clause and the information is kept in a computer, the service provider shall give the City reasonable assistance required to facilitate inspection and obtain copies of the information in a visible and legible form or to inspect and check the operation of any computer and any associated apparatus or material that is or has been in use in connection with the keeping of the information.

19.5.2 Any information required to be provided to the City, pursuant to Clause 19, shall be provided by the service provider, as the case may be in such form (including a form otherwise than in writing) as the City may reasonably specify.

19.5.3 The cost of any inspection contemplated in terms of Clause 19 shall be for the account of the City unless any material irregularity or failure on the part of the service provider is determined by the City in the course of such inspection.

19.6 The inspection contemplated in this agreement will be conducted –

- 19.6.1 during normal business hours; and

- 19.6.2 where the circumstances justify it, on reasonable notice to the service provider, with the minimum interference in the provision of the services and the service provider's other operations.

20. MAINTENANCE AND SUPPORT

The essential and critical elements of the maintenance and support to be provided by the service provider to the City shall be detailed in the scope of work attached hereto as Annexure B.

21. TRAINING

If required, the service provider shall, after delivery and installation of the goods, and as part of maintenance and support, ensure that the City's nominated employees, from time to time, receive the required and necessary training relating to the nature, purpose and appropriate use of the goods.

22. SERVICE PROVIDER'S WARRANTIES AND INDEMNITIES

22.1 Service warranties

22.1.1 The service provider warrants that, in relation to each service provided in terms of this agreement, –

- 22.1.1.1 it has full capacity and authority to enter into and perform this agreement, and that this agreement is executed by duly authorised representatives of the service provider;
- 22.1.1.2 it possesses or has access to the requisite knowledge, skill and experience to provide the services in an expert manner;
- 22.1.1.3 it will discharge its obligations under this agreement and any annexure, appendix or schedule hereto with all due skill, care and diligence;
- 22.1.1.4 all work performed and services rendered under this agreement shall comply with prevailing practice, standards and specifications within the industry;
- 22.1.1.5 it will be solely responsible for the payment of remuneration and associated benefits, if any, of its personnel and for withholding and remitting income tax for its personnel in conformance with any applicable laws and regulations;
- 22.1.1.6 the use or possession by the City of any materials will not subject the City to any claim for infringement of any intellectual property rights of any third party;
- 22.1.1.7 it will, with promptness and diligence, and in a skilful manner and in accordance with the practices and professional standards of operations, perform services and/or deliver goods;
- 22.1.1.8 its services and/or goods will, in all aspects, comply with industry norms and best practice to the satisfaction of the City with regard to materials and workmanship;
- 22.1.1.9 it will use and adopt any standards, processes and procedures required under this agreement;
- 22.1.1.10 it shall employ suitably qualified and trained employees to provide the services and/or goods to the City and it shall allocate employees in accordance with the technical skills and knowledge required;
- 22.1.1.11 the goods and/or services will be free from any defects in material and workmanship;
- 22.1.1.12 it will maintain and cause to be maintained the highest standard of workmanship and care in undertaking the services and/or processing the goods;

- 22.1.1.13 it will maintain and cause to be maintained the highest standard of care and diligence in providing the services, maintenance and support;
- 22.1.1.14 it will ensure that all applicable laws are observed;
- 22.1.1.15 without derogating from the generality of the foregoing, it will strictly adhere to any or all laws, regulations and accepted procedures with regard to health, hygiene and the maintaining of the environment in the manufacture, packaging, labelling, identification, storage and transportation of the goods; and
- 22.1.1.16 it guarantees that the goods shall be in good working condition for the warranty and/or maintenance period of the goods, and that the service provider shall be responsible for the costs of repair of the goods should the goods require to be repaired to their normal use.

22.2 Indemnity

22.2.1 The service provider hereby indemnifies the City against any claim which may be brought against the City by the service provider's personnel or a third party arising from the execution of this agreement or which arises against the City as a result of the service provider's breach of any of the provisions of this agreement. This is provided that the City notifies the service provider in writing within a reasonable time, and, in any event, no less than 14 (fourteen) business days of the City becoming aware of any such claim to enable the service provider to take steps to contest it. The City shall provide the service provider with such reasonable assistance as may be necessary to enable the service provider to defend the claim to the extent only that it is in a position to render such assistance. The service provider may, within 5 (five) business days of receipt of written notice from the City aforesaid, elect in writing to contest such a claim in the name of the City and shall be entitled to control the proceedings in regard thereto. This is provided that the service provider indemnifies the City against all and any costs (including attorney and own client costs) which may be incurred by or awarded against the City as a consequence of the defence of the claim.

23. SERVICE PROVIDER'S PERSONNEL

23.1 Liability for criminal acts of employees

The service provider shall be liable to the City for any loss that the City or any third party may suffer as a result of any theft, fraud or other criminal act of any employee of the service provider which arises within the course and scope of such employee's employment with the service provider.

23.2 Character of employees

23.2.1 Due to the confidential nature of certain aspects of the services and the position of trust which the service provider's employees will fulfil, the service provider hereby undertakes to use its best commercial endeavours to ensure that it only assigns to the City employees who are fit and proper persons, who display the highest standards of personal integrity and honesty, and who have not, to their knowledge, been convicted of any crime.

23.2.2 The service provider shall, at its own cost, conduct all reasonable background checks into its employees before using them to provide the services in terms of this agreement.

23.3 The City shall conduct all reasonable background checks into the service provider's employees from time to time, where it deems it necessary to do so.

24. STATUTORY AND EMPLOYMENT ISSUES

24.1 The service provider shall comply with all employment legislation

24.1.1 The service provider warrants that it has full knowledge of all relevant statutory, collective and other stipulations applicable to the relationship with its personnel and its relationship with the City. This includes, but is not limited to, the Labour Relations Act, 1995 (Act 66 of 1995), the Basic Conditions of Employment Act, 1977 (Act 75 of 1997), the Employment Equity Act, 1998 (Act 55 of 1998) and any other applicable employment legislation currently in force.

24.1.2 The service provider warrants further that it is not and will not in future be in contravention of any of the provisions of any such legislation and in the event of such contravention, the service provider shall immediately take all steps to remedy such contravention. If the City advises the service provider of any contravention of such legislation in writing, the service provider shall, within 10 (ten) days after receipt of such notice, take all steps necessary to remedy such contravention and shall keep the City informed regarding the steps taken and the implementation and result thereof.

24.2 No employment

The service provider warrants that none of its personnel shall be regarded as employees of the City. The service provider shall assist to defend and bear all costs in the event that the City is required to defend a claim, whether civil or employment related, instituted against it by the service provider's personnel should the City defend the matter. The service provider hereby indemnifies the City against all and any costs (including attorney and own client costs) which may be incurred by or awarded against the City as a consequence of the defence of the claim.

24.3 Occupational Health and Safety Act, 1993

The service provider shall be responsible for ensuring compliance with all the provisions of the Occupational Health and Safety Act, 1993 (Act 85 of 1993)

and it indemnifies the City against any claim which may arise in respect of such act by its personnel against the City.

25. SUBCONTRACTING

- 25.1 The service provider may not subcontract the whole of or any portion of the services in terms of this agreement to any third party without the prior consent of the City.
- 25.2 In the event the service provider wishes to subcontract the whole of or any portion of the services in terms of this agreement, it shall apply to the City in writing for consent to do so.
- 25.3 In its application, the service provider shall give the name of the subcontractor, the subcontractor's obligations, the proposed date of commencement of the subcontract, which shall include the fees payable to the subcontractor, and a report of the background security check on the subcontractor's suitability, financial and otherwise.
- 25.4 The City may, in its sole and absolute discretion, refuse consent to subcontract. In the event the City approves the subcontracting of the whole of or any portion of the services in terms of this agreement, –
 - 25.4.1 the service provider shall ensure that the subcontractor's BBBEE level is equal or better than that of the service provider, its price is competitive and it has the capacity to provide the service;
 - 25.4.2 such subcontracting shall not absolve the service provider from the responsibility of achieving the service levels or complying with its obligations in terms of this agreement, and the service provider hereby indemnifies and holds the City harmless against any loss, harm or damage which the City may suffer as a result of such subcontracting;
 - 25.4.3 the service provider shall, at all times, remain the sole point of contact for the City in respect of the acquisition of services by the City; and
 - 25.4.4 no such subcontracting shall have any effect on the contract price and charges payable by the City to the service provider in terms of this agreement.

26. CONFIDENTIALITY

- 26.1 The service provider acknowledges that all information relating to the City's confidential business and technical information, data, documents or other information necessary or useful for the carrying on by the City of its business which shall include, but shall not be limited to, operating procedures, quality control procedures, approximate operation personnel requirements, descriptions, trade names and trademarks, know how, techniques, technology, information relating to clients, customers, suppliers and relevant authorities, copyright, trade secrets and all goodwill relating to the business and any other intellectual property rights, technical data and documents in whole or in part, used by the City in respect of its business ("confidential information") shall

remain confidential and shall not be made known unless the City has given written consent to do so.

- 26.2 The information provided by the City in the context of this agreement is confidential information and the service provider shall take all reasonable measures to keep the information confidential and will only use the information for the purpose for which it was provided.
- 26.3 The service provider undertakes to not disclose any such confidential information. However, there will be no obligation of confidentiality or restriction on use where –
 - 26.3.1 the information is publicly available, or becomes publicly available otherwise than by action of the receiving party;
 - 26.3.2 the information was already known to the receiving party (as evidenced by its written records) prior to its receipt under this or any previous agreement between the parties or their affiliates; or
 - 26.3.3 the information was received from a third party not in breach of an obligation of confidentiality.

27. INTELLECTUAL PROPERTY RIGHTS

- 27.1 All intellectual property rights of the contractor and/or third party vest in the contractor and/or third party, as appropriate.
- 27.2 All rights in the City name and logo remain the absolute property of the City.
- 27.3 The contractor warrants that no aspect of the services provided in terms thereof will infringe any patent, design, copyright, trademark, trade secret or other proprietary right of any third party.
- 27.4 The contractor shall promptly notify the City, in writing, of any infringement or apparent or threatened infringement or any circumstances which may potentially give rise to an infringement, or any actions, claims or demands in relation to any intellectual property rights.
- 27.5 In the event the City becomes aware of any such infringement, the contractor shall, at its cost, defend the City against any claim that the services infringe any such third party intellectual property rights, provided that the City gives notice to the contractor of such claim and the contractor controls the defence thereof. The contractor further indemnifies the City against, and undertakes that it will pay all costs, damages and attorney fees, if any, finally awarded against the City in any action which is attributable to such claim and will reimburse the City with all costs reasonably incurred by the City in connection with any such action.
- 27.6 Should any claim be made against the City by any third party in terms of Clause 27.1 above, the City shall give the contractor written notice thereof within 3 (three) days of becoming aware of such claim to enable the contractor to take steps to contest it.

27.7 Should any third party succeed in its claim for the infringement of any third party proprietary rights, the contractor shall, at its discretion and within 30 (thirty) days of the services having been found to infringe, at its own cost, –

27.7.1 obtain for the City the right to continue using the subject of infringement or the parts thereof which constitute the infringement;

27.7.2 replace the subject of infringement or the parts thereof which constitute the infringement with another product or service which does not infringe and which is materially similar to the subject of infringement;

27.7.3 alter the subject of infringement in such a way as to render it non-infringing while still in all respects operating in substantially the same manner as the subject of infringement; or

27.7.4 withdraw the subject of infringement.

28. FORCE MAJEURE

28.1 For the purposes hereof, “*force majeure*” shall mean civil strife, riots, insurrection, sabotage, national emergency, acts of war of public enemy, rationing of supplies, flood, storm, fire or any other like forces of nature beyond the reasonable control of the party claiming *force majeure* and comprehended in the terms thereof.

28.2 If *force majeure* causes delays in or failure or partial failure of performance by a party of all or any of its obligations hereunder, this agreement shall be suspended for the period agreed in writing between the parties.

28.3 In the event of circumstances arising which the other party believes that it constitutes a *force majeure* (“the affected party”), such affected party shall send, within 5 (five) days from the interrupting circumstances, a written notice of the interrupting circumstances specifying the nature and date of commencement of the interrupting event to the other party. The parties shall agree, in writing, to suspend the implementation of this agreement for a specific period (“agreed period”).

28.4 In the event that both parties reasonably believe that the affected party shall be unable to continue to perform its obligations after the agreed period, either party shall be entitled to terminate this agreement without further notice to the other party.

28.5 The party whose performance is interrupted by the interrupting circumstances shall be entitled, provided that such party shall have given notice to that effect with a written notice of the interrupting circumstances as provided above, to extend the period of this agreement by a period equal to the time that its performance is so prevented.

29. CESSION

The service provider shall not be entitled to cede, assign or transfer in any other way and/or alienate its rights and obligations in terms of this agreement without the prior written consent of the City.

30. CHANGE OF CONTROL OR CIRCUMSTANCE

- 30.1 The service provider shall notify the City in writing of any change in the service provider's shareholding or membership or any change in the service provider's subsidiary companies or holding or its affiliates (such change shall be considered a material change in the constitution and identity of the service provider). The City may terminate this agreement upon becoming aware of such material change.
- 30.2 The parties agree that should there be a change, as envisaged in Clause 30.1 above, the service provider will no longer exist and a new third party or entity shall have been constituted. In this regard, such third party shall not be entitled to inherit any of the service provider's rights and obligations in terms of this agreement, which will only be transferred to the new entity in writing by the City following the City's satisfaction and approval in writing of such new entity.
- 30.3 The service provider shall further notify the City of any material changes or circumstance which might have led the City to appoint the service provider to provide the goods and/or services. In the event that any material change or circumstance occurs and the service provider fails to inform the City of such a change or circumstance, the service provider shall be deemed to have breached a material term of this agreement and the City shall be entitled to cancel the agreement on 1 (one) month's prior notice.

31. BREACH

- 31.1 Subject to Clause 30.3 above, should either party commit a breach of any term of this agreement ("the defaulting party") then the affected party ("aggrieved party") shall be entitled to inform the defaulting party in writing to remedy such failure or default within 5 (five) business days. Should the defaulting party fail to remedy the breach within 5 (five) business days after receipt of the notice, the aggrieved party shall be entitled, without prejudice to any of its rights under this agreement or law, to –
- 31.1.1 immediately terminate this agreement without giving written notice and claim damages (which shall include legal costs on an attorney or client scale);
- 31.1.2 request specific performance and claim damages (which shall include legal costs on an attorney or client scale); or
- 31.1.3 impose penalties as provided for in Clause 13 above.

32. EARLY TERMINATION

The City shall have the right to terminate this agreement by giving 30 (thirty) days' notice in writing to the service provider of its intention to terminate the agreement.

33. DISPUTES

33.1 Save for Clause 31 above or any other clause in this agreement which provides for its own remedy, should any dispute arise between the parties in respect of or pursuant to this agreement, including, without limiting the generality of the foregoing, any dispute relating to –

33.1.1 the interpretation of the agreement;

33.1.2 the performance of any of the terms of the agreement;

33.1.3 any of the parties' rights and obligations;

33.1.4 any procedure to be followed;

33.1.5 the termination or cancellation or breach of this agreement; or

33.1.6 the rectification or repudiation of this agreement,

any party may give the other party written notice of such dispute, in which event the provisions below shall apply.

33.2 Within 7 (seven) days of the declaration of such dispute, the parties' representatives or their nominated persons shall meet in the spirit of goodwill and endeavour to resolve the dispute, failing which (and without prejudice to any other alternative dispute resolution to which the parties may agree, either prior to or concurrently with arbitration) the provisions of Clause 33 shall apply.

33.3 If the parties are unable to resolve the dispute within 14 (fourteen) days of the notice of the dispute (or such longer period as they may have agreed to in writing), then either party may, on written notice to the other party, require that the dispute be submitted to and decided by arbitration, in terms of the Arbitration Act, 1965 (Act 42 of 1965).

33.4 The arbitration shall be held under the provisions of the Arbitration Act, 1965 provided that the arbitration shall be –

33.4.1 at any place which the parties agree, in writing, to be mutually convenient; and

33.4.2 in accordance with such formalities and/or procedures as may be settled by the arbitrator and may be held in an informal and summary manner, on the basis that it shall not be necessary to observe or carry out the usual formalities of procedure, pleadings and/or discovery or respect rules of evidence.

33.5 If the arbitration is –

33.5.1 a legal matter, then the arbitrator shall be a practising advocate or a practising attorney of no less than 10 (ten) years' standing;

- 33.5.2 an accounting matter, then the arbitrator shall be a practising chartered accountant of no less than 10 (ten) years' standing; and
- 33.5.3 any other matter, then the arbitrator shall be any independent person agreed upon between the parties.
- 33.6 Should the parties fail to agree on an arbitrator within 14 (fourteen) days after the arbitration has been demanded, then the arbitrator shall be nominated at the request of either of the parties, by the president for the time being of the Law Society of the Northern Provinces.
- 33.7 Should the parties fail to agree whether the dispute is of a legal, accounting or other nature within 7 (seven) days after the arbitration has been demanded, it shall be deemed to be a dispute of a legal nature.
- 33.8 The arbitrator may –
 - 33.8.1 investigate or cause to be investigated any matter, fact or thing which he/she considers necessary or desirable in connection with the dispute and, for that purpose, shall have the widest powers of investigating all documents and records of any party that have a bearing on the dispute;
 - 33.8.2 interview and question under oath the parties or any of their representatives;
 - 33.8.3 decide the dispute according to what he/she considers just and equitable in the circumstances; and
 - 33.8.4 make such award, including an award for specific performance, damages or otherwise, as he/she in his/her discretion may deem fit and appropriate. The arbitration shall be held as quickly as possible after it is requested, with a view to it being completed within 30 (thirty) days after it has been so requested.
- 33.9 The arbitrator's decision and award shall be in writing with reasons and shall be subject to appeal by either party.
- 33.10 Subject to the provisions of Clause 33.9 above, the arbitrator's award may, on application by either party to a court of competent jurisdiction and after due notice is given to the other party, be made an order of court.
- 33.11 Notwithstanding the provisions of Clauses 33.1, 33.2, 33.3, 33.4, 33.5, 33.6 and 33.7 above, in the event of either party having a claim against the other party for a liquidated amount or an amount which arises from a liquid document, or for an interdict or other urgent relief, then the other party having such a claim shall be entitled to institute action therefor in a court of law rather than in terms of the above clauses, notwithstanding the fact that the other party may dispute the claim.

- 33.12 The provisions of Clause 33 are severable from the rest of this agreement and shall remain in effect even where this agreement is terminated or cancelled for any reason.

34. LAWS AND JURISDICTION

- 34.1 This agreement shall be governed by and interpreted according to the law of the Republic of South Africa.
- 34.2 Each party submits to the exclusive jurisdiction of the South African courts in respect of any matter arising from or in connection with this agreement, including its termination. Each party further consents to the jurisdiction of the High Court of South Africa (North Gauteng High Court (in Pretoria)).

35. NOTICES AND COMMUNICATION

- 35.1 The Parties choose, as their respective *domicilium citandi et executandi* (hereinafter referred to as the "*domicilium*") and for the delivery of any notices arising out of the agreement or its termination or cancellation, whether in respect of court process, notices or other documents or communication of whatsoever nature (including the exercise of any option), the address, as set out below.

35.1.1 The City:

2nd Floor, Block D
Tshwane House
320 Madiba Street
Pretoria CBD
0001

Attention: _____
Telephone: _____
Fax: 086 214 9544
Email: _____

35.1.2 The service provider:

Attention: _____
Telephone: _____
Fax: _____
Email: _____

- 35.2 Each party shall be entitled, from time to time, by written notice to the other party, to vary its *domicilium* to any other address, which is not a post office box or *poste restante*.

- 35.3 Any notice given and any payment made by any party to another party (hereinafter referred to as “the addressee”) which –
- 35.3.1 is delivered by hand during normal business hours of the addressee at the addressee’s *domicilium*, shall be deemed, until the contrary is proved by the addressee, to have been received by the addressee at the time of delivery;
 - 35.3.2 is posted by prepaid registered post to the addressee at the addressee’s *domicilium* shall be deemed, until the contrary is proved by the addressee, to have been received on the 7th (seventh) day after the date of posting; or
 - 35.3.3 is sent by email or facsimile machine shall be deemed, until the contrary is proven by the addressee, to have been received within 1 (one) hour of transmission where it is transmitted during business hours of the receiving instrument and at noon on the following business day (excluding Saturdays) where it is transmitted outside such business hours.
- 35.4 Any notice or communication required or permitted in terms of this agreement shall be valid and effective only if in writing, but it shall be competent to give notice by facsimile.
- 35.5 Notwithstanding anything to the contrary in this agreement, a notice or communication actually received by one party shall be an adequate notice or communication notwithstanding that it was not sent to or delivered at the chosen *domicilium citandi et executandi*.

36. GENERAL AND MISCELLANEOUS

36.1 Sole record of agreement

This agreement constitutes the sole record of the agreement between the parties with regard to the subject matter hereof. No party shall be bound by any express or implied term, representation, warranty, promise or the like not recorded herein.

36.2 No amendment except in writing

No addition to, variation of or agreed cancellation of this agreement shall be of any force or effect unless in writing and signed by or on behalf of the parties. Any alleged waiver of this requirement must itself be reduced to writing and signed by the relevant party to be of any effect.

36.3 Waivers

No relaxation or indulgence which any party may grant to any other shall constitute a waiver of the rights of that party and shall not preclude that party from exercising any rights which may have arisen in the past or which might arise in future.

36.4 **Survival of obligations**

Any provision of this agreement which contemplates performance or observance subsequent to any termination or expiration of this agreement shall survive any termination or expiration of this agreement and continue in full force and effect.

36.5 **Approvals and consents**

An approval or consent given by a party under this agreement shall only be valid if in writing and shall not relieve the other party from the responsibility of complying with the requirements of this agreement nor shall it be construed as a waiver of any rights under this agreement, except as and to the extent otherwise expressly provided in such approval or consent, or elsewhere in this agreement. Any alleged waiver of the requirement that the approval or consent must be in writing must itself be reduced to writing and signed by the relevant party to be of any effect.

37. **EXECUTION**

37.1 This agreement may be executed in several counterparts, which shall each be deemed an original, but all of which shall constitute one and the same instrument. A facsimile shall constitute a valid counterpart for all purposes hereunder.

37.2 The signatories to this agreement, by their signature, warrant their authority to enter into this agreement and the capacity of their principal, if signing in a representative capacity, to enter into this agreement.

Signed at on this day of 20.....

Witnesses:

1.

2.

For and on behalf of **the City of
Tshwane Metropolitan
Municipality**
(duly represented by Mr Johann
Mettler)

Signed at on this day of 20.....

Witnesses:

1.
2.

For and on behalf of

(duly represented by

_____)

ANNEXURE A

RESOLUTION OF THE BOARD

Resolution by the board of directors of _____
(the "company") made at a meeting held at _____ on
_____ 20__.

NOTED: THAT _____ intends to enter into an agreement with the City of Tshwane Metropolitan Municipality in terms of which the company shall provide various services (the "agreement") on the terms and subject to the conditions of the agreement to which this resolution is attached as Annexure A.

RESOLVED:

THAT the company approves and enters into the agreement on the terms and subject to the conditions of the agreement to which this resolution is attached.

THAT _____ in his/her capacity as a _____ of the company, be and is hereby authorised to negotiate, settle and sign the agreement attached hereto, and to sign all documentation and do all things necessary to give effect to the aforesaid resolutions on behalf of the company.

Read and confirmed

CHAIRPERSON/COMPANY SECRETARY

ANNEXURE B
SCOPE OF WORK AND DELIVERABLES

ANNEXURE C
PAYMENT TERMS