



ARC Infruitec-Nietvoorbij

Private Bag X5026, Stellenbosch, 7599, South Africa

Tel: (021) 809 3093

Fax: (021) 809 3400/3592

1 June 2022

OFFICE OF SUPPLY CHAIN MANAGEMENT

**DESCRIPTION OF SERVICE: SUPPLY AND DELIVER protective clothing for
Nietvoorbij Research Farm, R44 Klapmuts Road, Stellenbosch, 7600**

**SCOPE OF WORK & CONDITIONS FOR PUMPING OUT (EMPTY) SEWERAGE
DRAINS AT LUTZVILLE RESEARCH FARM, MATZIKAMA DISTRICT, FOR THREE
MONTHS**

Protective clothing for Nietvoorbij Research Farm		Quantity	If No, Please Indicate Deviation
1. Specific Description	Compliance to Specification (Yes/No) *Describe If Specification Differs		
Month 1 – Pump out (empty) sewerage drain near Klipheuwel Residential Houses (10 000 – 14 000lt drain)		4 (weekly)	
Month 2 – Pump out (empty) sewerage drain near Klipheuwel Residential Houses (10 000 – 14 000lt drain)		4 (weekly)	
Month 3 – Pump out (empty) sewerage drain near Klipheuwel Residential Houses (10 000 – 14 000lt drain)		4 (weekly)	
Month 1 – Pump out (empty) sewerage drains at Farm Office (2 x 5 000lt drains)		1 (monthly)	
Month 2 – Pump out (empty) sewerage drains at Farm Office (2 x 5 000lt drains)		1 (monthly)	
Month 3 – Pump out (empty) sewerage drains at Farm Office (2 x 5 000lt drains)		1 (monthly)	
Month 1 – Pump out (empty) sewerage drain at Foreman House (6 000 - 10 000lt drain)		2 (twice a month)	

Month 2 – Pump out (empty) sewerage drain at Foreman House (6 000 - 10 000lt drain)		2 (twice a month)	
Month 3 – Pump out (empty) sewerage drain at Foreman House (6 000 - 10 000lt drain)		2 (twice a month)	
Month 1 – Pump out (empty) sewerage drain at Small Holding House (10 000lt drain)		1 (monthly)	
Month 2 – Pump out (empty) sewerage drain at Small Holding House (10 000lt drain)		1 (monthly)	
Month 3 – Pump out (empty) sewerage drain at Small Holding House (10 000lt drain)		1 (monthly)	
Month 1 – Pump out (empty) sewerage drain at Plot 101, Lutzville West (10 000 – 14 000lt drain)		2 (twice a month)	
Month 2 – Pump out (empty) sewerage drain at Plot 101, Lutzville West (10 000 – 14 000lt drain)		2 (twice a month)	
Month 3 – Pump out (empty) sewerage drain at Plot 101, Lutzville West (10 000 – 14 000lt drain)		2 (twice a month)	
Month 1 invoice of all drains pumped Month 2 invoice of all drains pumped Month 3 invoice of all drains pumped			
Sewerage waste must be dumped at Lutzville Sewerage Plant			
2. General			
2.2 The supplier must deliver to Lutzville Research Farm, Lutzville			
2.3 Standard manufacturer / product warranty must be provided			

**PRICING SCHEDULE FOR PUMPING OUT (EMPTY) SEWERAGE DRAINS AT
LUTZVILLE RESEARCH FARM, MATZIKAMA DISTRICT, FOR THREE MONTHS**

1.

Item description	Quantity	Unit price	Total Price
Month 1 – Pump out (empty) sewerage drain near Klipheuwel Residential Houses (10 000 – 14 000lt drain)	4 (weekly)		
Month 2 – Pump out (empty) sewerage drain near Klipheuwel Residential Houses (10 000 – 14 000lt drain)	4 (weekly)		
Month 3 – Pump out (empty) sewerage drain near Klipheuwel Residential Houses (10 000 – 14 000lt drain)	4 (weekly)		
Month 1 – Pump out (empty) sewerage drains at Farm Office (2 x 5 000lt drains)	1 (monthly)		
Month 2 – Pump out (empty) sewerage drains at Farm Office (2 x 5 000lt drains)	1 (monthly)		
Month 3 – Pump out (empty) sewerage drains at Farm Office (2 x 5 000lt drains)	1 (monthly)		
Month 1 – Pump out (empty) sewerage drain at Foreman House (6 000 - 10 000lt drain)	2 (twice a month)		
Month 2 – Pump out (empty) sewerage drain at Foreman House (6 000 - 10 000lt drain)	2 (twice a month)		
Month 3 – Pump out (empty) sewerage drain at Foreman House (6 000 - 10 000lt drain)	2 (twice a month)		
Month 1 – Pump out (empty) sewerage drain at Small Holding House (10 000lt drain)	1 (monthly)		
Month 2 – Pump out (empty) sewerage drain at Small Holding House (10 000lt drain)	1 (monthly)		

Month 3 – Pump out (empty) sewerage drain at Small Holding House (10 000lt drain)	1 (monthly)		
Month 1 – Pump out (empty) sewerage drain at Plot 101, Lutzville West (10 000 – 14 000lt drain)	2 (twice a month)		
Month 2 – Pump out (empty) sewerage drain at Plot 101, Lutzville West (10 000 – 14 000lt drain)	2 (twice a month)		
Month 3 – Pump out (empty) sewerage drain at Plot 101, Lutzville West (10 000 – 14 000lt drain)	2 (twice a month)		
Month 1 invoice of all drains pumped Month 2 invoice of all drains pumped Month 3 invoice of all drains pumped			
Sewerage waste must be dumped at Lutzville Sewerage Plant			
SUBTOTAL			
VAT			
GRANDTOTAL			

Company name:.....

Contact person:.....

Contact number:.....

Date and signature:.....

Contact: Guillaume Kotzé – kotzeg@arc.agric.za or 083 6272 444

NB: Bidders must complete the table below as per the commitment of the RFQ.

AGREE WITH THE ABOVE SPECIFICATION: We the undersigned submit this RFQ in accordance with the conditions contained in the referenced above RFQ document and attach the documents required:
Bidders representative:
Capacity:
Date and signature:

DISAGREE WITH THE ABOVE SPECIFICATION:		
PAGE NUMBER	CLAUSE NUMBER	DEVIATION
Bidders representative and capacity		
Date and signature		

1. **EVALUATION PROCESS & CRITERIA STAGE ONE FOR PUMPING OUT (EMPTY) SEWERAGE DRAINS AT LUTZVILLE RESEARCH FARM, MATZIKAMA DISTRICT, FOR THREE MONTHS**
ADMINISTRATIVE COMPLIANCE EVALUATION OF ALL PROPOSALS

	Comply with specification. Please indicate Yes or No		
	Yes	No	If no, indicate deviation
EVALUATION PROCESS: NB: It must be noted that ARC reserve the rights to request for clarification if all the below questions are not answered properly.			
<u>STAGE ONE: ADMINISTRATION COMPLIANCE</u>			
All suppliers are duly lodged will be examined to determine compliance with quoting requirements and conditions. Quotes with obvious deviations from the requirements/conditions, will be eliminated or disqualified from further adjudication. (a) Mandatory Quotes will only be compliant if supplier has submitted the following documents:			
<i>Administrative documents</i> 1. According to National Treasury SCM Instruction number 4 of 2016/2017, only suppliers who are registered on Central Supplier Database (CSD) may be appointed. Suppliers is therefore encouraged to register their entities on CSD, www.csd.gov.za and such information will be verified through Central Supplier Database (CSD);			
2. All SBD documents must be submitted and completed;			
(b) Non-Mandatory Valid B-BBEE certificate or sworn affidavit certify by commissioner of oaths.			