

		Environmental File Contractors Legal Requirements		Document Identifier 229-T2277 Effective Date Mar-23 Review Date Mar-25 Revision 1	
SCOPE OF WORK					
SCOPE OF WORK		Maintenance of Auxillary Plant Syatem at Camden Power Station for a period of 48 months		Date 27/10/2025	
Contractor				Cell/Tel	
Eskom Contract Manager				Cell/Tel	
References		ISO 14001:2015, National Environmental Management Act 107 of 1998, National Environmental Management Waste Act 59 of 2008, Hazardous Chemical and Substance Regulation, Occupational Health and Safety Act No. 85 of 1993 and Regulations 19 th Edition, Eskom SHEQ, EIA regulations screening and scoping			
1 References					
References		Environmental Requirements		Yes	No
				N/A	Remarks
1.1	SHE Specs	Environmental Policy	X		To be signed by the MD of the company (Environmental/SHEQ policy)
1.2	NEMA Act 107 of 1998, Section 28(3)	Environmental Management Plan must include method statements talking back to the scope of work	X		
		Environmental Risk Assessment including Aspects and Impacts	X		Include all the activities that will be done at Camden PS
		Training of employees on environmental risks	X		
1.3	NEMWA Act 59 of 2008	List of all waste streams	X		Only the waste stream that will be generated at Camden for the duration of the contract
		Waste management programme and Housekeeping to include method statements of:	X		
		* How waste will be stored	X		
		* How waste will be disposed of	X		
		* How will you avoid littering and mixing of waste	X		
		* Commitment to keep site clean and remove all material / waste	X		
		Recycling programme for all waste streams	X		
1.4	HCS Reg 9A	Hazardous Substances and Material Register	X		If applicable
	of 1998	Safety Data Sheet for each hazardous waste stream	X		If applicable
1.5	EIA regulations (GN544 and 546)	Camden Power Station Modification Environmental Impact Process form		X	
File Evaluated by					
				Signature	
File Accepted by					
				Signature	
Evaluation Outcome					
				Date	