

	A	B	C	D	E	F	G	H	I	J	
1	Turbine Hall			 Johannesburg Water				PAGE NO.			
2	65 Ntengi Piliso								CLOSING DATE AND TIME		
3	Newtown								3-Dec-24	16:00:00 PM	
4									Date of Issue		
5	P O Box 61542								18-Nov-24		
6	Marshalltown 2107								QUOTATION DATE		
7	Tel : (011) 688-1400 Fax : (011) 688-1456								VALIDITY		
8									60 DAYS		
9		INITIATING DEPARTMENT	INITIATOR						7 DAYS		
10		Olifantsvlei	Sophonia Nthebe								
11		QUOTATION REFERENCE	COLLECTIVE NO.								
12		RFQJW0253KM24-Supply and plant smoking signages on the plant									
13		QUOTATION REQUESTED FROM									
14				QUOTATIONS WILL BE EVALUATED ON THE 80/20 POINT SCORING SYSTEM. 80 POINTS WILL BE ALLOCATED TO PRICE AND THE REMAINING 20 POINTS ALL SUPPLIERS RESPONDING TO QUOTATIONS SHOULD BE REGISTERED ON CENTRAL SUPPLIER DATABASE (CSD)							
15				JW SCM Contact Person : Khutso Mookamedi Email:khutso.mookamedi@jwater.co.za							
16											
17											
18											
19											
20	ITEM NO.	DESCRIPTION OF ITEM OFFERED			UOM	QTY REQUIRED		PRICE QUOTED EXCL. OF V.A.T.	DISCOUNT	PRICE QUOTED INCL. OF V.A.T.	
21											
22		Supply and plant smoking signages on the plant									
23											
24		1.Supply,deliver and plant smoking signages on a square tubing 50mm x 50mm high should be 2m and the wording should be written on a smm steel plate x1m									
25											
26											
27											
28		Compulsory site briefing meeting to be held at Olifantsvlei Works to quote on the cleaning of oil spillage.									
29		Date: 26 November 2024@10:00									
30		CIDB REQUIREMENTS: TENDERERS SHOULD HAVE A CONTRACTOR CIDB GRADING OF 1 GB OR HIGHER.									
31											
32		NB: Delivery Address is Olifantsvlei Wastewater Treatment Works									
33		Cavindish Street Ext.									
34		Olifantsvlei 316,IQ									
35		Nancefield Industrials									
36											
37		For more information contact Sophonia Nthebe @0821619011									
38											
39											
40		Locality – Businesses operating in the City of Johannesburg businesses and or in the region of Gauteng		20							
41											
42											
43		NB: All suppliers responding to RFQs should use their own company letter head not JW RFQ Template AND MAKE SURE THEIR EMAIL ADDRESS IS VISIBLE ON THEIR QUOTATION.									
44		NB: A copy of valid lease agreement or municipal account(not older than 3 months) should be submitted with a quote									
45		NB: MBD forms attached should be completed and submitted with the quote									
46		NB: All Quotes should be on PDF (MS WORD, MS EXCEL, PICTURES ARE NOT ALLOWED)									
47		NB: Copy of valid BBBEE CERTIFICATE or SWORN AFFIDAVIT to be submitted with the quote									
48		PLEASE NOTE THAT SUBMISSIONS MUST BE MADE ON E TENDER PORTAL									
49											
50	SUPPLIER DETAILS			1. QUOTATIONS RECEIVED AFTER CLOSE OF BUSINESS ON THE CLOSING DATE WILL NOT BE ACCEPTED. 2. QUOTATIONS WITHOUT BRAND NAMES WHERE REQUIRED WILL NOT BE ACCEPTED 3. PRICES QUOTED MUST BE AS PER THE UNIT INDICATED AND BE EXCLUDED OF VAT 4. ACCEPTANCE OF A QUOTATION WILL BE SUBJECT TO JOHANNESBURG WATER'S SUPPLY CHAIN POLICY 5. TOTAL QUOTATION VALUE TO INCLUDE VAT WHERE APPLICABLE							
51	OFFICIAL STAMP										
52		AUTHORISED BY:									
53		SIGNATURE:.....									
54		DATE:.....									
55											

Guide: How to submit a response on the E-tender Portal

- Submit on E tender portal, following the below:
 1. (<https://www.etenders.gov.za/>)
 2. Search/Click Browse Opportunities by organ of state (Johannesburg Water)/search by RFQ reference number .
 3. Click the **+ sign** to expand the tender/ RFQ information.
 4. start the e submission process.
 5. Supplier login
 6. Use your CSD Credentials to Login. Contact CSD on (csd@treasury.gov.za) in case you forgot your login credentials. “My profile should show if you have logged in successfully”.
 7. select supplier.
 8. check the submission checklist and attached the compulsory documents.
 9. confirm and proceed .

If the application is not going through on the E-tender portal Contact:

eTenders Contact Centre

+27(0)12 406 9222 / 012 406-9229 / 012 312-5000

etenders@treasury.gov.za

<https://etenders.treasury.gov.za>



a world class African city



City of Johannesburg

Johannesburg Water SOC Ltd

Turbine Hall
65 Ntengi Piliso Street
Newtown
Johannesburg

Johannesburg Water
PO Box 61542
Marshalltown
2107

Tel +27(0) 11 688 1400
Fax +27(0) 11 688 1528

www.johannesburgwater.co.za

PLEASE SUPPLY THE FOLLOWING DOCUMENTS TO ENABLE US TO EVALUATE YOUR SUBMISSION :

Returnable Documents	Description	Yes/No	
1	Original Valid Tax Clearance Certificate /valid SARS PIN		COMPULSORY
2	A, certified /original/valid, BBEE certificate /sworn affidavit (Please note that the Sworn Affidavit must be compliant as per B-BBEE Practice Guide 01 of 2018 , NON COMPLIANT AFFIDAVIT WILL BE SCORED ZERO)		COMPULSORY
3	Municipal rates and taxes (Must not be older than 90 days in arrears in line with regulation 38.		COMPULSORY
4	Signed Declaration of Interest form (MBD 4)		COMPULSORY
5	Declaration of Bidders past supply chain management practices (MBD 8)		COMPULSORY
6	Certificate of Independent Proposal Determination (MBD 9)		COMPULSORY
7	Proof of CSD registration /MAAA Supplier Number		COMPULSORY
8	Preference points claim form in terms of the preferential procurement regulations 2022 (MBD 6.1)		COMPULSORY
9	Company registration documents with ID copies of directors / shareholders.		COMPULSORY

Directors:

Ms Gugulethu Phakathi (Chairperson), Mr Ntshavheni Mukwevho (Managing Director and Executive Director),
Mr Johan Koekemoer (Financial Director and Executive Director), Mr Phetole Modika, Mr Siphamandla Mnyani, Mr Siyabonga Mthembu,
Mrs Zandile Meeleso, Mr Pholoso Matjele, Mr Kgaile Mogoye, Mr Sandiso Mgengwana, Mr Molate Mashifane, Ms Pamela Mabece,
Mr Lunga Bernard

Ms Kethabile Mabe (Company Secretary),

Johannesburg Water SOC Ltd

Registration Number: 2000/029271/30

POPIA PRIVACY STATEMENT

Johannesburg Water SOC Limited

In terms of the Protection of Personal Information Act, 213 (Act 4 of 2013), also called the POPI Act or POPIA, Johannesburg Water SOC Limited, undertakes all reasonable measures to protect personal information and to keep it private and confidential.

1. Privacy Notice applies to:

Suppliers, vendors, contractors, service providers, etc whether appointed or prospective.

2. Definitions of personal information

According to the Act “personal information” means information relating to an identifiable living, natural person, and where it is applicable, an identifiable, existing juristic person. All addresses including residential, postal and email addresses.

3. About the Public Entity

Johannesburg Water (SOC) Limited, registration number 2000/029271/30

3.1 The information we collect

We collect information directly from you where you provide us with your personal details. Where possible, we will inform you what information you are required to provide to us and what information is optional.

3.2 How Johannesburg Water use your information

We will use your personal information only for the purposes for which it was collected and agreed with you. For example: to gather contact information, to confirm and verify your identity, for the evaluation and adjudication of bids and quotations for tenders, request for quotations, and other personal information for the procurement of goods and services by the Entity.

3.3 Disclosure of information

We may disclose your personal information to our Shareholder, the City of Johannesburg, and other Government agencies such as National Treasury, and the Auditor-General of South Africa. We have agreements in place to ensure that they comply with the privacy requirements as required by the Protection of Personal Information Act.

We may also disclose your information:

- Where we have a duty or a right to disclose in terms of law;
- Where we believe it is necessary to protect our rights.

3.4 Information Security

We are legally obliged to provide adequate protection for the personal information we hold and to stop unauthorised access and use of personal information. We will, on an ongoing basis, continue to review our security

POPIA PRIVACY STATEMENT

Johannesburg Water SOC Limited

controls and related processes to ensure that your personal information remains secure.

When we contract with third parties, we impose appropriate security, privacy and confidentiality obligations on them to ensure that personal information that we remain responsible for, is kept secure. We will ensure that anyone whom we pass your personal information agrees to treat your information with the same level of protection as we are obliged to.

3.5 Your rights: Access to Information

You have the right to request a copy of the personal information we hold about you. To do this, simply contact us at informationofficer@jwater.co.za, and specify what information you require.

3.6 Correction of your personal information

You have the right to ask us to update, correct or delete your personal information. We will require a copy of your identification document to confirm your identity before making changes to personal information we may hold about you. We would appreciate it if you would keep your personal information accurate and up to date.

3.7 How to contact us

If you have any queries about this document; you need further information about our privacy practices; wish to withdraw consent; exercise preferences or access or correct your personal information, please contact us at the numbers listed on our website or send an email to informationofficer@jwater.co.za.

MBD 4

DECLARATION OF INTEREST

1. No bid will be accepted from persons in the service of the state¹.
2. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the bidder or their authorised representative declare their position in relation to the evaluating/adjudicating authority.

3 In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

3.1 Full Name of bidder or his or her representative:.....

3.2 Identity Number:

3.3 Position occupied in the Company (director, trustee, hareholder²):.....

3.4 Company Registration Number:

3.5 Tax Reference Number:.....

3.6 VAT Registration Number:

3.7 The names of all directors / trustees / shareholders members, their individual identity numbers and state employee numbers must be indicated in paragraph 4 below.

3.8 Are you presently in the service of the state? **YES / NO**

3.8.1 If yes, furnish particulars.

.....

¹MSCM Regulations: "in the service of the state" means to be –

(a) a member of –

- (i) any municipal council;
- (ii) any provincial legislature; or
- (iii) the national Assembly or the national Council of provinces;

(b) a member of the board of directors of any municipal entity;

(c) an official of any municipality or municipal entity;

(d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);

(e) a member of the accounting authority of any national or provincial public entity; or

(f) an employee of Parliament or a provincial legislature.

² Shareholder" means a person who owns shares in the company and is actively involved in the management of the company or business and exercises control over the company.

3.9 Have you been in the service of the state for the past twelve months?**YES / NO**

3.9.1 If yes, furnish particulars.....

.....

3.10 Do you have any relationship (family, friend, other) with persons in the service of the state and who may be involved with the evaluation and or adjudication of this bid? **YES / NO**

3.10.1 If yes, furnish particulars.

.....

.....

3.11 Are you, aware of any relationship (family, friend, other) between any other bidder and any persons in the service of the state who may be involved with the evaluation and or adjudication of this bid? **YES / NO**

3.11.1 If yes, furnish particulars

.....

.....

3.12 Are any of the company's directors, trustees, managers, principle shareholders or stakeholders in service of the state? **YES / NO**

3.12.1 If yes, furnish particulars.

.....

.....

3.13 Are any spouse, child or parent of the company's directors trustees, managers, principle shareholders or stakeholders in service of the state? **YES / NO**

3.13.1 If yes, furnish particulars.

.....

.....

3.14 Do you or any of the directors, trustees, managers, principle shareholders, or stakeholders of this company have any interest in any other related companies or business whether or not they are bidding for this contract. **YES / NO**

3.14.1 If yes, furnish particulars:

.....

.....

4. Full details of directors / trustees / members / shareholders.

Full Name	Identity Number	State Employee Number

.....
Signature

.....
Date

.....
Capacity

.....
Name of Bidder

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to invitations to tender:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and

1.2 **To be completed by the organ of state**

- a) The applicable preference point system for this tender is the 80/20 preference point system.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

- (a) Price; and
- (b) Specific Goals.

1.4 **To be completed by the organ of state:**

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. DEFINITIONS

- (a) **“tender”** means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;

- (b) **“price”** means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) **“rand value”** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) **“tender for income-generating contracts”** means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) **“the Act”** means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

80/20

$$Ps = 80 \left(1 - \frac{Pt - P_{min}}{P_{min}} \right)$$

Where

- Ps = Points scored for price of tender under consideration
- Pt = Price of tender under consideration
- Pmin = Price of lowest acceptable tender

3.1.1. POINTS AWARDED FOR PRICE

A maximum of 80 points is allocated for price on the following basis:

80/20

$$Ps = 80 \left(1 + \frac{Pt - P_{max}}{P_{max}} \right) 0$$

Where

- Ps = Points scored for price of tender under consideration
- Pt = Price of tender under consideration
- Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system)	Number of points claimed (80/20 system)	Proof of documents per specific goals
Locality – Businesses operating in the City of Johannesburg businesses and or in the region of Gauteng	20		Lease Agreement or Municipal Account Bill or SAP Sworn Affidavit confirming Business Address
Total	20		

DECLARATION WITH REGARD TO COMPANY/FIRM

4.2. Name of company/firm.....

4.3. Company registration number:
.....

4.4. TYPE OF COMPANY/ FIRM

- ☐ Partnership/Joint Venture / Consortium
- ☐ One-person business/sole propriety
- ☐ Close corporation
- ☐ Public Company
- ☐ Personal Liability Company
- ☐ (Pty) Limited

- ☐ Non-Profit Company
☐ State Owned Company
[TICK APPLICABLE BOX]

4.5. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
 - (a) disqualify the person from the tendering process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution, if deemed necessary.

.....
SIGNATURE(S) OF TENDERER(S)

SURNAME AND NAME:

DATE:

ADDRESS:

.....
.....
.....
.....

DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES

- 1 This Municipal Bidding Document must form part of all bids invited.
- 2 It serves as a declaration to be used by municipalities and municipal entities in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse of the supply chain management system.
- 3 The bid of any bidder may be rejected if that bidder, or any of its directors have:
 - a. abused the municipality's / municipal entity's supply chain management system or committed any improper conduct in relation to such system;
 - b. been convicted for fraud or corruption during the past five years;
 - c. willfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or
 - d. been listed in the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004).
- 4 **In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.**

Item	Question	Yes	No
4.1	Is the bidder or any of its directors listed on the National Treasury's Database of Restricted Suppliers as companies or persons prohibited from doing business with the public sector? (Companies or persons who are listed on this Database were informed in writing of this restriction by the Accounting Officer/Authority of the institution that imposed the restriction after the <i>audi alteram partem</i> rule was applied). The Database of Restricted Suppliers now resides on the National Treasury's website(www.treasury.gov.za) and can be accessed by clicking on its link at the bottom of the home page.	Yes ☐	No ☐
4.1.1	If so, furnish particulars:		
4.2	Is the bidder or any of its directors listed on the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004)? The Register for Tender Defaulters can be accessed on the National Treasury's website (www.treasury.gov.za) by clicking on its link at the bottom of the home page.	Yes ☐	No ☐
4.2.1	If so, furnish particulars:		
4.3	Was the bidder or any of its directors convicted by a court of law (including a court of law outside the Republic of South Africa) for fraud or corruption during the past five years?	Yes ☐	No ☐

4.3.1	If so, furnish particulars:		
Item	Question	Yes	No
4.4	Does the bidder or any of its directors owe any municipal rates and taxes or municipal charges to the municipality / municipal entity, or to any other municipality / municipal entity, that is in arrears for more than three months?	Yes ☐	No ☐
4.4.1	If so, furnish particulars:		
4.5	Was any contract between the bidder and the municipality / municipal entity or any other organ of state terminated during the past five years on account of failure to perform on or comply with the contract?	Yes ☐	No ☐
4.7.1	If so, furnish particulars:		

CERTIFICATION

**I, THE UNDERSIGNED (FULL NAME)
CERTIFY THAT THE INFORMATION FURNISHED ON THIS
DECLARATION FORM TRUE AND CORRECT.**

**I ACCEPT THAT, IN ADDITION TO CANCELLATION OF A CONTRACT,
ACTION MAY BE TAKEN AGAINST ME SHOULD THIS DECLARATION
PROVE TO BE FALSE.**

.....
Signature

.....
Date

.....
Position

.....
Name of Bidder

CERTIFICATE OF INDEPENDENT BID DETERMINATION

- 1 This Municipal Bidding Document (MBD) must form part of all bids¹ invited.

- 2 Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).² Collusive bidding is a *pe se* prohibition meaning that it cannot be justified under any grounds.

- 3 Municipal Supply Regulation 38 (1) prescribes that a supply chain management policy must provide measures for the combating of abuse of the supply chain management system, and must enable the accounting officer, among others, to:
 - a. take all reasonable steps to prevent such abuse;
 - b. reject the bid of any bidder if that bidder or any of its directors has abused the supply chain management system of the municipality or municipal entity or has committed any improper conduct in relation to such system; and
 - c. cancel a contract awarded to a person if the person committed any corrupt or fraudulent act during the bidding process or the execution of the contract.

- 4 This MBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bid-rigging.

- 5 In order to give effect to the above, the attached Certificate of Bid Determination (MBD 9) must be completed and submitted with the bid:

¹ Includes price quotations, advertised competitive bids, limited bids and proposals.

² Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

CERTIFICATE OF INDEPENDENT BID DETERMINATION

I, the undersigned, in submitting the accompanying bid:

(Bid Number and Description)

in response to the invitation for the bid made by:

(Name of Municipality / Municipal Entity)

do hereby make the following statements that I certify to be true and complete in every respect:

I certify, on behalf of:_____that:

(Name of Bidder)

1. I have read and I understand the contents of this Certificate;
2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign, the bid, on behalf of the bidder;
5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
 - (a) has been requested to submit a bid in response to this bid invitation;
 - (b) could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
 - (c) provides the same goods and services as the bidder and/or is in the same line of business as the bidder

6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However communication between partners in a joint venture or consortium³ will not be construed as collusive bidding.
7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
 - (a) prices;
 - (b) geographical area where product or service will be rendered (market allocation)
 - (c) methods, factors or formulas used to calculate prices;
 - (d) the intention or decision to submit or not to submit, a bid;
 - (e) the submission of a bid which does not meet the specifications and conditions of the bid; or
 - (f) bidding with the intention not to win the bid.
8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this bid invitation relates.
9. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.

³ Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

10. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

.....
Signature

.....
Date

.....
Position

.....
Name of Bidder

Js9141w 4



HEALTH, SAFETY & ENVIRONMENTAL (SHE) SPECIFICATION: BASELINE RISK ASSESSMENT

PROJECT NUMBER:	RFQ JW xxxxNM22
PROJECT LOCATION:	Olifantsvlei Wastewater Treatment
PROJECT DESCR:	Cleaning oil spillage on the concrete wall and channel at inlet pump station

POSSIBLE RISKS FOR THIS PROJECT

Task	Hazard	Risk	Consequence	Rating	Controls
Submission of Safety file	✓ Unapproved safety file/ working without safety file	✓ Unsafe work conducted in the clients premises. ✓ Non adherence to the clients safety requirements.	✓ Fatalities, injuries, damage to property	High	✓ Compile safety file and submit it to the OHS department for approval. ✓ Employees need to be inducted. ✓ Employees work and safety file will be audited and monitored while they are on site
Transportation of material to site	✓ Unsafe road conditions ✓ Un-road worthy vehicles ✓ Equipment and material not safely secured. ✓ Incompetent drivers ✓ Driving under the influence of alcohol ✓ Inclement weather ✓ Speeding	✓ Accident	✓ Personal injuries ✓ Property damage	High	✓ Adherence to the speed limit ✓ Only competent/ authorised drivers should operate the vehicle. ✓ Inspection of vehicles ✓ Equipment and material to be properly secured. ✓ Alcohol testing to be done
Offloading of material and loading	✓ Faulty machinery ✓ Poor ergonomics ✓ Equipments (suspended load)	✓ Hands can be caught in between materials.	✓ Injuries ✓ Back sprain	Medium	✓ The correct PPE must be worn. ✓ Designate the stacking areas and put signs.

	falling on employees ✓ Unsafe slings and guide ropes ✓ uneven surface	✓ Obstructed walkways by materials. ✓ Unsafe stacking of materials.			✓ Stacking and storage inspector must be appointed and in charge
Site establishment: ✓ Preparation of the ground surface ✓ Fencing of site ✓ Placing of containers ✓ Electrical installation ✓ Installation of welfare facilities ✓ Placing of office equipments	✓ Material handling ✓ Use of hand tools to erect the structure/ container	✓ Falling material and equipments ✓ Unsafe use of hand tools	✓ Personal injury ✓ Personal injuries	Low	✓ Handling material with care ✓ Do not handle more material than you are capable of carrying. ✓ Compile safe use of hand tool procedure. ✓ Train employees on the correct use of hand tools ✓ Appoint a hand tool inspector. ✓ Inspect all hand tools before use. ✓ Report damaged hand tools. ✓ Remove damaged hand tools from the site to prevent unauthorised use. ✓ Wear hand gloves
access control / entry and exit	✓ Unsafe camping site	✓ Inadequate security / no security	✓ Injuries, theft / criminal activities	Medium	✓ Appoint PSIRA accredited security guard
Cleaning oil spillage on a concrete wall and channel (55m long, 1m deep, and 1m wide) using a high-pressure washing machine at an inlet pump station.	✓ Water spillage	✓ Slip, trip & fall	✓ Injuries	High	✓ Use of non-slip footwear (safety boots with oil-resistant soles). ✓ Place warning signage around the area. ✓ Clean oil spill using absorbents before pressure washing. ✓ Ensure proper drainage or use water suction pumps to remove standing water.

	✓ The use of high-pressure washing machine	✓ Exposure to electricity ✓ Whip lash of the hosepipe	✓ Injuries ✓ Electrocutted		✓ Only trained personnel should operate the machine. ✓ Use appropriate PPE (e.g., goggles, face shields, gloves, long sleeves, and waterproof clothing). ✓ Maintain safe distance from the high-pressure jet. ✓ Develop a issue based risk assessment for high pressure machine. ✓ HP machine should be inspected, tested and certified. Keep records.
	✓ Exposure to hazardous substances	✓ Exposure to oil or cleaning agents ✓ Inhalation of chemical and oil fumes	✓ Respiratory illnesses	High	✓ Appoint HCS Coordinator ✓ Use chemical-resistant gloves, goggles, and face masks. ✓ Ensure good ventilation if cleaning agents are used in confined spaces. ✓ Provide Material Safety Data Sheets (MSDS) for cleaning agents. ✓ Communicate SDS to employees.
	✓ Electric shock/electrocution	✓ Water may come into contact with electrical equipment,	✓ Electric shocks or electrocution.	High	✓ Ensure all electrical equipment is well-insulated and protected. ✓ Use residual-current devices (RCDs) for electrical protection. ✓ Keep electrical cords and machines away from water pools.

	✓ Confined space hazards	✓ Working in the channel may pose risks of restricted movement, ✓ poor air quality, ✓ and rescue difficulty.	✓ Air pollution ✓ Injuries	Medium	✓ Conduct a confined space assessment before entry. ✓ Provide adequate ventilation. ✓ Ensure a confined space rescue plan is in place. ✓ Use a buddy system for constant monitoring
	✓ Environmental contamination	✓ Oil-contaminated water may flow into the environment.	✓ Pollution	High	✓ Use containment booms and absorbent materials to prevent oil runoff. ✓ Collect and dispose of contaminated water as per environmental regulations.
	✓ Manual handling injuries	✓ Lifting and moving the high-pressure washer and other equipment	✓ Strains or injuries.	High	✓ Use proper lifting techniques and team lifting if necessary. ✓ Use trolleys or mechanical aids for transporting heavy equipment.
	✓ Use of hand tool	✓ Unsafe use of hand tools ✓ Using the wrong tool for the task ✓ Using damaged tools	✓ Injuries	High	✓ Wear hand gloves ✓ Adhere to safe use of hand tool procedure ✓ Use the correct hand tool for each task ✓ Inspect all tools and report damaged tools
Electrical isolation	✓ Live equipments	✓ Components causing electrical shock, burns or electrocution.	✓ Burns ✓ Property damage ✓ Fire ✓ Explosions	High	✓ Only qualified and competent persons to work on electrical equipment. ✓ All work on electrical equipment only to be carried out following isolation.
Pressure testing	✓ Pressure testing	✓ Joint failure /	✓ Injuries	Medium	✓ Use only competent person to perform the task.

			✓ Property damage		✓ Adequately secure connecting pipes (safety pins for lever couplings). ✓ To prevent joint or pipe section failure, fix brackets close enough together to prevent excessive movement. ✓ Don't exceed pipe operating pressure, ensure pipe is correct diameter. ✓ Ensure pipe not damaged. ✓ Ensure adequate support where a change in direction or reducer occurs.
Housekeeping	✓ Poor housekeeping	✓ Trip and fall	✓ Trip and fall injuries	Low	✓ Remove all equipments/ tools that will not be needed for the tasks. ✓ Clean all the areas after each task.

RISK ASSESSMENT MATRIX

Likelihood	Consequences				
	Insignificant (minor problem easily handled by normal day to day processes)	Minor (Some disruption possible e.g. Damage equal to R150k)	Moderate (significant time / resources required. E.g., damage equal to R500k)	Major (Operations severely damaged. E.g., damages equal to R1m)	Catastrophic (business survival is at risk. Damage equal to R5m – 10m)
Almost certain (90% chance)	High	High	Extreme	Extreme	Extreme
Likely (between 50-90%)	Moderate	High	High	Extreme	Extreme
Moderate (between 10-50%)	Low	Moderate	High	Extreme	Extreme
Unlikely (between 3-10%)	Low	Low	Moderate	High	Extreme
Rare (<3%)	Low	Low	Moderate	High	High



HEALTH, SAFETY & ENVIRONMENTAL (SHE) SPECIFICATION: BASELINE RISK ASSESSMENT

PROJECT NUMBER:	RFQ
PROJECT LOCATION:	Olifantsvlei WWTW
PROJECT DESCR:	Installation of smoking signage

POSSIBLE RISKS FOR THIS PROJECT

Task	Hazard	Risk	Consequence	Rating	Controls
Transportation of material to site	✓ Unsafe road conditions ✓ Un-road worthy vehicles ✓ Equipment and material not safely secured ✓ Incompetent drivers ✓ Driving under the influence of alcohol ✓ Inclement weather ✓ Speeding	✓ Accident	✓ Personal injuries ✓ Property damage	Medium	✓ Adherence to the speed limit ✓ Only competent/ authorised drivers should operate the vehicle ✓ Inspection of vehicles ✓ Equipment and material to be properly secured ✓ Alcohol testing to be done
Offloading of material and loading	✓ Faulty machinery ✓ Poor ergonomics ✓ Equipments (suspended load) falling on employees ✓ Unsafe slings and guide ropes ✓ uneven surface	✓ Hands can be caught in between materials ✓ Obstructed walkways by materials ✓ Unsafe stacking of materials	✓ Injuries ✓ Back sprain	Low	✓ The correct PPE must be worn ✓ Designate the stacking areas and put signs ✓ Stacking and storage inspector must be appointed and in charge
Site establishment:	✓ Material handling ✓ Use of hand tools to erect the structure/ container	✓ Falling material and equipments ✓ Unsafe use of hand tools	✓ Personal injury ✓ Personal injuries	Low	✓ Handling material with care ✓ Do not handle more material than you are capable of carrying

✓ Preparation of the ground surface ✓ Fencing of site ✓ Placing of containers ✓ Electrical installation ✓ Installation of welfare facilities ✓ Placing of office equipments					✓ Compile safe use of hand tool procedure ✓ Train employees on the correct use of hand tools ✓ Appoint a hand tool inspector ✓ Inspect all hand tools before use ✓ Report damaged hand tools ✓ Remove damaged hand tools from the site to prevent unauthorised use ✓ Wear hand gloves
Access control / entry and exit	✓ Unsafe camping site	✓ Inadequate security / no security	✓ Injuries, theft / criminal activities	Medium	✓ Appoint PSIRA accredited security guard ✓ Report to security so that they will contact ✓ Mandatory PPE worn ✓ Induct employees ✓ Driving with due care & attention ✓ Adherence to site safety signage ✓ Never block access and egress routes with materials and equipment ✓ Site tidiness maintained by cleaning up during work, at end of day and(major) weekly to avoid slips and trips – Clean as you go.

					✓ Excavations backfilled as soon as possible ✓ Barriers erected around unattended excavations ✓ Open excavations attended. ✓ Access to the site must be controlled to ensure the safety of site employees and visitors. ✓ Sign in sign out to take place ✓ Ensure all plant is secured against unauthorised operation and removed the keys
Clearing the ground	✓ Dust generation ✓ The use of hand tools ✓ Poor ergonomics	✓ Exposure to dust ✓ Improper use of hand tools/ using the wrong tool for the task ✓ Awkward working position	✓ Respiratory irritation, irritation to sinuses/ inhalation of dust ✓ Fire ✓ Explosions ✓ Burns ✓ Hand injuries ✓ Back pains/ fatigue	High	✓ Wear job specific PPE ✓ Ensure everyone is aware of the work that will be performed ✓ Appoint hand tool inspector ✓ Inspect hand tools ✓ Wear hand gloves ✓ Employees to take breaks and relieve each other.
Manual Excavating	✓ The use of spade/ shovel/ fork/ rake (hand tools)	✓ Dust generation/ inhalation of dust. ✓ Incorrect use of tools. ✓ Poor ergonomics ✓ Exposure to the sun.	✓ Injuries ✓ Respiratory irritation ✓ Back sprains ✓ Dehydration	High	✓ Provide employees with dust mask, safety shoes, and overalls. ✓ Inspect tool. ✓ Appoint hand tool inspector. ✓ Train employees on the correct use of tools. ✓ Develop SOP for the use of hand tool. ✓ Encourage employees to drink water.
Welding	✓ Using a welding machine	✓ Inhalation of welding fumes	✓ Respiratory irritation	High	✓ Appoint a competent welder ✓ Use BA sets

	✓ Gas exposed to heat cylinders ✓ Loose tightened valves on gas cylinders	✓ Welding sparks ✓ Explosive gas cylinders ✓ Gas leaks	✓ Burns		✓ Inspect BA sets ✓ Do not use BA sets with expired filters ✓ Use welding apron and helmet ✓ Cocoon the welding area ✓ Barricade the welding ✓ Keep gas cylinders in sheltered area and well ventilated ✓ Close the cylinder valves ✓ Keep fire extinguisher in the vicinity of the work
Use of asphalt/ cement to surface the smoking area	✓ Exposure to asphalt	✓ Asphalt inhalation	✓ Respiratory irritation ✓ Skin contact ✓ Accidental ingestion	High	✓ Wear job specific PPE. ✓ Ensure the area is well ventilated. ✓ Wash your hands before you eat ✓ Keep MSDS on site, Communicate MSDS ✓ Appoint HCS Coordinator ✓ Compile a procedure for safe use of Asphalt.
Manual handling	✓ Poor ergonomic ✓ Working in awkward position	✓ Prolonged repetitive task ✓ Fatigue	✓ Back pains ✓ muscle sprains	High	✓ Full training and instruction provided in both induction and on- going safety training. ✓ Design out the need for manual handling where possible ✓ Mechanical aids used wherever possible ✓ Workers adhere to guideline weights & to only lift what they are able to lift ✓ Assess the load ✓ Weights marked on all loads. ✓ Lift smaller loads. ✓ Cutting pipes to length ✓ Mandatory PPE worn

Housekeeping	✓ Poor housekeeping	✓ Trip and fall	✓ Trip and fall injuries	Low	✓ Remove all equipments/ tools that will not be needed for the tasks ✓ Clean all the areas after each task
--------------	---------------------	-----------------	--------------------------	------------	---

RISK ASSESSMENT MATRIX

Likelihood	Consequences				
	Insignificant (minor problem easily handled by normal day to day processes)	Minor (Some disruption possible e.g. Damage equal to R150k)	Moderate (significant time / resources required. E.g., damage equal to R500k)	Major (Operations severely damaged. E.g., damages equal to R1m)	Catastrophic (business survival is at risk. Damage equal to R5m – 10m)
Almost certain (90% chance)	High	High	Extreme	Extreme	Extreme
Likely (between 50-90%)	Moderate	High	High	Extreme	Extreme
Moderate (between 10-50%)	Low	Moderate	High	Extreme	Extreme
Unlikely (between 3-10%)	Low	Low	Moderate	High	Extreme
Rare (<3%)	Low	Low	Moderate	High	High

 Johannesburg Water	Document title :	Minimum SHE Requirements for Construction Related RFQ projects		
	Revision	00	Author:	OHS: Projects
	Effective Date	January 2017	Pages:	01

1. SCOPE OF WORK

Installation of smoking signage at Olifantsvlei WWTW.

2. PURPOSE

The aim of the SHE specification is to ensure that any contractor which is appointed by Johannesburg Water to conduct any work complies with the SHE requirements of the SHE specification and any other legislative requirement applicable to the contract scope.

3. APPLICABILITY

This document is applicable to all contractors and suppliers conducting contractual activities for and on behalf of Johannesburg Water.

4. APPOINTMENTS

The contractor and its appointed sub-contractor must make the relevant legislative and non-statutory appointments, which must be maintained valid for the entire contract duration.

All appointees shall be suitably trained and found to be competent for the responsibilities there are assigned for.

Copies of all relevant appointments and the relevant competence certificates must be kept in the relevant SHE file.

Appoint:

1. Hand tool Inspector
2. HCS Coordinator
3. Portable electrical tool Inspector
4. First Aider
5. Risk Assessor
6. Ladder Inspector
7. Construction Supervisor

5. INSURANCE

The contractor and all its appointed sub-contractor(s) shall be registered with an appropriate compensation commissioner and have a valid letter of good standing from commissioner. The contractor is responsible for ensuring the Letter of Good Standing is valid for the entire duration of the project/contract. A copy of the letter of Good Standing must be kept in the SHE file.



Document title :	Minimum SHE Requirements for Construction Related RFQ projects		
Revision	00	Author:	OHS: Projects
Effective Date	January 2017	Pages:	01

6. COSTING FOR SHE REQUIREMENTS

The contractor is responsible for ensuring that SHE costing is taken into consideration for the entire project/contract as this will ensure they comply with the SHE legislative requirements

7. INDUCTION

An initial induction shall be done with key personnel to familiarize them with the requirements on site and for compiling the SHE file.

Once labourers are appointed JW will conduct an induction on SHE requirements, and the contractor is also required to conduct their company specific induction

8. SUBMISSION OF SAFETY FILE

- Once appointed the contractor can submit their safety file for approval.
- Approval will be granted when the critical items have been sufficiently addressed.

9. RISK ASSESSMENT

- Every Contractor who has been appointed contractually to conduct work for Johannesburg water shall do compile a baseline risk assessment prior to starting with work, subject to the approval of the Client.
- Thereafter the task based risk assessments will be done daily with every task being done.

10. SAFE WORKING PROCEDURES / METHOD STATEMENTS

The following method statements / safe working procedures must be compiled:

- Incident investigation, emergency plan, waste management plan, PPE procedure, hand tool procedure, hazardous chemical substance procedure.
- Method statement for the entire works

11. HAZARDOUS CHEMICAL SUBSTANCES (HCS) – Cement/ Asphalt

- In addition to the requirements in the HCS Regulations, the principal contractor must provide proof in the Health and Safety Plan that:
 - Material Safety Data Sheets (MSDS's) of the relevant materials / hazardous chemical substances are available prior to use by the contractor. Mention should be made how the principal contractor is going to act according to special/unique requirements made in the relevant MSDS's. All MSDS's will be available for inspection by the agent at all times.
 - How the relevant HCS's are being/going to be controlled by referring to:



Document title :	Minimum SHE Requirements for Construction Related RFQ projects		
Revision	00	Author:	OHS: Projects
Effective Date	January 2017	Pages:	01

- Limiting the amount of HCS
 - Limiting the number of employees
 - Limiting the period of exposure
 - Substituting the HCS
 - Using engineering controls
 - Using appropriate written work procedures
 - The correct PPE is being used.
 - HCS are stored and transported according to SABS 072 and 0228.
 - Training with regards to these regulations was given.
- The H&S plan should make reference to the disposal of hazardous waste on classified sites and the location thereof (where applicable).
 - The First Aider must be made aware of the MSDS and how to treat HCS incidents appropriately.

12. HAND TOOLS

Hand tools include anything from axes to wrenches. The greatest hazards posed by hand tools result from misuse and improper maintenance.

Some examples include the following:

- If a chisel is used as a screwdriver, the tip of the chisel may break and fly off, hitting the user or other employees.
- If a wooden handle on a tool, such as a hammer or an axe, is loose, splintered, or cracked, the head of the tool may fly off and strike the user or other employees.
- If the jaws of a wrench are sprung, the wrench might slip.
- If impact tools such as chisels, wedges, or drift pins have mushroomed heads, the heads might shatter on impact, sending sharp fragments flying toward the user or other employees. The employer is responsible for the safe condition of tools and equipment used by employees. Employers shall not issue or permit the use of unsafe hand tools. Employees should be trained in the proper use and handling of tools and equipment.
- Wrenches must not be used when jaws are sprung to the point that slippage occurs. Impact tools such as drift pins, wedges, and chisels must be kept free of mushroomed heads. The wooden handles of tools must not be splintered.
- Iron or steel hand tools may produce sparks that can be an ignition source around flammable substance. Where this hazard exists, spark-resistant tools made of non-ferrous materials should



Document title :	Minimum SHE Requirements for Construction Related RFQ projects		
Revision	00	Author:	OHS: Projects
Effective Date	January 2017	Pages:	01

be used where flammable gases, highly volatile liquids, and other explosive substances are stored or used.

13. PORTABLE ELECTRICAL TOOLS

Power tools must be fitted with guards and safety switches; they are extremely hazardous when used improperly. The types of power tools are determined by their power source: electric, pneumatic, liquid fuel, hydraulic, and power-actuated.

To prevent hazards associated with the use of power tools, workers should observe the following general precautions:

- Never carry a tool by the cord or hose.
- Never yank the cord or the hose to disconnect it from the receptacle.
- Keep cords and hoses away from heat, oil, and sharp edges.
- Disconnect tools when not using them, before servicing and cleaning them, and when changing accessories such as blades, bits, and cutters.
- Keep all people not involved with the work at a safe distance from the work area.
- Secure work with clamps or a vise, freeing both hands to operate the tool.
- Avoid accidental starting. Do not hold fingers on the switch button while carrying a plugged-in tool.
- Maintain tools with care; keep them sharp and clean for best performance.
- Follow instructions in the user's manual for lubricating and changing accessories.
- Be sure to keep good footing and maintain good balance when operating power tools.
- Wear proper apparel for the task. Loose clothing, ties, or jewelry can become caught in moving parts.
- Remove all damaged portable electric tools from use and tag them: "Do Not Use."

14. WELDING SAFETY

Gas welders:

- Check cylinders regularly for leaks.
- Store cylinders upright and secured in a separate, dry, ventilated, fireproof room.
- Keep cylinders away from heat and flammables and keep oxygen away from flammable or explosive gases.
- Turn off cylinders when not in use.
- Don't drop or roll cylinders.



Document title :	Minimum SHE Requirements for Construction Related RFQ projects		
Revision	00	Author:	OHS: Projects
Effective Date	January 2017	Pages:	01

Arc welders:

- Turn off welders before touching electrical parts.
- Have separate ground for object being welded.
- Use the correct size cable, with intact insulation.
- Don't wear metal jewelry or weld in the rain.

15. WORKING AT HEIGHTS (The use of a ladder)

- A competent person must compile a fall protection plan for all tasks which will be done at elevated position.
- The requirements as per the Construction regulations for working at heights shall be complied with by the contractor at all times.
- The fall protection plan shall be specific to the work that will be conducted at elevated position and proper provision must be made for rescue of employees at heights.
- Fall protection plan must include fall risk assessment detailing proper controls to be implemented.
- All employees who their duties entail working at heights must be declared medically fit by an Occupational Health Practitioner for working at heights.
- Employees who will be working at heights must be trained by a competent service provider for working at heights and must be trained on use of fall prevention/arrest devices to be used at heights.
- Employees working at height must be trained on the latest approved fall protection plan before work commences at height.

16. MEDICAL SCREENING REQUIREMENTS

- The contractor shall ensure that a medical surveillance programme is implemented for all employees.
- The medical examination shall be conducted in line with the employee job profile/job description.
- A valid medical fitness certificate must be submitted together with the SHE File for approval for all employees who will be doing work for Johannesburg Water.
- Any employee(s) who are declared conditionally fit must be provided with employment which does not aggravate their medical condition as to endanger themselves or other employees.
- The following tests shall be done:
 - Audiograms.
 - A cardio-respiratory examination
 - Lung function tests.



Document title :	Minimum SHE Requirements for Construction Related RFQ projects		
Revision	00	Author:	OHS: Projects
Effective Date	January 2017	Pages:	01

- Eye/ sight tests.
- A general physical examination.
- A review of previous medical history.
- Blood pressure tests
- Glucose tests
- Vaccinations (Hepatitis A & Typhoid)

17. TOOLBOX TALKS

- The contractor shall ensure they conduct toolbox talks with their employees on a weekly basis and records of these must be kept in the SHE file.
- The objective of toolbox talks should be to communicate relevant site information to assist in improvement of occupational health and safety performance.
- Employees must acknowledge the receipt of toolbox talks and this record must also be kept in the SHE file.

18. PERSONAL PROTECTIVE EQUIPMENT (PPE)

- Contractor must issue their employees SABS approved PPE. A copy of the PPE issue register signed by the employee issued with the PPE must be kept in the SHE file.
- Contractor Supervisor are required to conduct continuous inspections of the PPE issued to their employees to ensure that they are still in good condition to be used by the employee or they still comply with manufacture requirements.
- The contractor is responsible for ensuring that employees are trained on the safe use of the PPE issued to them, how to maintain it and the limitations of the PPE.
- NO SHORTS OR DRESSES WILL BE ALLOWED ON SITE

19. WORKPLACE SIGNAGE

- Appropriate symbolic signage must be displayed where it is required by legislation.
- Appropriate warning, mandatory and information signs must be placed where required.
- All signs must comply to SANS/SABS requirements.
- Contractors shall use mandatory and prescribed symbolic safety signs at their lay down and site areas.



Document title :	Minimum SHE Requirements for Construction Related RFQ projects		
Revision	00	Author:	OHS: Projects
Effective Date	January 2017	Pages:	01

20. INCIDENT REPORTING AND INVESTIGATION

- All incidents shall be reported to the Client before the end of the shift or within 24hrs of occurrence.
- Section 24 incidents shall be reported to DOL using the prescribed format.
- The contractor shall develop an incident management procedure and communicate with all employees.

21. NOTIFICATION OF CONSTRUCTION WORK

- The contractor shall notify the DOL in the prescribed format of the intended work prior to work.

22. COMPLIANCE MONITORING

- Weekly inspections and monthly audits will be conducted on site.

23 PROJECT COMPLETION

- Upon completion of the project the SHE file shall be returned to the Client for retention and close out.



Document title :	Minimum SHE Requirements for Construction Related RFQ projects		
Revision	00	Author:	OHS: Projects
Effective Date	January 2017	Pages:	01

Project details

Project Scope: Installation of smoking signage at Olifantsvlei WWTW.

Depot / Site / Department: Olifantsvlei WWTW

Estimated duration: TBC

Documents required

Letter of Good Standing	Yes	☒	No	☐	N/A	☐
SHE plan	Yes	☒	No	☐	N/A	☐
Risk Assessment	Yes	☒	No	☐	N/A	☐
Safe working Procedures	Yes	☒	No	☐	N/A	☐
Notification of Construction work	Yes	☒	No	☐	N/A	☐
Inspection registers	Yes	☒	No	☐	N/A	☐

Items required before starting

Medicals	Yes	☒	No	☒	N/A	☐
Vaccinations	Yes	☐	No	☒	N/A	☐
PPE (boots, hard hats, overall)	Yes	☒	No	☐	N/A	☐
Induction	Yes	☒	No	☐	N/A	☐
Approval from OHS	Yes	☒	No	☐	N/A	☐

APPOINTMENTS AND COMPETENCIES

Construction Supervisor

Appointment	Yes	☒	No	☐	N/A	☐
CV (and/ certificates)	Yes	☒	No	☐	N/A	☐

Safety Officer

Appointment	Yes	☐	No	☒	N/A	☐
CV (and/ certificates)	Yes	☐	No	☒	N/A	☐

NB* Other appointments will be based on the number of employees on site as required by law.



Document title :	Minimum SHE Requirements for Construction Related RFQ projects		
Revision	00	Author:	OHS: Projects
Effective Date	January 2017	Pages:	01

RETURNABLE ANNEXURE A: ACKNOWLEDGEMENT OF SHE SPECIFICATION & ANNEXURES

CONTRACTOR:

I, the undersigned, hereby acknowledge that I have obtained copies of the following listed documentation and confirm that I fully understand the contents thereof and the consequences of non-compliance. The Contractor furthermore reiterates its commitment to compliance of the requirements contained within the following provided documentation:

- Johannesburg Water SOC Ltd, Safety, Health & Environmental (SHE) Specification, Annexure 1: Baseline risk assessment conducted for or on behalf of Johannesburg Water SOC Ltd;

Signed at on this Day of 20.....

CONTRACT MANAGER			
NAME	DESIGNATION	DATE	SIGNATURE
CONTRACT SUPERVISOR			
NAME	DESIGNATION	DATE	SIGNATURE
WITNESS (1)			
NAME	DESIGNATION	DATE	SIGNATURE
WITNESS (2)			
NAME	DESIGNATION	DATE	SIGNATURE



Document title :	Minimum SHE Requirements for Construction Related RFQ projects		
Revision	00	Author:	OHS: Projects
Effective Date	January 2017	Pages:	01

1. SCOPE OF WORK

Cleaning oil spillage on the concrete wall and channel at inlet pump station at Olifantvlei WWTW.

2. PURPOSE

The aim of the SHE specification is to ensure that any contractor which is appointed by Johannesburg Water to conduct any work complies with the SHE requirements of the SHE specification and any other legislative requirement applicable to the contract scope.

3. APPLICABILITY

This document is applicable to all contractors and suppliers conducting contractual activities for and on behalf of Johannesburg Water.

4. APPOINTMENTS

The contractor and its appointed sub-contractor must make the relevant legislative and non-statutory appointments, which must be maintained valid for the entire contract duration.

All appointees shall be suitably trained and found to be competent for the responsibilities there are assigned for.

Copies of all relevant appointments and the relevant competence certificates must be kept in the relevant SHE file.

Appoint:

1. Hand tool Inspector
2. HCS Coordinator
3. Portable electrical tool Inspector
4. First Aider
5. Risk Assessor
6. Ladder Inspector
7. Construction Supervisor

5. INSURANCE

The contractor and all its appointed sub-contractor(s) shall be registered with an appropriate compensation commissioner and have a valid letter of good standing from commissioner. The contractor is responsible for ensuring the Letter of Good Standing is valid for the entire duration of the project/contract. A copy of the letter of Good Standing must be kept in the SHE file.



Document title :	Minimum SHE Requirements for Construction Related RFQ projects		
Revision	00	Author:	OHS: Projects
Effective Date	January 2017	Pages:	01

6. COSTING FOR SHE REQUIREMENTS

The contractor is responsible for ensuring that SHE costing is taken into consideration for the entire project/contract as this will ensure they comply with the SHE legislative requirements

7. INDUCTION

An initial induction shall be done with key personnel to familiarize them with the requirements on site and for compiling the SHE file.

Once labourers are appointed JW will conduct an induction on SHE requirements, and the contractor is also required to conduct their company specific induction

8. SUBMISSION OF SAFETY FILE

- Once appointed the contractor can submit their safety file for approval.
- Approval will be granted when the critical items have been sufficiently addressed.

9. RISK ASSESSMENT

- Every Contractor who has been appointed contractually to conduct work for Johannesburg water shall do compile a baseline risk assessment prior to starting with work, subject to the approval of the Client.
- Thereafter the task based risk assessments will be done daily with every task being done.

10. SAFE WORKING PROCEDURES / METHOD STATEMENTS

The following method statements / safe working procedures must be compiled:

- Incident investigation, emergency plan, waste management plan, PPE procedure, hand tool procedure, hazardous chemical substance procedure.
- Method statement for the entire works

11. HAZARDOUS CHEMICAL SUBSTANCES (HCS)

Control of exposure to hazardous chemical agents

- An employer must ensure that the exposure of an employee is either prevented or, where this is not reasonably practicable, adequately controlled: Provided that—

(a) where there is exposure for which there is a restricted limit, the control of the exposure must be regarded as adequate if the level of exposure is below that limit or if the relevant area is zoned



Document title :	Minimum SHE Requirements for Construction Related RFQ projects		
Revision	00	Author:	OHS: Projects
Effective Date	January 2017	Pages:	01

and the level of exposure is reduced to below that restricted limit by means of adequate personal protective equipment only after the level has been reduced to as low as is reasonably practicable by any other means than personal protective equipment; or

(b) where there is exposure for which there is a maximum limit, the control of the exposure must be regarded as adequate if the exposure is at a level as low as is reasonably practicable below that maximum limit: Provided that in the case of temporary excursions above the control limit, the employer must ensure—

- (i) that the excursion is without a significant risk from exposure;
- (ii) that the excursion is not indicative of a failure to maintain adequate control;
- (iii) that during the excursion, the area is temporarily demarcated and prescribed and identified as respirator zone; and
- (iv) that the provisions for personal protective equipment and facilities are complied with.

- Where reasonably practicable, the employer must control the exposure of an employee by
 - (a) limiting the amount of an HCA used, which may contaminate the working environment;
 - (b) limiting the number of employees who will be exposed or may be exposed;
 - (c) limiting the period during which an employee will be exposed or may be exposed;
 - (d) using a substitute for an HCA;
 - (e) introducing engineering control measures for the control of exposure, which may include:
 - (i) process separation, automation or enclosure;
 - (ii) the installation of local extraction ventilation systems to processes, equipment and tools for the control of emissions of an airborne HCA;
 - (iii) use of wet methods; and
 - (iv) separate workplaces for different processes; and
 - (f) introducing appropriate work procedures which an employee must follow where materials are used or processes are carried out which could give rise to exposure of an employee, and which procedures must include written instructions to ensure:
 - (i) that an HCA is safely handled, used and disposed of;
 - (ii) that process machinery, installations, equipment, tools and local extraction and general ventilation systems are safely used and maintained;
 - (iii) that machinery and work areas are kept clean; and
 - (iv) that early corrective action may be readily identified.



Document title :	Minimum SHE Requirements for Construction Related RFQ projects		
Revision	00	Author:	OHS: Projects
Effective Date	January 2017	Pages:	01

- An employer must ensure that the emission of an HCA into the atmosphere comply with the provisions of the National Environmental Management: Air Quality Act, 2004 (Act No. 39 of 2004).

12. HAND TOOLS

Hand tools include anything from axes to wrenches. The greatest hazards posed by hand tools result from misuse and improper maintenance.

Some examples include the following:

- If a chisel is used as a screwdriver, the tip of the chisel may break and fly off, hitting the user or other employees.
- If a wooden handle on a tool, such as a hammer or an axe, is loose, splintered, or cracked, the head of the tool may fly off and strike the user or other employees.
- If the jaws of a wrench are sprung, the wrench might slip.
- If impact tools such as chisels, wedges, or drift pins have mushroomed heads, the heads might shatter on impact, sending sharp fragments flying toward the user or other employees. The employer is responsible for the safe condition of tools and equipment used by employees. Employers shall not issue or permit the use of unsafe hand tools. Employees should be trained in the proper use and handling of tools and equipment.
- Wrenches must not be used when jaws are sprung to the point that slippage occurs. Impact tools such as drift pins, wedges, and chisels must be kept free of mushroomed heads. The wooden handles of tools must not be splintered.
- Iron or steel hand tools may produce sparks that can be an ignition source around flammable substance. Where this hazard exists, spark-resistant tools made of non-ferrous materials should be used where flammable gases, highly volatile liquids, and other explosive substances are stored or used.

13. PORTABLE ELECTRICAL TOOLS

Power tools must be fitted with guards and safety switches; they are extremely hazardous when used improperly. The types of power tools are determined by their power source: electric, pneumatic, liquid fuel, hydraulic, and po wider-actuated.

To prevent hazards associated with the use of power tools, workers should observe the following general precautions:



Document title :	Minimum SHE Requirements for Construction Related RFQ projects		
Revision	00	Author:	OHS: Projects
Effective Date	January 2017	Pages:	01

- Never carry a tool by the cord or hose.
- Never yank the cord or the hose to disconnect it from the receptacle.
- Keep cords and hoses away from heat, oil, and sharp edges.
- Disconnect tools when not using them, before servicing and cleaning them, and when changing accessories such as blades, bits, and cutters.
- Keep all people not involved with the work at a safe distance from the work area.
- Secure work with clamps or a vise, freeing both hands to operate the tool.
- Avoid accidental starting. Do not hold fingers on the switch button while carrying a plugged-in tool.
- Maintain tools with care; keep them sharp and clean for best performance.
- Follow instructions in the user's manual for lubricating and changing accessories.
- Be sure to keep good footing and maintain good balance when operating power tools.
- Wear proper apparel for the task. Loose clothing, ties, or jewelry can become caught in moving parts.
- Remove all damaged portable electric tools from use and tag them: "Do Not Use."

14.DUTIES OF USERS (High pressure cleaning machine)

- The user shall ensure that the pressure equipment is operated and maintained within its design and operating parameters.
- The user shall, subject to the relevant health and safety standard incorporated into these Regulations under section 44 of the OHS Act.
- provide the manufacturer, repairer or modifier with comprehensive information of the operating or intended operating conditions of the pressure equipment, including the characteristics of the fluid and operating parameters of other connected pressure equipment, where reasonably practicable;
- ensure pressure equipment has a certificate, issued by the manufacturer, including a verification signature by an approved inspection authority when required, which certifies that the pressure equipment has been designed and manufactured in accordance with the relevant health and safety standard incorporated into these Regulations under section 44 of the OHS Act;
- ensure pressure equipment has a certificate issued by the repairer or modifier, including a verification signature by an approved inspection authority when required, which certifies that the pressure equipment has been modified or repaired in accordance with the relevant health and safety standard incorporated into these Regulations under section 44 of the OHS Act;
- ensure that pressure equipment has a certificate issued by an approved inspection authority before commissioning, where applicable; and
- ensure that a gas system has a valid certificate issued by an authorised person.



Document title :	Minimum SHE Requirements for Construction Related RFQ projects		
Revision	00	Author:	OHS: Projects
Effective Date	January 2017	Pages:	01

15. WORKING AT HEIGHTS (The use of a ladder)

- A competent person must compile a fall protection plan for all tasks which will be done at elevated position.
- The requirements as per the Construction regulations for working at heights shall be complied with by the contractor at all times.
- The fall protection plan shall be specific to the work that will be conducted at elevated position and proper provision must be made for rescue of employees at heights.
- Fall protection plan must include fall risk assessment detailing proper controls to be implemented.
- All employees who their duties entail working at heights must be declared medically fit by an Occupational Health Practitioner for working at heights.
- Employees who will be working at heights must be trained by a competent service provider for working at heights and must be trained on use of fall prevention/arrest devices to be used at heights.
- Employees working at height must be trained on the latest approved fall protection plan before work commences at height.

16. MEDICAL SCREENING REQUIREMENTS

- The contractor shall ensure that a medical surveillance programme is implemented for all employees.
- The medical examination shall be conducted in line with the employee job profile/job description.
- A valid medical fitness certificate must be submitted together with the SHE File for approval for all employees who will be doing work for Johannesburg Water.
- Any employee(s) who are declared conditionally fit must be provided with employment which does not aggravate their medical condition as to endanger themselves or other employees.
- The following tests shall be done:
 - Audiograms.
 - A cardio-respiratory examination
 - Lung function tests.
 - Eye/ sight tests.
 - A general physical examination.
 - A review of previous medical history.
 - Blood pressure tests
 - Glucose tests
 - Vaccinations (Hepatitis A & Typhoid)



Document title :	Minimum SHE Requirements for Construction Related RFQ projects		
Revision	00	Author:	OHS: Projects
Effective Date	January 2017	Pages:	01

17. TOOLBOX TALKS

- The contractor shall ensure they conduct toolbox talks with their employees on a weekly basis and records of these must be kept in the SHE file.
- The objective of toolbox talks should be to communicate relevant site information to assist in improvement of occupational health and safety performance.
- Employees must acknowledge the receipt of toolbox talks and this record must also be kept in the SHE file.

18. PERSONAL PROTECTIVE EQUIPMENT (PPE)

- Contractor must issue their employees SABS approved PPE. A copy of the PPE issue register signed by the employee issued with the PPE must be kept in the SHE file.
- Contractor Supervisor are required to conduct continuous inspections of the PPE issued to their employees to ensure that they are still in good condition to be used by the employee or they still comply with manufacture requirements.
- The contractor is responsible for ensuring that employees are trained on the safe use of the PPE issued to them, how to maintain it and the limitations of the PPE.
- NO SHORTS OR DRESSES WILL BE ALLOWED ON SITE

19. WORKPLACE SIGNAGE

- Appropriate symbolic signage must be displayed where it is required by legislation.
- Appropriate warning, mandatory and information signs must be placed where required.
- All signs must comply to SANS/SABS requirements.
- Contractors shall use mandatory and prescribed symbolic safety signs at their lay down and site areas.

20. INCIDENT REPORTING AND INVESTIGATION

- All incidents shall be reported to the Client before the end of the shift or within 24hrs of occurrence.
- Section 24 incidents shall be reported to DOL using the prescribed format.
- The contractor shall develop an incident management procedure and communicate with all employees.

21. NOTIFICATION OF CONSTRUCTION WORK

- The contractor shall notify the DOL in the prescribed format of the intended work prior to work.



Document title :	Minimum SHE Requirements for Construction Related RFQ projects		
Revision	00	Author:	OHS: Projects
Effective Date	January 2017	Pages:	01

22. COMPLIANCE MONITORING

- Weekly inspections and monthly audits will be conducted on site.

23 PROJECT COMPLETION

- Upon completion of the project the SHE file shall be returned to the Client for retention and close out.



Document title :	Minimum SHE Requirements for Construction Related RFQ projects		
Revision	00	Author:	OHS: Projects
Effective Date	January 2017	Pages:	01

Project details

Project Scope: Cleaning oil spillage on the concrete wall and channel at inlet pump station.

Depot / Site / Department: Olifantsvlei WWTW

Estimated duration: TBC

Documents required

Letter of Good Standing	Yes	☒	No	☐	N/A	☐
SHE plan	Yes	☒	No	☐	N/A	☐
Risk Assessment	Yes	☒	No	☐	N/A	☐
Safe working Procedures	Yes	☒	No	☐	N/A	☐
Notification of Construction work	Yes	☒	No	☐	N/A	☐
Inspection registers	Yes	☒	No	☐	N/A	☐

Items required before starting

Medicals	Yes	☒	No	☒	N/A	☐
Vaccinations	Yes	☐	No	☒	N/A	☐
PPE (boots, hard hats, overall)	Yes	☒	No	☐	N/A	☐
Induction	Yes	☒	No	☐	N/A	☐
Approval from OHS	Yes	☒	No	☐	N/A	☐

APPOINTMENTS AND COMPETENCIES

Construction Supervisor

Appointment	Yes	☒	No	☐	N/A	☐
CV (and/ certificates)	Yes	☒	No	☐	N/A	☐

Safety Officer

Appointment	Yes	☐	No	☒	N/A	☐
CV (and/ certificates)	Yes	☐	No	☒	N/A	☐

NB* Other appointments will be based on the number of employees on site as required by law.



Document title :	Minimum SHE Requirements for Construction Related RFQ projects		
Revision	00	Author:	OHS: Projects
Effective Date	January 2017	Pages:	01

RETURNABLE ANNEXURE A: ACKNOWLEDGEMENT OF SHE SPECIFICATION & ANNEXURES

CONTRACTOR:

I, the undersigned, hereby acknowledge that I have obtained copies of the following listed documentation and confirm that I fully understand the contents thereof and the consequences of non-compliance. The Contractor furthermore reiterates its commitment to compliance of the requirements contained within the following provided documentation:

- Johannesburg Water SOC Ltd, Safety, Health & Environmental (SHE) Specification, Annexure 1: Baseline risk assessment conducted for or on behalf of Johannesburg Water SOC Ltd;

Signed at on this Day of 20.....

CONTRACT MANAGER			
NAME	DESIGNATION	DATE	SIGNATURE
CONTRACT SUPERVISOR			
NAME	DESIGNATION	DATE	SIGNATURE
WITNESS (1)			
NAME	DESIGNATION	DATE	SIGNATURE
WITNESS (2)			
NAME	DESIGNATION	DATE	SIGNATURE