



CAPPING BEAM REINFORCING TYPE 7

Member	No of Mbrs	No in Each	Y or R	Dia Size	Bar Mark	Total No	Cut Length	Mass kg	Shape Code	Dimensions to SABS 82				
										A	B	C	D	E or R
TYPE 7	1	7	Y	25	AM01	7	2 700,0	73	85	660	1520	310	450	
CAPPING BEAM	1	7	Y	16	AM02	7	1 850,0	20	38	700	160	1050		
REINFORCING	1	7	Y	12	AM03	7	1 140,0	7	99	SEE SKETCH				
	1	7	Y	16	AM04	7	2 100,0	23	37	715	1390			
	1	7	Y	16	AM05	7	1 650,0	18	37	300	1390			
	1	7	Y	12	AM06	7	1 250,0	8	99	SEE SKETCH				
	1	7	Y	16	AM07	7	2 000,0	22	54	200	1680	200		
	1	7	Y	12	AM08	7	2 500,0	16	85	550	1480	305	300	
	1	2	Y	16	AM09	2	1 600,0	5	20	1600				
	1	18	Y	16	AM10	18	1 500,0	43	38	650	275	650		
	1	18	Y	12	AM11	18	1 500,0	24	38	700	125	700		
	1	48	Y	25	B01	48	3 140,0	581	99	SEE SKETCH				
	1	48	Y	25	B02	48	2 300,0	425	38	660	1350	400		
	1	28	Y	25	B03	28	4 000,0	432	20	4000				
	1	56	Y	25	B04	56	2 200,0	475	37	660	1580			
	1	4	Y	40	B05	4	7 050,0	278	38	2690	1890	2690		
	1	4	Y	40	B06	4	7 350,0	290	49	2715	2715	1878	2690	2690
	1	4	Y	40	B07	4	7 500,0	296	49	2798	2798	1869	2678	2678
	1	4	Y	40	B08	4	7 750,0	306	49	2935	2935	1862	2674	2674
	1	4	Y	40	B09	4	8 100,0	320	49	3118	3118	1855	2669	2669
	1	4	Y	40	B10	4	8 550,0	337	49	3340	3340	1850	2666	2666
	1	7	Y	25	BS01	7	2 050,0	55	38	415	780	975		
	1	7	Y	25	BS02	7	3 250,0	88	20	3270				
	1	7	Y	25	BS03	7	3 500,0	94	37	980	2580			
	1	20	Y	25	BS04	20	2 200,0	170	37	660	1580			
	1	494	Y	25	C01	494	5 450,0	10374	62	1555	1530	3850		
	1	418	Y	25	C02	418	2 250,0	3624	62	1120	1100	1120		
	1	933	Y	25	C03	933	3 050,0	10965	37	2450	650			
	1	450	Y	25	C04	450	2 500,0	4335	20	2500				
	1	427	Y	25	C05	427	3 200,0	5265	37	650	2600			
	1	494	Y	25	C06	494	1 850,0	3522	37	350	1550			
	1	447	Y	12	C07	447	1 140,0	452	99	SEE SKETCH				
	1	439	Y	12	C08	439	1 815,0	707	99	SEE SKETCH				
	1	854	Y	16	C09	854	2 200,0	2965	37	350	1850			
	1	435	Y	16	C10	435	4 050,0	2781	37	350	3700			
	1	480	Y	12	C11	480	1 400,0	597	49	155	155	1065	118	118
	1	447	Y	12	C12	447	2 550,0	1012	37	500	2050			
	1	494	Y	12	C13	494	4 450,0	1952	38	2100	280	2100		
	1	494	Y	16	C14	494	2 550,0	1988	38	1160	280	1160		
	1	494	Y	16	C15	494	1 950,0	1520	38	900	230	900		
	1	483	Y	16	C16	483	4 050,0	3088	38	350	3400	350		
	1	918	Y	16	C17	918	2 200,0	3188	37	1850	350			
	1	483	Y	16	C18	483	4 450,0	3392	62	1590	1125	2825		
	1	483	Y	25	C19	483	2 850,0	5304	37	350	2550			
	1	494	Y	25	C20	494	2 450,0	4664	38	950	1280	350		
	1	38	Y	16	C21	38	1 850,0	111	38	850	230	850		
	1	36	Y	16	C22	36	1 900,0	108	38	850	280	850		
	1	36	Y	16	C23	36	1 900,0	108	38	850	260	850		
	1	32	Y	16	C24	32	2 500,0	126	37	850	1680			
	1	96	Y	16	C25	96	2 200,0	333	37	850	1350			
	1	32	Y	16	C26	32	3 350,0	169	37	850	2500			
	1	12	Y	16	C27	12	1 800,0	34	37	850	950			
	1	22	Y	12	C28	22	1 050,0	21	38	500	100	500		
	1	6	Y	16	C29	6	1 500,0	14	37	850	680			
	1	300	R	10	C30	300	450,0	83	85	110	260	60	70	
	1	320	R	10	C31	320	300,0	59	85	110	100	60	70	
	1	2	Y	25	LA01	2	2 300,0	18	38	900	605	900		
	1	4	Y	25	LA03	4	2 000,0	31	38	880	380	880		
	1	588	Y	25	L01	588	13 000,0	29455	20	13000				
	1	840	Y	16	L02	840	13 000,0	17235	20	13000				
	1	154	Y	12	L03	154	13 000,0	1777	20	13000				
	1	26	Y	25	P01	26	2 050,0	205	38	410	1095	660		
	1	26	Y	12	P02	26	1 200,0	28	38	530	160	530		
	1	26	Y	12	P03	26	940,0	22	99	SEE SKETCH				
	1	12	Y	12	P04	12	1 350,0	14	99	SEE SKETCH				
	1	12	Y	12	P05	12	1 200,0	13	38	530	160	530		
	1	52	Y	16	P06	52	2 050,0	168	37	1850	200			
	1	12	Y	12	P07	12	2 550,0	27	75	630	220	630	305	480
	1	12	Y	12	P08	12	2 800,0	30	75	700	220	705	305	555
	1	12	Y	12	P09	12	1 190,0	13	99	SEE SKETCH				
	1	14	Y	16	P10	14	2 900,0	64	85	170	1955	160	720	
	1	14	Y	12	P11	14	2 600,0	32	85	550	1755	305	150	
	1	14	Y	12	P12	14	1 250,0	16	99	SEE SKETCH				
	1	14	Y	32	P13	14	3 450,0	305	37	1130	2380			
	1	14	Y	25	P14	14	4 250,0	229	37	660	3640			

CAPPING BEAM REINFORCING TYPE 7

Member	No of Mbrs	No in Each	Y or R	Dia Size	Bar Mark	Total No	Cut Length	Mass kg	Shape Code	Dimensions to SABS 82				
										A	B	C	D	E or R
	1	128	Y	12	P15	128	550,0	63	85	150	290	95	95	
	1	14	Y	20	P16	14	3 900,0	135	37	880	3040			
	1	14	Y	20	P17	14	4 400,0	152	38	2100	280	2100		
	1	18	Y	16	P18	18	1 400,0	40	38	650	135	650		
	1	18	Y	16	P19	18	3 550,0	101	38	1675	280	1675		
	1	18	Y	16	P20	18	1 450,0	41	38	650	195	650		
	1	18	Y	16	P21	18	3 550,0	101	38	1675	280	1675		
	1	2	Y	16	P22	2	1 600,0	5	20	1600				
	1	2	Y	16	P23	2	2 350,0	7	20	2350				
	1	32	Y	25	SM01	32	1 770,0	218	99	SEE SKETCH				
	1	32	Y	25	SM02	32	1 950,0	240	99	SEE SKETCH				
	1	32	Y	25	SM03	32	2 400,0	296	99	SEE SKETCH				
	1	32	Y	25	SM04	32	3 400,0	419	37	1220	2225			
	1	32	Y	25	SM05	32	1 900,0	234	38	660	695	660		
	1	36	Y	25	SM06	36	1 800,0	250	37	660	1180			
	1	36	Y	25	SM07	36	3 400,0	472	37	1220	2225			
	1	10	Y	12	SU01	10	1 950,0	17	62	1660	1175	260		
	1	10	Y	12	SU02	10	4 350,0	39	38	1340	130	2940		
	1	20	Y	12	SU03	20	2 400,0	43	38	1100	230	1100		
	1	10	Y	12	SU04	10	5 200,0	46	38	2560	130	2560		
	1	10	Y	12	SU05	10	2 950,0	26	38	1340	290	1340		
	1	10	Y	12	SU06	10	1 900,0	17	38	840	235	840		
	1	10	Y	12	SU07	10	1 950,0	17	38	930	130	930		
	1	10	Y	12	SU08	10	1 950,0	17	38	890	205	890		
	1	10	Y	12	SU09	10	2 200,0	20	38	1070	100	1070		
	1	10	Y	12	SU10	10	1 800,0	16	38	880	100	880		
	1	13	Y	25	TD01	13	2 000,0	100	38	660	1020	450		
	1	13	Y	16	TD02	13	1 150,0	24	20	1160				
	1	13	Y	16	TD03	13	3 900,0	80	99	SEE SKETCH				
	1	14	Y	25	U01	14	3 050,0	165	37	1220	1870			
	1	17	Y	25	U02	17	2 750,0	180	37	1370	1430			
	1	17	Y	25	U03	17	1 350,0	88	38	530	295	660		
	1	17	Y	25	U04	17	3 050,0	200	37	1220	1870			
	1	20	Y	25	U05	20	2 200,0	170	37	660	1580			
	1	10	Y	25	U06	10	4 000,0	154	20	4000				
	1	6	Y	32	01	6	3 350,0	127	37	2835	600			
	1	6	Y	20	02	6	3 400,0	50	37	2835	600			
	1	9	Y	20	03	9	6 650,0	148	38	2835	800	3100		



Member	No of Mbres	No in Each	Y or R	Dia Size	Bar Mark	Total No	Cut Length	Mass kg	Shape Code	Dimensions to SABS 82				
										A	B	C	D	E or R













B01-Y16
CUT LENGTH = 3140mm

C07-Y12
CUT LENGTH = 1140mm

C08-Y12
CUT LENGTH = 1815mm

P03-Y12
CUT LENGTH = 940mm

P04-Y12
CUT LENGTH = 1350mm

Member	No of Mbrs	No in Each	Y or R	Dia Size	Bar Mark	Total No	Cut Length	Mass kg	Shape Code	Dimensions to SABS 82																																																					
										A	B	C	D	E or R																																																	
<div><div><div></div><div><p>P09-Y12 CUT LENGTH = 1190mm</p></div></div><div><div></div><div><p>P12-Y12 CUT LENGTH = 1250mm</p></div></div><div><div></div><div><p>SM01-Y25 CUT LENGTH = 1770mm</p></div></div><div><div></div><div><p>SM02-Y25 CUT LENGTH = 1950mm</p></div></div><div><div></div><div><p>SM03-Y25 CUT LENGTH = 2400mm</p></div></div><div><div></div><div><p>TD03-Y16 CUT LENGTH = 3900mm</p></div></div></div>																																																															
<table><tr><td colspan="2">Engineers</td><td rowspan="7"></td><td rowspan="7"><div><div>MILD STEEL</div><table><tr><td>R8</td><td>0</td></tr><tr><td>R10</td><td>142,4</td></tr><tr><td>R12</td><td>0</td></tr><tr><td>R16</td><td>0</td></tr><tr><td>R20</td><td>0</td></tr><tr><td>R32</td><td>0</td></tr></table></div></td><td rowspan="7"><div><div>HIGH YIELD STEEL</div><table><tr><td>Y10</td><td>0</td></tr><tr><td>Y12</td><td>7 087</td></tr><tr><td>Y16</td><td>37 925</td></tr><tr><td>Y20</td><td>485</td></tr><tr><td>Y25</td><td>83 570</td></tr><tr><td>Y32</td><td>432</td></tr><tr><td>Y40</td><td>1 827</td></tr></table></div></td><td rowspan="7"></td><td colspan="2">Transnet National Ports Authority</td></tr><tr><td colspan="2">Date:</td></tr><tr><td colspan="2">Name:</td></tr><tr><td colspan="2">Signed:</td></tr><tr><td colspan="2">ZAA SCHEDULE No.</td></tr><tr><td colspan="2">1785-CO-090-C-SCH-0011-01 T0A</td></tr><tr><td colspan="2">ZAA REFERENCE DRAWING</td></tr><tr><td colspan="2">1785-CO-090-C-DWG-0011</td></tr></table>																Engineers			<div><div>MILD STEEL</div><table><tr><td>R8</td><td>0</td></tr><tr><td>R10</td><td>142,4</td></tr><tr><td>R12</td><td>0</td></tr><tr><td>R16</td><td>0</td></tr><tr><td>R20</td><td>0</td></tr><tr><td>R32</td><td>0</td></tr></table></div>	R8	0	R10	142,4	R12	0	R16	0	R20	0	R32	0	<div><div>HIGH YIELD STEEL</div><table><tr><td>Y10</td><td>0</td></tr><tr><td>Y12</td><td>7 087</td></tr><tr><td>Y16</td><td>37 925</td></tr><tr><td>Y20</td><td>485</td></tr><tr><td>Y25</td><td>83 570</td></tr><tr><td>Y32</td><td>432</td></tr><tr><td>Y40</td><td>1 827</td></tr></table></div>	Y10	0	Y12	7 087	Y16	37 925	Y20	485	Y25	83 570	Y32	432	Y40	1 827		Transnet National Ports Authority		Date:		Name:		Signed:		ZAA SCHEDULE No.		1785-CO-090-C-SCH-0011-01 T0A		ZAA REFERENCE DRAWING		1785-CO-090-C-DWG-0011	
Engineers			<div><div>MILD STEEL</div><table><tr><td>R8</td><td>0</td></tr><tr><td>R10</td><td>142,4</td></tr><tr><td>R12</td><td>0</td></tr><tr><td>R16</td><td>0</td></tr><tr><td>R20</td><td>0</td></tr><tr><td>R32</td><td>0</td></tr></table></div>	R8	0	R10	142,4	R12	0	R16	0	R20	0	R32	0	<div><div>HIGH YIELD STEEL</div><table><tr><td>Y10</td><td>0</td></tr><tr><td>Y12</td><td>7 087</td></tr><tr><td>Y16</td><td>37 925</td></tr><tr><td>Y20</td><td>485</td></tr><tr><td>Y25</td><td>83 570</td></tr><tr><td>Y32</td><td>432</td></tr><tr><td>Y40</td><td>1 827</td></tr></table></div>	Y10			0	Y12	7 087	Y16	37 925	Y20	485	Y25	83 570	Y32	432	Y40		1 827		Transnet National Ports Authority																												
R8	0																																																														
R10	142,4																																																														
R12	0																																																														
R16	0																																																														
R20	0																																																														
R32	0																																																														
Y10	0																																																														
Y12	7 087																																																														
Y16	37 925																																																														
Y20	485																																																														
Y25	83 570																																																														
Y32	432																																																														
Y40	1 827																																																														
Date:																																																															
Name:																																																															
Signed:																																																															
ZAA SCHEDULE No.																																																															
1785-CO-090-C-SCH-0011-01 T0A																																																															
ZAA REFERENCE DRAWING																																																															
1785-CO-090-C-DWG-0011																																																															
<table><tr><td colspan="4">DCT BERTHS 203 to 205 RECONSTRUCTION DEEPENING AND LENGTHENING</td><td colspan="4">TNPA SCHEDULE No.</td></tr><tr><td colspan="4"></td><td colspan="4">2122830-1-090-C-SC-1010-01 T0A</td></tr><tr><td colspan="4">REINFORCEMENT SCHEDULE CAPPING BEAM TYPE 7</td><td colspan="4">TNPA REFERENCE DRAWING</td></tr><tr><td colspan="4"></td><td colspan="4">2122830-1-090-C-GA-1010</td></tr></table>																DCT BERTHS 203 to 205 RECONSTRUCTION DEEPENING AND LENGTHENING				TNPA SCHEDULE No.								2122830-1-090-C-SC-1010-01 T0A				REINFORCEMENT SCHEDULE CAPPING BEAM TYPE 7				TNPA REFERENCE DRAWING								2122830-1-090-C-GA-1010																			
DCT BERTHS 203 to 205 RECONSTRUCTION DEEPENING AND LENGTHENING				TNPA SCHEDULE No.																																																											
				2122830-1-090-C-SC-1010-01 T0A																																																											
REINFORCEMENT SCHEDULE CAPPING BEAM TYPE 7				TNPA REFERENCE DRAWING																																																											
				2122830-1-090-C-GA-1010																																																											